

LaSalle Exploration Intersects Multiple Gold Zones at Radisson - Goldhawk Zone Extended 800 Metres

19.10.2021 | [Newsfile](#)

Vancouver, October 19, 2021 - [LaSalle Exploration Corp.](#) (TSXV: LSX) ("LaSalle" or the "Company") is pleased to announce assay results for seven holes drilled as part of the maiden drill program on the 100% owned Radisson Property located in the Eeyou Istchee - James Bay Territory, Québec. These holes tested both the Goldhawk and Goldfang zones, discovered late in the 2020 field season (December 7, 2020 news release) by surface prospecting, and which occur within an extensive, gold enriched structural corridor (Figure 1) that extends more than 8 kilometres to the east/southeast onto the neighbouring Serpent property, that is actively being explored by Harfang Exploration Inc.

Table 1: Diamond Drill Hole Gold Intersections

Hole ID	From (m)	To (m)	Interval (m)*	Gold (g/t)
Goldhawk Zone				
LXR21-001	25.00	28.00	3.00	2.13
	80.02	102.42	22.40	1.64
including	80.02	92.00	11.98	2.69
including	80.02	85.50	5.48	3.93
including	83.50	85.50	2.00	7.52
including	85.00	85.50	0.50	15.85
LXR21-002	36.93	41.22	4.29	1.09
	64.00	74.00	10.00	1.37
including	70.00	74.00	4.00	2.35
including	73.00	74.00	1.00	6.37
	152.60	156.43	3.83	0.63
LXR21-003	34.45	39.30	4.85	1.30
including	35.45	37.45	2.00	3.04
	156.25	158.25	2.00	8.63
including	156.25	157.25	1.00	17.15
Goldfang Zone				
LXR21-004	28.00	32.83	4.83	1.99
including	28.00	29.13	1.13	7.74

**Note: lengths represent core lengths*

Commented Ian Campbell, President and CEO: "We are extremely pleased by the progression of successes of our 2021 field program. Considering that we started by prospecting isolated showings in June and have now identified multiple gold mineralized structures covering a large area is exciting in itself. What's more, the extent of the mineralized halo containing high-grade structures confirms the prospectivity of the Goldhawk Zone. We look forward to the next phase of drilling which is expected to commence early in the new year."

Goldhawk Zone (Figure 2)

Three drill holes totaling 763 metres tested the Goldhawk Zone over 100 metres of strike length. All three holes intersected the 10 to 25 metre wide Goldhawk Main Shear Zone. In addition, a 3 to 6 metre wide shear zone was intersected at shallow depths in each of the drill holes. Both shears consist of 1-3% laminated sheared quartz veins with 1 to 3% pyrite. The diorite host wallrock locally contains up to 5% pyrite. The shears are also characterized by intense alteration along with iron oxide staining and pyrite mineralization.

The main shear intersections ranged from 1.37 to 1.64 g/t over 10 to 22 metres, with higher grade

intersections up to 15.85 g/t over 0.50 metres (Table 1). The shallow shear intersections ranged from 1.09 to 2.13 g/t over 3 to 6 metres. Both well mineralized shear zones are hosted within a 50 to 75 metre wide gold anomalous (i.e., >0.050 g/t gold) zone. There is strong assay support for the high-grade intersections with gold grades in the adjacent sheared diorite wallrock ranging from 1.10 to 6.37 g/t over 1 to 3 metres.

Ongoing prospecting discovered the Goldhawk Extension 1 km west-northwest of the current Goldhawk drilling (Figure 1). This discovery is characterized by a 1 to 3 metre wide shear zone hosted in altered diorite with 5-10% laminated quartz veins. Mineralization in the quartz veins consists of 0.5 to 2% pyrite and locally up to 5% pyrite in the host diorite with occurrences of visible gold noted.

Goldfang Zone

Four drill holes totaling 408 metres tested the Goldfang Zone over 100 metres of strike length. Gold mineralization was intersected in one of these drill holes (Table 1). The intersection consists of quartz veins with 1-2% pyrite and pyrrhotite hosted in altered amphibolite that returned 7.74 g/t over 1.13 metres.

Silver and base metal mineralization was intersected in two of these drill holes (Table 2). These intersections contain anomalous to high grade silver, up to 219 g/t, anomalous copper, with values up to 1,040 ppm and anomalous to high grade molybdenum, with values up to 4,910 ppm. This mineralization is hosted in narrow quartz veins and irregular fractures with 1-2% disseminated chalcopyrite, pyrite, pyrrhotite and molybdenite within altered amphibolite and felsic dykes. These metre scale intersections are part of wider (i.e., 2 to 7 metres) zones with anomalous values.

Table 2: Diamond Drill Hole Base Metal Intersections

Hole ID	From (m)	To (m)	Interval (m)*	Silver (g/t)	Copper (ppm)	Molybdenum (ppm)
Goldfang Zone						
LXR21-005	70.00	71.00	1.00	1.0	1,030	49
	73.00	74.00	1.00	0.6	946	1
	76.00	77.00	1.00	219.0	578	197
LXR21-006	79.00	80.00	1.00	0.9	1,040	4,910
LXR21-007	No significant results					

*Note: lengths represent core lengths

2021 Field Work

The recently completed 2021 field program consisted of systematic prospecting, geological mapping and bedrock sampling along the extensions of the greater Goldhawk, Goldfang and Talon target areas. In addition to the newly discovered Goldhawk Extension, a 2 to 3 metre wide shear zone with 5% quartz veins and 1-2% pyrite hosted in sheared diorite was discovered 300 metres along strike to the southeast of the Talon Zone. Additional work was also completed along strike to the northwest and north of the Goldfang trend. A total of 158 grab samples were collected for analysis.

Assays for the remaining five holes together with the results from the extended field season prospecting and channel sampling on the Goldhawk and Talon Zones are pending.

Field Work and COVID-19 Protocols

The health and safety of the staff at site, and the communities in which the Company operates, is of paramount importance to LaSalle. All employees and contractors work according to the most recent government protocols on COVID-19 restrictions, which define the measures and constraints to be adopted in order to limit the risks associated with COVID-19, ensuring the health and safety of everyone involved in the exploration programs.

Qualified Person

The technical information in this news release was reviewed and approved by Alan Sexton, P.Geo., Vice-President, Exploration of [LaSalle Exploration Corp.](#), who is a non-independent qualified person for the technical disclosure as defined by National Instrument 43-101 Standards of Disclosure for Mineral Projects

("NI 43-101").

The rock samples reported above were delivered to ALS of Rouyn-Noranda, a certified and accredited laboratory service provider, for sample preparation, with analyses being carried out by ALS in Vancouver. All rock samples were prepared by procedures CRU-31 (crush entire sample to 70% <2mm), PUL-32 (pulverize 1000 grams to 85% <75 microns) and SPL-21 (split 250 grams from the entire sample using a riffle splitter). A 30 gram sub-sample from the 250 gram riffle split was analysed for gold by FA/AA (method Au-AA23), with any samples returning values of 10 g/t gold or higher being re-assayed by FA with a gravimetric finish (method AA-GRA21). All core samples were also analysed for 33 elements by 4-acid ICP-AES (method ME-ICP61) and any base metals that returned values of 10,000 ppm or greater were assayed by a 4-acid ore grade (method Cu-OG62). The LaSalle QA/QC protocol includes the regular insertion of certified standards and blanks every ten (10) samples. In addition, ALS routinely inserts certified standards, blanks and pulp duplicate samples. Results of all ALS QA/QC samples are reported to LaSalle.

About LaSalle Exploration Corp.:

[LaSalle Exploration Corp.](#) is an exploration company focused on less explored districts of the Abitibi, recognized for mining investment based on mineral potential, policy and success, and the developing Eeyou Itschee-James Bay region in Québec as well as the high-grade gold Blakelock and Egan properties located in northeastern Ontario. [LaSalle Exploration Corp.](#) is listed on the TSX Venture Exchange ("TSX-V") under the symbol "LSX". Additional information about LaSalle can be found on SEDAR at www.sedar.com and on the Company's website at www.lasallecorp.com.

On behalf of the Board of Directors LaSalle Exploration Corp.[/wp]

"Ian Campbell"

President and Chief Executive Officer

Telephone: (604) 647-3966

Cautionary Note Regarding Forward-Looking Statements and Information

The information in this news release includes certain information and statements about management's view of future events, expectations, plans and prospects that constitute forward-looking statements. These statements are based upon assumptions that are subject to significant risks and uncertainties. Because of these risks and uncertainties and as a result of a variety of factors, the actual results, expectations, achievements or performance may differ materially from those anticipated and indicated by these forward-looking statements. Any number of factors could cause actual results to differ materially from these forward-looking statements as well as future results. Although the Company believes that the expectations reflected in forward looking statements are reasonable, it can give no assurances that the expectations of any forward-looking statements will prove to be correct. Except as required by law, the Company disclaims any intention and assumes no obligation to update or revise any forward-looking statements to reflect actual results, whether as a result of new information, future events, changes in assumptions, changes in factors affecting such forward-looking statements or otherwise.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Figure 1 - Radisson

To view an enhanced version of Figure 1, please visit:

https://orders.newsfilecorp.com/files/6809/100138_fig1.jpg

Figure 2 - Goldhawk Zone

To view an enhanced version of Figure 2, please visit:

https://orders.newsfilecorp.com/files/6809/100138_fig2.jpg

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/396962--LaSalle-Exploration-Intersects-Multiple-Gold-Zones-at-Radisson---Goldhawk-Zone-Extended-800-Metres.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).