

# CopAur Drills 41.57 Metres of 1.38 g/t Au Including 0.70 Metres of 22.00 g/t Au and Defines Trend of Mineralization at the T-bill Target

24.11.2021 | [Newsfile](#)

Vancouver, November 24, 2021 - [CopAur Minerals Inc.](#) (TSXV: CPAU) ("CopAur" or the "Company") is pleased to announce results from the 2021 diamond drill program at the T-Bill target that included bulk-tonnage and high-grade mineralization including 41.57 metres (m) of 1.38 grams per tonne (g/t) gold (Au) with 0.70 m of 22.00 g/t Au in drill hole WM21-07 (Figure 1, Table 1).

The program consisted of 7 oriented drill holes totaling 3,150 m that were designed to test historic intervals and orientations of gold mineralization along-strike and at-depth. These results have confirmed the Company's model of mineralized vein orientations having a dominant northwest-trending structural control that was previously poorly defined as historic drilling targeted multiple orientations to mineralized trends. Due to targeting the optimal orientation the Company has successfully defined a series of six northwest-trending veins over a ~150 m strike-length that presents significant opportunities to expand to the northwest and southeast, as the overlapping >100 ppb gold-in-soil anomaly footprint extends for a total ~2.4 kilometres (km) strike-length (see news release November 11<sup>th</sup>, 2021) (Figure 2). As such only 0.3 km strike-length of the northwest-trending gold-in-soil anomaly footprint has been adequately tested by 2021 confirmation drilling which leaves a large portion of the northwest-trending anomaly untested, in addition to a ~1.8 km >100 ppb gold-in-soil anomaly that trends to the north-northeast (Figure 2). The T-Bill target is located on the Company's 100% owned Williams Copper-Gold Project situated within the Golden Horseshoe of north-central British Columbia.

Highlights from the 2021 T-Bill drill program include:

- 1.23 g/t Au over 15.70 m from 22.10 m in hole WM21-02
- 1.38 g/t Au over 41.57 m from 149.00 m in hole WM21-07
- 31.30 g/t Au over 1.00 m from 149.00 m in hole WM21-01
- 7.27 g/t Au over 4.75 m from 213.85 m in hole WM21-04
- 9.79 g/t Au over 1.75 m from 217.25 m in hole WM21-06
- 22.00 g/t Au over 0.70 m from 152.50 m in hole WM21-07

Jeremy Yasenuik, CEO commented, "These assay results from our maiden 2021 drill program at the T-Bill target are significant in that they confirm the orientation of the historic high-grade as well as bulk-tonnage material in addition to extending mineralization along-strike and to-depth. We are now well situated to expand on the success of our methodology, allowing for future systematic testing of the mineralized extent of this largely untested system."

Figure 1: Plan view and cross-section of 2021 drilling at the T-Bill target.

To view an enhanced version of Figure 1, please visit:  
[https://orders.newsfilecorp.com/files/7895/104951\\_df307be00466d8e4\\_001full.jpg](https://orders.newsfilecorp.com/files/7895/104951_df307be00466d8e4_001full.jpg)

Figure 2: T-Bill location with soil and rock sample highlights (previously released November 11, 2021).

To view an enhanced version of Figure 2, please visit:

[https://orders.newsfilecorp.com/files/7895/104951\\_df307be00466d8e4\\_002full.jpg](https://orders.newsfilecorp.com/files/7895/104951_df307be00466d8e4_002full.jpg)

Table 1: Drill results summary from the T-Bill target.

Drillhole	From (m)	To (m)	Interval	Au g/t
	27.50	28.50	1.00	2.02
and	65.50	66.50	1.00	2.19
and	72.00	76.50	4.50	1.48
WM21-01	149.00	150.00	1.00	31.30
and	201.50	202.00	0.50	7.18
and	210.50	212.00	1.50	2.54
and	221.10	221.40	0.30	20.20
and	248.80	250.00	1.20	1.10
	15.70	16.50	0.80	2.19
and	17.90	18.25	0.35	1.50
and	22.10	37.80	15.70	1.23
and	25.00	26.00	1.00	2.44
and	26.95	33.75	6.80	1.62
and	36.00	37.80	1.80	4.06
and	49.00	50.00	1.00	9.85
and	57.00	58.50	1.50	2.95
and	60.00	61.00	1.00	2.48
WM21-02	67.50	68.50	1.00	7.55
and	72.50	74.25	1.75	1.58
and	100.00	101.10	1.10	4.68
and	104.60	106.00	1.40	2.89
and	108.90	110.00	1.10	1.22
and	111.00	113.00	2.00	1.63
and	126.00	127.50	1.50	2.81
and	217.10	218.10	1.00	1.41
and	219.50	221.00	1.50	1.10
and	287.10	288.00	0.90	1.57
and	294.00	297.00	3.00	3.34
	61.00	62.00	1.00	1.23
and	64.40	65.40	1.00	1.43
and	81.80	83.77	1.97	3.41
and	93.20	95.10	1.90	1.72
WM21-03	107.93	109.34	1.41	2.70
and	122.60	124.10	1.50	1.65
and	145.80	147.30	1.50	1.09
and	148.80	150.54	1.74	3.33
and	194.20	195.73	1.53	2.23
and	394.80	395.10	0.30	1.27
Drillhole	From (m)	To (m)	Interval	Au g/t
	45.68	47.20	1.52	1.05
and	71.50	73.00	1.50	3.10
and	92.60	93.10	0.50	1.18
and	145.85	146.50	0.65	1.03
WM21-04	166.50	167.20	0.70	14.20
and	213.85	218.60	4.75	7.27
and	237.30	238.10	0.80	5.69
and	314.30	314.60	0.30	1.13
and	431.60	432.00	0.40	2.75

		53.00	54.17	1.17	2.65
	and	102.00	104.00	2.00	6.58
	and	108.65	109.00	0.35	1.25
	and	137.60	142.90	5.30	1.88
	and	311.50	313.90	2.40	1.86
	and	360.50	361.00	0.50	3.08
WM21-05	and	364.00	366.00	2.00	2.00
	and	372.50	373.00	0.50	1.24
	and	381.00	382.00	1.00	1.16
	and	384.50	386.00	1.50	1.77
	and	408.00	408.50	0.50	1.79
	and	413.50	415.00	1.50	1.88
	and	499.70	500.30	0.60	2.18
		96.00	97.00	1.00	1.25
	and	99.00	101.25	2.25	1.13
	and	157.10	158.00	0.90	13.85
	and	185.00	188.00	3.00	1.09
WM21-06	and	205.10	230.50	25.40	1.28
	including	212.00	213.00	1.00	4.05
	including	217.25	219.00	1.75	9.79
	including	224.10	225.20	1.10	3.39
	and	370.50	372.00	1.50	1.32
		83.50	94.00	10.50	1.58
	including	83.95	84.60	0.65	6.35
	including	87.50	88.00	0.50	19.25
	and	103.10	104.50	1.40	1.18
	and	124.70	125.20	0.50	1.60
WM21-07	and	149.00	190.57	41.57	1.38
	including	152.50	153.20	0.70	22.00
	including	155.00	156.00	1.00	8.22
	including	161.00	162.25	1.25	2.50
	including	170.00	171.00	1.00	2.81
	including	185.40	190.57	5.17	2.45
Drillhole		From (m)	To (m)	Interval	Au g/t
	and	202.30	203.19	0.89	4.67
	and	211.70	213.00	1.30	1.71
	and	220.50	221.00	0.50	17.80
WM21-07	and	230.00	231.00	1.00	1.18
	and	244.00	260.45	16.45	2.63
	including	249.00	249.95	0.95	14.10
	including	259.40	260.45	1.05	20.40

\*True widths are unknown at this time.

#### Quality Assurance and Control

Results from samples were analyzed at ALS Global Laboratories (Geochemistry Division) in North Vancouver, BC, Canada (an ISO/IEC 17025:2017 accredited facility). The sampling program was undertaken by Company personnel under the direction of Wade Barnes, P.Geol. A secure chain of custody is maintained in transporting and storing of all samples. Gold was assayed using a fire assay with atomic emission spectrometry and gravimetric finish when required (+10 g/t Au). Analysis by four acid digestion with 48 element ICP-MS analysis was conducted on all samples with silver and base metal over-limits being re-analyzed by atomic absorption or emission spectrometry.

All drill core sample assay results have been monitored through a quality assurance / quality control (QA/QC) program.

The drill core was sawn in half at CopAur's core logging and processing facility. Half the core was sampled

and shipped in sealed and secure bags to the ALS Global laboratory in North Vancouver, BC. Drill core samples were crushed to 70% less than 2mm, rotary split off 250g, pulverised split to better than 85% passing 75 microns. Drill core samples were analyzed for 33 elements by HF-HNO<sub>3</sub>-HClO<sub>4</sub> acid digestion, HCl leach and ICP-AES on a 0.25 gram sample (method ME-ICP61). Gold was analyzed by fire assay on a 30 gram sample with an AAS finish (method Au-AA23). Over limit gold assays > 10 ppm were re-analyzed by fire assay using a gravimetric finish on a 30 gram sample.

In addition to the ALS Global laboratory QA/QC protocols, CopAur Minerals implements an internal QA/QC program that includes the insertion of duplicates, standards and blanks into the drill core sample stream at a total of 10% of the total samples.

#### About CopAur Minerals Inc.

CPAU is an exploration company focused on advancing orogenic gold and copper porphyry targets on the Williams Gold-Copper Project, located within the prolific Golden Horseshoe of northern British Columbia, Canada. CopAur Minerals is ideally situated within the emerging Toadoggonne District along the eastern Cordilleran gold belt, composed of the Sheep Creek, Cariboo, and Cassiar orogenic gold districts. The Company is backed by a dynamic team of experienced resource sector professionals, including [Benchmark Metals Inc.](#) members on its Advisory Board. The Williams Project represents exceptional shareholder value with significant gold and copper potential.

The technical content of this news release has been reviewed and approved by Wade Barnes, P.Geo., a qualified person as defined by National Instrument 43-101.

#### ON BEHALF OF THE BOARD OF DIRECTORS

"Jeremy Yaseniuk"

Jeremy Yaseniuk, Chief Executive Officer

For further information, please contact:

Jeremy Yaseniuk

Telephone: +1 (604) 773-1467

Email: [jeremy@copaur.com](mailto:jeremy@copaur.com)

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

This news release may contain certain "forward-looking statements". Forward-looking statements involve known and unknown risks, uncertainties, assumptions, and other factors that may cause the Company's actual results, performance, or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Any forward-looking statement speaks only as of the date of this news release. Except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether because of new information or future events, or results or otherwise.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/104951>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/400469--CopAur-Drills-41.57-Metres-of-1.38-g-t-Au-Including-0.70-Metres-of-22.00-g-t-Au-and-Defines-Trend-of-Mineraliza>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).