

Gold Springs Resource Corp. Discovers a New Gold System on the New "Tremor" Target

03.12.2021 | [ACCESS Newswire](#)

VANCOUVER, December 3, 2021 - [Gold Springs Resource Corp.](#) (TSX:GRC)(OTCQB:GRCAF) (the "Company" or "GRC") is excited to announce the assay results from hole J-21-015 with an average of 1.0 g/t gold equivalent over more than 163 meters located 180 meters south of the discovery hole J-21-006. These results confirm the existence of a new gold mineralizing system called "Intrusive-Related Gold System (IRGS)" on a new target which the Company has named "Tremor". This new gold system is situated along the northern extension of the Jumbo Trend of the large Gold Springs project of 8000 ha located on the border of Nevada and Utah.

J-21-015 Highlights include 1.0 g/t gold equivalent over 163.1 meters:

- 1.42 g/t gold equivalent over 33.5 meters within the vein, which includes,
- 3.26 g/t gold equivalent over 10.7 meters within the vein, and
- 0.94 g/t gold equivalent over 123.5 meters within the intrusive and contact zone.

Randall Moore, Executive Vice President of Exploration, stated: "We have been anxiously awaiting these results which now confirm what we believe to be a major new discovery. The existence of an IRGS at Gold Springs opens a potentially large area to develop a new gold resource. Hole J-21-015 extended both the high-grade vein system and the gold mineralization associated with the intrusive first seen in hole J-21-006. We would also like to highlight that both holes ended in gold mineralization. We are now awaiting assays from another 15 holes at "Tremor" that are currently in the laboratory for testing. Drilling has extended this northern vein for over 200 meters and the "Tremor" intrusive zone for 600 meters along strike as seen in the drill cuttings. The thickest intercept within the intrusive thus far has been 280 meters."

GRC is waiting to receive assays from 24 holes on 2 targets - 15 from "Tremor" and 9 from "White Point" - in the coming weeks.

Intrusive-Related Gold System (IRGS) at Tremor

GRC is confident of the presence of an Intrusive-Related Gold System within the "Tremor" target situated along the north extension of the Jumbo Trend in Utah where a strong CSAMT high resistivity anomaly extends for 1,200 meters.

GRC has been focused on defining gold resources related to epithermal gold systems where 4 resource areas have been identified thus far, all remaining open to expansion. Epithermal systems are generally emplaced at shallow depths, typically related to volcanic activity, and have a strong structural control of the gold mineralization.

Intrusive-Related Gold Systems (IRGS) form at deeper levels with the gold controlled by thin stockwork veins, breccias, or disseminated within the intrusion. IRGS are known to form large gold deposits. The new "Tremor" target has magnetite as a dominant component deeper within the intrusive and the alteration is characterized by secondary biotite and potassium feldspar. It is possible that the two systems, epithermal and IRGS, are of different ages and only related spatially. From the results received thus far both stockwork veining and disseminated gold appear to be components of this new discovery. The gold-bearing intrusive was emplaced along a strong north-south structural corridor and has been traced in drill holes for nearly 600 meters. Intercepts of the intrusive range from 3 to 280 meters with the thickest intercepts bottoming in the intrusive. Holes in the "Tremor" target area also intersected rhyolites and mafic dikes which have been shown to contain gold mineralization within the contact zone of the "Tremor" intrusive.

2021 ongoing drilling program:

The Company has completed 18 holes at "Tremor" designed to test the extent of the intrusive hosted gold system. These holes demonstrate the intrusive extends for 600 meters and is open to the north, south and at depth. In addition, the vein system in hole J-21-006 has been traced for 200 meters (for details on hole J-21-006 which returned 6.87 g/t gold equivalent over 24.4 meters, including grades of 30.9 g/t gold equivalent over 4.6 meters, please refer to the Company's press release dated September 7, 2021).

The drill has moved to "Charlie Ross" where 8 additional holes are planned to follow-up that new discovery (please refer to the Company's press release dated October 19, 2021), while GRC waits for assays on the remaining 15 holes at "Tremor". Once those assays are received, the Company plans to drill additional holes at "Tremor".

Drilling highlights include

Hole	Host Rock	From (m)	To (m)	Thickness** (m)	Gold (g/t)	Silver (g/t)	Gold Equivalent* (g/t)
J-21-015	Mixed	108.2	271.3***	163.1	0.93	5.1	1.00
	including Vein	108.2	141.7	33.5	1.32	7.4	1.42
	including Vein	109.7	120.4	10.7	3.07	13.5	3.26
	Including Vein	109.7	114.3	4.6	5.89	20.5	6.17
	including Intrusive and contact zone	147.8	271.3***	123.5	0.87	4.7	0.94
J-21-016	Vein	93.0	102.1	9.1	1.76	44.0	2.36
	including Vein	94.5	99.1	4.6	3.08	83.0	4.23
And	Rhyolite	132.6	147.8	15.2	0.41	18.6	0.67

* Gold Equivalent calculated at \$1,800 gold and \$25 silver

** True thickness is estimated to be 70-90% of total thickness

*** Hole ended in gold mineralization

Drill Hole Table

Hole ID	Easting - UTM NAD 27	Northing	Elevation Meters	Azimuth	Inclination	TD (m)
J-21-010	761324	4199760	2131	270	-70	329.2
J-21-011	761328	4199693	2135	245	-70	329.2
J-21-012	761254	4199690	2130	270	-80	329.2
J-21-013	761335	4199763	2129	90	-65	329.2
J-21-014	761389	4199615	2111	270	-60	274.3
J-21-015	761334	4199566	2123	270	-75	271.3
J-21-016						

761337

4199514

J-21-017 761285	4199799 2140	270	-80	274.3
J-21-018 761300	4199902 2141	0	-90	326.1
J-21-019 761308	4200011 2155	270	-70	326.1
J-21-020 761345	4200307 2189	270	-60	326.1
J-21-021 761336	4199837 2126	270	-70	326.1
J-21-022 761366	4199659 2154	0	-90	243.8
J-21-023 761349	4199466 2120	290	-70	326.1
J-21-024 761361	4199537 2113	270	-75	259.1
J-21-025 761343	4200043 2177	270	-75	274.3
J-21-026 761281	4199523 2105	290	-65	243.8

Summary of Vein and Intrusive Intercepts

GRC geologists have completed detailed logging of the drill cuttings demonstrating the continuity of the "Tremor" intrusive both along strike and at depth, as well as highlighting the strike extension of the vein zone for over 200 meters. The intrusive and the vein remain open to expansion along strike and at depth.

Hole ID Intrusive Intercept Vein Intercept Hole ends in Intrusive

J-21-006* Yes	Yes	Yes
J-21-010 Yes	No	Yes
J-21-011 Yes	Yes	Yes
J-21-012 Yes	No	No
J-21-013 Yes	No	No
J-21-014 Yes	No	No
J-21-015* Yes	Yes	Yes
J-21-016* Yes	Yes	No
J-21-017 No	No	No
J-21-018 Yes	No	Yes
J-21-019 Yes	No	No
J-21-020 No	No	No
J-21-021 Yes	No	Yes
J-21-022 Yes	No	No
J-21-023 Yes	No	Yes

J-21-024	Yes	No	Yes
J-21-025	Yes	No	No
J-21-026	Yes	No	No

*Assays received

Qualified Person

The Qualified Person on the Gold Springs property is Randall Moore, Executive Vice President of Exploration of [Gold Springs Resource Corp.](#) and he has reviewed and approved the content of this press release. The Qualified Person verified the data disclosed herein for its geological reasonableness, checked all the inputs and verified the analytical data through an analysis of the blanks and standards submitted with the drill-chip samples.

Quality Assurance and Quality Control

Approximately 7 kg of RC chips were sent to the laboratory for each 1.52 meters drill interval. Standards and blanks are submitted into the sample stream at the rate of 15% for QA/QC purposes. In addition, the laboratory also includes duplicates of samples, standards and blanks. The results of these check assays are reviewed prior to the release of data. All RC sample assays are also reviewed for their geological context and checked against the drill logs.

Assay Method

Assays were performed in Sparks, Nevada by ALS Geochemistry, ISO 9001:2000 Certified and independent laboratories. Gold was analyzed by fire assay of a 30-gram sample with an AAS finish with samples assaying greater than 5 g/t re-assayed using a 30-gram sample and a gravity finish. All other elements were analyzed by a four-acid leach ICP method.

About Gold Springs Resource Corp.

[Gold Springs Resource Corp.](#) (TSX:GRC and OTCQB:GRCAF) is focused on the exploration and expansion of the gold and silver resources of its PEA-stage Gold Springs project located on the border of Nevada and Utah, USA. The project is situated in the prolific Great Basin of Western USA, one of the best mining jurisdictions in the world.

[Gold Springs Resource Corp.](#) Contact:
Antonio Canton, President and CEO
acanton@goldspringsresource.com

Forward Looking Statements

Certain statements contained herein constitute "forward-looking information" under applicable Canadian securities laws ("forward-looking statements"). Forward-looking statements look into the future and provide an opinion as to the effect of certain events and trends on the business. Forward-looking statements may include words such as "potential", "plan", "next", "continue", "will", and similar expressions. These forward-looking statements are based on current expectations and entail various risks and uncertainties. Actual results may materially differ from expectations if known and unknown risks or uncertainties affect our business or if our estimates or assumptions prove inaccurate. Factors that could cause results or events to differ materially from current expectations expressed or implied by the forward-looking statements, include, but are not limited to, risks of the mineral exploration industry which may affect the advancement of the Gold Springs project, including possible variations in mineral resources, grade, recovery rates, metal prices, capital and operating costs, and the application of taxes; availability of sufficient financing to fund planned or

further required work in a timely manner and on acceptable terms; availability of equipment and qualified personnel, failure of equipment or processes to operate as anticipated, changes in project parameters, including water requirements for operations, as plans continue to be refined; regulatory, environmental and other risks of the mining industry more fully described in the Company's Annual Information Form and continuous disclosure documents, which are available on SEDAR at www.sedar.com. The assumptions made in developing the forward-looking statements include: the accuracy of current resource estimates and the interpretation of drill, metallurgical testing and other exploration results; the continuing support for mining by local governments in Nevada and Utah; the availability of equipment and qualified personnel to advance the Gold Springs project; execution of the Company's existing plans and further exploration and development programs for Gold Springs, which may change due to changes in the views of the Company or if new information arises which makes it prudent to change such plans or programs.

Readers are cautioned not to place undue reliance on the forward-looking statements contained in this press release. Except as required by law, the Company assumes no obligation to update or revise any forward-looking statement, whether as a result of new information, future events or any other reason. Unless otherwise indicated, forward-looking statements in this press release describe the Company's expectations as of the date hereof.

SOURCE: Gold Springs Resources Corporation

View source version on accesswire.com:

<https://www.accesswire.com/675904/Gold-Springs-Resource-Corp-Discovers-a-New-Gold-System-on-the-New-Tremor>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/401366--Gold-Springs-Resource-Corp.-Discovers-a-New-Gold-System-on-the-New-Tremor-Target.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).