

# Sanatana Reports Strong Results on Its Oweegee Copper-Gold Project, Golden Triangle, BC and Provides Exploration Update

07.12.2021 | [Newsfile](#)

## Highlights:

- The Molloy Zone has been identified as a distinct intrusive phase which hosts strong copper-gold porphyry style mineralization; sample 420022 returned the best values of 1.09% Cu, 3.8 g/t Au and 15.25 g/t Ag.
- The Molloy zone measures 42 metres at its widest point and 145 metres along strike until being concealed by talus and alpine heather to the southwest; 15 grab samples across this area averaged 0.34% Cu 0.829 g/t Au and 4.15 g/t Ag.
- The Molloy Zone alteration assemblage is distinct from the surrounding phyllic alteration and is interpreted as a small window into copper and gold mineralized porphyry system buried beneath the phyllic alteration and further concealed up section by post mineral cap rocks.
- The high gold to copper ratios and the style of alteration and mineralization are visually similar to Kerr and Mitchell deposits of the giant KSM complex situated 45km to the east.
- The Molloy Zone will be drill tested in 2022.
- Assay results and mapping highlight previously unrecognized diorite intrusions and the potassic altered, anomalous Snowpatch Creek and suggest the presence of multiple porphyry systems.

Vancouver, December 7, 2021 - [Sanatana Resources Inc.](#) (TSXV: STA) ("Sanatana" or the "Company" reports on exploration at its Oweegee Copper-Gold project in the Golden Triangle region in British Columbia. The Oweegee Dome project is the subject of an option agreement between Sanatana and [ArcWest Exploration Inc.](#) ("ArcWest").

Assays have been received from our sampling program conducted in the third and fourth quarters of 2021. A total of 220 grab samples from outcrop or nearby float derived from outcrops were taken while our geological crews systematically mapped from east to west over the Delta prospect. The purpose of the sampling was to assist in alteration mapping and to give alteration/ element vectors; the samples were not necessarily well mineralized. Of the grab samples, 18 assayed over 0.1 g/t gold and 6 over 0.5 g/t Au, the highest value being 3.82 g/t Au and 12 assayed with greater than 0.1% Cu the highest assaying 1.09% Cu with seven over 0.5% Cu. The higher Cu and Au values cluster around the previously reported Molloy Zone. (See figure 1 and 2).

Sample Number	Au (ppm)	Cu (ppm)	Ag (ppm)	Mo (ppm)
A0420017	2.2	1635	1.42	9.4
A0420022	3.82	10900	15.25	1.96
A0420023	2.37	8270	16.15	3.79
A0420061	0.171	1230	1.22	1.66
A0420062	0.312	2040	9.69	4.58
A0420063	0.615	5320	5.42	1.55
A0420064	0.021	531	0.54	1.25
A0420163	0.497	586	0.51	3.5
A0420167	0.033	431	0.16	2.14
A0420168	0.035	537	0.35	0.49
A0420169	1.12	7120	5.23	1.17
A0420170	0.044	1565	0.44	0.88
A0420171	0.704	3630	2.25	2.45
A0420176	0.044	453	0.31	0.69
A0420177	0.462	7140	3.31	0.93

Table 1. Rock sample values from the Molloy microdiorite

Buddy Doyle, President of Sanatana commented, "Our initial interest in the Oweegee property was triggered by its Golden Triangle address and the phyllic alteration which was unusually elevated in copper and gold at Delta ridge. This area had been previously drilled by 16 shallow holes looking for an Eskay Creek type VMS. The best intercept from historic work was 86.3 m of 0.10% Cu and 0.228 g/t Au. Sanatana interprets this to be possibly the top of a yet-to-be-unroofed copper/gold porphyry system with better grades at depth or laterally to this historic drilling.

"It is very pleasing to see this summer's field work has reinforced and strengthened this concept including the identification of numerous diorite intrusives and breccias on the ridge and moreover the recognition and sampling of the Molloy zone, northwest of the ridge. We believe that the Molloy Zone represents a daylighting shoulder of a larger copper-gold mineralized system that has never been drill tested."

This year's work showed Molloy zone is defined by 15 samples averaging 0.34% Cu 0.829 g/t Au and 4.15 g/t Ag over 145 metres of strike and 42 metres at its widest point. The outcrop becomes obscured to the southwest along strike by talus and alpine heather which is underlain by anomalous copper-gold values in soils. Looking at the higher-grade samples, 11 from Molloy averaged 0.44% Cu 1.13 g/t Au and 5.54 g/t Ag across 125 metres of strike and 22 metres at its widest point. The best sample was 1.09% Cu, 3.8 g/t Au and 15.25 g/t Ag from sample 420022 (see figure 3). The Molloy Zone is flanked by a strong 400 by 400 metre Cu-Au soil anomaly where assays returned up to 0.1% Cu and 0.9 g/t Au in soil.

Jeff Kyba, VP Exploration for ArcWest, who led this year's field work, commented, "The high gold-to-copper ratios, alteration assemblage and quartz-sulphide veining at Molloy are very similar to well-documented mineralization at Seabridge Gold's KSM deposits located 45km to the west. The rocks at Molloy are distinct from the phyllic alteration in the historic drilling to the southeast of this zone (Delta Ridge) and is consistent with a transition towards a porphyry centre. The Molloy Zone will be a major focus of our work in 2022 when we plan to drill test this target."

Peter Miles, CEO of Sanatana, commented, "Our 2021 exploration success at Oweegee combined with industry and investor interest focused on the Golden Triangle of BC, highlighted by Newcrest Mining's recent \$3.5 billion takeover of Sanatana's neighbor Pretium, should provide an exciting 2022 for Sanatana shareholders".

As well as highlighting the diorite intrusives at Delta ridge, and the high copper-gold zone at Molloy, this year's field work identified potassic altered diorite intrusives at the Snowpatch Zone at the Western edge of the Delta prospect. Though intensely altered, these rocks they are only moderately stockworked and are therefore only moderately elevated in copper and gold. This zone is far enough from Molloy (1.8km) to be considered a different system. Again we point to the nearby KSM deposit where there is a cluster of deposits within a 10km stretch; it is not uncommon to get porphyry systems that cluster. The plan here is to further map the extent of the potassic zone paying attention to vein densities to vector towards higher grade zones. Figure 5 is an image highlighting the vein density and potassic alteration of a typical rock from this zone.

Figure 1 Recent and Historic rock grab samples assayed for copper. The symbol is sized and colour based on the assay result. Clustering of higher-grade samples demonstrate zones of greater interest, especially if porphyry style alteration and veining are noted. The phyllic altered Delta Ridge, the intensely veined Molloy Zone and the potassically altered Snowpatch zones all mentioned in the text are highlighted. UTM WGS84 Zone 9.

To view an enhanced version of Figure 1 please visit:

[https://orders.newsfilecorp.com/files/2534/106916\\_c94c75abf4f3b96d\\_001full.jpg](https://orders.newsfilecorp.com/files/2534/106916_c94c75abf4f3b96d_001full.jpg)

Figure 2 Recent and Historic rock grab samples assayed for gold. The symbol is sized and colour based on the assay result. Clustering of higher grade samples demonstrate zones of greater interest, especially if porphyry style alteration and veining are noted. The phyllic altered Delta Ridge, the intensely veined Molloy Zone and the potassically altered Snowpatch zones all mentioned in the text are highlighted. UTM WGS84 Zone 9.

To view an enhanced version of Figure 2, please visit:

[https://orders.newsfilecorp.com/files/2534/106916\\_c94c75abf4f3b96d\\_002full.jpg](https://orders.newsfilecorp.com/files/2534/106916_c94c75abf4f3b96d_002full.jpg)

Figure 3 Annotated photograph of the Delta Ridge and Molloy portions of the Delta Prospect. Rock shown in inset described in figure 4. Our current thinking is the Molloy Zone depicted in blues is a small window into a bigger system mostly obscured by the upper Phyllic alteration that makes up the colour in soil anomaly apparent in the image, and by younger unaltered cap rocks. To be drilled in 2022.

To view an enhanced version of Figure 3, please visit:

[https://orders.newsfilecorp.com/files/2534/106916\\_c94c75abf4f3b96d\\_003full.jpg](https://orders.newsfilecorp.com/files/2534/106916_c94c75abf4f3b96d_003full.jpg)

Figure 4 An example of the rocks found at the Molloy Zone, note the copper staining and the intense vein stockwork, the veins contain sulphide centers with potassic halos.

To view an enhanced version of Figure 4, please visit:

[https://orders.newsfilecorp.com/files/2534/106916\\_c94c75abf4f3b96d\\_004full.jpg](https://orders.newsfilecorp.com/files/2534/106916_c94c75abf4f3b96d_004full.jpg)

Figure 5. An example of the rocks found at the Snowpatch Zone showing intense potassic alteration hosted by a diorite breccia, with moderate veining. Elevated in Copper and Gold. Future work will attempt to vector into two zones of more intense stockwork with this alteration envelope.

To view an enhanced version of Figure 5, please visit:

[https://orders.newsfilecorp.com/files/2534/106916\\_c94c75abf4f3b96d\\_005full.jpg](https://orders.newsfilecorp.com/files/2534/106916_c94c75abf4f3b96d_005full.jpg)

The samples referred to in this news release, were sent using a chain of custody to ALS Kamloops sample process facility and then to Vancouver for assay, where they undertook total digestion using a four-acid attack. Gold was determined using a fire assay with AAS finish. Multi-element ICPMS was used for 56 other elements including silver. Internal laboratory standards were applied and were compliant as well as company submitted known standards. The reader should be made aware that grab samples do not necessarily translate to grade and resources and here they are being primarily used to characterize and prioritize, and to demonstrate if the system contains copper and gold.

The technical information in this news release was prepared under the supervision of Buddy Doyle B.App Sc Geology, MAUSIMM. Mr. Doyle is a Qualified Person for the purposes of National Instrument 43-101 - Standards of Disclosure for Mineral Projects and has reviewed and approved the technical information disclosed in this news release.

#### About the Company

[Sanatana Resources Inc.](#) is a mineral exploration and development company focused on high-impact properties in Canada. With an award-winning technical team and experienced management and board of directors, Sanatana is based in Vancouver and is listed on the TSX Venture Exchange (TSXV: STA).

[Sanatana Resources Inc.](#)

(signed) "Peter Miles"  
Peter Miles  
Chief Executive Officer

For additional information on the Company, please contact Mr. Peter Miles, Chief Executive Officer at (604)

408-6680 or email [investor@sanatanaresources.com](mailto:investor@sanatanaresources.com).

To be added to the email distribution list, please email [ir@sanatanaresources.com](mailto:ir@sanatanaresources.com) with "Sanatana" in the subject line.

#### Cautionary Statement Regarding "Forward-Looking" Information

Some of the statements contained in this news release are forward-looking statements and information within the meaning of applicable securities laws. Forward-looking statements and information can be identified by the use of words such as "plans", "expects", "intends", "is expected", "potential", "suggests" or variations of such words or phrases, or statements that certain actions, events or results "may", "could", "should", "would", "might" or "will" be taken, occur or be achieved. Forward-looking statements and information are not historical facts and are subject to a number of risks and uncertainties beyond Sanatana's control. Actual results and developments are likely to differ, and may differ materially, from those expressed or implied by the forward-looking statements contained in this news release. Accordingly, readers should not place undue reliance on forward-looking statements. The Company undertakes no obligation to update publicly or otherwise revise any forward-looking statements, except as may be required by law.

Neither TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/106916>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/401663--Sanatana-Reports-Strong-Results-on-Its-Oweegee-Copper-Gold-Project-Golden-Triangle-BC-and-Provides-Explor>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).