

# Osisko Development Intersects 50.11 g/t Au Over 7.50 Meters Including 630 g/t Au Over 0.55 Meter at Lowhee Zone

12.01.2022 | [GlobeNewswire](#)

MONTREAL, Jan. 12, 2022 - [Osisko Development Corp.](#) ("Osisko Development" or the "Company") (TSX.V-ODV) is pleased to announce drilling results from the 2021 exploration and category conversion drill campaign at its Cariboo Gold Project ("Cariboo") in central British Columbia.

## Summary

- A total of 28,000 meters were drilled in 92 holes at Lowhee Zone on Barkerville Mountain in 2021.
- Recent assay results include holes BM-21-052 to BM-21-080 (Figure 1 & 2).
- BM-21-072 intersected a mineralized vein corridor with visible gold and cosalite that assayed 50.11 g/t Au over 7.50 meters including high grade samples of 630.00 g/t Au over 0.55 meter and 48.80 g/t Au over 0.55 meter.
- BM-21-062 assayed 227.00 g/t Au over 0.50 meter, located in the southeastern portion of the Lowhee Zone, further indicating exploration potential outside of the known veins.
- BM-21-071 intersected mineralized vein corridors of 21.35 g/t Au over 6.75 meters including a sample of 61.40 g/t Au over 0.85 meter within a modelled vein corridor.
- Additional high grade samples include 89.90 g/t Au over 0.60 meter in hole BM-21-056, 95.10 g/t Au over 0.70 meter in hole BM-21-058 and 94.00 g/t Au over 0.50 meter in hole BM-21-069.
- Detailed drilling results and a drill hole location plan map are presented at the end of this release.

## Assay Highlights

- 57.10 g/t Au over 0.50 meter in hole BM-21-052 including
- 46.60 g/t Au over 0.50 meter
- 10.51 g/t Au over 5.65 meters in hole BM-21-053
- 10.18 g/t Au over 4.65 meters in hole BM-21-053 including
- 45.50 g/t Au over 0.70 meter
- 23.90 g/t Au over 1.45 meters in hole BM-21-053
- 51.10 g/t Au over 0.50 meter in hole BM-21-054
- 13.62 g/t Au over 3.00 meters in hole BM-21-056 including
- 55.10 g/t Au over 0.50 meter
- 7.42 g/t Au over 4.30 meters in hole BM-21-056
- 89.90 g/t Au over 0.60 meter in hole BM-21-056
- 17.51 g/t Au over 4.20 meters in hole BM-21-058 including
- 95.10 g/t Au over 0.70 meter
- 7.66 g/t Au over 8.20 meters in hole BM-21-060
- 8.38 g/t Au over 8.00 meters in hole BM-21-061 including
- 72.60 g/t Au over 0.50 meter
- 11.65 g/t Au over 2.90 meters in hole BM-21-061
- 227.00 g/t Au over 0.50 meter in hole BM-21-062
- 8.24 g/t Au over 4.85 meters in hole BM-21-062 including
- 57.70 g/t Au over 0.50 meter
- 10.97 g/t Au over 4.25 meters in hole BM-21-063
- 16.09 g/t Au over 5.95 meters in hole BM-21-064 including
- 65.00 g/t Au over 0.65 meter
- 62.80 g/t Au over 0.55 meter
- 28.10 g/t Au over 1.55 meters in hole BM-21-065 including
- 80.70 g/t Au over 0.50 meter
- 75.50 g/t Au over 0.60 meter in hole BM-21-068
- 94.00 g/t Au over 0.50 meter in hole BM-21-069
- 21.35 g/t Au over 6.75 meters in hole BM-21-071 including
- 61.40 g/t Au over 0.85 meter

- 60.50 g/t Au over 0.50 meter in hole BM-21-071
- 50.11 g/t Au over 7.50 meters in hole BM-21-072 including
- 630.00 g/t Au over 0.55 meter and
- 48.80 g/t Au over 0.55 meter
- 7.45 g/t Au over 5.30 meters in hole BM-21-077

Sean Roosen, CEO of Osisko Development commented, "*The results from these 29 holes continue to add confidence within our ongoing mineral resource estimate to support the upcoming feasibility study. Multiple mineralized vein corridors in every hole shows how robust the gold system is at Lowhee.*" The vein corridors at Lowhee are the same style of mineralization as seen on our Island Mountain and Cow Mountain deposits-mineralized quartz veins hosted within the sandstone

Vein corridors are defined as a high-density network of mineralized quartz veins within the axis of the last folding event and hosted within a brittle meta-sandstone or calcareous meta-sandstone. Vein corridors are modelled at a minimum thickness of 2.00 meters and average about 4.50 meters true width. Individual mineralized veins within these corridors have widths varying from centimeters to several meters and strike lengths from a few meters to over 50 meters. These corridors have been defined from surface to a vertical depth averaging 300 meters and remain open for expansion at depth and along strike. Gold grades are intimately associated with quartz vein-hosted pyrite as well as pyritic, intensely silicified wall rock haloes in close proximity to the veins.

True widths are estimated to be 60% to 75% of reported core length intervals. Intervals not recovered by drilling were assigned zero grade. Top cuts have not been applied to high grade assays. Complete assay highlights are presented in Table 1, drill hole locations are listed in Table 2.

#### Qualified Persons

Per National Instrument 43-101 Standards of Disclosure for Mineral Projects, Maggie Layman, P.Geol. Vice President Exploration of [Osisko Development Corp.](#), is a Qualified Person and has prepared, validated, and approved the technical and scientific content of this news release.

#### Quality Assurance - Quality Control

Once received from the drill and processed, all drill core samples are sawn in half, labelled and bagged. The remaining drill core is subsequently stored on site at a secured facility in Wells, BC. Numbered security tags are applied to lab shipments for chain of custody requirements. Quality control (QC) samples are inserted at regular intervals in the sample stream, including blanks and reference materials with all sample shipments to monitor laboratory performance. The QAQC program was designed and approved by Lynda Bloom, P.Geol. of Analytical Solutions Ltd.

Drill core samples are submitted to ALS Geochemistry's analytical facility in North Vancouver, British Columbia for preparation and analysis. The ALS facility is accredited to the ISO/IEC 17025 standard for gold assays and all analytical methods include quality control materials at set frequencies with established data acceptance criteria. The entire sample is crushed, and 250 grams is pulverized. Analysis for gold is by 50g fire assay fusion with atomic absorption (AAS) finish with a lower limit of 0.01 ppm and upper limit of 100 ppm. Samples with gold assays greater than 100 ppm are re-analyzed using a 1,000g screen metallic fire assay. A selected number of samples are also analyzed using a 48 multi-elemental geochemical package by a 4-acid digestion, followed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES) and Inductively Coupled Plasma Mass Spectroscopy (ICP-MS).

#### About Osisko Development Corp.

[Osisko Development Corp.](#) is uniquely positioned as a premier gold development company in North America to advance the Cariboo Gold Project and other Canadian and Mexican properties, with the objective of becoming the next mid-tier gold producer. The Cariboo Gold Project, located in central British Columbia, is Osisko Development's flagship asset with measured and indicated resources of 21.44 Mt at 4.6 Au g/t for a total of 3.2 million ounces of gold and inferred resource of 21.69 Mt at 3.9 Au g/t for a total of 2.7 million ounces of gold (see NI 43-101 Technical Report and mineral resource estimate effective October 5<sup>th</sup>, 2020).

*The considerable exploration potential at depth and along strike distinguishes the Cariboo Gold Project relative to other development assets as does the historically low, all-in discovery costs of US \$19 per ounce. The Cariboo Gold Project is advancing through permitting as a 4,750 tonnes per day underground operation with a feasibility study on track for completion in the first half of 2022. Osisko Development's project pipeline is complemented by potential near-term production targeted from the San Antonio gold project, located in Sonora Mexico and early exploration stage properties including the Coulon Project and James Bay Properties located in Quebec as well as the Guerrero Properties located in Mexico. Osisko Development began trading on the TSX Venture Exchange under the symbol "ODV" on December 2, 2020 and the Company's 14,789,373 outstanding share purchase warrants were listed on the TSX Venture Exchange under the symbol "ODV.WT" on October 25, 2021.*

For further information, please contact [Osisko Development Corp.](#):

Jean Francois Lemonde  
VP Investor Relations  
jflemonde@osiskodev.com  
Tel: 514-299-4926

### *Forward-looking Statements*

*Certain statements contained in this press release may be deemed "forward-looking statements" within the meaning of applicable Canadian and U.S. securities laws. These forward-looking statements, by their nature, require Osisko Development to make certain assumptions and necessarily involve known and unknown risks and uncertainties that could cause actual results to differ materially from those expressed or implied in these forward-looking statements. Forward-looking statements are not guarantees of performance. Words such as "may", "will", "would", "could", "expect", "believe", "plan", "anticipate", "intend", "estimate", "continue", or the negative or comparable terminology, as well as terms usually used in the future and the conditional, are intended to identify forward-looking statements. Information contained in forward-looking statements is based upon certain material assumptions that were applied in drawing a conclusion or making a forecast or projection, including management's perceptions of historical trends, current conditions and expected future developments, results of further exploration work to define and expand mineral resources, expected conclusions of optimization studies, that vein corridors continue to be defined as a high-density network of mineralized quartz within the axis of the last folding event and hosted within the sandstones and that the deposit remains open for expansion at depth and down plunge, as well as other considerations that are believed to be appropriate in the circumstances. Osisko Development considers its assumptions to be reasonable based on information currently available, but cautions the reader that their assumptions regarding future events, many of which are beyond the control of Osisko Development, may ultimately prove to be incorrect since they are subject to risks and uncertainties that affect Osisko Development and its business. Such risks and uncertainties include, among others, risks relating to the ability of exploration activities (including drill results) to accurately predict mineralization; errors in management's geological modelling; the ability of to complete further exploration activities, including drilling; property and royalty interests in the Cariboo gold deposit; the ability of the Corporation to obtain required approvals; the results of exploration activities; risks relating to mining activities; the global economic climate; metal prices; dilution; environmental risks; and community and non-governmental actions and the responses of relevant governments to the COVID-19 outbreak and the effectiveness of such responses.*

*For additional information with respect to these and other factors and assumptions underlying the forward-looking statements made in this news release concerning Osisko Development, see the Filing Statement available electronically on SEDAR ([www.sedar.com](http://www.sedar.com)) under Osisko Development's issuer profile. The forward-looking statements set forth herein concerning Osisko Development reflect management's expectations as at the date of this news release and are subject to change after such date. Osisko Development disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, other than as required by law.*

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein.

Table 1: Cariboo Gold Project 2021 Length Weighted Drill Hole Gold Composites

HOLE ID	FROM (M)	TO (M)	LENGTH (M)	AU (G/T)
---------	----------	--------	------------	----------

BM-21-052		113.25	113.75	0.50	57.10
		142.85	144.00	1.15	4.87
		150.00	152.85	2.85	8.59
	Including	152.35	152.85	0.50	46.60
		204.75	205.25	0.50	4.26
		230.75	232.05	1.30	21.60
		294.30	296.00	1.70	3.52
	Including	294.80	295.40	0.60	6.44
		366.00	366.55	0.55	5.98
BM-21-053		49.70	50.20	0.50	5.69
		67.35	67.85	0.50	3.94
		136.35	142.00	5.65	10.51
	Including	136.35	137.25	0.90	11.10
	and	137.25	138.00	0.75	22.80
	and	138.00	139.30	1.30	12.50
		146.30	150.95	4.65	10.18
	Including	146.30	147.00	0.70	45.50
		221.00	221.50	0.50	5.54
		344.55	346.00	1.45	23.90
		360.75	361.30	0.55	17.25
		370.40	371.10	0.70	25.50
		386.65	389.60	2.95	5.63
	Including	387.70	388.80	1.10	12.30
BM-21-054		21.10	21.60	0.50	7.07
		63.00	64.50	1.50	3.89
		69.20	69.80	0.60	10.10
		125.45	125.95	0.50	41.60
		135.55	137.95	2.40	9.87
	Including	135.55	136.05	0.50	26.80
	and	137.45	137.95	0.50	14.35
		184.00	184.50	0.50	51.10
		218.50	219.00	0.50	6.34
		287.50	288.50	1.00	4.99
BM-21-055		45.10	45.70	0.60	5.08
BM-21-056		56.00	59.00	3.00	13.62
	Including	56.00	56.90	0.90	10.25
	and	56.90	57.40	0.50	55.10
		109.70	114.00	4.30	7.42
	Including	109.70	110.50	0.80	14.35
	and	113.00	114.00	1.00	20.40
		130.30	135.10	4.80	5.75
	Including	132.40	133.30	0.90	15.35
	and	133.80	134.60	0.80	12.20
		246.00	246.60	0.60	89.90
		285.60	286.10	0.50	4.42
		310.90	312.20	1.30	8.66
	Including	311.50	312.20	0.70	10.95
BM-21-057		48.25	48.80	0.55	4.17
		121.55	124.80	3.25	3.52
	Including	122.20	123.00	0.80	9.16
		299.40	299.90	0.50	22.80
		304.85	305.50	0.65	12.35

		424.00	424.85	0.85	3.21
		429.50	430.05	0.55	11.20
BM-21-058		23.20	24.00	0.80	6.57
		56.00	57.20	1.20	17.15
		62.90	63.85	0.95	9.70
		71.30	71.90	0.60	4.81
		116.60	117.45	0.85	4.45
		120.90	121.50	0.60	15.15
		125.55	126.10	0.55	4.10
		170.50	171.00	0.50	33.50
		180.60	181.10	0.50	4.07
		215.65	219.85	4.20	17.51
	Including	215.65	216.35	0.70	95.10
	and	219.35	219.85	0.50	13.20
		307.15	307.85	0.70	10.25
		354.00	354.85	0.85	3.45
BM-21-059		146.50	147.00	0.50	8.88
		150.50	151.10	0.60	12.55
		325.65	326.20	0.55	6.50
		375.50	377.10	1.60	5.39
	Including	375.50	376.10	0.60	11.85
		381.20	381.75	0.55	6.67
BM-21-060		20.30	21.00	0.70	3.86
		22.80	23.30	0.50	6.66
		61.00	62.50	1.50	4.18
	Including	61.00	61.50	0.50	10.50
		67.80	76.00	8.20	7.66
	Including	67.80	68.30	0.50	13.60
	and	68.80	69.50	0.70	18.05
	and	70.00	70.60	0.60	61.00
		102.00	102.50	0.50	6.60
		103.50	104.00	0.50	8.12
		107.00	107.60	0.60	4.57
		115.00	115.50	0.50	15.40
		122.60	124.30	1.70	6.21
	Including	122.60	123.10	0.50	9.95
		180.10	180.60	0.50	31.90
		205.30	205.80	0.50	28.20
		221.50	222.10	0.60	6.99
		333.50	334.00	0.50	3.66
		336.00	336.50	0.50	3.99
		341.85	345.35	3.50	4.28
	Including	341.85	342.50	0.65	7.95
	and	343.30	344.30	1.00	7.26
BM-21-061		53.50	54.00	0.50	3.16
		59.00	67.00	8.00	8.38
	Including	59.00	59.50	0.50	72.60
	and	63.40	63.90	0.50	11.05
	and	64.50	65.00	0.50	11.85
	and	66.50	67.00	0.50	26.50
		99.00	99.50	0.50	3.95
		104.00	105.00	1.00	7.20

		112.50	113.00	0.50	16.10
		119.45	120.45	1.00	4.29
		136.75	139.65	2.90	11.65
	Including	136.75	137.25	0.50	28.60
	and	138.00	138.65	0.65	24.80
		147.45	148.75	1.30	3.78
		171.50	172.00	0.50	10.30
		201.95	202.45	0.50	4.05
		203.30	203.85	0.55	3.87
		277.90	278.65	0.75	5.06
		287.80	290.80	3.00	2.90
	Including	287.80	288.70	0.90	8.66
BM-21-062		133.00	133.50	0.50	5.81
		203.30	203.80	0.50	227.00
		226.50	227.00	0.50	4.17
		247.50	248.00	0.50	7.91
		308.55	309.10	0.55	15.65
		315.35	315.90	0.55	6.85
		332.80	337.65	4.85	8.24
	Including	332.80	333.30	0.50	10.65
	and	333.30	333.80	0.50	57.70
		346.70	347.30	0.60	24.00
BM-21-063		26.20	27.00	0.80	6.46
		58.50	59.80	1.30	5.86
	Including	58.50	59.25	0.75	9.36
		64.00	64.50	0.50	9.03
		71.10	75.35	4.25	10.97
	Including	71.10	71.90	0.80	17.55
	and	74.55	75.35	0.80	37.50
		80.50	81.10	0.60	23.90
		99.30	99.80	0.50	4.80
		100.90	101.40	0.50	4.17
		111.55	112.05	0.50	4.91
		129.00	129.50	0.50	4.87
		159.80	160.45	0.65	6.64
		203.00	203.50	0.50	12.80
		215.35	216.25	0.90	9.87
BM-21-064		26.45	27.00	0.55	28.10
		49.75	50.50	0.75	10.40
		56.50	60.90	4.40	5.57
	Including	56.50	57.00	0.50	14.15
	and	57.00	57.50	0.50	28.80
		81.70	84.25	2.55	4.35
	Including	81.70	82.25	0.55	10.50
		107.00	107.50	0.50	9.19
		127.20	127.70	0.50	11.00
		133.90	134.40	0.50	13.65
		160.10	160.60	0.50	4.65
		199.80	205.75	5.95	16.09
	Including	201.65	202.15	0.50	16.65
	and	203.25	203.90	0.65	65.00
	and	205.20	205.75	0.55	62.80

		224.05	224.60	0.55	27.30
		270.50	272.00	1.50	6.94
BM-21-065		75.95	77.50	1.55	11.06
	Including	76.55	77.50	0.95	17.20
		81.30	82.85	1.55	28.10
	Including	81.30	81.80	0.50	80.70
		87.50	90.55	3.05	6.09
	Including	87.50	88.05	0.55	17.60
	and	90.00	90.55	0.55	15.95
		120.90	121.50	0.60	12.75
		308.50	309.00	0.50	4.27
		331.60	334.45	2.85	7.62
	Including	331.60	332.15	0.55	7.64
	and	333.95	334.45	0.50	34.80
BM-21-066		24.50	25.20	0.70	3.48
		43.10	46.15	3.05	4.61
	Including	45.25	46.15	0.90	14.20
		85.45	86.00	0.55	8.01
		92.50	93.00	0.50	3.91
		150.55	151.15	0.60	7.61
		163.40	165.70	2.30	10.54
	Including	163.40	163.90	0.50	30.50
	and	165.00	165.70	0.70	8.55
		194.10	194.60	0.50	8.12
		216.20	217.00	0.80	10.80
		269.20	269.85	0.65	8.56
BM-21-067		48.90	49.40	0.50	5.25
		57.30	58.00	0.70	3.65
		178.10	178.80	0.70	8.44
		189.85	190.50	0.65	3.29
		212.50	213.00	0.50	6.56
BM-21-068		43.55	44.25	0.70	4.50
		86.65	87.15	0.50	3.49
		92.60	93.10	0.50	14.30
		140.70	141.50	0.80	26.30
		153.55	154.05	0.50	11.60
		167.20	168.45	1.25	11.84
	Including	167.20	167.70	0.50	27.30
		241.95	242.45	0.50	4.32
		247.00	247.60	0.60	75.50
		263.15	263.65	0.50	4.25
BM-21-069		63.60	64.10	0.50	94.00
		100.10	100.60	0.50	9.90
BM-21-070		57.45	57.95	0.50	5.43
		86.25	86.75	0.50	5.02
		101.00	102.00	1.00	6.80
	Including	101.50	102.00	0.50	10.20
		192.00	192.50	0.50	3.55
		211.25	211.75	0.50	8.43
		228.30	230.25	1.95	6.46
	Including	228.30	229.55	1.25	8.75
		236.60	237.30	0.70	5.85

		250.00	250.70	0.70	4.25
		289.40	290.15	0.75	4.37
BM-21-071		211.70	212.25	0.55	4.71
		235.40	235.90	0.50	25.50
		238.45	239.05	0.60	10.70
		243.80	244.30	0.50	24.70
		254.30	255.00	0.70	6.88
		268.45	275.20	6.75	21.35
	Including	268.45	269.00	0.55	19.10
	and	271.05	271.60	0.55	50.30
	and	274.35	275.20	0.85	61.40
		300.55	301.05	0.50	60.50
		310.00	311.30	1.30	5.67
BM-21-072		102.60	103.10	0.50	7.77
		122.25	122.75	0.50	5.49
		132.05	132.80	0.75	4.21
		191.75	195.80	4.05	3.98
	Including	191.75	192.85	1.10	7.75
		206.15	206.65	0.50	10.40
		213.45	220.95	7.50	50.11
	Including	216.50	217.05	0.55	630.00
	and	220.40	220.95	0.55	48.80
BM-21-073	No Significant Assays				
BM-21-074		189.00	190.00	1.00	12.38
	Including	189.50	190.00	0.50	22.40
		268.20	268.90	0.70	3.47
		274.30	274.80	0.50	17.95
		281.00	281.60	0.60	24.40
		296.65	297.15	0.50	3.01
		313.90	314.40	0.50	30.50
BM-21-075		54.00	54.50	0.50	4.33
		74.45	75.00	0.55	16.50
		106.75	109.25	2.50	4.20
	Including	106.75	107.25	0.50	17.90
		149.50	150.10	0.60	3.46
		174.25	175.50	1.25	10.34
	Including	175.00	175.50	0.50	24.10
		183.85	184.35	0.50	7.03
		191.20	192.00	0.80	13.40
		209.50	210.00	0.50	4.39
BM-21-076		224.00	224.60	0.60	5.28
		241.35	248.75	7.40	7.23
	Including	241.35	242.30	0.95	23.50
	and	245.50	246.00	0.50	26.30
	and	248.20	248.75	0.55	11.00
BM-21-077		261.25	261.75	0.50	7.44
		326.40	327.00	0.60	3.37
		349.20	351.00	1.80	3.27
	Including	349.20	349.70	0.50	10.05
		370.00	370.60	0.60	6.80
		382.90	388.20	5.30	7.45
	Including	382.90	383.65	0.75	29.00

	and	384.75	385.25	0.50	17.80
	and	387.35	388.20	0.85	9.33
		405.00	405.50	0.50	3.57
BM-21-078		88.50	89.00	0.50	4.77
		156.00	158.00	2.00	3.02
	Including	156.00	156.55	0.55	7.46
		162.75	164.20	1.45	4.32
	Including	162.75	163.35	0.60	7.35
		200.60	206.50	5.90	3.55
	Including	200.60	201.10	0.50	17.45
	and	202.10	202.70	0.60	6.28
	and	204.80	205.45	0.65	9.52
		232.00	232.50	0.50	27.70
		280.50	282.25	1.75	10.59
	Including	280.50	281.00	0.50	3.13
	and	281.70	282.25	0.55	30.20
		299.80	300.30	0.50	29.90
BM-21-079		74.55	75.70	1.15	10.25
		79.85	81.40	1.55	4.23
	Including	80.90	81.40	0.50	9.63
		93.00	93.50	0.50	5.47
		115.30	116.00	0.70	7.48
		119.50	121.50	2.00	3.22
	Including	119.50	120.00	0.50	7.29
		147.70	149.30	1.60	6.82
	Including	147.70	148.80	1.10	8.45
		208.85	212.50	3.65	3.01
	Including	208.85	209.35	0.50	18.50
		221.25	221.75	0.50	6.11
		242.20	242.70	0.50	4.72
		246.00	248.60	2.60	5.74
	Including	246.00	246.50	0.50	14.50
	and	248.10	248.60	0.50	12.95
BM-21-080		281.80	282.30	0.50	3.23
		325.90	326.40	0.50	6.95
		328.90	329.65	0.75	19.85
		342.35	342.85	0.50	16.75

Table 2: Drill Hole Locations and Orientations

HOLE ID	EASTING	NORTHING	ELEV	DIP	AZI	DEPTH (M)
BM-21-052	596633	5882644	1491	-44	310	396
BM-21-053	596678	5882635	1498	-48	304	450
BM-21-054	596632	5882644	1491	-51	314	369
BM-21-055	596678	5882634	1500	-55	300	144
BM-21-056	596633	5882645	1489	-44	305	330
BM-21-057	596678	5882636	1500	-45	313	540
BM-21-058	596632	5882644	1491	-46	304	393
BM-21-059	596678	5882636	1501	-53	308	489
BM-21-060	596632	5882644	1491	-52	298	402
BM-21-061	596632	5882644	1491	-49	301	327
BM-21-062	596677	5882635	1501	-50	315	380

BM-21-063	596632	5882644	1490	-54	297	258
BM-21-064	596599	5882699	1479	-50	290	273
BM-21-065	596633	5882644	1490	-56	296	381
BM-21-066	596599	5882699	1479	-49	303	273
BM-21-067	596627	5882600	1491	-54	303	222
BM-21-068	596599	5882699	1482	-53	304	321
BM-21-069	596627	5882601	1491	-59	305	306
BM-21-070	596599	5882699	1479	-47	316	387
BM-21-071	596654	5882695	1490	-50	313	372
BM-21-072	596626	5882601	1491	-47	305	410
BM-21-073	596653	5882697	1492	-47	314	105
BM-21-074	596655	5882697	1492	-46	319	339
BM-21-075	596540	5882783	1455	-45	308	351
BM-21-076	596626	5882600	1491	-48	296	258
BM-21-077	596653	5882696	1492	-48	319	426
BM-21-078	596626	5882601	1490	-45	297	369
BM-21-079	596541	5882783	1456	-46	316	300
BM-21-080	596654	5882697	1491	-46	325	357

Figure 1: Cariboo deposit areas overview map is available at <https://www.globenewswire.com/NewsRoom/AttachmentNg/93729c74-96b9-4de5-b9fa-a99ba765b3c8>

Figure 2: Lowhee Zone select drilling highlights is available at <https://www.globenewswire.com/NewsRoom/AttachmentNg/ff1d9c79-28ee-4a83-990d-0a40c71e5edb>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/404135--Osisko-Development-Intersects-50.11-g-t-Au-Over-7.50-Meters-Including-630-g-t-Au-Over-0.55-Meter-at-Lowhee>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).