

Drilling Intersects Wide High-Grade at Osisko's Windfall

18.01.2022 | [GlobeNewswire](#)

TORONTO, Jan. 18, 2022 - [Osisko Mining Inc.](#) (OSK:TSX. "Osisko" or the "Corporation") is pleased to provide new analytical results from the ongoing drill program at its 100% owned Windfall gold project located in the Abitibi greenstone belt, Urban Township, Eeyou Istchee James Bay, Qu?bec.

Significant new analytical results that have not been included in the recently released mineral resource estimate ("MRE") (see *Osisko news release dated January 10, 2022*) are presented below, and include 94 intercepts in 28 drill holes (9 from surface, 19 from underground) and 25 wedges. The infill intercepts are located inside defined January 2022 MRE blocks. The expansion intercepts are located outside the January 2022 MRE blocks and either expand MRE wireframes or are in a defined zone or corridor but do not yet correlate to a specific MRE wireframe.

Osisko Chief Executive Officer John Burzynski commented: "Today's results serve as a reminder that Windfall continues to grow in size, underscored by some of these new wide high-grade hits as the deposit opens up in the heart of the Lynx system. By virtue of the current resource, Windfall is the largest high-grade million ounce plus deposit ever discovered in Qu?bec, and it has been steadily moving up the global list of top high-grade underground gold deposits. There is nothing quite like Windfall in Canada, or even globally."

Selected high-grade intercepts include: 482 g/t Au over 5.7 metres and 380 g/t Au over 3.2 metres in OSK-W-21-1432-W10; 77.6 g/t Au over 17.3 metres in OSK-W-21-1949-W14; 124 g/t Au over 8.0 metres in OSK-W-21-2587-W2; 45.8 g/t Au over 11.0 metres and 143 g/t Au over 3.4 metres in WST-21-0707; 87.9 g/t Au over 3.2 metres in OSK-W-21-2465-W5; 83.0 g/t Au over 3.0 metres in WST-21-0895A, 37.0 g/t Au over 6.4 metres in OSK-W-21-2613 and 28.1 g/t Au over 6.0 metres in OSK-W-21-2644. Maps showing hole locations and full analytical results are available at www.osiskomining.com.

Infill Drilling

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	Zone	Corridor
OSK-W-21-1432-W10	957.3	960.5	3.2	380	44.9		
<i>including</i>	958.0	958.4	0.4	1240	100	LX4_3460	Lynx 4
<i>and</i>	959.7	960.1	0.4	1640	100		
OSK-W-21-1432-W11	955.3	957.3	2.0	10.8			
<i>including</i>	956.4	956.8	0.4	45.0		LX4_3433	Lynx 4
OSK-W-21-1432-W12	988.3	991.4	3.1	16.7			
<i>including</i>	991.0	991.4	0.4	95.9		LX4_3460	Lynx 4
OSK-W-21-1871-W1	949.0	951.0	2.0	5.81			
<i>including</i>	949.6	950.0	0.4	27.7		UDD_4501	Underdog
OSK-W-21-1871-W2	507.0	509.0	2.0	4.50			
<i>including</i>	508.0	508.7	0.7	12.4		CA2_2225	Caribou
OSK-W-21-1949-W12	1047.9	1050.0	2.1	3.57		LX4_3430	Lynx 4
OSK-W-21-1949-W14	749.0	751.0	2.0	47.8	30.1		
<i>including</i>	749.0	749.5	0.5	171	100	LXM_3345	Lynx

	1163.0	1180.3	17.3	77.6	27.2		
<i>including</i>	1169.8	1170.2	0.4	704	100	LX4_3463	Lynx 4
<i>and</i>	1172.8	1173.2	0.4	481	100		
<i>and</i>	1173.6	1174.0	0.4	1195	100		
OSK-W-21-2479-W11	976.5	978.5	2.0	14.3		UDD_4910	Underdog
<i>including</i>	976.9	977.5	0.6	44.6			
OSK-W-21-2531-W4	590.3	592.4	2.1	9.37		CA2_2266	Caribou
	595.0	597.0	2.0	7.06		CA2_2266	Caribou
	618.7	620.7	2.0	3.86		CA2_2257	Caribou
<i>including</i>	619.7	620.3	0.6	9.46			
	777.2	781.0	3.8	13.8		UDD_4112	Underdog
<i>including</i>	777.2	777.7	0.5	81.5		TLX_3171	Triple Lynx
OSK-W-21-2544-W1	781.4	783.4	2.0	3.68			
	976.1	981.0	4.9	8.30		TLX_3195	Triple Lynx
<i>including</i>	976.1	976.4	0.3	50.0			
OSK-W-21-2544-W2	802.0	804.3	2.3	20.0		TLX_3159	Triple Lynx
<i>including</i>	802.0	802.6	0.6	59.4			
	909.8	911.8	2.0	10.7		TLX_3193	Triple Lynx
<i>including</i>	910.4	910.8	0.4	52.1			
	921.6	923.7	2.1	10.3		TLX_3194	Triple Lynx
<i>including</i>	922.4	922.7	0.3	71.6			
OSK-W-21-2544-W4	770.3	773.0	2.7	14.6		TLX_3171	Triple Lynx
<i>including</i>	771.0	771.7	0.7	44.0		TLX_3171	Triple Lynx
	776.0	780.0	4.0	8.74			
OSK-W-21-2587-W1	1119.0	1126.0	7.0	21.0			
<i>including</i>	1123.5	1124.0	0.5	99.1		TLX_3172	Triple Lynx
<i>and</i>	1125.7	1126.0	0.3	67.8			
OSK-W-21-2587-W2	1134.0	1142.0	8.0	124	36.9		
<i>including</i>	1136.7	1137.0	0.3	1685	100	TLX_3172	Triple Lynx
<i>and</i>	1139.7	1140.4	0.7	371	100		
OSK-W-21-2612-W1	396.0	398.0	2.0	4.50		Z27_1115	Zone 27
OSK-W-21-2613	911.0	913.0	2.0	6.35		TLX_3161	Triple Lynx
	944.1	950.5	6.4	37.0	33.1		
<i>including</i>	947.3	947.6	0.3	114	100	TLX_3161	Triple Lynx
<i>and</i>	947.9	948.4	0.5	142	100		
OSK-W-21-2618	60.0	62.2	2.2	13.9		WFN_7003	Windfall North
<i>including</i>	60.0	61.0	1.0	30.2			
OSK-W-21-2621-W1	629.3	633.0	3.7	13.7		UDD_4100	Underdog
<i>including</i>	629.3	629.7	0.4	31.9			
<i>and</i>	632.0	633.0	1.0	31.5		UDD_4100	Underdog
OSK-W-21-2626	103.4	106.0	2.6	13.7		F11_6001	F-11
OSK-W-21-2635	555.8	558.0	2.2	3.98		CA2_2232	Caribou
OSK-W-21-2637	548.0	550.0	2.0	13.9		CAE_2559	Caribou
<i>including</i>	548.8	549.4	0.6	44.0			
OSK-W-21-2641	131.8	133.8	2.0	25.6		F11_6009	F-11
<i>including</i>	132.6	133.2	0.6	64.0			
OSK-W-21-2645	126.1	128.1	2.0	19.0		F11_6000	F-11
<i>including</i>	126.1	126.9	0.8	45.1			
	133.0	135.0	2.0	10.1		F11_6000	F-11
WST-21-0649	710.4	714.4	4.0	27.3	26.5	LX4_3427	Lynx 4
<i>including</i>	710.4	710.8	0.4	109	100		

WST-21-0707	180.0	183.4	3.4	143	67.8	LXM_3388	Lynx
<i>including</i>	182.2	183.4	1.2	255	100		
	499.5	510.5	11.0	45.8	38.4		
<i>including</i>	499.5	500.0	0.5	99.2		LX4_3430	Lynx 4
<i>and</i>	507.0	507.8	0.8	202	100		
	532.1	537.4	5.3	8.43			
<i>including</i>	535.7	536.1	0.4	17.7		LX4_3434	Lynx 4
<i>and</i>	536.7	537.4	0.7	29.1			
WST-21-0861	87.0	89.5	2.5	24.3	24.2	LXM_3339	Lynx
<i>including</i>	88.9	89.5	0.6	101	100		
WST-21-0864A	257.5	259.5	2.0	4.94		LHW_3203	Lynx HW
<i>including</i>	258.2	258.8	0.6	15.0			
WST-21-0878	503.9	506.2	2.3	4.30		LX4_3401	Lynx 4
<i>including</i>	505.5	505.8	0.3	27.6			
	614.0	616.4	2.4	25.1			
<i>including</i>	614.0	614.6	0.6	99.1		LX4_3448	Lynx 4
WST-21-0883	341.4	343.5	2.1	5.88		TLX_3166	Triple Lynx
<i>including</i>	342.2	342.5	0.3	27.7			
WST-21-0895A	480.3	482.8	2.5	26.6		LX4_3404	Lynx 4
<i>including</i>	481.4	481.8	0.4	75.1			
	519.3	522.3	3.0	83.0	44.0		
<i>including</i>	520.0	520.7	0.7	254	100	LX4_3440	Lynx 4
WST-21-0900	291.6	294.4	2.8	18.9		LHW_3216	Lynx HW
<i>including</i>	294.0	294.4	0.4	84.8			
WST-21-0905C	52.3	54.5	2.2	13.7		LXM_3339	Lynx
<i>including</i>	52.9	53.4	0.5	52.2			
	65.6	69.0	3.4	12.7			
<i>including</i>	66.5	67.0	0.5	34.8		LXM_3311	Lynx
	211.0	213.0	2.0	11.2		LSW_3504	Lynx SW
WST-21-0907	543.2	545.4	2.2	5.02		LX4_3401	Lynx 4
WST-21-0908B	195.0	197.0	2.0	15.6		TLX_3121	Triple Lynx
<i>including</i>	195.3	195.7	0.4	62.9			
WST-21-0911	175.7	177.9	2.2	10.5		LXM_3388	Lynx
<i>including</i>	177.3	177.9	0.6	21.3			
	526.9	529.0	2.1	4.41			
<i>including</i>	527.3	527.6	0.3	25.4		LX4_3404	Lynx 4
	530.0	532.0	2.0	3.68		LX4_3404	Lynx 4
WST-21-0913	526.0	528.0	2.0	11.0		LX4_3450	Lynx 4
<i>including</i>	527.1	527.4	0.3	68.5			
WST-21-0916A	526.8	529.0	2.2	11.9		LX4_3450	Lynx 4
<i>including</i>	526.8	527.2	0.4	57.4			
WST-21-0918	345.0	347.0	2.0	26.4	25.9	TLX_3131	Triple Lynx
<i>including</i>	346.0	346.5	0.5	102	100		
	516.7	518.7	2.0	30.7			
<i>including</i>	517.8	518.3	0.5	72.5		LX4_3401	Lynx 4
WST-21-0932	155.0	157.0	2.0	10.9			
<i>including</i>	155.8	156.1	0.3	47.1		LXM_3388	Lynx
	182.0	184.0	2.0	3.89		LHW_3206	Lynx HW

Notes: True widths are estimated at 55 - 80% of the reported core length interval. See "Quality Control and Reporting Protocols" below. CAE and CA2 = Caribou, LX4 = Lynx 4, LHW = Lynx Hanging Wall, LXM = Lynx Main, LSW = Lynx Southwest, TLX = Triple Lynx, UDD = Underdog, WNF = Windfall North, F11 = F11 Zone, and Z27 = Zone 27.

Expansion Drilling

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t) uncut	Au (g/t) cut to 100 g/t	Zone	Corridor
OSK-W-21-1432-W10	851.5	853.5	2.0	4.70		LX4	Lynx 4
	915.7	921.4	5.7	482	27.5		
<i>including</i>	915.7	916.2	0.5	975	100	LX4	Lynx 4
<i>and</i>	917.6	917.9	0.3	2540	100		
<i>and</i>	920.8	921.1	0.3	4330	100		
OSK-W-21-1871-W1	941.6	946.7	5.1	8.53			
<i>including</i>	941.6	942.1	0.5	23.2		UDD	Underdog
<i>and</i>	944.8	945.1	0.3	40.9			
OSK-W-21-1871-W3	722.3	724.4	2.1	11.2		UDD	Underdog
<i>including</i>	723.7	724.4	0.7	23.2			
OSK-W-21-1949-W12	1018.8	1021.0	2.2	19.0		LX4	Lynx 4
	1144.2	1146.5	2.3	10.2		LX4	Lynx 4
<i>including</i>	1144.2	1145.0	0.8	29.2			
OSK-W-21-1949-W14	1060.7	1062.7	2.0	6.93		LX4	Lynx 4
<i>including</i>	1061.5	1062.0	0.5	23.2			
	1068.7	1070.7	2.0	5.92		LX4	Lynx 4
	1137.8	1140.4	2.6	4.01			
<i>including</i>	1139.0	1139.3	0.3	9.74		LX4	Lynx 4
	1185.2	1188.9	3.7	8.84			
<i>including</i>	1185.2	1185.5	0.3	27.9		LX4	Lynx 4
<i>and</i>	1188.0	1188.9	0.9	20.4			
	1203.5	1214.0	10.5	6.26		LX4	Lynx 4
<i>including</i>	1213.6	1214.0	0.4	26.4			
	1217.0	1219.0	2.0	4.14		LX4	Lynx 4
	1228.8	1230.9	2.1	4.81		LX4	Lynx 4
OSK-W-21-2287-W10	1121.5	1124.0	2.5	13.1			
<i>including</i>	1121.5	1122.5	1.0	32.6		LX4	Lynx 4
OSK-W-21-2369-W3	962.0	964.0	2.0	32.4	30.5		
<i>including</i>	962.0	962.6	0.6	106	100	LX4	Lynx 4
OSK-W-21-2381-W2	1267.2	1269.4	2.2	3.82			
<i>including</i>	1268.7	1269.4	0.7	10.3		LX4	Lynx 4
OSK-W-21-2465-W5	824.3	827.5	3.2	87.9	71.8		
<i>including</i>	824.3	825.0	0.7	146	100		
<i>including</i>	825.5	825.9	0.4	131	100	TLX	Triple Lynx
<i>including</i>	825.9	826.9	1.0	108	100		
OSK-W-21-2465-W6	765.5	767.7	2.2	15.1			
<i>including</i>	765.5	766.0	0.5	60.0		TLX	Triple Lynx
OSK-W-21-2540-W4	1106.9	1109.0	2.1	48.4	14.7		
<i>including</i>	1106.9	1107.2	0.3	336	100	TLX	Triple Lynx
OSK-W-21-2601-W1	1042.0	1044.0	2.0	4.04		TLX	Triple Lynx
OSK-W-21-2621-W1	668.0	670.0	2.0	4.02		UDD	Underdog
OSK-W-21-2629	903.3	907.2	3.9	20.1			
<i>including</i>	903.3	904.3	1.0	64.2		LX4	Lynx 4
OSK-W-21-2637	561.3	564.0	2.7	28.0			Caribou
OSK-W-21-2640-W1	635.6	637.6	2.0	3.86			Caribou
OSK-W-21-2644	504.0	506.0	2.0	6.53			Caribou

	509.0	511.0	2.0	4.21			
including	509.0	509.7	0.7	10.3		Caribou	Caribou
	656.0	658.1	2.1	5.69		Caribou	Caribou
	662.0	668.0	6.0	28.1		Caribou	Caribou
including	664.0	665.0	1.0	92.6		Caribou	Caribou
WST-21-0784	335.8	337.8	2.0	6.02	TLX	Triple Lynx	
WST-21-0885B	326.3	331.0	4.7	24.9	19.1		
including	327.0	327.5	0.5	155	100	LSW	Lynx SW
and	330.6	331.0	0.4	55.3			
WST-21-0907	186.0	188.0	2.0	18.3	TLX	Triple Lynx	
including	186.4	186.8	0.4	91.2			
	549.0	551.0	2.0	13.6	LX4	Lynx 4	
including	549.6	550.0	0.4	66.1			
WST-21-0909	231.1	233.3	2.2	57.5	51.2	TLX	Triple Lynx
including	232.1	232.5	0.4	135	100		
WST-21-0911	564.2	568.8	4.6	7.90	LX4	Lynx 4	
WST-21-0918	646.0	648.0	2.0	11.6	LX4	Lynx 4	

Notes: True widths are estimated at 55 - 80% of the reported core length interval. See "Quality Control and Reporting Protocols" below. LSW = Lynx Southwest, LXM = Lynx Main, LX4 = Lynx 4, TLX = Triple Lynx, UDD = Underdog.

Drill hole location

Hole Number	Azimuth (?)	Dip (?)	Length (m)	UTM E	UTM N	Elevation	Section
OSK-W-21-1432-W10	132	-55	1062	453811	5435779	400	4300
OSK-W-21-1432-W11	132	-55	1149	453811	5435779	400	4300
OSK-W-21-1432-W12	132	-55	1113	453811	5435779	400	4300
OSK-W-21-1871-W1	331	-56	1119	452496	5434397	402	2475
OSK-W-21-1871-W2	331	-56	915	452496	5434397	402	2475
OSK-W-21-1871-W3	331	-56	906	452496	5434397	402	2475
OSK-W-21-1949-W12	105	-57	1301	453440	5435479	401	3825
OSK-W-21-1949-W14	105	-57	1332	453440	5435479	401	3825
OSK-W-21-2287-W10	116	-53	1311	453607	5435714	404	4075
OSK-W-21-2369-W3	130	-56	1415	453424	5435566	410	3850
OSK-W-21-2381-W2	134	-53	887	453620	5435790	402	4125
OSK-W-21-2465-W5	123	-61	1062	453398	5435556	413	3825
OSK-W-21-2465-W6	123	-61	993	453398	5435556	413	3825
OSK-W-21-2479-W11	344	-55	1005	452315	5434420	399	2325
OSK-W-21-2531-W4	344	-62	1203	452566	5434415	403	2550
OSK-W-21-2540-W4	117	-60	1297	453465	5435640	410	3925
OSK-W-21-2544-W1	128	-50	1140	452960	5435539	419	3425
OSK-W-21-2544-W2	128	-50	1044	452960	5435539	419	3425
OSK-W-21-2544-W4	128	-50	858	452960	5435539	419	3425
OSK-W-21-2587-W1	127	-59	1176	453350	5435673	418	3850
OSK-W-21-2587-W2	127	-59	1167	453350	5435673	418	3850
OSK-W-21-2601-W1	125	-61	1235	453425	5435657	413	3900
OSK-W-21-2612-W1	333	-51	690	452391	5434638	402	2500
OSK-W-21-2613	114	-53	1092	452981	5435549	420	3450

OSK-W-21-2618	330	-56	248	452279 5435162 411	2650
OSK-W-21-2621-W1	344	-53	765	452272 5434396 399	2275
OSK-W-21-2626	153	-47	156	452299 5435823 406	3000
OSK-W-21-2629	114	-57	1011	453622 5435635 405	4050
OSK-W-21-2635	327	-56	708	452684 5434475 402	2675
OSK-W-21-2637	140	-59	747	452768 5435312 406	3150
OSK-W-21-2640-W1	336	-58	737	452683 5434351 402	2625
OSK-W-21-2641	177	-46	165	452436 5435884 407	3150
OSK-W-21-2644	346	-55	693	452566 5434415 403	2550
OSK-W-21-2645	157	-48	189	452409 5435902 406	3125
WST-21-0649	136	-47	790	453258 5435211 98	3525
WST-21-0707	118	-41	633	453507 5435332 -48	3800
WST-21-0784	132	-66	361	453507 5435327 -7	3800
WST-21-0861	139	-64	307	453106 5435066 231	3325
WST-21-0864A	121	-1	292	453463 5435327 33	3775
WST-21-0878	128	-40	711	453375 5435297 -26	3675
WST-21-0883	126	-59	393	453105 5435065 231	3325
WST-21-0885B	145	-53	377	452954 5435003 253	3175
WST-21-0895A	123	-42	635	453507 5435332 -48	3800
WST-21-0900	122	-13	316	453462 5435326 33	3775
WST-21-0905C	141	-52	511	453221 5435121 134	3450
WST-21-0907	130	-40	701	453374 5435296 -26	3675
WST-21-0908B	118	-43	198	453506 5435326 -90	3800
WST-21-0909	151	-59	426	453507 5435328 -7	3800
WST-21-0911	121	-44	635	453507 5435332 -48	3800
WST-21-0913	138	-49	594	453322 5435236 54	3600
WST-21-0916A	146	-52	586	453321 5435235 54	3600
WST-21-0918	130	-40	663	453374 5435296 -26	3675
WST-21-0932	136	-26	360	453462 5435326 32	3775

Caribou Zone

Mineralization most commonly occurs in gold-bearing pyrite stockworks as well as semi-massive pyrite replacement zones associated with phyllitic alteration (sericite-pyrite ? silica) with sulphides, pyrite dominated with minor chalcopyrite and sphalerite ranging from trace to up to 20%, and local visible gold. Mineralization is hosted in rhyolites or mafic-intermediate volcanics frequently at or near faults or the contact with felsic porphyritic intrusions.

Lynx Zone

Mineralization occurs as grey to translucent quartz-carbonate-pyrite-tourmaline veins and pyrite replacement zones and stockworks. Vein-type mineralization is associated with haloes of pervasive sericite-pyrite ? silica alteration and contain sulphides (predominantly pyrite with minor amounts of chalcopyrite, sphalerite, galena, arsenopyrite, and pyrrhotite) and local visible gold. Replacement mineralization is associated with strong pervasive silica-sericite-ankerite ? tourmaline alteration and contains disseminated pyrite from trace to 80% with local visible gold. Pyrite stockworks can form envelopes that reach several tens of metres thick. Fuchsite alteration is common and is spatially constrained to near the gabbros. Mineralization occurs at or near geological contacts between felsic porphyritic or fragmental intrusions and the host rhyolites or gabbros and locally can be hosted along the gabbro-rhyolite contact.

Underdog

Mineralization most commonly occurs in gold-bearing quartz-pyrite (? tourmaline) veins and as disseminated, stringer, semi-massive to massive pyrite with minor sphalerite, chalcopyrite and molybdenite associated with strong sericite and silica alteration. Mineralization is hosted along the intrusive contacts of a three-phase composite felsic porphyritic unit which cross-cuts felsic and mafic volcanic sequences.

Windfall North

Mineralization is hosted in sheared andesites and most commonly occurs in gold-bearing quartz veins with

trace to 10% pyrite, traces of sphalerite and chalcopyrite, and local visible gold. Mineralization is hosted in a silica-carbonate-sericite alteration envelope and is constrained within shear zones with pervasive sericite-carbonate ? fuchsite ? silica alteration.

Zone 27

Mineralization most commonly occurs as replacement-type characterized by 5% to 50% disseminated, stringer, semi-massive or stockwork pyrite, ptygmatic tourmaline veins, quartz-tourmaline crustiform veins, local quartz-carbonate veins, and local visible gold. Mineralization is associated with moderate to strong sericite, weak to strong silica, weak chlorite and carbonate and locally weak fuchsite and is hosted in strongly altered andesites, in or at the contact of the rhyolite, or along the contacts with felsic porphyritic intrusions.

F-Zones

Mineralization is hosted in sheared andesites with carbonate replacement or quartz veining and occurs as quartz ? ankerite veinlets or as replacement type in shear zones and is characterised by trace to 10% pyrite with local visible gold. Alteration is dominated by sericite-fuchsite-tourmaline-pyrite.

Qualified Person

The scientific and technical content of this news release has been reviewed, prepared and approved by Mr. Louis Grenier, M.Sc.A., P.Geo. (OGQ 800), Director of Exploration for Osisko's Windfall gold project, who is a "qualified person" as defined by National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101").

Quality Control and Reporting Protocols

True width determination is estimated at 55-80% of the reported core length interval for the zone. Assays are uncut except where indicated. Intercepts occur within geological confines of major zones but have not been correlated to individual vein domains at this time. Reported intervals include minimum weighted averages of 3.5 g/t Au diluted over core lengths of at least 2.0 metres. NQ core assays were obtained by either 1-kilogram screen fire assay or standard 50-gram fire-assaying-AA finish or gravimetric finish at (i) ALS Laboratories in Val d'Or, Qu?bec, Vancouver, British Columbia, Lima, Peru or Vientiane, Laos (ii) Bureau Veritas in Timmins, Ontario. The 1-kilogram screen assay method is selected by the geologist when samples contain coarse gold or present a higher percentage of pyrite than surrounding intervals. Selected samples are also analyzed for multi-elements, including silver, using a Four Acid Digestion-ICP-MS method at ALS Laboratories. Drill program design, Quality Assurance/Quality Control ("QA/QC") and interpretation of results is performed by qualified persons employing a QA/QC program consistent with NI 43-101 and industry best practices. Standards and blanks are included with every 20 samples for QA/QC purposes by the Corporation as well as the lab. Approximately 5% of sample pulps are sent to secondary laboratories for check assay.

About the Windfall Gold Deposit

The Windfall gold deposit is located between Val-d'Or and Chibougamau in the Abitibi region of Qu?bec, Canada. The Mineral Resource Estimate ("MRE") defined by Osisko, as disclosed in the news release dated January 10, 2022 and assuming a cut-off grade of 3.50 g/t Au, comprises 565,000 tonnes at 11.6 g/t Au (210,000 ounces) in the measured mineral resource category, 8,907,000 tonnes at 10.5 g/t Au (2,994,000 ounces) in the indicated mineral resource category and 13,035,000 tonnes at 8.6 g/t Au (3,585,000 ounces) in the inferred mineral resource category. The key assumptions, parameters and methods used to estimate the mineral resource estimate disclosed in the January 10, 2022 news release, certain of which are described in the January 10, 2022 news release, will be further described in the full technical report being prepared for this updated mineral resource estimate in accordance with NI 43-101, and will be available on SEDAR (www.sedar.com) under the Corporation's issuer profile within 45 days from January 10, 2022. The Windfall gold deposit is currently one of the highest-grade resource-stage gold projects in Canada and has world-class scale. Mineralization occurs in three principal zones: Lynx, Main Zone, and Underdog. Mineralization is generally comprised of sub-vertical zones following intrusive porphyry contacts plunging to the northeast. The resources are defined from surface to a depth of 1,600 metres as it now includes the Triple 8 (T8) zone. The resources excluding T8 are defined from surface to a depth of 1,200 metres. The deposit remains open along strike and at depth. Mineralization has been identified at surface in some areas and as deep as 2,625 metres in others with significant potential to extend mineralization down-plunge and at depth.

About Osisko Mining Inc.

Osisko is a mineral exploration company focused on the acquisition, exploration, and development of gold resource properties in Canada. Osisko holds a 100% interest in the high-grade Windfall gold deposit located

between Val-d'Or and Chibougamau in Quebec and holds a 100% undivided interest in a large area of claims in the surrounding Urban Barry area and nearby Qu'villon area (over 2,600 square kilometres).

Cautionary Note Regarding Forward-Looking Information

This news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates, projections and interpretations as at the date of this news release. Any statement that involves predictions, expectations, interpretations, beliefs, plans, projections, objectives, assumptions, future events or performance (often, but not always, using phrases such as "expects", or "does not expect", "is expected", "interpreted", "management's view", "anticipates" or "does not anticipate", "plans", "budget", "scheduled", "forecasts", "estimates", "potential", "feasibility", "believes" or "intends" or variations of such words and phrases or stating that certain actions, events or results "may" or "could", "would", "might" or "will" be taken to occur or be achieved) are not statements of historical fact and may be forward-looking information and are intended to identify forward-looking information. This news release contains the forward-looking information pertaining to, among other things: the Windfall gold deposit being one of the highest-grade resource-stage gold projects in Canada and having world-class scale; the key assumptions, parameters and methods used to estimate the mineral resource estimate disclosed in this news release; the prospects, if any, of the Windfall gold deposit; the timing and ability of Osisko to file a technical report for the mineral resource estimate disclosed in this news release; the timing and ability of Osisko, if at all, to publish a feasibility study for the Windfall gold deposit; the amount and type of drilling to be completed and the timing to complete such drilling; the focus of the remaining infill drilling; the trend of grade increase; the Lynx zone remaining open to expansion down plunge; upgrading a inferred mineral resource to a measured mineral resource or indicated mineral resource category; future drilling at the Windfall gold deposit; the significance of historic exploration activities and results. Such factors include, among others, risks relating to the ability of exploration activities (including drill results) to accurately predict mineralization; errors in management's geological modelling; the ability of Osisko to complete further exploration activities, including (infill) drilling; property and royalty interests in the Windfall gold deposit; the ability of the Corporation to obtain required approvals; the results of exploration activities; risks relating to mining activities; the global economic climate; metal prices; dilution; environmental risks; and community and non-governmental actions. Although the forward-looking information contained in this news release is based upon what management believes, or believed at the time, to be reasonable assumptions, Osisko cannot assure shareholders and prospective purchasers of securities of the Corporation that actual results will be consistent with such forward-looking information, as there may be other factors that cause results not to be as anticipated, estimated or intended, and neither Osisko nor any other person assumes responsibility for the accuracy and completeness of any such forward-looking information. Osisko does not undertake, and assumes no obligation, to update or revise any such forward-looking statements or forward-looking information contained herein to reflect new events or circumstances, except as may be required by law.

CONTACT INFORMATION:

John Burzynski
Chief Executive Officer
Telephone (416) 363-8653

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/404581--Drilling-Intersects-Wide-High-Grade-at-Osiskos-Windfall.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinen](#).