High Grade Results Continue at Yaouré Gold Mine

18.01.2022 | GlobeNewswire

PERTH, Jan. 19, 2022 - Perseus Mining Ltd. (ASX/TSX: PRU) is pleased to report continued exploration success at its Yaour? Gold Mine in C?te d'Ivoire.

HIGHLIGHTS

- Recent results from Perseus's ongoing infill and down-dip extension drilling on the CMA structure at Yaour? confirm strong potential for further mineral resources beneath the CMA open pit ("CMA Underground prospect").
- Infill drilling of the Inferred resource continues to confirm gold mineralisation consistent with previous results from this area, with recent drill intercepts including:
    - YRC1881D: 10m @ 6.61 g/t Au from 236m
    - YRC1883D: 8.10m @ 7.27 g/t Au from 328.10m
    - YRC1903D: 10m @ 3.03 g/t Au from 337, including 3m @ 8.76 g/t Au from 337m
    - YRC1904D: 13m @ 3.77 g/t Au from 294m
    - YRC1905D: 9.8m @ 4.18 g/t Au from 245m
    - YRC1909D: 6m @ 7.57 g/t Au from 304m
    - YRC1911D: 8m @ 4.40 g/t Au from 227m
    - YRC1913D: 6.3m @ 4.52 g/t from 194.7 and 5.1m @ 6.12 g/t from 305.9m
    - YRC1915D: 10.60m @ 4.36 g/t from 271.4m
    - YRC1916D: 4m @ 4.93 g/t Au from 214.4m, 5.2m @ 2.69 g/t Au from 221.7m, 4m @ 4.21 g/t Au from 235m & 13.2m @ 1.31 g/t Au from 242m
    - YRC1947D: 16.2m @ 5.58 g/t Au from 270m
    - YRC2019D: 15m @ 3.49 g/t Au from 268m including 7m @ 4.91 g/t Au from 268m
- Results returned high-grade intersections in the CMA hanging-wall, reflecting either CMA splays or oblique S-structures:
    - YRC1883D: 1.67m @ 62.29 g/t Au from 314.80m
    - YRC1897D: 4m @ 17.09 g/t Au from 64m
    - YRC1989D: 8m @ 11.42 g/t Au from 60m
    - YRC2047D: 16m @ 3.39 g/t Au from 56m including 4m @ 10.75 g/t Au from 68m
- Perseus will use results to upgrade the CMA Underground Inferred Mineral Resource estimate to Indicated status, enabling a Pre-Feasibility Study (PFS) for an underground mining operation to be completed by late June 2022, including an initial Ore Reserve estimate.
- Step-out drilling on the down-dip extensions of the CMA structure also returned encouraging results, including:
    - YRC1850AD: 5m @ 3.93 g/t Au from 605m and 4m @ 3.98 g/t Au from 628m
    - YRC1855D: 11.10m @ 3.39 g/t Au from 450.40m, including 5m @ 7.16 g/t Au from 452m.

Perseus's Managing Director and CEO Jeff Quartermaine said:

"With our three gold mines, Yaour?, Edikan and Sissingu?, now producing gold at an annualised rate of over 500,000 ounces per year, Perseus's focus has turned to maintaining this level of production out to the end of the current decade and beyond.

"Our latest infill and step out drilling results from below Yaour?'s CMA open pit confirm previous drill results that indicated that material quantities of additional Indicated Mineral Resources, capable of being economically mined using underground mining methods, may be delineated.

"We are aiming to complete a Preliminary Feasibility Study of this mining operation by the end of the June Quarter 2022, however, timing of the completion of this work will depend on the ultimate footprint size of the orebody as determined by the current drilling programme."

CMA UNDERGROUND RESOURCE DRILLING, YAOUR?

Perseus focused recent exploration activities on the Yaour? permits at CMA Underground and CMA down-dip extensions within 2 kilometres of the Yaour? mill *(Appendix 1 - Figure 1.1).* Results continue to demonstrate the potential for the Company to materially grow its gold inventory at Yaour? organically, through further drilling success.

As noted in Perseus's ASX release "Positive Exploration Results at Perseus's Yaour? Mine" dated 14 October 2021, recent drilling at the CMA Underground prospect focused on infill drilling to firm up previously defined underground resources extending below the currently planned CMA pit. Perseus defined an Inferred Mineral Resource of 1.8 million tonnes grading 6.1 g/t Au, extending to a maximum 275 metre down dip beneath the open pit resource (refer Resources and Reserves ASX announcement 24 August 2021), with potential to extend mineralisation further down dip beyond this *(Appendix 1 - Figure 1.2).* Perseus has also completed a Scoping Study which identified the potential to mine the CMA structure using underground mining methods (refer to "Perseus Mining Completes Scoping Study for Potential Underground Mine at Yaour?" dated 5th November 2018).

Following completion of drilling within the cutback zone of the CMA South open pit, Perseus extended infill drilling north along the CMA structure where grades are generally higher than at the southern end. Drilling during the last quarter comprised 12,437 metres in 56 reverse circulation ("RC") pre-collared diamond ("DD") holes, infilling the existing 50 x 50 metres coverage to a nominal 25 x 25 metres pattern to allow conversion of the Inferred resource to Indicated. Results continued to provide encouragement, with intercepts generally consistent with those previously encountered in both thickness and grade *(Appendix 1 - Figures 1.3-1.4)*. Of note has been the presence of 2-3 stacked lodes in places, either as a result of anastomosing of the main lode or structural repetition. This feature has also been noted in the open pit workings, locally significantly increasing the ounces of gold per vertical metre.

The style of mineralisation remains consistent with that encountered previously, comprising pervasive, moderate to strong, pink-pale brown albite and carbonate alteration developed within a well-defined structure marked by quartz carbonate veins, fault veins, multi dilatant fault breccia, cataclasis and shearing.

Better intercepts from the CMA infill drilling are shown in *Table 1* below, with a complete summary of significant results included in *Appendix 2 - Table 2.1.*

CMA down-dip DRILLING, YAOUR?

Perseus stepped up drilling to investigate the next 300 metre down-dip from the current CMA Underground resource, with 9,511 metres drilled in 18 RC pre-collared DD holes. This work focused within the "Magazine Zone" ahead of stocking of the magazine with explosives. The step-out program is also guided by Perseus's early 2020 3D seismic survey that clearly identified the CMA structure extending to depth beyond the current drill coverage.

Perseus is undertaking drilling on an initial 100 x 200 metres pattern to better define the position of the CMA structure and the intensity of mineralisation. If results are encouraging, this will be infilled to 100 x 100 metres to allow an initial Inferred Mineral Resource Estimate.

Better intercepts from the Yaour? step out drilling are shown in *Table 1* below and in *Appendix 1 - Figures 1.5 & 1.6*, with a complete summary of significant results included in *Appendix 2 - Table 2.2.*

Table 1: Intercepts from CMA Underground and CMA Down-dip Drilling

Hole ID	From (m)	To (m)	Gold Intercept	Comment
CMA Underground Resource Drilling				
YRC1874D	237.15	245	7.85m @ 3.51 g/t	CMA FW lode
YRC1876D	218	227	9m @ 2.63 g/t	CMA FW lode
YRC1877D	170.1	172	1.9m @ 3.23 g/t	CMA FW lode
YRC1877D	176	177.4	1.4m @ 4.13 g/t	CMA FW lode
YRC1878D	285.8	288	2.2m @ 2.84 g/t	CMA FW lode
YRC1878D	322	324	2m @ 2.9 g/t	CMA FW lode
YRC1878D	338	345	7m @ 2.27 g/t	CMA FW lode
YRC1879D	97	99	2m @ 2.27 g/t	CMA HW lode
YRC1879D	282.7	286	3.3m @ 1.4 g/t	CMA FW lode
YRC1880D	232	242	10m @ 3.71 g/t	CMA FW lode
YRC1881D	236	246	10m @ 6.61 g/t	CMA FW lode
YRC1882D	298	301	3m @ 3.86 g/t	CMA FW lode
YRC1883D	314.8	316.47	1.67m @ 62.29 g/t	S-structure
YRC1883D	328.1	336.2	8.1m @ 7.27 g/t	CMA FW lode
YRC1885D	282.3	285.3	3m @ 2.04 g/t	CMA FW lode
YRC1886D	279	293	14m @ 2.05 g/t	CMA FW lode
Including	279	283	4m @ 6.34 g/t	CMA FW lode
YRC1887D	297.7	298.8	1.1m @ 7.28 g/t	CMA FW lode
YRC1888D	237	241	4m @ 2.17 g/t	CMA FW lode
YRC1888D	282	287	5m @ 2.29 g/t	CMA FW lode
Including	284	286	2m @ 5.18 g/t	CMA FW lode
YRC1889D	283	286	3m @ 2.55 g/t	CMA FW lode
YRC1891D	277	291	14m @ 2.83 g/t	CMA FW lode
Including	277	286	9m @ 4.06 g/t	CMA FW lode
YRC1897D	64	68	4m @ 17.09 g/t	CMA HW Splay
YRC1899D	285	287	2m @ 8.58 g/t	CMA FW lode
YRC1899D	295	297	2m @ 4.15 g/t	CMA FW lode
YRC1900D	235	237	2m @ 2.48 g/t	CMA FW lode
YRC1902D	280	288	8m @ 4.24 g/t	CMA FW lode
YRC1903D	337	347	10m @ 3.03 g/t	CMA FW lode
Including	337	340	3m @ 8.76 g/t	CMA FW lode
YRC1904D	52	56	4m @ 8.14 g/t	CMA HW Splay
YRC1904D	294	307	13m @ 3.77 g/t	CMA FW lode
YRC1905D	245	254.8	9.8m @ 4.18 g/t	CMA FW lode
YRC1906D	256	268	12m @ 3.16 g/t	CMA FW lode
YRC1907D	255	262	7m @ 2.06 g/t	CMA FW lode
Including	255	259	4m @ 3.48 g/t	CMA FW lode
YRC1908D	289	291	2m @ 2.3 g/t	CMA FW lode
YRC1909D	304	310	6m @ 7.57 g/t	CMA FW lode
YRC1911D	227	235	8m @ 4.4 g/t	CMA FW lode
YRC1912AD	240	244.3	4.3m @ 8.83 g/t	CMA FW lode
YRC1913D	194	204	10m @ 2.95 g/t	CMA FW lode
Including	194.7	201	6.3m @ 4.52 g/t	CMA FW lode
YRC1913D	302	314	12m @ 2.82 g/t	CMA FW lode
Including	305.9	311	5.1m @ 6.12 g/t	CMA FW lode
YRC1914D	257	264	7m @ 4.82 g/t	CMA FW lode
YRC1915D	165	167	2m @ 2.27 g/t	CMA HW Splay
YRC1915D	271.4	282	10.6m @ 4.36 g/t	CMA FW lode
YRC1916D	214.4	218.4	4m @ 4.93 g/t	CMA FW lode

YRC1916D	221.7	226.9	5.2m @ 2.69 g/t	CMA FW lode
YRC1916D	235	239	4m @ 4.21 g/t	CMA FW lode
YRC1918D	261	263.1	2.1m @ 3.53 g/t	CMA FW lode
YRC1921D	56	60	4m @ 2.67 g/t	CMA HW Splay
YRC1922D	229	239.5	10.5m @ 4.36 g/t	CMA FW lode
YRC1923D	258	267	9m @ 3.22 g/t	CMA FW lode
YRC1929D	342.6	348	5.4m @ 2.16 g/t	CMA FW lode
YRC1938D	281	286	5m @ 3.5 g/t	CMA FW lode
YRC1939D	257	261	4m @ 2.1 g/t	CMA FW lode
YRC1943D	314	320	6m @ 2.29 g/t	CMA FW lode
YRC1943D	336.65	340	3.35m @ 5.87 g/t	CMA FW lode
YRC1945D	305.8	312	6.2m @ 4.62 g/t	CMA FW lode
YRC1945D	327	331.6	4.6m @ 3.64 g/t	CMA FW lode
YRC1946D	267.6	270	2.4m @ 4.69 g/t	CMA FW lode
YRC1946D	276	282	6m @ 5.26 g/t	CMA FW lode
YRC1946D	285	288	3m @ 3.69 g/t	CMA FW lode
YRC1947D	270	286.2	16.2m @ 5.58 g/t	CMA FW lode
YRC1963D	290	296	6m @ 4.18 g/t	CMA FW lode
YRC1989D	60	68	8m @ 11.42 g/t	CMA HW Splay
YRC1990D	72	76	4m @ 3.75 g/t	CMA HW Splay
YRC2005D	56	60	4m @ 3.08 g/t	CMA HW Splay
YRC2019D	268	283	15m @ 3.49 g/t	CMA FW lode
YRC2044D	278.4	284.6	6.2m @ 2.99 g/t	CMA FW lode
YRC2045D	271	273	2m @ 4.36 g/t	CMA FW lode
YRC2045D	278	283	5m @ 3.44 g/t	CMA FW lode
YRC2047D	56	72	16m @ 3.39 g/t	CMA HW Splay
Including	68	72	4m @ 10.75 g/t	CMA HW Splay
YRC2047D	138.3	142	3.7m @ 3.11 g/t	CMA FW lode
CMA Down-dip Drilling				
YRC1850AD	604	612	8m @ 2.64 g/t	CMA FW lode
Including	605	610	5m @ 3.93 g/t	CMA FW lode
YRC1850AD	625	632	7m @ 2.52 g/t	CMA FW lode
Including	628	632	4m @ 3.98 g/t	CMA FW lode
YRC1854D	193	196	3m @ 1.87 g/t	CMA HW Splay
Including	194	196	2m @ 2.59 g/t	CMA HW Splay
YRC1855AD	450.4	461.5	11.1m @ 3.39 g/t	CMA FW lode
Including	452	457	5m @ 7.16 g/t	CMA FW lode
YRC1857D	464	470	6m @ 2.32 g/t	CMA FW lode
YRC1858D	479	487	8m @ 2.22 g/t	CMA FW lode
Including	482	485	3m @ 5.07 g/t	CMA FW lode
YRC1859D	473	477	4m @ 2.2 g/t	CMA FW lode
YRC1861D	549	555	6m @ 2.48 g/t	CMA FW lode
Including	550	552	2m @ 6.9 g/t	CMA FW lode
YRC1871D	532	534	2m @ 6.32 g/t	CMA FW lode
YRC1871D	549	551	2m @ 2.66 g/t	CMA FW lode
YRC2033D	586	588	2m @ 2.13 g/t	CMA FW lode
YRC2043D	60	64	4m @ 3.8 g/t	CMA HW Splay

NEXT STEPS AT CMA

Perseus's ongoing exploration and study programmes at Yaour? will focus on:

- Continuation of drilling to convert the Inferred Resource at CMA to an Ore Reserve to be potentially exploited by underground mining methods and drilling down dip of the Inferred Resource to identify the potential for further resource extensions.

  Perseus is completing drilling to convert the Inferred CMA resource to an Ore Reserve as the first part of a Pre-Feasibility Study (PFS). Geotechnical, hydrological, mining and metallurgical studies have commenced as drilling and assaying results become available. Target completion for the PFS remains the end of the June Quarter 2022, with timing dependent on the ultimate footprint size of the orebody.

- Continuation of drill testing of targets generated from the 3D seismic survey, with an initial focus on near-surface targets.
- Aircore drilling and augering at early-stage regional prospects such as Degbezere NE.

This announcement has been approved for release by Perseus's Managing Director and Chief Executive Officer, Jeff Quartermaine.

Competent Person Statement:
The information in this report and the attachments that relate to exploration drilling results at the Yaour? Project is based on, and fairly represents, information and supporting documentation prepared by Dr Douglas Jones, a Competent Person who is a Chartered Professional Geologist. Dr Jones is the Group General Manager Exploration of the Company. Dr Jones has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'") and to qualify as a "Qualified Person" under National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101"). Dr Jones consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

Caution Regarding Forward Looking Information:
This report contains forward-looking information which is based on the assumptions, estimates, analysis and opinions of management made in light of its experience and its perception of trends, current conditions and expected developments, as well as other factors that management of the Company believes to be relevant and reasonable in the circumstances at the date that such statements are made, but which may prove to be incorrect. Assumptions have been made by the Company regarding, among other things: the price of gold, continuing commercial production at the Yaour? Gold Mine, the Edikan Gold Mine and the Sissingu? Gold Mine without any major disruption due to the COVID-19 pandemic or otherwise, the receipt of required governmental approvals, the accuracy of capital and operating cost estimates, the ability of the Company to operate in a safe, efficient and effective manner and the ability of the Company to obtain financing as and when required and on reasonable terms. Readers are cautioned that the foregoing list is not exhaustive of all factors and assumptions which may have been used by the Company. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of gold, the actual results of current exploration, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. The Company believes that the assumptions and expectations reflected in the forward-looking information are reasonable. Assumptions have been made regarding, among other things, the Company's ability to carry on its exploration and development activities, the timely receipt of required approvals, the price of gold, the ability of the Company to operate in a safe, efficient and effective manner and the ability of the Company to obtain financing as and when required and on reasonable terms. Readers should not place undue reliance on forward-looking information. Perseus does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

ASX/TSX CODE: PRU

REGISTERED OFFICE:

Level 2
437 Roberts Road
Subiaco WA 6008

Telephone: +61 8 6144 1700
Email: IR@perseusmining.com

www.perseusmining.com

CONTACTS:

Jeff Quartermaine

Managing Director & CEO
jeff.quartermaine@perseusmining.com

Nathan Ryan

Media Relations
+61 4 20 582 887
nathan.ryan@nwrcommunications.com.au

Claire Hall

Corporate Communications
claire.hall@perseusmining.com

APPENDIX 1 - FIGURES

Figure 1.1: Yaour? Gold Project - Tenements and Prospects available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/934a845a-c310-4a17-bd62-6d89e36f3838

Figure 1.2: CMA Underground Resource Drilling and Results Summary available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/ab386cda-1edd-4f78-bad8-a70fae422919

Figure 1.3: CMA Underground Resource - Long Section available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/9c240f09-528a-4ddb-b0fc-32f402ccb69f

Figure 1.4: CMA Underground Resource - Drill Section 777485mN available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/62f49aad-d19b-4859-8060-7df7d192d9a2

Figure 1.5: CMA Down-Dip Extensions Drilling & Results Summary available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/a6145463-df02-4f1f-8037-83b6ef9890c1

Figure 1.6: CMA Down-Dip Extensions Drilling - Drill Section 777435mN available at
https://www.globenewswire.com/NewsRoom/AttachmentNg/2fa6858e-a513-4b9c-815d-43926d99c126

APPENDIX 2 - SIGNIFICANT INTERCEPTS TABLES

Table 2.1: CMA Underground Resource Drilling - drill holes and significant assays

(Based on lower cut-off of 0.5 g/t Au with maximum 2m internal waste <0.5 g/t)

Hole ID	East	North	Drill Type	Azimuth	Dip	Depth	No of samples	From	To	Width	Grade
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	1	16	20	4	0.22
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	10	154.6	163	8.4	0.45
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	3	170.8	173	2.2	0.42
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	7	178	185	7	0.41
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	5	191.7	196	4.3	0.37
YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	2	204	206	2	0.37

YRC1874D	221644.55	777035.52	RC_DD	270	-60	253.5	8	237.2	245	7.85	3.51
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	2	74	76	2	0.57
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	2	118	120	2	0.32
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	10	133	141.3	8.3	3.49
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	4	158	161.15	3.15	0.46
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	4	196	200	4	0.47
YRC1875D	221701.84	777035.19	RC_DD	270	-60	270.7	2	264	266	2	0.7
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	1	16	20	4	0.29
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	1	28	32	4	0.27
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	1	40	44	4	0.23
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	3	180	183	3	0.4
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	4	204	208	4	0.3
YRC1876D	221631.3	776985.27	RC_DD	270	-60	240.4	12	216	228	12	2.01
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	2	0	8	8	0.57
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	6	124	130	6	0.62
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	2	138	140	2	0.24
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	2	144	146	2	0.34
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	14	166	177.4	11.4	1.33
	Including						2	170.1	172	1.9	3.23
	Including						2	176	177.4	1.4	4.13
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	5	237	242	5	0.69
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	6	257	262	5	0.28
YRC1877D	221859.52	776985.28	RC_DD	270	-60	387.7	5	268.8	273	4.2	0.98
YRC1878D	221790.83	776984.8	RC_DD	270	-60	354.3	1	16	20	4	0.43
YRC1878D	221790.83	776984.8	RC_DD	270	-60	354.3	33	268.2	298	29.8	0.7
	Including							285.8	288	2.2	2.84
YRC1878D	221790.83	776984.8	RC_DD	270	-60	354.3	17	307	324	17	0.9
	Including							322	324	2	2.9
YRC1878D	221790.83	776984.8	RC_DD	270	-60	354.3	2	329	331	2	2.27
YRC1878D	221790.83	776984.8	RC_DD	270	-60	354.3	7	338	345	7	2.27
YRC1879D	221862.13	776984.86	RC_DD	270	-60	396.7	1	0	4	4	0.4
YRC1879D	221862.13	776984.86	RC_DD	270	-60	396.7	4	97	101	4	1.21
	Including						2	97	99	2	2.27
YRC1879D	221862.13	776984.86	RC_DD	270	-60	396.7	2	137	139	2	0.85
YRC1879D	221862.13	776984.86	RC_DD	270	-60	396.7	13	256	269	13	0.67
YRC1879D	221862.13	776984.86	RC_DD	270	-60	396.7	4	282.7	286	3.3	1.4
YRC1880D	221647.19	776934.85	RC_DD	270	-55	254.9	2	153	155	2	0.52
YRC1880D	221647.19	776934.85	RC_DD	270	-55	254.9	3	159	162	3	0.66
YRC1880D	221647.19	776934.85	RC_DD	270	-55	254.9	12	232	242	10	3.71
	Including						10	232	240	8	4.52
YRC1881D	221650.05	776935.02	RC_DD	270	-60	255.6	2	44	52	8	0.43
YRC1881D	221650.05	776935.02	RC_DD	270	-60	255.6	1	64	68	4	0.72
YRC1881D	221650.05	776935.02	RC_DD	270	-60	255.6	10	236	246	10	6.61
YRC1882D	221862.21	776935.01	RC_DD	270	-65	378.3	1	0	4	4	0.39
YRC1882D	221862.21	776935.01	RC_DD	270	-65	378.3	3	298	301	3	3.86
YRC1882D	221862.21	776935.01	RC_DD	270	-65	378.3	6	321	327	6	0.99
YRC1882D	221862.21	776935.01	RC_DD	270	-65	378.3	6	330	336	6	0.66
YRC1883D	221780.17	776884.96	RC_DD	270	-50	354.7	2	0	8	8	0.36
YRC1883D	221780.17	776884.96	RC_DD	270	-50	354.7	9	328.1	336.2	8.1	7.27
YRC1884D	221785.13	776884.89	RC_DD	270	-65	346.8	1	0	4	4	0.38
YRC1884D	221785.13	776884.89	RC_DD	270	-65	346.8	4	142.5	146.7	4.2	0.68
YRC1884D	221785.13	776884.89	RC_DD	270	-65	346.8	25	269	294	25	0.54

YRC1884D	221785.13	776884.89	RC_DD	270	-65	346.8	23	316.4	339	22.6	0.85
YRC1885D	221713.76	776835.11	RC_DD	270	-60	301.9	1	0	4	4	0.28
YRC1885D	221713.76	776835.11	RC_DD	270	-60	301.9	1	56	60	4	0.42
YRC1885D	221713.76	776835.11	RC_DD	270	-60	301.9	8	279	287.3	8.3	0.91
	Including							282.3	285.3	3	2.04
YRC1886D	221719.48	776785.18	RC_DD	270	-55	297	2	0	8	8	0.45
YRC1886D	221719.48	776785.18	RC_DD	270	-55	297	1	44	48	4	0.39
YRC1886D	221719.48	776785.18	RC_DD	270	-55	297	2	188	190	2	0.28
YRC1886D	221719.48	776785.18	RC_DD	270	-55	297	14	279	293	14	2.05
	Including						4	279	283	4	6.34
YRC1887D	221723.44	776785.23	RC_DD	270	-65	303.2	2	0	8	8	0.27
YRC1887D	221723.44	776785.23	RC_DD	270	-65	303.2	1	40	44	4	0.49
YRC1887D	221723.44	776785.23	RC_DD	270	-65	303.2	1	72	76	4	0.5
YRC1887D	221723.44	776785.23	RC_DD	270	-65	303.2	2	249.5	251.5	2	0.67
YRC1887D	221723.44	776785.23	RC_DD	270	-65	303.2	10	288.5	298.8	10.3	1.33
	Including							297.7	298.8	1.1	7.28
YRC1888D	221718.75	776735.16	RC_DD	270	-55	300.4	2	0	8	8	0.31
YRC1888D	221718.75	776735.16	RC_DD	270	-55	300.4	8	203	211	8	0.22
YRC1888D	221718.75	776735.16	RC_DD	270	-55	300.4	7	222	227	5	1.26
YRC1888D	221718.75	776735.16	RC_DD	270	-55	300.4	5	237	241	4	2.17
YRC1888D	221718.75	776735.16	RC_DD	270	-55	300.4	5	282	287	5	2.29
	Including							284	286	2	5.18
YRC1889D	221714.49	776735.05	RC_DD	270	-45	300.1	2	0	8	8	0.46
YRC1889D	221714.49	776735.05	RC_DD	270	-45	300.1	2	249	251	2	0.59
YRC1889D	221714.49	776735.05	RC_DD	270	-45	300.1	7	282	289	7	1.35
	Including							283	286	3	2.55
YRC1890D	221699.21	776685.04	RC_DD	270	-45	285	2	0	8	8	0.7
YRC1890D	221699.21	776685.04	RC_DD	270	-45	285	1	64	68	4	0.28
YRC1890D	221699.21	776685.04	RC_DD	270	-45	285	7	225	231	6	0.78
YRC1890D	221699.21	776685.04	RC_DD	270	-45	285	4	274	278	4	0.64
YRC1891D	221709.7	776834.9	RC_DD	270	-45	302.2	1	0	4	4	0.25
YRC1891D	221709.7	776834.9	RC_DD	270	-45	302.2	14	277	291	14	2.83
	Including							277	286	9	4.06
YRC1892D	221649.74	776584.57	RC_DD	270	-65	252.1	1	44	48	4	0.4
YRC1892D	221649.74	776584.57	RC_DD	270	-65	252.1	1	72	76	4	0.29
YRC1892D	221649.74	776584.57	RC_DD	270	-65	252.1	3	227	230	3	1.45
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	1	4	8	4	0.72
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	2	28	36	8	0.77
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	1	44	48	4	0.26
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	2	112	114	2	0.2
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	3	240	243	3	1.59
YRC1893D	221658.13	776534.89	RC_DD	270	-55	267.8	5	247	252	5	0.56
YRC1894D	221662.28	776534.95	RC_DD	270	-65	275.9	1	8	12	4	0.3
YRC1894D	221662.28	776534.95	RC_DD	270	-65	275.9	1	16	20	4	1.11
YRC1894D	221662.28	776534.95	RC_DD	270	-65	275.9	11	161	172	11	0.81
YRC1894D	221662.28	776534.95	RC_DD	270	-65	275.9	9	176	185	9	0.36
YRC1894D	221662.28	776534.95	RC_DD	270	-65	275.9	3	237	240	3	0.88
YRC1895D	221821.37	777036.08	RC_DD	270	-65	369.5	1	28	32	4	1.05
YRC1895D	221821.37	777036.08	RC_DD	270	-65	369.5	1	56	60	4	0.22
YRC1895D	221821.37	777036.08	RC_DD	270	-65	369.5	5	140	144	4	0.43
YRC1895D	221821.37	777036.08	RC_DD	270	-65	369.5	2	335	337	2	2.95
YRC1895D	221821.37	777036.08	RC_DD	270	-65	369.5	6	357	362	5	1.94

YRC1896D	221776.01	777035.1	RC_DD	270	-65	327.3	1	12	16	4	0.25
YRC1896D	221776.01	777035.1	RC_DD	270	-65	327.3	2	310	312	2	0.52
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	1	4	8	4	0.22
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	1	12	16	4	0.36
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	1	56	60	4	0.93
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	1	64	68	4	17.09
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	2	144	146	2	0.42
YRC1897D	221569.43	776484.82	RC_DD	270	-55	210.7	5	196	201	5	0.58
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	2	0	8	8	0.43
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	2	108	110	2	0.8
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	4	154	158	4	0.23
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	3	173.3	176	2.7	0.57
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	7	180	186	6	0.47
YRC1898D	221572.09	776484.99	RC_DD	270	-65	219.7	9	196	205	9	0.68
YRC1899D	221741.49	777135.16	RC_DD	270	-65	312.7	1	40	44	4	0.45
YRC1899D	221741.49	777135.16	RC_DD	270	-65	312.7	2	285	287	2	8.58
YRC1899D	221741.49	777135.16	RC_DD	270	-65	312.7	9	294	303	9	1.29
	Including							295	297	2	4.15
YRC1900D	221619.77	777184.91	RC_DD	270	-60	253.3	2	125	127	2	1.18
YRC1900D	221619.77	777184.91	RC_DD	270	-60	253.3	4	234	238	4	1.49
	Including							235	237	2	2.48
YRC1901AD	221657.27	777185.2	RC_DD	270	-60	271.2	4	105	108	3	1.03
YRC1901AD	221657.27	777185.2	RC_DD	270	-60	271.2	6	252	258	6	0.72
YRC1902D	221711.18	777084.89	RC_DD	270	-63	300	1	0	4	4	1.44
YRC1902D	221711.18	777084.89	RC_DD	270	-63	300	1	60	64	4	0.2
YRC1902D	221711.18	777084.89	RC_DD	270	-63	300	16	277	293	16	2.27
	Including							280	288	8	4.24
YRC1903D	221819.58	777084.87	RC_DD	270	-58	363.2	2	0	8	8	0.41
YRC1903D	221819.58	777084.87	RC_DD	270	-58	363.2	2	154	156	2	0.78
YRC1903D	221819.58	777084.87	RC_DD	270	-58	363.2	15	337	352	15	2.71
	Including							337	347	10	3.03
YRC1904D	221765.22	777185.04	RC_DD	270	-71	327.2	1	36	40	4	0.4
YRC1904D	221765.22	777185.04	RC_DD	270	-71	327.2	1	52	56	4	8.14
YRC1904D	221765.22	777185.04	RC_DD	270	-71	327.2	2	85	87	2	0.46
YRC1904D	221765.22	777185.04	RC_DD	270	-71	327.2	13	294	307	13	3.77
	Including							296	307	11	4.33
YRC1905D	221663.62	777285.32	RC_DD	270	-73	267.3	4	199	203	4	0.46
YRC1905D	221663.62	777285.32	RC_DD	270	-73	267.3	11	245	254.8	9.8	4.18
YRC1906D	221670.08	777334.56	RC_DD	270	-56	283.3	2	250	252	2	0.4
YRC1906D	221670.08	777334.56	RC_DD	270	-56	283.3	12	256	268	12	3.16
YRC1907D	221672.47	777334.47	RC_DD	270	-63	270.9	7	255	262	7	2.06
	Including							255	259	4	3.48
YRC1907D	221672.47	777334.47	RC_DD	270	-63	270.9	2	266	268	2	0.24
YRC1908D	221738.52	777334.39	RC_DD	270	-70	306.2	1	36	40	4	0.23
YRC1908D	221738.52	777334.39	RC_DD	270	-70	306.2	6	125	131	6	0.88
YRC1908D	221738.52	777334.39	RC_DD	270	-70	306.2	2	289	291	2	2.3
YRC1909D	221762	777385.29	RC_DD	270	-66	315.4	2	168	170	2	0.72
YRC1909D	221762	777385.29	RC_DD	270	-66	315.4	6	304	310	6	7.57
	Including							304	309	5	9.02
YRC1911D	221619.49	777434.94	RC_DD	270	-61	255.7	6	8	32	24	0.48
YRC1911D	221619.49	777434.94	RC_DD	270	-61	255.7	8	227	235	8	4.4
	Including							227	232	5	6.85

YRC1911D	221619.49	777434.94	RC_DD	270	-61	255.7	11	238	249.4	11.4	0.3
YRC1911D	221619.49	777434.94	RC_DD	270	-61	255.7	2	252.5	254.6	2.1	0.76
YRC1912AD	221650.57	777435.08	RC_DD	270	-62	267.3	1	20	24	4	0.29
YRC1912AD	221650.57	777435.08	RC_DD	270	-62	267.3	4	240	244.3	4.3	8.83
YRC1913D	221761.56	777434.93	RC_DD	270	-62	317.9	2	134	136	2	0.5
YRC1913D	221761.56	777434.93	RC_DD	270	-62	317.9	11	194	204	10	2.95
	Including							194.7	201	6.3	4.52
YRC1913D	221761.56	777434.93	RC_DD	270	-62	317.9	12	302	314	12	2.82
	Including							305.9	311	5.1	6.12
YRC1914D	221669.2	777485.08	RC_DD	270	-59	270.9	3	168	171	3	0.45
YRC1914D	221669.2	777485.08	RC_DD	270	-59	270.9	8	257	264	7	4.82
YRC1914D	221669.2	777485.08	RC_DD	270	-59	270.9	4	267	270.9	3.9	0.22
YRC1915D	221700.01	777484.96	RC_DD	270	-61	294.7	1	8	12	4	0.23
YRC1915D	221700.01	777484.96	RC_DD	270	-61	294.7	1	48	52	4	0.26
YRC1915D	221700.01	777484.96	RC_DD	270	-61	294.7	2	165	167	2	2.27
YRC1915D	221700.01	777484.96	RC_DD	270	-61	294.7	2	180	182	2	0.23
YRC1915D	221700.01	777484.96	RC_DD	270	-61	294.7	11	271.4	282	10.6	4.36
YRC1916D	221564.91	777535.38	RC_DD	270	-61	261.3	3	44	56	12	0.37
YRC1916D	221564.91	777535.38	RC_DD	270	-61	261.3	14	213.2	226.9	13.7	2.6
	Including							214.4	218.4	4	4.93
	Including							221.7	226.9	5.2	2.69
YRC1916D	221564.91	777535.38	RC_DD	270	-61	261.3	32	229	261.3	32.3	1.24
YRC1917AD	221679.78	776634.68	RC_DD	270	-59	267.7	1	0	4	4	0.2
YRC1917AD	221679.78	776634.68	RC_DD	270	-59	267.7	2	91	93	2	1.77
YRC1917AD	221679.78	776634.68	RC_DD	270	-59	267.7	2	252	254	2	0.73
YRC1918D	221709.67	777534.61	RC_DD	270	-70	272.2	1	0	4	4	0.37
YRC1918D	221709.67	777534.61	RC_DD	270	-70	272.2	2	68	76	8	0.95
YRC1918D	221709.67	777534.61	RC_DD	270	-70	272.2	3	107.4	110	2.6	1.3
YRC1918D	221709.67	777534.61	RC_DD	270	-70	272.2	8	257	263.1	6.1	1.61
	Including							261	263.1	2.1	3.53
YRC1922D	221639.72	777034.48	RC_DD	270	-60	249.2	1	4	8	4	0.2
YRC1922D	221639.72	777034.48	RC_DD	270	-60	249.2	5	177.2	181.9	4.7	0.33
YRC1922D	221639.72	777034.48	RC_DD	270	-60	249.2	3	216.2	219.2	3	0.55
YRC1922D	221639.72	777034.48	RC_DD	270	-60	249.2	21	225.7	246.2	20.5	2.56
	Including							229	239.5	10.5	4.36
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	3	107	109.4	2.4	0.36
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	4	112	116	4	0.39
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	3	119	121.4	2.4	0.31
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	10	141	149	8	0.23
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	7	155.3	162	6.75	0.34
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	4	188	192	4	0.45
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	4	197.7	201	3.3	1.48
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	7	204	211	7	0.34
YRC1923D	221699.12	777034.43	RC_DD	270	-60	270.1	10	258	267	9	3.22
YRC1925D	221859.83	776934.23	RC_DD	270	-67	377	1	0	4	4	0.45
YRC1925D	221859.83	776934.23	RC_DD	270	-67	377	32	316.9	347.2	30.3	0.8
YRC1925D	221859.83	776934.23	RC_DD	270	-67	377	4	355	359	4	0.5
YRC1926D	221712.03	776834.49	RC_DD	270	-58	297.3	2	0	8	8	0.27
YRC1926D	221712.03	776834.49	RC_DD	270	-58	297.3	4	141.4	144	2.6	1.43
YRC1926D	221712.03	776834.49	RC_DD	270	-58	297.3	5	265	270	5	1.3
YRC1926D	221712.03	776834.49	RC_DD	270	-58	297.3	12	277	288.2	11.2	0.81
YRC1926D	221712.03	776834.49	RC_DD	270	-58	297.3	8	291	297.3	6.3	0.77

YRC1927D	221716.46	776834.78	RC_DD	270	-68	303.3	1	0	4	4	0.39
YRC1927D	221716.46	776834.78	RC_DD	270	-68	303.3	2	260.3	262.5	2.2	0.76
YRC1927D	221716.46	776834.78	RC_DD	270	-68	303.3	2	277.7	279.7	2	0.53
YRC1927D	221716.46	776834.78	RC_DD	270	-68	303.3	7	284.9	291.3	6.4	1.18
YRC1928D	221789.84	776984.54	RC_DD	270	-59	342	1	68	72	4	0.21
YRC1928D	221789.84	776984.54	RC_DD	270	-59	342	3	335.6	338.1	2.5	2.34
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	1	12	16	4	0.53
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	6	238.9	243.5	4.65	1.02
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	4	245.6	248	2.4	0.9
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	9	261	268.9	7.9	0.49
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	2	328	330	2	2
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	12	337	348	11	1.21
	Including							342.6	348	5.4	2.16
YRC1929D	221793.3	776985.16	RC_DD	270	-68	360.1	3	353	355	2	1.97
YRC1938D	221721.76	776784.57	RC_DD	270	-63	297.5	2	0	8	8	0.38
YRC1938D	221721.76	776784.57	RC_DD	270	-63	297.5	1	44	48	4	0.75
YRC1938D	221721.76	776784.57	RC_DD	270	-63	297.5	1	64	68	4	0.43
YRC1938D	221721.76	776784.57	RC_DD	270	-63	297.5	5	281	286	5	3.5
YRC1939D	221716.49	776734.95	RC_DD	270	-55	296	2	0	8	8	0.29
YRC1939D	221716.49	776734.95	RC_DD	270	-55	296	4	257	261	4	2.1
YRC1939D	221716.49	776734.95	RC_DD	270	-55	296	5	285	290	5	0.35
YRC1940D	221701.83	776684.41	RC_DD	270	-66	288.4	2	0	8	8	0.48
YRC1940D	221701.83	776684.41	RC_DD	270	-66	288.4	3	132	135	3	0.76
YRC1940D	221701.83	776684.41	RC_DD	270	-66	288.4	4	183	187	4	1.36
YRC1940D	221701.83	776684.41	RC_DD	270	-66	288.4	6	273	279	6	0.53
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	2	0	8	8	0.28
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	1	28	32	4	0.51
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	1	40	44	4	0.22
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	5	104.2	109	4.8	0.56
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	2	284	286	2	0.44
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	2	308	310	2	0.46
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	15	313.1	326.4	13.3	1.44
	Including							314	320	6	2.29
YRC1943D	221779.59	776934.95	RC_DD	270	-66	348.2	13	329	341	12	2.01
YRC1945D	221782.44	776884.65	RC_DD	270	-64	341.2	1	0	4	4	0.52
YRC1945D	221782.44	776884.65	RC_DD	270	-64	341.2	2	290	292	2	1.42
YRC1945D	221782.44	776884.65	RC_DD	270	-64	341.2	7	305.8	312	6.2	4.62
YRC1945D	221782.44	776884.65	RC_DD	270	-64	341.2	9	324.8	332.2	7.4	2.51
	Including							327	331.6	4.6	3.64
YRC1946D	221717.4	776934.99	RC_DD	270	-70	291.8	4	267.6	270	2.4	4.69
YRC1946D	221717.4	776934.99	RC_DD	270	-70	291.8	17	275	291.8	16.8	2.72
	Including							276	282	6	5.26
	Including							285	288	3	3.69
YRC1947D	221715.51	776934.8	RC_DD	270	-65	294.4	1	0	4	4	0.23
YRC1947D	221715.51	776934.8	RC_DD	270	-65	294.4	2	125	127	2	0.21
YRC1947D	221715.51	776934.8	RC_DD	270	-65	294.4	17	270	286.2	16.2	5.58
YRC1947D	221715.51	776934.8	RC_DD	270	-65	294.4	4	289	293	4	0.23
YRC1948D	221648.15	776584.97	RC_DD	270	-65	243.2	1	28	32	4	0.62
YRC1948D	221648.15	776584.97	RC_DD	270	-65	243.2	1	36	40	4	0.24
YRC1948D	221648.15	776584.97	RC_DD	270	-65	243.2	2	77.6	80	2.4	0.58
YRC1948D	221648.15	776584.97	RC_DD	270	-65	243.2	2	97	99	2	0.21
YRC1948D	221648.15	776584.97	RC_DD	270	-65	243.2	6	225	231	6	1.56

YRC1950D	221656.25	776535.11	RC_DD	270	-52	270.6	3	24	36	12	0.59
YRC1950D	221656.25	776535.11	RC_DD	270	-52	270.6	9	239.6	247.6	8	0.43
YRC1950D	221656.25	776535.11	RC_DD	270	-52	270.6	2	262	264	2	0.23
YRC1963D	221762.89	777285.22	RC_DD	270	-66	310.2	1	20	24	4	0.47
YRC1963D	221762.89	777285.22	RC_DD	270	-66	310.2	6	290	296	6	4.18
YRC1989D	221646.97	776560.28	RC_DD	270	-58	258	1	0	4	4	0.27
YRC1989D	221646.97	776560.28	RC_DD	270	-58	258	2	60	68	8	11.42
YRC1989D	221646.97	776560.28	RC_DD	270	-58	258	4	134	138	4	0.66
YRC2019D	221700	776910	RC_DD	270	-50	299.8	2	159	161	2	0.33
YRC2019D	221700	776910	RC_DD	270	-50	299.8	17	268	283	15	3.49
YRC2044D	221701.26	776910.13	RC_DD	270	-55	293.8	2	90	92	2	1.09
YRC2044D	221701.26	776910.13	RC_DD	270	-55	293.8	14	271	284.6	13.6	1.68
	Including							278.4	284.6	6.2	2.99
YRC2045D	221707.41	776857.18	RC_DD	270	-55	290.8	2	271	273	2	4.36
YRC2045D	221707.41	776857.18	RC_DD	270	-55	290.8	5	278	283	5	3.44
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	1	0	4	4	0.24
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	1	12	16	4	0.58
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	4	180.4	184.8	4.4	0.34
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	3	210.3	213	2.7	0.2
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	8	224	232	8	0.53
YRC2046D	221631.7	776509.84	RC_DD	270	-51	260.9	18	235	253	18	1.19
YRC2047D	221644.7	776559.8	RC_DD	270	-52	254.8	1	0	4	4	0.23
YRC2047D	221644.7	776559.8	RC_DD	270	-52	254.8	4	56	72	16	3.39
	Including							68	72	4	10.75
YRC2047D	221644.7	776559.8	RC_DD	270	-52	254.8	4	138.3	142	3.7	3.11
YRC2047D	221644.7	776559.8	RC_DD	270	-52	254.8	7	226	233	7	0.52
YRC2047D	221644.7	776559.8	RC_DD	270	-52	254.8	5	236	241	5	1.33

Table 2.2: CMA Down-Dip Extension - drill holes and significant assays

Hole ID	East	North	Drill_Type	Azimuth	Dip	Depth	No of samples	From	To	Width	Grade
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	8	0	8	8	0.93
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	1	76	80	4	0.25
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	9	604	612	8	2.64
	Including						6	605	610	5	3.93
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	7	625	632	7	2.52
	Including						4	628	632	4	3.98
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	6	635	641	6	0.44
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	2	653	655	2	1.37
YRC1850AD	222234.5	777335.2	RC_DD	270	-60	678.4	9	661	668	7	0.52
YRC1852D	222180.68	777135.16	RC_DD	270	-60	633.9	1	24	28	4	0.38
YRC1852D	222180.68	777135.16	RC_DD	270	-60	633.9	1	96	100	4	0.29
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	1	0	4	4	0.29
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	1	16	20	4	0.32
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	1	24	28	4	0.22
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	1	32	36	4	0.26
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	2	177	179	2	0.51
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	3	193	196	3	1.87
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	2	231	233	2	0.3
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	4	247	251	4.05	0.22
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	6	264	270	6	0.4

YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	2	347	349	2	0.32
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	4	356	360	4	0.88
YRC1854D	222102.52	776934.69	RC_DD	270	-55	541.7	4	489	493	4	0.69
YRC1855AD	221973.92	777435.47	RC_DD	270	-60	486.2	1	48	52	4	0.24
YRC1855AD	221973.92	777435.47	RC_DD	270	-60	486.2	3	442	445	3	0.31
YRC1855AD	221973.92	777435.47	RC_DD	270	-60	486.2	12	450.4	461.5	11.1	3.39
	Including						5	452	457	5	7.16
YRC1857D	221987.23	777535.06	RC_DD	270	-60	502.5	2	434	436	2	0.89
YRC1857D	221987.23	777535.06	RC_DD	270	-60	502.5	11	464	475	11	1.44
	Including						6	464	470	6	2.32
YRC1858D	221978.02	777635.2	RC_DD	270	-60	528.1	3	473	476	3	1.17
YRC1858D	221978.02	777635.2	RC_DD	270	-60	528.1	11	479	487	8	2.22
	Including						4	482	485	3	5.07
YRC1859D	221919.44	777734.92	RC_DD	270	-60	489.6	4	473	477	4	2.2
YRC1860D	222061.08	777735.27	RC_DD	270	-60	564.5	2	92	100	8	0.65
YRC1860D	222061.08	777735.27	RC_DD	270	-60	564.5	3	552	555	3	0.57
YRC1861D	222131.66	777635.59	RC_DD	270	-60	611.5	3	506	509	3	0.51
YRC1861D	222131.66	777635.59	RC_DD	270	-60	611.5	6	549	555	6	2.48
	Including						2	550	552	2	6.9
YRC1862D	222021.17	777234.97	RC_DD	270	-60	510.1	1	40	44	4	0.31
YRC1862D	222021.17	777234.97	RC_DD	270	-60	510.1	7	460	467	7	0.35
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	1	36	40	4	0.2
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	1	88	92	4	0.52
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	2	525	527	2	0.3
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	2	532	534	2	6.32
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	5	546	551	5	1.25
YRC1871D	222133.11	777535.1	RC_DD	270	-60	588.5	4	554	558	4	0.53
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	1	4	8	4	0.32
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	4	24	40	16	0.28
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	5	48	68	20	0.39
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	2	72	80	8	0.42
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	2	84	90	6	0.24
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	2	545	547	2	0.34
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	3	569.5	572	2.5	1
YRC2033D	222145.53	777432.85	RC_DD	270	-60	603.3	2	586	588	2	2.13
YRC2036D	222203.35	777735.18	RC_DD	270	-60	619.5	3	76	88	12	0.57
YRC2036D	222203.35	777735.18	RC_DD	270	-60	619.5	1	92	96	4	0.3
YRC2037D	222210.18	777534.99	RC_DD	270	-60	648.2	2	0	8	8	0.43

APPENDIX 3 - JORC TABLE 1 - YAOUR? EXPLORATION

JORC 2012 Table 1 - Section 1 sampling techniques and data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation

Sampling techniques	*Nature and quality of sampling (e.g. cut channels, random chips, c measurement tools appropriate to the minerals under investigation handheld XRF instruments, etc.). These examples should not be t sampling.* *Include reference to measures taken to ensure sample representiv measurement tools or systems used.* *Aspects of the determination of mineralisation that are Material to standard' work has been done this would be relatively simple (e.g. obtain 1 m samples from which 3 kg was pulverised to produce a more explanation may be required, such as where there is coarse Unusual commodities or mineralisation types (e.g. submarine nod information.*
Drilling techniques	*Drill type (e.g. core, reverse circulation, open-hole hammer, rotary details (e.g. core diameter, triple or standard tube, depth of diamo whether core is oriented and if so, by what method, etc.).*
Drill sample recovery	*Method of recording and assessing core and chip sample recover* *Measures taken to maximise sample recovery and ensure represe* *Whether a relationship exists between sample recovery and grade occurred due to preferential loss/gain of fine/coarse material.*
Logging	*Whether core and chip samples have been geologically and geote support appropriate Mineral Resource estimation, mining studies a* *Whether logging is qualitative or quantitative in nature. Core (or co* *The total length and percentage of the relevant intersections logge*

	If core, whether cut or sawn and whether quarter, half or all core t
Sub-sampling techniques and sample preparation	*If non-core, whether riffled, tube sampled, rotary split, etc. and wh*
	For all sample types, the nature, quality and appropriateness of th
	Quality control procedures adopted for all sub-sampling stages to
	Measures taken to ensure that the sampling is representative of th instance results for field duplicate/second-half sampling.
	Whether sample sizes are appropriate to the grain size of the mat
Quality of assay data and laboratory tests	*The nature, quality and appropriateness of the assaying and labor technique is considered partial or total.*
	For geophysical tools, spectrometers, handheld XRF instruments, the analysis including instrument make and model, reading times, derivation, etc.
	Nature of quality control procedures adopted (e.g. standards, blan and whether acceptable levels of accuracy (i.e. lack of bias) and p
Verification of sampling and assaying	*The verification of significant intersections by either independent o*
	The use of twinned holes.
	Documentation of primary data, data entry procedures, data verifi electronic) protocols.
	Discuss any adjustment to assay data.

Location of data points	*Accuracy and quality of surveys used to locate drill holes (collar a workings and other locations used in Mineral Resource estimation* *Specification of the grid system used.* *Quality and adequacy of topographic control.*
Data spacing and distribution	*Data spacing for reporting of Exploration Results.* *Whether the data spacing and distribution is sufficient to establish continuity appropriate for the Mineral Resource and Ore Reserve applied.* *Whether sample compositing has been applied.*
Orientation of data in relation to geological structure	*Whether the orientation of sampling achieves unbiased sampling which this is known, considering the deposit type.* *If the relationship between the drilling orientation and the orientati considered to have introduced a sampling bias, this should be ass*
Sample security	*The measures taken to ensure sample security.*
Audits or reviews	*The results of any audits or reviews of sampling techniques and d*

JORC 2012 Table 1 - Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code explanation
Mineral tenement and land tenure status	*Type, reference name/number, location and ownersh parties such as joint ventures, partnerships, overridin wilderness or national park and environmental setting The security of the tenure held at the time of reportin licence to operate in the area.*

Exploration done by other parties	*Acknowledgment and appraisal of exploration by oth*
Geology	*Deposit type, geological setting and style of mineralis*
Drill hole Information	*A summary of all information material to the understa the following information for all Material drill holes:* ● *easting and northing of the drill hole collar* ● *elevation or RL (Reduced Level - elevation abo* ● *dip and azimuth of the hole* ● *down hole length and interception depth* ● *hole length.* *If the exclusion of this information is justified on the b exclusion does not detract from the understanding of explain why this is the case.*
Data aggregation methods	*In reporting Exploration Results, weighting averaging truncations (e.g. cutting of high grades) and cut-off g Where aggregate intercepts incorporate short lengths results, the procedure used for such aggregation sho aggregations should be shown in detail.* *The assumptions used for any reporting of metal equ*
Relationship between mineralization widths and intercept lengths	*These relationships are particularly important in the r If the geometry of the mineralisation with respect to t reported.* *If it is not known and only the down hole lengths are (e.g. 'down hole length, true width not known').*
Diagrams	*Appropriate maps and sections (with scales) and tab significant discovery being reported These should inc locations and appropriate sectional views.*
Balanced reporting	*Where comprehensive reporting of all Exploration Re low and high grades and/or widths should be practice*

Other substantive exploration data	*Other exploration data, if meaningful and material, sh geological observations; geophysical survey results; method of treatment; metallurgical test results; bulk d characteristics; potential deleterious or contaminating*
Further work	*The nature and scale of planned further work (e.g. te large-scale step-out drilling).* *Diagrams clearly highlighting the areas of possible ex and future drilling areas, provided this information is*