

Nobel Provides Update on La Salvadora and Algarrobo Copper Projects, Chile

26.01.2022 | [GlobeNewswire](#)

TORONTO, Jan. 26, 2022 - [Nobel Resources Corp.](#) (TSX-V: NBLC; OTC: NBTRF) (the "Company" or "Nobel") provides an update on the initial drill program on its recently acquired Salvadora copper project in Chile. The program commenced in late November and six drill holes have been completed so far, with assay results received for four holes to date. Drilling also continues at its Algarrobo Project with the drill presently testing the large Central Target (see news releases dated September 1, 2021 and November 8, 2021). Results have been received for the first two widely spaced holes drilled on the Northeast Target, assays are pending for the Central Target.

Figure 1: Location of Algarrobo and Salvadora projects.

<https://www.globenewswire.com/NewsRoom/AttachmentNg/805f014d-1e7a-449e-920e-50666914d239>

La Salvadora Project

La Salvadora iron oxide copper gold ("IOCG") project, is located approximately 2 hours drive north from Nobel's Algarrobo project. La Salvadora occurs in the vicinity of the large Manto Verde (Anglo American) and Santo Domingo (Capstone Mining) IOCG deposits (Figure 2). The area is well serviced by all-weather roads and can be worked year-round. The region is well established as a mining area where community support is known to be strong and there is good access to infrastructure, including electricity, water and ports and mining infrastructure in region. The drill program commenced in late November with a break for the holiday Season and six drill holes have been completed to date, with assays received for four holes to date, all in the area of previously reported reverse circulation drill hole SLVA-RC-0002. The initial targets on the property include:

1. Area of SLVA-RC-0002 which intersected 72 meters grading 1.21% copper and 0.21 g/t gold. This area is wide open for expansion.
2. A second distinct buried magnetic anomaly approximately 1 kilometer to the south with only a single drill hole in it (SLVA-RC-0010) which intersected 20 meters grading 0.6% copper and 0.15g/t gold at shallow depths.
3. A series of drill holes to evaluate the extension of the copper oxide zone that extends at least 750 meters along a northwest trending mineralized structure.

All the holes drilled to date by Nobel have intersected mineralization containing chalcopyrite as well as specularite, pyrite, magnetite hosted in hydrothermal breccias varying in core thickness from 30 meters to 73.4 meters. The widest intersection to date is from hole SAL21-006, drilled on target 2, the buried magnetic anomaly described above. This hole intersected 73.4m of mineralized breccia from 154.7m to 228.1m and assay results are pending for this hole.

The first five drill holes targeted the depth and lateral extensions below previously identified copper oxide mineralization at surface in the vicinity of historical RC drill hole SLVA-RC-0002 (see news release dated November 8, 2021). Following completion of the initial scout holes on this target, the drill was recently moved to the area of the buried geophysical anomaly (target 2), where hole 6 is located. Table 2 below summarizes the results from holes 1,2,4 and 5. Assays are pending for holes 3 and 6.

According to David Gower, P.Geo., CEO of Nobel, "We have only been working on Salvadora for a few weeks and seeing wide mineralized breccias this early in the program is highly encouraging. Although copper grades within these first drill holes are highly variable, we have confirmed this is an extensive mineralized system that needs to be systematically explored to find the higher grade portion."

According to Vernon Arseneau, P.Geo., COO of Nobel, "The results obtained to date at Salvadora confirm the presence of at least two extensive mineralized bodies associated with hydrothermal breccias that are typical of deposits within the area. It is very early in the exploration program, however drilling has

demonstrated there is a thick zone of mineralized hydrothermal breccia that is continuous between the holes drilled to date. Subsequent exploration will attempt to identify areas with higher grades such as are being mined presently in this area of Chile. The breccia zones are generally in the 50m range in thickness. The Company is planning to complete this initial scout phase of drilling and use it to plan the next phase of drilling to better define size, continuity and grade of these exciting targets."

Figure 2: Location map showing the La Salvadora Project as well as major projects and operations in the region.

<https://www.globenewswire.com/NewsRoom/AttachmentNg/7800e6d4-d317-469c-afdd-a757bd899dee>

Figure 3: Location of the two target areas and drill holes at La Salvadora Project.

<https://www.globenewswire.com/NewsRoom/AttachmentNg/78f2bb99-c5c1-42f5-8170-178444571070>

Figure 4: Chargeability map of a portion of La Salvadora showing SLVA-RC-0010 on the southern magnetic-Chargeability anomaly. The series of white historical RC drill holes show the distribution of near-surface copper oxide mineralization.

<https://www.globenewswire.com/NewsRoom/AttachmentNg/cb923671-d977-402a-81ad-aa58ee71dc8f>

Note the Company has not seen QA/QC data nor are there RC chips preserved from the historical RC drill holes SLVA-RC-0002 or SLVA-RC-0010 results. Readers are cautioned that these potential grades are from single drill holes in otherwise untested mineralized zones and there has been insufficient exploration by the Company or its qualified person at La Salvadora to define a mineral resource or mineral reserve estimate and it is uncertain whether further exploration will result in these targets being delineated as a mineral resource or mineral reserve.##65279;

Assay Summary

Holes	North	East	From (m)	To (m)	Best Cu Interval (including)	Gold (g/Tn)	Copper (%)	Cobalt (%)	Silver (g/Tn)
SAL21-001	7113277	385004	149.00	150.00		0.286	2.29	0.02	1.70
			150.00	151.00		0.177	1.09	0.01	1.10
			151.00	152.00		0.119	0.76	0.01	0.90
			152.00	153.00		0.137	0.64	0.01	0.80
			153.00	154.00		0.096	0.49	0.01	0.80
			154.00	155.00		0.026	0.24	0.01	0.60
			155.00	156.00	12m@0.98%Cu	0.177	1.49	0.01	1.30
			156.00	157.00		0.28	1.64	0.00	1.20
			157.00	158.00		0.044	0.42	0.00	0.60
			158.00	159.00		0.288	1.52	0.01	1.60
			159.00	160.00		0.061	0.52	0.01	0.80
			160.00	161.00		0.078	0.56	0.01	0.90
			171.00	172.00		0.144	1.27	0.01	1.00
			172.00	173.00	50m@0.57%Cu	0.054	1.07	0.00	0.60
			173.00	174.00		0.039	0.31	0.01	0.60
			174.00	175.00		0.018	0.27	0.01	0.50
			175.00	176.00		0.142	1.01	0.01	0.80
			176.00	177.00		0.203	1.32	0.02	1.20
			177.00	178.00		0.1	0.90	0.01	1.00
			178.00	179.00	14m@0.76%Cu	0.034	0.59	0.01	0.25
			179.00	180.00		0.042	0.55	0.01	0.25
			180.00	181.00		0.156	1.19	0.01	0.25
			181.00	182.00		0.025	0.44	0.00	0.25
			182.00	183.00		0.028	0.26	0.00	0.25
			183.00	184.00		0.041	0.85	0.01	0.25
			184.00	185.00		0.044	0.65	0.01	0.25

SAL21-002 7113243 384965	132.00 133.00	2m@0.58%Cu	0.026 0.21	0.00	0.25
	133.00 134.00		0.226 0.95	0.00	0.25
	154.00 155.00	2m@0.52%Cu	0.132 0.43	0.01	0.80
	155.00 156.00		0.129 0.61	0.02	0.60
	208.00 209.00	2m@0.45%Cu	0.007 0.13	0.00	0.25
	209.00 210.00		0.114 0.78	0.01	0.50
SAL21-004 7113334 384971	154.00 155.00	4m@0.26%Cu	0.059 0.327	0.007	
	155.00 156.00		0.009 0.205	0.003	
	156.00 157.00		0.021 0.158	0.003	
	157.00 158.00		0.027 0.33	0.008	
	182.00 183.00	2m@0.26%Cu	0.012 0.2	0.006	
	183.00 184.00		0.043 0.326	0.011	
	206.00 207.00	2m@0.34%Cu	0.092 0.196	0.005	
	207.00 208.00		0.103 0.49	0.012	
SAL21-005 7113369 384935	139.00 140.00	15m@0.49%Cu 10m@0.65%Cu	0.341 2.467	0.009	
	140.00 141.00		0.036 0.296	0.002	
	141.00 142.00		0.037 0.39	0.004	
	142.00 143.00		0.053 0.358	0.005	
	143.00 144.00		0.031 0.243	0.003	
	144.00 145.00		0.158 0.522	0.043	
	145.00 146.00		0.173 0.879	0.01	
	146.00 147.00		0.067 0.389	0.006	
	147.00 148.00		0.09 0.606	0.006	
	148.00 149.00		0.015 0.303	0.002	
SAL21-006 7112534 385144	*Pending results				

Algarrobo Update

The geophysical target drill program started on the Northeast Target at Algarrobo due to the logistical difficulties accessing the central and southwest areas of the large Central geophysical anomaly where access roads were constructed and water holding tanks had to be installed (see Figure 5 below).

The Company has now completed a total of six holes on the geophysical target follow up of which assay results have been received for the first two (AGL21-046 and AGL21-47) from the Northeast Target. Both drill holes intersected wide sections of potassic altered intrusive rocks with varying amounts of disseminated and veinlets of pyrite, pyrrhotite, magnetite and minor chalcopyrite over approximately 200 meters.

Assay results have yet to be received for the four holes which have been drilled into the main part of the Central anomaly and the Southwest anomaly. Drilling on these targets presented an unexpected challenge in that the thickness of sand dunes in this part of the property increased to 150-180 meters thick as compared to less than 5 meters in the northeast part of the property. All four holes intersected potassic alteration including biotite breccias with pyrite, pyrrhotite, magnetite and minor chalcopyrite. In addition, a 3.0m quartz-tourmaline pyrite-chalcopyrite breccia was intersected in the south Gloria target located near the edge of the large magnetic anomaly.

The alteration observed on this target appears to outline a large area of porphyry style alteration and mineralization covering 3.0 by 5.0 kilometers that warrants further testing. Holes drilled to date are spaced at 1 kilometer apart in the central zone and 2 kilometers to the edges from each other leaving significant room for additional exploration.

Vernon Arseneau, P.Geol., COO of Nobel remarks, "The initial results of this drill program are resulting in a revision of the geological model for the project. Where it was believed to be an Iron Oxide Copper Gold (IOCG) environment, the alteration we are seeing in the deep drilling both in the Northeast and Central Target areas is more characteristic of potassic alteration associated with porphyry deposits in Chile. This is a very large target area and while we have not intersected ore grade mineralization, we have identified an extensive and completely new system. Zonation within Chilean porphyry systems are very well understood and ongoing mineralogical analysis will be used to provide vectors towards where, in the large alteration

systems higher grade copper mineralization is most likely to occur. This will be an important guide for future drill targeting. The property hosts a lot of historical copper mineralization distributed over 5 kilometers of historical workings, two large scale structures associated with copper mineralization and located in one of the premiere copper producing regions. There is now evidence of a previously unexplored large potential porphyry system and it will require some persistence to effectively evaluate it."

All drill holes drilled to date have been sampled for mineralogical analysis work to assist in defining the alteration pattern and define vectors towards potentially more strongly mineralized parts of the system. Given the large size of the alteration zone, the observed weak mineralization and the high number of copper bearing veins associated with the artisanal mines, and the large spacing between drill holes done so far, the Company feels that additional exploration drilling is warranted on this target. The alteration, mineralization and plethora of mineralized veins are all characteristics commonly associated with large porphyry copper systems. The mineralogical analysis will provide important information for better targeting future drilling.

Extensive Alteration Zones

Holes	North WGS 84	East WGS84	Description
ALG21-046	7009005	343926	205m, magnetite dissemination, minor chalcopyrite-pyrite, early veins with qu
ALG21-047	7008124	343639	194m, magnetite dissemination, minor chalcopyrite-pyrite, early veins with qu chalcopyrite
ALG21-048	337498	7004400	315m, magnetite dissemination, minor chalcopyrite-pyrite-pyrrhotite, quartz p veins.
ALG21-049	338506	7004625	250m, magnetite dissemination, minor chalcopyrite-pyrite-pyrrhotite, quartz p veins.
ALG21-050	335500	7003107	370m, magnetite dissemination, minor chalcopyrite-pyrite-pyrrhotite, quartz p veins.

Figure 5: Algarrobo geophysical target drilling, drill hole location map.

<https://www.globenewswire.com/NewsRoom/AttachmentNg/44d58d44-3740-46fa-8972-74a51af6f53b>

Summary Drill Results

Holes	Azimuth (?)	Dip (?)	Depth (m)	From (m)	To (m)	Best Cu Interval	Gold (g/Tn)	Copper (%)	Cobalt (%)	Silver (g/Tn)
ALG21-046	180	-70	300.00	191.00	191.50		0.04	0.28	0.05	1.1
				191.50	192.00	1.5m@0.97%Cu	0.19	1.30	0.06	2.6
				192.00	192.50		0.50	0.76	0.03	2.3
				192.50	193.00		0.03	0.84	0.01	3.7
				193.00	193.50		0.11	0.20	0.01	1.9
ALG21-047	180	-70	506.05	309.90	310.40	1.5m@1.22%Cu	0.13	2.37	0.07	6.2
				310.40	311.40		0.008	0.05	0.00	-

Qualified Person

The scientific and technical information in this news release has been reviewed and approved by Mr. Vernon Arseneau, P.Geol., as defined by National Instrument 43-101 of the Canadian Securities Administrators.

About Nobel

Nobel Resources has the right to acquire 100% interest in each of the Algarrobo project and the La Salvadorita project, both potential Iron Oxide Copper Gold Ore (IOCG) style, high grade copper properties in Chile. The country is a top mining jurisdiction as it is strategically located within 25 km from port and has world-class IOCG deposits within the Major Candelaria belt. Chile's mining capabilities benefit from close to surface, high grade mineralization within the mining face and has the necessary permitting in place.

For further information, please contact:

David Gower
 Chief Executive Officer
 info@nobel-resources.com
 www.nobel-resources.com

Cautionary Note Regarding Forward-looking Information

This press release contains "forward-looking information" within the meaning of applicable Canadian securities legislation. Forward-looking information includes, without limitation, regarding the prospectivity of each of the Algarrobo project and the La Salvadora project (collectively, the "Projects"), the mineralization of the Projects, the Company's ability to explore and develop the Projects, timing of the Company receiving drill permits; access to drilling equipment; and the Company's future plans. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved". Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of Nobel, as the case may be, to be materially different from those expressed or implied by such forward-looking information, including but not limited to: general business, economic, competitive, geopolitical and social uncertainties; the actual results of current exploration activities; risks associated with operation in foreign jurisdictions; ability to successfully integrate the purchased properties; foreign operations risks; and other risks inherent in the mining industry. Although Nobel has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking information. Nobel does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

NEITHER TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OR ACCURACY OF THIS RELEASE.

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/405420--Nobel-Provides-Update-on-La-Salvadora-and-Algarrobo-Copper-Projects-Chile.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).