

Mawson Gold's Subsidiary Southern Cross Gold Ltd Drills 119.2 m @ 3.9 g/t AuEq at Sunday Creek, Australia

30.05.2022 | [ACCESS Newswire](#)

VANCOUVER, May 30, 2022 - [Mawson Gold Ltd.](#) ("Mawson" or the "Company") (TSX:MAW) (Frankfurt:MXR) (OTC PINK:MWSNF) reports that its majority-owned Australian subsidiary, [Southern Cross Gold Ltd](#) ("SXG"), has reported an outstanding drill result from its 100% owned Sunday Creek property, Victoria, Australia. Mawson owns 60.3% of SXG following its recent initial public offering ("IPO") on the Australian Securities Exchange ("ASX").

Highlights for Mawson Shareholders:

- 119.2 m @ 3.9 g/t AuEq (3.2 g/t Au and 0.4% Sb) from 106.8 m in hole SDDSC033, including:
 - 64.0 m @ 3.0 g/t AuEq (2.7 g/t Au and 0.2% Sb) from 110.7 m
 - 39.0 m @ 6.8 g/t AuEq (5.2 g/t Au and 1.0% Sb) from 179.0 m
- Higher grade zones included:
 - 5.1 m @ 20.3 g/t AuEq (17.7 g/t Au and 1.6% Sb) from 160.5 m
 - 2.3 m @ 32.0 g/t AuEq (26.2 g/t Au and 3.7% Sb) from 184.0 m
 - 5.2 m @ 22.3 g/t AuEq (14.7 g/t Au and 4.8% Sb) from 189.9 m
- Follow up drilling to prioritize this zone. Assays from the last 3 pre-IPO drilled holes are pending.
- Mawson owns 60.3% of SXG, which raised A\$9.1 million in SXG's recent IPO to fund an expected 24-month Victorian exploration program.

Mawson's share of SXG has a market capitalization of ~C\$55.4 million based on SXG's 30th May closing price of A\$0.65 per share - up 225% on its previous close.

Ivan Fairhall, Mawson CEO, states: "This hole speaks for itself in terms of the quality of SXG's Sunday Creek discovery - a standout for both the project and the Victorian Goldfields in terms of width and grade - and the continuity observed augurs very well for the potential of the project.

Our holding in SXG very clearly strengthens Mawson's asset base and we are positioned extremely well as the majority shareholder in this exciting new gold exploration company. With assays pending from both Sunday Creek, as well as the maiden drill program at Skellefteå North in Sweden, Mawson shareholders enjoy considerable near term exploration catalysts to complement later stage economic studies, which are in progress at our 100% owned +1Moz AuEq inferred resource at Rajapalot in Finland."

Drill Hole Discussion

Southern Cross reports that Drill SDDSC033 was drilled to test a 120m gap between two mineralized shoots to the west of the Apollo shaft between drill hole VCRC007 (28 m @ 3.0 g/t Au and 0.2% Sb (3.3 g/t AuEq) from 62.0m) located 60 m up-plunge from SDDSC033 and MDDSC012 (10.4 m @ 5.4 g/t Au and 1.1% Sb (7.0 g/t AuEq) from 203.0m), located 40 m down-plunge.

Within SDDSC033, three mineralized shoots join to form a "blow out" of the mineralized zone within altered siltstones, dioritic dykes and dyke-related breccias. The host for mineralization is a zone of intensely altered white mica-pyritic siltstones, and white mica-pyrite-carbonate altered dyke rocks. As is typical for epizonal deposits like Fosterville and Costerfield, gold (sometimes visible) at Sunday Creek is hosted in quartz and carbonate veins, with a later intense stibnite-bearing vein and breccia overprint. A large arsenic anomaly is associated with the gold mineralization. The orientation of the Apollo Shoot(s) are approximately 80 degrees dip towards 020 degrees azimuth, correlating with the intersection of the sub-vertical 330 degree striking mineralised veins and the steep east-west striking, north dipping dioritic dyke and related intrusive breccia.

In summary SDDSC033 reported here intersected:

- 119.2 m @ 3.9 g/t AuEq (3.2 g/t Au and 0.4% Sb) from 106.8 m in hole SDDSC033 (0.1 g/t AuEq over 3 m lower cut), including
 - 64.0 m @ 3.0 g/t AuEq (2.7 g/t Au and 0.2% Sb) from 110.7 m
 - 39.0 m @ 6.8 g/t AuEq (5.2 g/t Au and 1.0% Sb) from 179.0 m
- Higher grade zones included:
 - 5.1 m @ 20.3 g/t AuEq (17.7 g/t Au and 1.6% Sb) from 160.5 m
 - 2.3 m @ 32.0 g/t AuEq (26.2 g/t Au and 3.7% Sb) from 184.0 m
 - 5.2 m @ 22.3 g/t AuEq (14.7 g/t Au and 4.8% Sb) from 189.9 m

A total of 8 high-grade intersections >30g/t Au were intersected, and these are:

- 0.3 m @ 120.6 g/t AuEq (119.5 g/t Au and 0.7% Sb) from 161.0 m
- 0.2 m @ 58.2 g/t AuEq (57.3 g/t Au and 0.6% Sb) from 161.5 m
- 0.1 m @ 45.4 g/t AuEq (34.3 g/t Au and 7.0% Sb) from 161.9 m
- 0.3 m @ 52.8 g/t AuEq (51.6 g/t Au and 0.8% Sb) from 165.3 m
- 0.9 m @ 41.8 g/t AuEq (35.4 g/t Au and 4.0% Sb) from 180.6 m
- 0.8 m @ 65.8 g/t AuEq (54.7 g/t Au and 7.0% Sb) from 184.0 m
- 0.8 m @ 58.2g/t AuEq (39.7 g/t Au and 11.7% Sb) from 192.2 m
- 0.8 m @ 58.2 g/t AuEq (38.4 g/t Au and 7.1% Sb) from 194.3 m

Sunday Creek now has thirteen (13) >100 AuEq g/t x m holes now intersected (Figure 1). Mineralization remains open at depth and along strike. A 10 km mineralized trend that extends beyond the drill area is defined by historic workings and soil sampling at Sunday Creek where exploration drilling has never been undertaken and offers potential future upside.

Southern Cross has continued to drill at Sunday Creek over the last three months during the IPO process, drilling 10 holes for 2,278m completed and one hole in progress. With seven holes assayed and reported (MDDSC027, SDDSC028-33), drill core from three further holes (SDD034-36) has been forwarded to the assay laboratory and geochemical assay results will be released as announcements to ASX after being received from the laboratory.

Figures 1-3 show plan, longitudinal and cross section views of drill results reported here and Tables 1-3 provide collar and assay data. The true thickness of the mineralised interval is interpreted to be approximately 60-70% of the sampled thickness. All drill results quoted have a lower cut of 0.3 g/t Au cut over a 2.0m width, with higher grades reported with a 5 g/t Au cut over 1.0m applied unless otherwise stated.

Additional information may be found in Southern Cross' news release dated May 30, 2022, and on its website at www.southerncrossgold.com.au.

Technical Background and Qualified Person

C\$ conversions of A\$ values completed at an exchange rate of 1.10.

The Qualified Person, Michael Hudson, Executive Chairman and a director of Mawson Gold, and a Fellow of the Australasian Institute of Mining and Metallurgy, has reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

Gold equivalent "AuEq" for Sunday Creek is = ?? (??) + 1.58 x ?? (%) based on assumed prices of gold US\$1,700/oz Au and antimony US\$8,500/metal tonne, and total year metal recoveries of 93% for gold and 95% for antimony. Given the geological similarities of the projects, this formula has been adopted to align to TSX listed Mandalay Resources Ltd Technical Report dated 25 March 2022 on its Costerfield project, which is located 54 km from Sunday Creek and which historically processed mineralization from the property.

Gold equivalent "AuEq" for Rajapalot = Au+(Co/1005) based on assumed prices of cobalt US\$23.07/lb and

gold US\$1,590/oz. Details of Mawson's Inferred Mineral Resource can be read in the Company's news release dated August 26, 2021.

About Mawson Gold Limited (TSX:MAW, FRANKFURT:MXR, OTCPINK:MWSNF)

[Mawson Gold Ltd.](#) is an exploration and development company with its flagship Rajapalot gold-cobalt project in Finland now entering technical study stages to de-risk its inferred resource and exploration growth program. Alongside ongoing exploration at Rajapalot, Mawson holds an option to earn up to 85% in the Skelleftea Gold Project in Sweden. Mawson also has a significant majority interest in the ownership or joint venture into three high-grade, historic epizonal goldfields covering 470 km² in Victoria, Australia, through Southern Cross Gold Ltd. ("Southern Cross"), which shares have successfully listed on the ASX. Mawson currently holds 60.3% ownership interest in Southern Cross. Mawson's holdings in Southern Cross are escrowed until May 16, 2024.

About Southern Cross Gold Ltd (ASX: SXG)

Southern Cross Gold holds the 100%-owned Sunday Creek project in Victoria and Mt Isa project in Queensland, the Redcastle and Whroo joint ventures in Victoria, Australia, and a strategic 10% holding in ASX-listed [Nagambie Resources Limited](#) (ASX:NAG) which grants Southern Cross a Right of First Refusal over a 3,300 square kilometre tenement package held by NAG in Victoria.

On behalf of the Board,

"Ivan Fairhall"
Ivan Fairhall, CEO

Further Information

www.mawsongold.com
1305 - 1090 West Georgia St.
Vancouver, BC, V6E 3V7

Mariana Bermudez (Canada), Corporate Secretary
+1 (604) 685 9316
info@mawsongold.com

Forward-Looking Statement

This news release contains forward-looking statements or forward-looking information within the meaning of applicable securities laws (collectively, "forward-looking statements"). All statements herein, other than statements of historical fact, are forward-looking statements. Although Mawson believes that such statements are reasonable, it can give no assurance that such expectations will prove to be correct. Forward-looking statements are typically identified by words such as: believe, expect, anticipate, intend, estimate, postulate, and similar expressions, or are those, which, by their nature, refer to future events. Mawson cautions investors that any forward-looking statements are not guarantees of future results or performance, and that actual results may differ materially from those in forward-looking statements as a result of various factors, including, Mawson's expectations regarding its ownership interest in Southern Cross Gold, capital and other costs varying significantly from estimates, changes in world metal markets, changes in equity markets, the potential impact of epidemics, pandemics or other public health crises, including the current pandemic known as COVID-19 on the Company's business, risks related to negative publicity with respect to the Company or the mining industry in general; exploration potential being conceptual in nature, there being insufficient exploration to define a mineral resource on the Australian-projects owned by SXG, and uncertainty if further exploration will result in the determination of a mineral resource; planned drill programs and results varying from expectations, delays in obtaining results, equipment failure, unexpected geological conditions, local community relations, dealings with non-governmental organizations, delays in operations due to permit grants, environmental and safety risks, and other risks and uncertainties disclosed under the heading "Risk Factors" in Mawson's most recent Annual Information Form filed on www.sedar.com. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, Mawson disclaims any intent or obligation to update any

forward-looking statement, whether as a result of new information, future events or results or otherwise.

Figure 1: Location of the Sunday Creek project, along with SXG's other Victoria projects.

Figure 2: Sunday Creek plan view showing locations of drillholes for results reported in this announcement.

Figure 3: Sunday Creek cross section along the Apollo shoot looking towards 020 degrees showing continuity of wide and high-grade mineralization down to 335 metres vertically below surface.

Figure 4: Sunday Creek longitudinal section showing individual shoots defined to date and grad x width pierce points of drillholes. Broad arrows show indicative mineralized shoots. Greater than 100g/t AuEq * m intersections shown by red circles.

Table 1: Drill collar summary table for drillholes reported in this announcement.

Hole_ID	Hole Size	Depth (m)	Prospect	East GDA94_Z55	North GDA94_Z55	Elevation	Azimuth	Plunge
SDDSC033	HQ	246.1	Apollo	331172	5867842	306.3	245	-51.5

Table 2: Tables of mineralized drill hole intersections reported in this announcement using two intersection criteria

5.0 g/t AuEq cutoff over a maximum of 1m

Hole_ID	From (m)	To (m)	Width (m)	Au g/t	Sb %	AuEq g/t
SDDSC033	118.5	119.0	0.5	9.3	0.6	10.2
SDDSC033	148.9	149.4	0.5	16.4	0.0	16.5
SDDSC033	151.0	153.5	2.5	5.8	0.2	6.2
SDDSC033	154.7	154.9	0.2	24.0	0.1	24.0
SDDSC033	160.5	165.6	5.1	17.7	1.6	20.3
SDDSC033	180.6	181.5	0.9	35.4	4.0	41.8
SDDSC033	184.0	186.3	2.3	26.2	3.7	32.0
SDDSC033	189.9	195.1	5.2	14.7	4.8	22.3

0.3 g/t lower cutoff over a maximum of 2m

Hole_ID	From (m)	To (m)	Width (m)	Au g/t	Sb %	AuEq g/t
SDDSC033	110.7	174.7	64.0	2.7	0.2	3.0
SDDSC033	179.0	218.0	39.0	5.2	1.0	6.8

0.1 g/t lower cutoff over a maximum of 3m

Hole_ID	from (m)	to (m)	Width (m)	Au g/t	Sb %	AuEq g/t
---------	----------	--------	-----------	--------	------	----------

SDDSC033 106.8 226.0 119.2 3.2 0.4 3.9

Table 3: All individual assays reported from SDDSC033 in this announcement.

Hole_ID	from (m)	to (m)	Width (m)	Au g/t	Sb%
SDDSC033 5	6.0	1.0	0.02	0.00	
SDDSC033 16	17.0	1.0	0.03	0.00	
SDDSC033 17	18.0	1.0	0.04	0.04	
SDDSC033 18	19.0	1.0	-0.01	0.00	
SDDSC033 19	20.0	1.0	0.01	0.00	
SDDSC033 20	21.0	1.0	-0.01	0.00	
SDDSC033 21	22.0	1.0	-0.01	0.00	
SDDSC033 28.8	29.8	1.0	0.01	0.00	
SDDSC033 29.8	30.5	0.7	-0.01	0.00	
SDDSC033 30.5	31.3	0.8	-0.01	0.00	
SDDSC033 31.3	32.0	0.7	-0.01	0.00	
SDDSC033 32	33.0	1.0	-0.01	0.00	
SDDSC033 33	34.0	1.0	-0.01	0.00	
SDDSC033 34	35.0	1.0	-0.01	0.00	
SDDSC033 35	36.0	1.0	-0.01	0.00	
SDDSC033 36	37.0	1.0	-0.01	0.00	
SDDSC033 37	38.0	1.0	0.01	0.00	
SDDSC033 38	39.0	1.0	-0.01	0.00	
SDDSC033 39	40.0	1.0	-0.01	0.00	
SDDSC033 40	41.0	1.0	-0.01	0.00	
SDDSC033 41	42.5	1.5	-0.01	0.00	
SDDSC033 42.5	43.1	0.6	-0.01	0.00	
SDDSC033 43.1	44.1	1.0	-0.01	0.00	
SDDSC033 47.5	49.0	1.5	0.01	0.00	
SDDSC033 55	56.0	1.0	0.02	0.00	
SDDSC033 56	57.0	1.0	0.01	0.00	

SDDSC033 57	58.0	1.0	0.01	0.00
SDDSC033 58	59.0	1.0	0.03	0.00
SDDSC033 59	59.7	0.7	0.03	0.00
SDDSC033 59.7	60.6	0.9	0.36	0.01
SDDSC033 60.6	61.4	0.8	0.02	0.00
SDDSC033 61.4	62.1	0.7	0.83	0.02
SDDSC033 62.1	63.1	1.0	0.49	0.01
SDDSC033 63.1	64.0	0.9	0.01	0.00
SDDSC033 64	64.6	0.6	0.05	0.00
SDDSC033 64.6	65.5	0.9	0.01	0.01
SDDSC033 65.5	66.5	1.0	-0.01	0.00
SDDSC033 66.5	67.0	0.5	-0.01	0.00
SDDSC033 67	68.0	1.0	-0.01	0.00
SDDSC033 68	69.0	1.0	-0.01	0.00
SDDSC033 83	84.0	1.0	0.06	0.00
SDDSC033 84	85.0	1.0	0.06	0.00
SDDSC033 85	86.0	1.0	0.06	0.00
SDDSC033 86	87.0	1.0	0.04	0.00
SDDSC033 87	88.0	1.0	0.03	0.00
SDDSC033 88	89.0	1.0	0.01	0.00
SDDSC033 89	90.0	1.0	0.01	0.00
SDDSC033 90	91.0	1.0	0.01	0.00
SDDSC033 91	91.7	0.7	0.17	0.00
SDDSC033 91.7	92.6	0.9	0.01	0.00
SDDSC033 92.6	93.2	0.6	-0.01	0.00
SDDSC033 93.2	94.3	1.1	-0.01	0.00
SDDSC033 94.3	95.1	0.8	0.11	0.00
SDDSC033 95.1	95.5	0.4	-0.01	0.00
SDDSC033 95.5	96.3	0.8	-0.01	0.00
SDDSC033				

96.3

97.0

-0.01

0.00

SDDSC033 97	98.0	1.0	-0.01	0.00
SDDSC033 98	98.9	0.9	-0.01	0.00
SDDSC033 98.9	99.3	0.4	0.04	0.00
SDDSC033 99.3	100.3	1.0	0.03	0.00
SDDSC033 100.3	101.0	0.7	0.08	0.00
SDDSC033 101	102.0	1.0	0.04	0.00
SDDSC033 102	102.8	0.8	0.09	0.00
SDDSC033 102.8	103.5	0.7	0.04	0.00
SDDSC033 103.5	104.5	1.0	0.09	0.00
SDDSC033 104.5	105.4	0.9	0.04	0.00
SDDSC033 105.4	106.1	0.7	0.03	0.00
SDDSC033 106.1	106.8	0.7	0.07	0.00
SDDSC033 106.8	107.8	1.0	0.19	0.00
SDDSC033 107.8	108.7	0.9	0.17	0.00
SDDSC033 108.7	109.7	1.0	0.19	0.00
SDDSC033 109.7	110.7	1.0	0.16	0.00
SDDSC033 110.7	111.1	0.4	0.38	0.00
SDDSC033 111.1	112.0	0.9	0.16	0.00
SDDSC033 112	113.0	1.0	0.07	0.00
SDDSC033 113	114.0	1.0	0.50	0.00
SDDSC033 114	115.0	1.0	0.29	0.17
SDDSC033 115	115.5	0.5	1.70	1.04
SDDSC033 115.5	116.5	1.0	0.38	0.02
SDDSC033 116.5	117.5	1.0	0.39	0.00
SDDSC033 117.5	118.5	1.0	1.00	0.05
SDDSC033 118.5	119.0	0.5	9.27	0.56
SDDSC033 119	120.0	1.0	0.79	0.01
SDDSC033 120	120.4	0.4	0.63	0.00
SDDSC033 120.4	120.8	0.4	0.77	0.00
SDDSC033				

120.8

121.2

0.23

0.00

SDDSC033	121.2	121.9	0.7	0.50	0.00
SDDSC033	121.9	122.4	0.5	0.61	0.13
SDDSC033	122.4	122.8	0.4	0.89	0.78
SDDSC033	122.8	123.5	0.7	0.36	0.00
SDDSC033	123.5	124.5	1.0	0.66	0.00
SDDSC033	124.5	125.5	1.0	0.74	0.00
SDDSC033	125.5	126.4	0.9	0.46	0.01
SDDSC033	126.4	126.7	0.3	0.29	0.39
SDDSC033	126.7	128.7	2.0	0.60	0.01
SDDSC033	128.7	129.2	0.5	1.07	0.01
SDDSC033	129.2	129.5	0.3	0.51	0.00
SDDSC033	129.5	130.4	0.9	0.45	0.00
SDDSC033	130.4	131.3	0.9	0.77	0.01
SDDSC033	131.3	131.7	0.4	0.16	0.00
SDDSC033	131.7	132.6	0.9	0.60	0.00
SDDSC033	132.6	133.6	1.0	1.82	0.26
SDDSC033	133.6	134.5	0.9	0.80	0.01
SDDSC033	134.5	135.5	1.0	0.87	0.01
SDDSC033	135.5	136.5	1.0	0.62	0.00
SDDSC033	136.5	137.0	0.5	1.13	0.00
SDDSC033	137	137.5	0.5	0.13	0.00
SDDSC033	137.5	137.9	0.4	0.20	0.00
SDDSC033	137.9	138.3	0.4	1.46	0.00
SDDSC033	138.3	139.0	0.7	0.06	0.00
SDDSC033	139	139.6	0.6	0.29	0.01
SDDSC033	139.6	139.9	0.3	1.30	0.20
SDDSC033	139.9	140.2	0.3	0.30	0.00
SDDSC033	140.2	140.8	0.6	0.58	0.01
SDDSC033	140.8	141.5	0.7	0.60	0.01
SDDSC033					

141.5

142.0

0.5

0.16

SDDSC033 142	143.0	1.0	0.57	0.00
SDDSC033 143	143.5	0.5	0.72	0.13
SDDSC033 143.5	144.0	0.5	1.41	0.12
SDDSC033 144	145.0	1.0	0.65	0.01
SDDSC033 145	146.0	1.0	0.69	0.01
SDDSC033 146	147.0	1.0	0.06	0.01
SDDSC033 147	148.0	1.0	0.18	0.01
SDDSC033 148	148.9	0.9	1.24	0.03
SDDSC033 148.9	149.4	0.5	16.40	0.04
SDDSC033 149.4	151.0	1.6	3.77	0.09
SDDSC033 151	151.2	0.2	7.09	0.04
SDDSC033 151.2	151.4	0.2	0.79	0.06
SDDSC033 151.35	152.0	0.7	2.22	0.51
SDDSC033 152	152.3	0.3	18.25	0.18
SDDSC033 152.3	152.9	0.6	1.95	0.09
SDDSC033 152.9	153.1	0.2	13.85	0.42
SDDSC033 153.05	153.5	0.5	6.38	0.01
SDDSC033 153.5	154.0	0.5	2.64	0.08
SDDSC033 154	154.4	0.4	2.26	0.20
SDDSC033 154.4	154.7	0.3	3.41	0.02
SDDSC033 154.7	154.9	0.2	23.95	0.06
SDDSC033 154.85	155.6	0.8	1.03	0.01
SDDSC033 155.6	155.9	0.3	1.25	0.01
SDDSC033 155.9	156.2	0.3	0.83	1.29
SDDSC033 156.2	157.0	0.8	1.04	0.03
SDDSC033 157	157.9	0.9	0.69	0.01
SDDSC033 157.9	158.5	0.6	2.40	0.27
SDDSC033 158.5	159.0	0.5	0.43	0.02
SDDSC033 159	159.5	0.5	3.49	0.03
SDDSC033				

159.5

160.0

0.5

2.64

SDDSC033 160	160.5 0.5	2.40	0.14
SDDSC033 160.5	160.9 0.4	8.53	7.18
SDDSC033 160.85	161.0 0.2	16.90	0.03
SDDSC033 161	161.3 0.3	119.48	0.71
SDDSC033 161.3	161.5 0.2	13.90	0.92
SDDSC033 161.5	161.7 0.2	57.25	0.62
SDDSC033 161.7	161.9 0.2	10.22	1.96
SDDSC033 161.9	162.0 0.1	34.30	7.02
SDDSC033 162	162.7 0.7	2.15	0.50
SDDSC033 162.7	163.0 0.3	3.81	0.41
SDDSC033 163	163.5 0.5	13.00	2.06
SDDSC033 163.5	164.5 1.0	4.18	2.31
SDDSC033 164.5	165.3 0.8	0.63	0.01
SDDSC033 165.3	165.6 0.3	51.55	0.76
SDDSC033 165.6	166.5 0.9	1.15	0.20
SDDSC033 166.5	167.0 0.5	3.32	0.25
SDDSC033 167	167.8 0.8	0.26	0.00
SDDSC033 167.8	168.2 0.4	0.01	0.02
SDDSC033 168.2	169.0 0.8	0.24	0.01
SDDSC033 169	169.5 0.5	4.34	0.01
SDDSC033 169.5	170.6 1.1	0.41	0.02
SDDSC033 170.6	171.3 0.7	0.53	0.03
SDDSC033 171.3	171.9 0.6	0.47	0.01
SDDSC033 171.9	172.7 0.8	1.44	0.38
SDDSC033 172.7	173.2 0.5	3.80	0.08
SDDSC033 173.2	173.6 0.4	1.10	0.01
SDDSC033 173.6	174.7 1.1	0.47	0.01
SDDSC033 174.7	175.0 0.3	0.06	0.01
SDDSC033 175	175.5 0.5	0.03	0.01
SDDSC033			

175.5

176.0

0.5

0.07

0.01

SDDSC033 176	177.0	1.0	0.11	0.01
SDDSC033 177	178.0	1.0	-0.01	0.00
SDDSC033 178	179.0	1.0	0.18	0.06
SDDSC033 179	179.9	0.9	0.75	0.03
SDDSC033 179.9	180.6	0.7	0.60	0.11
SDDSC033 180.6	181.5	0.9	35.40	4.03
SDDSC033 181.5	182.4	0.9	3.41	0.17
SDDSC033 182.4	183.1	0.7	2.24	0.05
SDDSC033 183.1	183.5	0.4	1.47	0.20
SDDSC033 183.5	184.0	0.5	1.55	0.11
SDDSC033 184	184.8	0.8	54.70	7.04
SDDSC033 184.8	185.5	0.7	18.00	0.50
SDDSC033 185.5	186.3	0.8	4.99	3.02
SDDSC033 186.3	186.9	0.6	1.64	0.24
SDDSC033 186.9	187.9	1.0	1.72	0.17
SDDSC033 187.9	188.9	1.0	0.54	0.01
SDDSC033 188.9	189.9	1.0	1.65	0.03
SDDSC033 189.9	190.9	1.0	4.72	3.07
SDDSC033 190.9	191.5	0.6	4.51	1.43
SDDSC033 191.5	192.2	0.7	4.40	8.40
SDDSC033 192.2	193.0	0.8	39.70	11.70
SDDSC033 193.0	194.0	1.0	1.81	0.06
SDDSC033 194.0	194.3	0.3	4.95	0.46
SDDSC033 194.3	195.1	0.8	38.35	7.12
SDDSC033 195.1	196.0	0.9	2.88	0.06
SDDSC033 196.0	196.4	0.4	2.82	0.11
SDDSC033 196.4	196.7	0.3	1.76	0.05
SDDSC033 196.7	197.4	0.7	1.10	0.01
SDDSC033 197.4	198.0	0.6	0.45	0.01
SDDSC033				

198.0

199.0

1.0

0.17

0.00

SDDSC033	199.0	200.0	1.0	0.26	0.01
SDDSC033	200.0	201.0	1.0	0.76	0.00
SDDSC033	201.0	201.9	0.9	1.97	0.00
SDDSC033	201.9	202.9	1.0	1.34	0.01
SDDSC033	202.9	203.9	1.0	0.31	0.00
SDDSC033	203.9	205.2	1.3	0.32	0.01
SDDSC033	205.2	205.5	0.3	0.20	0.02
SDDSC033	205.5	206.0	0.5	0.23	0.01
SDDSC033	206.0	206.7	0.7	0.24	0.00
SDDSC033	206.7	207.7	1.0	1.48	0.00
SDDSC033	207.7	208.6	0.9	0.65	0.01
SDDSC033	208.6	209.6	1.0	2.93	0.01
SDDSC033	209.6	210.4	0.8	1.03	0.01
SDDSC033	210.4	211.5	1.1	1.73	0.01
SDDSC033	211.5	212.0	0.5	1.93	0.03
SDDSC033	212.0	213.0	1.0	0.72	0.03
SDDSC033	213.0	213.6	0.6	1.61	1.44
SDDSC033	213.6	214.0	0.4	0.01	0.01
SDDSC033	214.0	214.8	0.8	0.33	0.04
SDDSC033	214.8	215.4	0.6	0.05	0.03
SDDSC033	215.4	216.1	0.7	0.48	0.02
SDDSC033	216.1	217.0	0.9	0.11	0.01
SDDSC033	217.0	218.0	1.0	0.32	1.36
SDDSC033	218.0	219.0	1.0	0.01	0.06
SDDSC033	219.0	220.0	1.0	0.25	0.01
SDDSC033	220.0	221.0	1.0	-0.01	0.00
SDDSC033	221.0	222.0	1.0	-0.01	0.01
SDDSC033	222.0	223.0	1.0	-0.01	0.01
SDDSC033	223.0	224.0	1.0	0.26	0.00
SDDSC033					

224.0

225.0

1.0

SDDSC033	225.0	226.0	1.0	0.14	0.02
SDDSC033	226.0	227.0	1.0	0.02	0.01
SDDSC033	227.0	227.9	0.9	-0.01	0.01
SDDSC033	227.9	228.7	0.8	0.01	0.00
SDDSC033	228.7	229.5	0.8	0.04	0.01
SDDSC033	229.5	230.4	0.9	0.03	0.01
SDDSC033	230.4	231.0	0.6	0.52	0.00
SDDSC033	231.0	232.0	1.0	0.20	0.00
SDDSC033	232.0	232.9	0.9	0.03	0.00
SDDSC033	232.9	233.7	0.8	0.01	0.01

SOURCE: [Mawson Gold Ltd.](#)

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/416018--Mawson-Golds-Subsidiary-Southern-Cross-Gold-Gold-Ltd-Drills-119.2-m--3.9-g-t-AuEq-at-Sunday-Creek-Australia>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).