

# Royal Road Provides Drilling Update from Its Caribe Gold Discovery; Nicaragua

03.08.2022 | [Newsfile](#)

Infill Diamond Drilling Intersects 66 Meters at 1.3 Grams Per Tonne Gold, Scout - RC Drilling Extends Gold Mineralization 300 Meters to the Southwest

Toronto, August 3, 2022 - [Royal Road Minerals Ltd.](#) (TSXV: RYR) ("Royal Road" or the "Company") is pleased to provide a drilling update from its Caribe gold discovery in northeastern Nicaragua.

The Caribe project forms a part of the Company's Strategic-Alliance agreement (see press release; September 6, 2017) with Hemco Mineros Nicaragua ("Hemco" a subsidiary of [Mineros S.A.](#), TSX: MSA) and is located in the highly prospective "Golden Triangle" of northeastern Nicaragua. Royal Road Minerals is operator of the Strategic Alliance.

Royal Road's exploration team discovered the Caribe project during reconnaissance exploration in February of 2018. Outcrop at Caribe is concealed under soil and saprolite cover and there is no previous record of mining or mineralization in the area. In 2019, Royal Road and Hemco completed an initial 4-hole, exploratory drilling program at Caribe which returned promising results for gold. A follow-up diamond drilling program commenced at the project during August of 2020 and has returned encouraging results including CB-DDH-025, 207.45 meters at 1.1 grams per tonne, CB-DDH-016, 100.45 meters at 1.0 gram per tonne; CB-DDH-017, 90 meters at 1.0 gram per tonne and CB-DDH-015, 63 meters at 1.0 gram per tonne gold (see Press Releases November 10, 2020, February 11, 2021, March 17, 2021, September 1, 2021 and Table 1).

Diamond drilling has advanced as a combination of infill and step-out exploratory drilling in order to resolve geometry within the known breccia body (carbonate-sericite zone) and test for a possible intrusive source to later-stage, pyrite, chalcopyrite and molybdenite mineralized hydrothermal breccia bodies.

Significant new results from infill diamond drilling include:

CB-DDH-039 68 meters at 0.9 grams/tonne gold  
 CB-DDH-040 104 meters at 0.8 grams/tonne gold; and  
 66 meters at 1.3 grams/tonne gold  
 CB-DDH-044 114 meters at 1.0 grams/tonne gold

(not true width and the company does not have sufficient information to make a determination of the true widths of the drill hole intersections)

TABLE 1: CARIBE PRELIMINARY DRILL RESULTS TABLE

HOLE ID	E	N	Z(m)	DIP	AZIM	DEPTH	FROM	TO	LENGTH (m)*	GOLD GRADE (g/t)	COMMENTS
2019 Program											
CB-DDH-001	793252	1530691	49	-60	306	94.55	2.00	30.00	28	1.1	
CB-DDH-002	793252	1530688	49	-60	111	138.57	1.00	14.00	13	1.0	
							33.00	37.00	4	1.0	
CB-DDH-003	793254	1530689	49	-60	42	112.85	78.00	80.00	2	1.7	
							110.00	112.85 (EOH)	2.85	1.2	BOGGED AND
CB-DDH-004	793346	1530775	44	-60	40	67.10	13.00	31.00	18	1.0	
							62.00	67.00 (EOH)	5	1.0	BOGGED AND
2020-2021 Program											
CB-DDH-005	793258	1530689	43	-60	220	100.65	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD				

CB-DDH-006 793350 1530772 36	-60 40	160.12	28.00 102.00	74	0.9	
			129.00 143.00	14	1.0	
			22.00 28.00	6	1.0	
CB-DDH-007 793349 1530769 36	-60 220	123.52	61.00 63.00	2	1.0	BOGGED AND
			65.00 77.00	12	1.0	
			83.00 89.00	6	1.0	
CB-DDH-008 793395 1530824 35	-60 40	79.30	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
			9.00 14.00	5	1.0	
CB-DDH-009 793270 1530770 38	-60 125	161.65	37.00 82.00	45	1.0	BOGGED AND
			123.00 158.00	35	1.1	
CB-DDH-010 793296 1530664 37	-60 305	114.37	0.00 42.00	42	1.0	
CB-DDH-011 793338 1530633 35	-60 40	80.82	38.00 80.00	42	1.0	BOGGED AND
CB-DDH-012 794646 1532046 37	-60 360	184.52				
CB-DDH-013 794646 1532046 37	-60 335	131.15	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
CB-DDH-014 793875 1532118 40	-60 40	180.00				
			18.00 26.00	8	1.0	
CB-DDH-015 793349 1530771 43	-90 0	190.62	53.00 62.00	9	1.0	BOGGED AND
			88.00 151.00	63	1.0	
CB-DDH-016 793314 1530813 43	-60 125	149.45	49.00 149.45 (EOH)	100.45	1.0	BOGGED AND
CB-DDH-017 793295 1530744 43	-60 90	244.00	51.00 141.00	90	1.0	BOGGED AND
CB-DDH-018 793364 1530641 35	-60 40	68.62	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD BOGGED AND			
			0.00 35.00	35	1.0	
CB-DDH-019 793296 1530664 35	-50 40	102.17	56.00 66.00	10	1.0	BOGGED AND
			79.00 82.00	3	2.1	
CB-DDH-020 793604 1530412 37	-60 40	67.10	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD BOGGED AND			
CB-DDH-021 793349 1530846 34	-60 125	250.10	88.00 117.00	29	1.0	
			75.00 87.00	12	1.2	
			97.00 99.00	2	1.0	
CB-DDH-022 793498 1530892 37	-60 236	353.80	110.00 117.00	7	1.0	
			186.00 191.00	5	1.0	
CB-DDH-023 793498 1530892 37	-60 40	340.07	188.90 199.00	10.10	0.6	0.86 96 COPPER %M
CB-DDH-024 793338 1530633 34	-50 40	114.57	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD BOGGED AND			
CB-DDH-025 793290 1530792 34	-60 125	224.17	3.00 210.45	207.45	1.1	INCLUDING 2
CB-DDH-026 793383 1530891 35	-60 125	130.57	116.75 126.57	9.80	1.4	
			29.00 32.50	3.50	1.0	
CB-DDH-027 793386 1530889 34	-60 305	149.45	83.00 114.00	31.00	1.0	
			101.00 103.00	2.00	1.0	
CB-DDH-028 793423 1530824 34	-60 305	218.07	139.90 147.65	7.75	0.4	0.23 COPPER %M
			155.00 163.00	8.00	1.3	
CB-DDH-029 793496 1530893 34	-60 305	242.47	177.70 215.50	37.80	1.0	
CB-DDH-030 793454 1530965 35	-60 305	222.65				
CB-DDH-031 793539 1530944 34	-60 305	215.02	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
CB-DDH-032 793385 1530645 37	-60 305	170.80	62.00 75.00	13.00	0.9	
CB-DDH-033 793547 1530903 35	-60 305	218.07				
CB-DDH-034 793289 1530795 35	-90 0	166.22	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
CB-DDH-035 793289 1530795 37	-60 305	195.63				
CB-DDH-036 793399 1530740 37	-60 220	137.25	84.00 105.98	21.98	0.8	
CB-DDH-037 793440 1530771 37	-60 220	190.62				
CB-DDH-038 793442 1530712 38	-60 220	140.30	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
			51.00 119.00	68.00	0.90	
CB-DDH-039 793339 1530739 35	-90 0	166.22	135.00 139.00	4.00	1.00	
			0.00 104.00	104.00	0.80	
CB-DDH-040 793274 1530669 35	-50 40	274.50	139.00 205.00	66.00	1.30	
CB-DDH-041 793859 1530855 37	-50 325	227.22	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
CB-DDH-042 793276 1530507 40	-50 250	76.25	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			
CB-DDH-043 793277 1530509 40	-50 170	56.42	NO SIGNIFICANT INTERSECTIONS >1g/t GOLD			

CB-DDH-044 793313 1530852 40 -55 150 239.42 90.00 204.00 114.00 1.00

\*NOT TRUE WIDTH AND THE COMPANY DOES NOT HAVE SUFFICIENT INFORMATION TO MAKE A DETERMINATION OF THE DRILL HOLE INTERSECTIONS  
DOWN HOLE CUT-OFF 0.2 g/t gold  
MAXIMUM INTERNAL DILUTION, 10 Meters

Figure 1

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/4008/132683\\_figure%201.jpg](https://images.newsfilecorp.com/files/4008/132683_figure%201.jpg)

Drill hole CB-DDH-040 in particular has identified significant further gold mineralization within the carbonate-sericite zone at-depth (see Table 1 and Figure 1) and interestingly beyond this zone and within mafic lavas that were previously interpreted as basement to the mineralizing system at Caribe. Step-out exploratory drill holes have intersected native copper, copper oxides and anomalous gold (see Figure 1) but have not, as yet, identified a possible copper and gold mineralized intrusive source.

In September 2021, the Company commenced a program of grid-based scout reverse-circulation drilling at the project. The program utilizes a small, low-impact, man-portable reverse-circulation (RC) drilling rig which drills through soil and saprolite cover down to the first 2-3 meters of weathered rock where a sample is taken for analysis. Results have now been returned for 312 vertical scout-RC drill holes averaging approximately 18m in depth (see Figure 1).

Results received to-date imply that the gold mineralized system remains open for a further approximately 300 meters towards the west and southwest and suggests a broad and significant copper anomaly towards the east (Figure 1). Interestingly, the newly identified gold mineralization located to the west of the project area, is hosted in the footwall to a major crustal scale fault-zone (see Figure 1B), which was previously assumed to be barren. 25m-spaced infill scout-RC drilling is planned in this newly identified area in order to better constrain geometry prior to diamond drilling.

"Infill drilling in the main breccia body at Caribe is further extending gold mineralization to depth and the Scout-RC program is fully functioning and identifying some interesting new targets for further potential gold and possibly copper mineralization at the project," said Tim Coughlin, Royal Road's President and CEO "New discoveries are full of new surprises, Caribe is reminding us of the power of observation and the value of an open mind".

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

The information in this news release was compiled, reviewed and verified by Dr. Tim Coughlin, BSc (Geology), MSc (Exploration and Mining), PhD (Structural Geology), FAusIMM, President and CEO of [Royal Road Minerals Ltd.](#) and a qualified person as defined by National Instrument 43-101. Royal Road Minerals employees are instructed to follow standard operating and quality assurance procedures intended to ensure that all sampling techniques and sample results meet international reporting standards. More information can be found on Royal Road Minerals web site at [www.royalroadminerals.com](http://www.royalroadminerals.com)

#### Quality Assurance and Quality Control:

Diamond drill core is cut in half over 1-meter downhole intervals using a core saw. Samples are prepared and assayed by independent and ISO accredited laboratories of Bureau Veritas Minerals (BVM) and their local subsidiaries. Bagged 1-meter samples are collected from site and delivered to BVM sample preparation laboratories in Managua. Samples are prepared using the BVM codes PRP70-250 plus PUL85, where samples are crushed to 70% less than two millimeters, a riffle split of 250 grams is collected and then pulverized to better than 85 per cent passing 75 microns. Prepared sample pulps are then sent for analysis to BVM labs in Vancouver Canada. Gold is analyzed by fire assay with an atomic absorption finish and a measurement range of 0.005 to 10 ppm. Samples over 10-ppm gold are re-analyzed by fire assay with a gravimetric finish. Multi-element concentrations are analyzed by four-acid digestion and inductively coupled

plasma mass spectrometer. Samples over 10,000ppm Cu, Zn, Pb or Mn and 200 ppm W, are re-analyzed with four acid digestion and Inductively Coupled Plasma Emission Spectrometer (ICP-ES). Commercially prepared standards (gold-copper pulps), blanks (pulps and coarse chips) and field duplicates are inserted into the sample stream by Royal Road Minerals for a total of 15% QA/QC to ensure sample precision. In the case of duplicate analyses of a sample, the average of both analyses is used as the final reported value. Unless otherwise stated, gold grades are not capped for calculation of length-weighted averages.

RC chip samples are taken every meter after having entered 2-3 meters within the saprock-fresh rock boundary. Samples are collected from the drilling site and dried at the core yard. Where dry sample weights exceed 4.5Kg they are split. Bagged 1-meter samples are collected from site and delivered to the BVM sample preparation laboratory in Managua. Samples are prepared using BVM codes PRP70-250 plus PULSW where a riffle split of 250 grams is collected and then pulverized to better than 85 per cent passing 75 microns. Sample pulps are then sent for analysis to BVM labs in Vancouver Canada. Gold is analyzed by fire assay with an atomic absorption finish and a measurement range of 0.005 to 10 ppm. Samples over 10 ppm gold are re-analyzed by fire assay with a gravimetric finish. Multielement concentrations are analyzed by four-acid digestion and inductively coupled plasma mass spectrometer. Samples over 10,000ppm Cu, Zn, Pb or Mn and 200 ppm W, are re-analyzed with four acid digestion and Inductively Coupled Plasma Emission Spectrometer (ICP-ES). Commercially prepared standards (gold-copper pulps), blanks (pulps and coarse chips) and field duplicates are inserted into the sample stream by Royal Road Minerals for a total of 15% QA/QC to ensure sample precision. In the case of duplicate analyses of a sample, the average of both analyses is used as the final reported value. Unless otherwise stated, gold grades are not capped for calculation of length-weighted averages.

#### Cautionary statement:

This news release contains certain statements that constitute forward-looking information and forward-looking statements within the meaning of applicable securities laws (collectively, "forward-looking statements") including statements relating to the Hemco-Mineros Alliance and those describing the Company's future plans and the expectations of its management that a stated result or condition will occur. Such forward-looking statements involve known and unknown risks, uncertainties and other factors that may cause the actual results, performance or achievements of the Company, or developments in the Company's business or in the mineral resources industry, or with respect to the Hemco-Mineros Alliance, to differ materially from the anticipated results, performance, achievements or developments expressed or implied by such forward-looking statements. Forward-looking statements include all disclosure regarding possible events, conditions or results of operations that is based on assumptions about, among other things, future economic conditions and courses of action, and assumptions related to government approvals, and anticipated costs and expenditures. The words "plans", "prospective", "expect", "intend", "intends to" and similar expressions identify forward looking statements, which may also include, without limitation, any statement relating to future events, conditions or circumstances. Forward-looking statements of the Company contained in this news release, which may prove to be incorrect, include, but are not limited to, those related to the Hemco-Mineros Alliance, Hemco-Mineros, and the Company's plans exploration plans.

The Company cautions you not to place undue reliance upon any such forward-looking statements, which speak only as of the date they are made. There is no guarantee that the anticipated benefits of the Hemco-Mineros Alliance and the Company's business plans or operations will be achieved. The risks and uncertainties that may affect forward-looking statements include, among others: economic market conditions, anticipated costs and expenditures, government approvals, and other risks detailed from time to time in the Company's filings with Canadian provincial securities regulators or other applicable regulatory authorities. Forward-looking statements included herein are based on the current plans, estimates, projections, beliefs and opinions of the Company management and, in part, on information provided to the Company by Hemco-Mineros, and, except as required by law, the Company does not undertake any obligation to update forward-looking statements should assumptions related to these plans, estimates, projections, beliefs and opinions change.

For further information please contact:

Dr. Timothy Coughlin  
President and Chief Executive Officer  
+44 (0)1534 887166  
info@royalroadminerals.com

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/132683>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/420027--Royal-Road-Provides-Drilling-Update-from-Its-Caribe-Gold-Discovery-Nicaragua.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).