

# Bravo Intercepts High-Grade Nickel/Copper Massive Sulphide Mineralization at Luanga

16.08.2022 | [CNW](#)

Results Include 11m @ 2.04% Nickel + 1.23% Copper (PGM Results Pending)

VANCOUVER, Aug. 16, 2022 - [Bravo Mining Corp.](#) (TSX.V: BRVO), ("Bravo" or the "Company") today announced high nickel and copper assay results from the previously released diamond drill hole DDH22LU047 at its Luanga platinum group (palladium + platinum + rhodium) + gold + nickel (PGM+Au+Ni) project ("Luanga"), located in the Carajás Mineral Province, Pará, Brazil. The high-grade intercept of 11.04m grading 2.04% nickel and 1.23% copper occurs in massive and semi-massive sulphides - a style of mineralization not previously observed at Luanga, increasing the target type potential at the project. Palladium, platinum and rhodium assay results are pending.

## Highlights:

- 11.04m @ 2.04% nickel and 1.23% copper, from 131.11m to 142.15m downhole
  - Including 4.54m @ 2.77% nickel and 1.23% copper, from 132.26m to 136.80m downhole
  - Including 0.80m @ 0.98% nickel and 10.82% copper, from 136.80m to 137.60m downhole
- The high-grade intercept is a new type of mineralization that occurs within the Luanga PGM+Au+Ni project and is a potential indication of feeder zones," said Luis Azevedo, Chairman and CEO of Bravo. "DHEM surveying will continue at Luanga, which should allow us to vector in on the continuation of high-grade nickel/copper massive sulphides, guiding future drilling."

## Luanga Drill Program

### Downhole

The Phase 1 diamond drill program continues as planned at Luanga. With six drill rigs on site, drilling is now in progress along the entire 7km strike length of the known mineralization, including to the north where the latest and final agreements were recently signed (see August 2, 2022 news release).

### PGM+Au+Ni

Phase 1 drilling is designed to confirm, infill and step out from the previously defined PGM+Au+Ni mineralization in order to increase confidence in the geological model and provide the basis for future mineral resource estimates. Additionally, DHEM target potential extensions to the mineralization at depth, as well as exploration targets at Luanga.

DDH22LU047

## Complete Table of Assay Results

HOLE-ID	From	To	Thickness	Ni	Cu	Pd	Pt	Rh	Au	TYPE
	(m)	(m)	(m)	(%)	(%)	(g/t)	(g/t)	(g/t)	(g/t)	
DDH22LU047	131.11	142.15	11.04	2.03	1.23	Pending			FR	
Including	132.26	136.80	4.54	2.77	0.54	Pending			FR	
Including	136.80	137.60	0.80	0.98	10.82	Pending			FR	

- All 'From', 'To' depths, and 'Thicknesses' are downhole
- Given the orientation of the holes and the mineralization, the intercepts are estimated to range from ~80 to 90% of thickness.
- FR = Fresh Rock.

About Bravo Mining Corp.

Bravo is a Canada and Brazil-based mineral exploration and development company focused on advancing its Luanga PGM+Au+Ni Project in the world-class Carajás Mineral Province of Brazil.

The Luanga Project benefits from being in a location close to operating mines, with excellent access and proximity to infrastructure.

infrastructure, including road, rail and clean and renewable hydro grid power. The project area was previously de-forested agricultural grazing land. Bravo's current Environmental, Social and Governance activities includes replanting trees in the area, hiring and contracting locally, and ensuring protection of the environment during its exploration activities.

Bravo was founded by a management team and board with extensive Brazilian and PGM exploration, permitting, project construction and operating experience. This includes Luis Azevedo, Executive Chairman & CEO; Simon Mottram, President; Penha, EVP Corporate Development; and Independent Directors, Dr. Nicole Adshead-Bell (Lead Director), Stuart Compton, Polglase and Stephen Quin.

#### Technical Disclosure

Technical information in this news release has been reviewed and approved by Simon Mottram, F.AusIMM (Fellow Australian Institute of Mining and Metallurgy), President of [Bravo Mining Corp.](#) who serves as the Company's "qualified person", a National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"). Mr. Mottram has verified the technical information and opinions contained in this news release.

#### Forward Looking Statements

This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information is characterized by words such as "confirm", "designed", "increase confidence", "interpreted", "pending", and other similar phrases or statements that certain events or conditions "should", or "will" occur.

In particular, this news release contains forward-looking information pertaining to the Company's ongoing re-assay and geophysical programs and the results thereof; the expected arrival of geophysical equipment and the results of such surveys; the potential for the definition of new styles of mineralization and extensions to depth and the Company's plans in respect thereof. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, and opportunities to differ materially from those expressed or implied by such forward-looking information. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, changes in the state of equity and debt, fluctuations in commodity prices, delays in obtaining required regulatory or governmental approvals, environmental risk, changes in insurance coverage; and other risks and uncertainties involved in the mineral exploration and development industry. Forward-looking information in this news release is based on the opinions and assumptions of management considered reasonable as of the date hereof, including, but not limited to, the assumption that the assay results confirm the interpreted mineralization contains significant values of nickel, copper and also contain PGMs and Au; final drill and assay results will be in line with management's expectations; that activities will not be adversely disrupted or impeded by regulatory, political, community, economic, environmental and/or health and safety risks; that the Luanga Project will not be materially affected by potential supply chain disruptions; and general business and economic conditions will not change in a materially adverse manner. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information. The Company disclaims any intention or obligation to update or revise any forward-looking information, other than as required by applicable securities laws.

#### Schedule 1: Drill Hole Collar Details

HOLE-ID	Company	East (m)	North (m)	RL (m)	Datum	Depth (m)	Azimuth	Dip
DDH22LU047	Bravo	659899.99	9342475.05	275.18	SIRGAS2000 UTM22S	170.05	090	-60

#### Schedule 2: Assay Methodologies and QAQC

Samples follow a chain of custody between collection, processing and delivery to the ALS laboratory in Parauapebas, Pará, Brazil. The drill core is delivered to the core shack at Bravo's Luanga site facilities and processed by geologists using certified reference materials, blanks and duplicates into the sampling sequence. Drill core is half cut and placed in security-sealed polyurethane bags, then in security-sealed sacks before being delivered directly from the Luanga site facilities to the Parauapebas ALS laboratory by Bravo staff. Additional information about the methodology can be found on the ALS global website ([ALS.com](#)) under analytical guides. IN this case a split is collected by Bravo staff and securely delivered to the Intertek laboratory in Parauapebas where it was assayed by high priority for ore grade Ni and Cu.

Quality Assurance and Quality Control ("QAQC") is maintained internally at the lab through rigorous use of internal certified reference materials, blanks, and duplicates. An additional QAQC program is administered by Bravo using certified reference materials, duplicate samples and blank samples that are blindly inserted into the sample batch. If a QAQC sample returns an unacceptable value an investigation into the results is triggered and when deemed necessary, the samples that were tested in the batch with the failed QAQC sample are re-tested.

## Bravo ALS

Preparation      Method      Method      Method      Method

For All Elements Pt, Pd, Au    Rh      Ni-Sulphide Trace Elements

PREP-31B      PGM-ICP27 Rh-MS25 Ni-ICP05    ME-ICP61

## Bravo Intertek

Method

Ni, Cu Sulphide

Ni-ICP05

View original content to download

multimedia:<https://www.prnewswire.com/news-releases/bravo-intercepts-high-grade-nickelcopper-massive-sulphide-mi>

**SOURCE** [Bravo Mining Corp.](#)

**Contact** For further information about Bravo, please visit [www.bravomining.com](http://www.bravomining.com) or contact: Alex Penha, EVP Corporate Development  
[info@bravomining.com](mailto:info@bravomining.com)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/420924--Bravo-Intercepts-High-Grade-Nickel-Copper-Massive-Sulphide-Mineralization-at-Luanga.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).