

Tudor Gold Intersects 9.55 g/t AuEQ over 10.5 m Within 102.0 m of 2.64 g/t AuEQ in Drill Hole Gs-22-146 at the Goldstorm Deposit, Treaty Creek Property

23.08.2022 | [Newsfile](#)

Vancouver, August 23, 2022 - [Tudor Gold Corp.](#) (TSXV: TUD) (FSE: TUC) (the "Company" or "Tudor Gold") is pleased to present the fifth set of drill results for Phase I of the 2022 exploration program (the "Program") at their flagship property, Treaty Creek, located in the heart of the Golden Triangle of Northwestern British Columbia.

Ken Konkin, President and CEO, comments, "We are extremely pleased with the 5th set of results for the 2022 Treaty Creek drill hole program. Not only do we see continued success in the step-out drilling of the large Goldstorm Deposit and its various domains, but we also see the continuation of hitting high-grades within pulses of gold and silver as a late-stage, over-printed style of mineralization. Notably, much higher silver mineralization is associated with these late-stage features as supported by a 1.5 meter (m) interval within the 300H domain which yielded 24.11 g/t AuEQ (20.40 g/t Au, 311 g/t Ag and 648 ppm Cu) within GS-22-146 as part of a 10.5 m composite that averaged 9.55 g/t AuEQ (8.77 g/t Au, 62.44 g/t Ag and 410 ppm Cu). Similarly, within hole GS-22-147, a 1.10 m intercept yielded 22.79 g/t AuEQ (13.4 g/t Au, 801 g/t Ag and 196 ppm Cu). These two high-grade precious metal intercepts occur deeper within the 300H domain and are 285 m apart from each other. Three of the six reported Goldstorm holes were step-out drill holes that were drilled outside the 2021 Resource Estimate area; the other drill holes were targeted to infill large blocks that represent significant tonnages within the resource model. Within the 300H domain, we continue to recover long intercepts of gold-silver mineralization that contains a core of gold-silver enrichment: GS-22-146 cut 517.5 m of 1.10 g/t AuEQ (1.02 g/t Au, 4.17 g/t Ag, 285 ppm Cu) with an enriched, deeper portion averaging 2.64 g/t AuEQ over 102 m (2.48 g/t Au, 8.88 g/t Ag and 491 ppm Cu). Step-out drill holes into the CS600 domain continue to produce strong copper grades associated with gold-silver mineralization. GS-22-147 cut 0.41 % Cu over 87.0 m that averaged 1.01 g/t AuEQ (0.45 g/t Au, 6.86 g/t Ag, 0.41 % Cu).

Drilling at the Eureka Zone revealed gold-silver mineralization similar to the DS5 Domain of Goldstorm. Geologic similarities include the occurrence of post-mineral intrusive dykes as observed throughout the Goldstorm Deposit as well as fault off-sets. The best drilling results of the season so far were obtained from EZ-22-12 which intersected 46.0 m of 1.05 g/t AuEQ (0.89 g/t Au, 6.41 g/t Ag and 697 ppm Cu). Drilling continues as we have yet to determine any limits to the Goldstorm or Eureka systems."

The Program at the Treaty Creek property includes an aggressive resource expansion and delineation plan for several areas, including the Goldstorm Deposit and the Eureka and Calm Before the Storm Zones. Results included in this press release are reported from twelve diamond drill holes that were drilled on the Eureka Zone (Sections EZ - A, EZ - B, EZ - C) and six diamond drill holes that were drilled on the Goldstorm Deposit (Sections E, F, G, H) At Goldstorm, three out of six holes were drilled partially or completely outside the 2021 Mineral Resource Estimate area (see link: corresponding Treaty Creek plan map and sections).

GOLDSTORM DEPOSIT

SECTION E

- GS-22-146 was drilled to target the northwest extension of CS600. The successful CS600 intercept was spaced 125 m down-dip from previous drilling. The hole first drilled through an exceptional intercept of the 300H domain which returned 517.5 m grading 1.10 g/t AuEQ (1.02 g/t Au, 4.17 g/t Ag, 0.03 % Cu) which included a 10.5 m interval of 9.55 g/t AuEQ (8.77 g/t Au, 62.44 g/t Ag, 0.04 % Cu). The CS600 domain intercept reported 24.0 m grading 4.72 g/t AuEQ (4.50 g/t Au, 1.10 g/t Ag, 0.17 % Cu) within 88.5 m grading 2.10 g/t AuEQ (1.85 g/t Au, 2.39 g/t Ag, 0.18 % Cu).

SECTION F

- GS-22-147 was also drilled as a northwest extension of CS600 with the hole landing 125 m from previous drilling, extending the CS600 down-dip. The 300H domain was intercepted prior to reaching the CS600 domain and reported several high-grade intervals, including 22.79 g/t AuEQ (13.4 g/t Au, 801.00 g/t Ag, 2.83 % Cu) over 1.10 m, and 11.25 g/t AuEQ (4.00 g/t Au, 335.00 g/t Ag, 2.83% Cu) over 1.05 m. The CS600 intercept reported 87.0 m grading 1.01 g/t AuEQ (0.45 g/t Au, 6.86 g/t Ag, 0.41 % Cu).
- GS-22-148 was drilled as an infill hole within the 300H domain. The hole successfully intercepted 141.0 m grading 0.97 g/t AuEQ (0.91 g/t Au, 3.37 g/t Ag, 0.02 % Cu).

SECTION G

- GS-22-150 targeted the CS600 along the north-western boundary of the domain to improve the understanding of continuity along the uppermost portion of the domain. The hole intercepted 52.5 m grading 1.09 g/t AuEQ (0.66 g/t Au, 15.91 g/t Ag, 0.21 % Cu) and was spaced 90 m to the southwest from previous drilling.

SECTION H

- GS-22-144 stepped out 175 m to the northwest from the 2021 drilling and targeted the CS600 and DS5 domains which were both successfully intercepted. The CS600 intercept returned 90.0 meters grading 1.35 g/t AuEQ (0.73 g/t Au, 16.3 g/t Ag, 0.36 % Cu) within a broader envelope of 220.5 m grading 1.02 g/t AuEQ (0.62 g/t Au, 11.43 g/t Ag, 0.22 % Cu). Below this, the DS5 intercept reported 258.0 m grading 1.00 g/t AuEQ (0.95 g/t Au, 3.22 g/t Ag, 0.01 % Cu).

EUREKA ZONE

A total of twelve diamond drill holes were drilled in the Eureka Zone to identify the potential for mineralization across the zone as well as identify geological controls to improve the understanding of controls for mineralization. Several holes hit favourable mineralized intercepts, including:

- EZ-22-04: 0.50 g/t AuEQ (0.32 g/t Au, 6.01 g/t Ag, 0.09 % Cu) over 81.0 m.
- EZ-22-07: 0.51 g/t AuEQ (0.45 g/t Au, 3.75 g/t Ag, 0.01 % Cu) over 81.0 m.
- EZ-22-08: 0.60 g/t AuEQ (0.50 g/t Au, 4.86 g/t Ag, 0.04 % Cu) over 152.7 m.
- EZ-22-10: 0.54 g/t AuEQ (0.43 g/t Au, 5.43 g/t Ag, 0.04 % Cu) over 135.0 m.
- EZ-22-12: 1.05 g/t AuEQ (0.89 g/t Au, 6.41 g/t Ag, 0.07 % Cu) over 46.0 m.
- EZ-22-13: 0.58 g/t AuEQ (0.49 g/t Au, 4.78 g/t Ag, 0.03 % Cu) over 142.05 m.

Table 1: Drilling Results for Eureka Zone and Goldstorm Deposit in Press Release August 23, 2022

Section	Hole	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	AuEQ (g/t)
n/a	EZ-22-02				No significant values			
n/a	EZ-22-03				No significant values			
EZ - C	EZ-22-04	92.00	108.50	16.50	0.25	9.19	3567	0.78
		101.00	182.00	81.00	0.32	6.01	946	0.50
		153.50	182.00	28.50	0.52	11.97	504	0.72
EZ - C	EZ-22-05	51.50	149.00	97.50	0.28	5.29	151	0.36
EZ - C	EZ-22-06	63.15	206.00	142.85	0.30	5.09	159	0.38
		167.00	206.00	39.00	0.41	4.69	140	0.48
		179.00	197.00	18.00	0.64	5.69	209	0.73
EZ - C	EZ-22-07	8.00	89.00	81.00	0.45	3.75	144	0.51
		135.50	159.50	24.00	0.51	2.05	74	0.54
EZ - A	EZ-22-08	26.30	179.00	152.70	0.50	4.86	402	0.60
		95.00	179.00	84.00	0.61	6.26	649	0.76
n/a	EZ-22-09				No significant values			
EZ - A	EZ-22-10	21.50	156.50	135.00	0.43	5.34	358	0.54
		98.00	147.50	49.50	0.47	8.82	844	0.67
n/a	EZ-22-11				No significant values			

EZ - C	EZ-22-12	36.00	82.00	46.00	0.89	6.41	697	1.05
		44.50	72.00	27.50	1.18	7.71	817	1.38
EZ - B	EZ-22-13	26.90	168.95	142.05	0.49	4.78	303	0.58
		26.90	100.50	73.60	0.53	7.35	400	0.67
H	GS-22-144 (CS600)	583.50	804.00	220.50	0.62	11.43	2216	1.02
	Including	640.50	730.50	90.00	0.73	16.30	3646	1.35
	And including	790.50	798.20	7.70	2.32	36.31	2175	3.00
	And (DS5)	1051.50	1309.50	258.00	0.95	3.22	135	1.00
	Including	1092.00	1161.00	69.00	1.35	5.47	240	1.44
	Or	1109.20	1123.50	14.30	2.77	10.97	800	2.99
	And including	1257.00	1291.50	34.50	1.78	6.66	130	1.87
E	GS-22-146 (300H)	168.50	686.00	517.50	1.02	4.17	285	1.10
	Including	582.50	684.50	102.00	2.48	8.88	491	2.64
	With	615.50	647.00	31.50	3.95	4.67	865	4.10
	And With	672.50	683.00	10.50	8.77	62.44	410	9.55
	Including	680.00	681.50	1.50	20.40	311.00	648	24.11
	And (CS600)	1274.00	1362.50	88.50	1.85	2.39	1843	2.10
	Including	1275.50	1299.50	24.00	4.50	1.10	1740	4.72
F	GS-22-147 (300H)	298.50	568.50	270.00	0.61	4.16	335	0.70
	Including	349.30	350.35	1.05	4.00	335.00	28290	11.25
	And	378.00	378.50	0.50	3.45	291.00	28300	10.20
	And	427.50	468.00	40.50	1.02	2.33	117	1.06
	And (300H)	799.50	1078.50	279.00	0.68	4.68	241	0.76
	Including	799.50	868.50	69.00	1.04	15.90	325	1.26
	With	832.90	834.00	1.10	13.40	801.00	196	22.79
	And (CS600)	1284.00	1495.80	211.80	0.40	4.54	2912	0.80
	Including	1293.00	1380.00	87.00	0.45	6.86	4079	1.01
F	GS-22-148 ⁽¹⁾ (300H)	297.00	640.50	343.50	0.63	2.12	120	0.67
	Including	498.00	639.00	141.00	0.91	3.37	176	0.97
	GS-22-149	Hole failed to reach target. Not sampled.						
G	GS-22-150 (CS600)	472.50	715.50	243.00	0.47	7.63	1190	0.70
	Including	612.00	664.50	52.50	0.66	15.91	2088	1.09

(1) Hole GS-22-149 stopped short of intended target depth and was not sampled.

- All assay values are uncut and intervals reflect drilled intercept lengths.
- HQ and NQ2 diameter core samples were sawn in half and typically sampled at standard 1.5m intervals
- The following metal prices were used to calculate the Au Eq metal content: Gold \$1625/oz, Ag: \$19/oz, Cu: \$2.8/lb. Calculations used the formula $Au\ Eq\ g/t = (Au\ g/t) + (Ag\ g/t \times 0.01169) + (Cu\ \% \times 1.1815)$. All metals are reported in USD and calculations do not consider metal recoveries.
- True widths have not been determined as the mineralized body remains open in all directions. Further drilling is required to determine the mineralized body orientation and true widths.

Table 2: Drill data for holes in Press Release August 23, 2022

Section	Hole ID	UTM E NAD 83	UTM N NAD 83	Elevation (m)	Azi (ᵒ)	Dip (ᵒ)	Depth (m)
n/a	EZ-22-02	429964.16	6272488.62	1318.65	130	-90	332
n/a	EZ-22-03	429964.85	6272488.10	1318.65	130	-50	104
EZ - C	EZ-22-04	429885.63	6272276.15	1380.95	130	-90	264
EZ - C	EZ-22-05	429885.67	6272276.22	1380.92	130	-50	149
EZ - C	EZ-22-06	429886.38	6272275.57	1380.85	130	-55	254
EZ - C	EZ-22-07	429849.87	6272367.41	1357.83	130	-90	275
EZ - A	EZ-22-08	429776.44	6272172.80	1376.43	130	-90	182
n/a	EZ-22-09	429781.00	6272657.00	1224.09	225	-90	99
EZ - A	EZ-22-10	429776.44	6272172.80	1376.43	270	-55	156.5
n/a	EZ-22-11	429795.01	6272546.09	1278.09	220	-70	125.5
EZ - C	EZ-22-12	429708.00	6272443.00	1292.00	130	-90	201
EZ - B	EZ-22-13	429765.72	6272306.05	1345.64	315	-80	189
H	GS-22-144	428936.00	6273443.00	1391.00	310	-84	1317

E	GS-22-146	428430.90	6272982.00	1371.21	167	-63	1508
F	GS-22-147	428651.00	6273191.00	1369.00	295	-60	1495.8
F	GS-22-148	428659.10	6273198.00	1368.70	300	-63	663.4
F	GS-22-149	428659.10	6273198.00	1368.70	308	-62	108
G	GS-22-150	428804.00	6273272.00	1322.00	295	-88	819

Qualified Person

The Qualified Person for this news release for the purposes of National Instrument 43-101 is the Company's President and CEO, Ken Konkin, P.Geo. He has read and approved the scientific and technical information that forms the basis for the disclosure contained in this news release.

QA/QC

Diamond drill core samples were prepared at MSA Labs' Preparation Laboratory in Terrace, BC and assayed at MSA Labs' Geochemical Laboratory in Langley, BC. Analytical accuracy and precision are monitored by the submission of blanks, certified standards and duplicate samples inserted at regular intervals into the sample stream by Tudor Gold personnel. MSA Laboratories quality system complies with the requirements for the International Standards ISO 17025 and ISO 9001. MSA Labs is independent of the Company.

About Tudor Gold

[Tudor Gold Corp.](#) is a precious and base metals exploration and development company with properties in British Columbia's Golden Triangle (Canada), an area that hosts producing and past-producing mines and several large deposits that are approaching potential development. The 17,913 hectare Treaty Creek project (in which TUDOR GOLD has a 60% interest) borders [Seabridge Gold Inc.](#)'s KSM property to the southwest and borders [Newcrest Mining Ltd.](#)'s Brucejack property to the southeast. In April 2021 Tudor published their 43-101 technical report, "Technical Report and Initial Mineral Resource Estimate of the Treaty Creek Gold Property, Skeena Mining Division, British Columbia Canada" dated March 1, 2021, on the Company's Sedar profile. The Company also has a 100% interest in the Crown project and a 100% interest in the Eskay North project, all located in the Golden Triangle area.

ON BEHALF OF THE BOARD OF DIRECTORS OF
[Tudor Gold Corp.](#)

"Ken Konkin"

Ken Konkin
President and Chief Executive Officer

For further information, please visit the Company's website at www.tudor-gold.com or contact:

Chris Curran
Head of Corporate Development and Communications
Phone: (604) 559 8092
E-Mail: chris.curran@tudor-gold.com

or

Carsten Ringler
Head of Investor Relations and Communications
Phone: +49 151 55362000
E-Mail: carsten.ringler@tudor-gold.com

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of

the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Statements regarding Forward-Looking Information

This news release contains "forward-looking information" within the meaning of applicable Canadian securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to the activities, events or developments that the Company expects or anticipates will or may occur in the future, including the completion and anticipated results of planned exploration activities. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation thereof.

Such forward-looking information and statements are based on numerous assumptions, including among others, that the Company's planned exploration activities will be completed in a timely manner. Although the assumptions made by the Company in providing forward-looking information or making forward-looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate.

There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from the Company's plans or expectations include risks relating to the actual results of current exploration activities, fluctuating gold prices, possibility of equipment breakdowns and delays, exploration cost overruns, availability of capital and financing, general economic, market or business conditions, regulatory changes, timeliness of government or regulatory approvals and other risks detailed herein and from time to time in the filings made by the Company with securities regulators.

Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking information or implied by forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that forward-looking information and statements will prove to be accurate, as actual results and future events could differ materially from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on forward-looking statements or information.

The Company expressly disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, future events or otherwise except as otherwise required by applicable securities legislation.

Goldstorm Deposit & Eureka Zone - Section Areas - Plan View

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/4494/134536_tudorfig1.jpg

Goldstorm Deposit - Section E

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/4494/134536_tudorfig2.jpg

Goldstorm Deposit - Section F

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/4494/134536_tudorfig3.jpg

Goldstorm Deposit - Section G

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/4494/134536_tudorfig4.jpg

Goldstorm Deposit - Section H

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/4494/134536_tudorfig5.jpg

Eureka Zone - Section EZ - A

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/4494/134536_tudorfig6.jpg

Eureka Zone - Section EZ - B

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/4494/134536_tudorfig7.jpg

Eureka Zone - Section EZ - C

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/4494/134536_tudorfig8.jpg

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/134536>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/421434--Tudor-Gold-Intersects-9.55-g-t-AuEQ-over-10.5-m-Within-102.0-m-of-2.64-g-t-AuEQ-in-Drill-Hole-Gs-22-146-at-th>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).