Galiano Gold Provides Nkran Drilling Update

25.08.2022 | CNW

VANCOUVER, Aug. 25, 2022 - <u>Galiano Gold Inc.</u> ("Galiano" or the "Company") (TSX: GAU) (NYSE American: GAU) is provide an update of drilling results at Nkran following the completion of an infill drilling program at the Asanko Gold Millocated in Ghana. The AGM is a 50:50 joint venture ("JV") with Gold Fields Ltd (JSE, NYSE: GFI), with the JV managed operated by Galiano.

Effective February 28, 2022, Nkran has a Mineral Resource Estimate of 12.1 Mt at 2.09 g/t for 814 kozs indicated and 2.23 g/t for 96 kozs inferred. The 2022 infill drilling program was designed to enhance confidence in the indicated Mine and explore for potential extensions of mineralization at Nkran.

Drilling has intercepted several high-grade intervals within and below the resource shell as described in National Instru Technical Report for the Asanko Gold Mine, Ashanti Region, Ghana, effective date February 28, 2022¹ and confirms of mineralization within areas where higher levels of confidence were warranted. Results are currently being incorporated updated Mineral Resource Estimate which is expected to support an updated Mineral Reserve Estimate anticipated in

Nkran Infill Drilling Highlights

24 diamond drill holes totalling 8,116m have been drilled at Nkran in 2022. Highlighted intercepts include:

- Hole NKDD22-100: 16 meters @ 47.3 g/t gold from 13.6m and 41 meters @ 3.0 g/t gold from 135.4m
- Hole NKDD22-099: 11 meters @ 27.6 g/t gold from 259m
- Hole NKDD22-083: 49 meters @ 3.4 g/t gold from 261.7m and 58.50 meters @ 3.5 g/t gold from 336m
- Hole NKDD22-086: 16 meters @ 5.4 g/t gold from 191m
- Hole NKDD22-080: 45 meters @ 2.3 g/t gold from 107m
- Hole NKDD22-105: 8 meters @ 10.4 g/t gold from 109m
- Hole NKDD22-106: 59 meters @ 2.7 g/t gold from 330m

Nkran Overview (See Table 1 for full drilling results)

The Nkran pit is located immediately adjacent to the 5.8 million tonne per annum processing plant, and has historically highest average mined grades on the Asankrangwa Belt and contributed significant cash flows to the AGM. During the cut 2, Nkran produced 15.2M tonnes at 1.63 g/t and reported metallurgical recoveries of 94%.

"We are encouraged by these results which demonstrate the continuity of high-grade mineralization below the previous portions of the Nkran deposit," said Matt Badylak President and Chief Executive Officer. "This deposit has historically y significant cash flows due to its proximity to the processing plant, elevated grade profile and favourable metallurgy. It is note that mineralization extends below the current resource shell and remains open at depth. Going forward, we anticip to be a key deposit in our upcoming Life of Mine Plan and are excited to incorporate these latest drilling results into an Technical Report scheduled for release in Q1 2023."

Nkran Geology and Cross Sections

The Nkran geological setting is typical of the Asankrangwa belt with a sedimentary sequence of interlayered shale, silts sandstone. Two granitic bodies intrude along shear zones that control mineralization which dips steeply to the northwest the sheared host stratigraphy.

Table 1. Intercepts for 2022 Nkran infill drilling 2,3,4

22.12.2025 Seite 1/34

| | | | | | <u>-</u> |
|------------|----------|--------|-----------|-------------------|-----------------------|
| Hole ID | From (m) | To (m) | Width (m) | Grade (g/t Au) | Intercept Description |
| NKDD22-077 | 927.9 | 936.15 | 8.25 | 1.2 | 8.25m @ 1.2 g/t |
| NKDD22-077 | 945 | 960 | 15 | 1.7 | 15.00m @ 1.7 g/t |
| NKDD22-077 | 965 | 973.2 | 8.2 | 2 | 8.20m @ 2.0 g/t |
| NKDD22-077 | 977 | 981 | 4 | 0.8 | 4.00m @ 0.8 g/t |
| NKDD22-077 | 1004 | 1014 | 10 | 1.5 | 10.00m @ 1.5 g/t |
| NKDD22-078 | 1 | 3 | 2 | 1.1 | 2.00m @ 1.1 g/t |
| NKDD22-078 | 17 | 27 | 10 | 5.7 | 10.00m @ 5.7 g/t |
| NKDD22-078 | 31 | 35 | 4 | 2.3 | 4.00m @ 2.3 g/t |
| NKDD22-078 | 52 | 54 | 2 | 0.6 | 2.00m @ 0.6 g/t |
| NKDD22-078 | 66 | 86 | 20 | 1.5 | 20.00m @ 1.5 g/t |
| NKDD22-078 | 91 | 112 | 21 | 2 | 21.00m @ 2.0 g/t |
| NKDD22-078 | 116 | 137 | 21 | 1.8 | 21.00m @ 1.8 g/t |
| NKDD22-078 | 142 | 151 | 9 | 2.6 | 9.00m @ 2.6 g/t |
| NKDD22-078 | 159 | 171 | 12 | 1.7 | 12.00m @ 1.7 g/t |
| NKDD22-079 | 15 | 19 | 4 | 1.2 | 4.00m @ 1.2 g/t |
| NKDD22-079 | 46.8 | 57 | 10.2 | 2 | 10.20m @ 2.0 g/t |
| NKDD22-079 | 91.6 | 96 | 4.4 | 5.2 | 4.40m @ 5.2 g/t |
| NKDD22-079 | 100 | 120.7 | 20.7 | 1.5 | 20.70m @ 1.5 g/t |
| NKDD22-079 | 145.4 | 176 | 30.6 | 2.5 | 30.60m @ 2.5 g/t |
| NKDD22-080 | 73 | 75 | 2 | 0.6 | 2.00m @ 0.6 g/t |
| NKDD22-080 | 90.72 | 98.75 | 8.03 | 0.8 | 8.03m @ 0.8 g/t |
| NKDD22-080 | 107 | 152.3 | 45.3 | 2.3 | 45.30m @ 2.3 g/t |
| NKDD22-080 | 157.15 | 161 | 3.85 | 1.6 | 3.85m @ 1.6 g/t |
| NKDD22-080 | 165.2 | 176 | 10.8 | 4 | 10.80m @ 4.0 g/t |
| NKDD22-080 | 219 | 222.6 | 3.6 | 0.4 | 3.60m @ 0.4 g/t |
| NKDD22-081 | 29.7 | 75 | 45.3 | 1.5 | 45.30m @ 1.5 g/t |
| NKDD22-081 | 91 | 94 | 3 | 0.9 | 3.00m @ 0.9 g/t |
| NKDD22-081 | 161 | 172 | 11 | 1.8 | 11.00m @ 1.8 g/t |

22.12.2025 Seite 2/34

| | | | | | • | |
|------------|--------|--------|-------|-----|------------------|--|
| NKDD22-081 | 204 | 207 | 3 | 3.3 | 3.00m @ 3.3 g/t | |
| NKDD22-081 | 215.3 | 217.8 | 2.5 | 4.3 | 2.50m @ 4.3 g/t | |
| NKDD22-083 | 55.9 | 66.3 | 10.4 | 1.1 | 10.40m @ 1.1 g/t | |
| NKDD22-083 | 73 | 88 | 15 | 1.4 | 15.00m @ 1.4 g/t | |
| NKDD22-083 | 102 | 106 | 4 | 0.9 | 4.00m @ 0.9 g/t | |
| NKDD22-083 | 114 | 124 | 10 | 0.6 | 10.00m @ 0.6 g/t | |
| NKDD22-083 | 129 | 131 | 2 | 0.8 | 2.00m @ 0.8 g/t | |
| NKDD22-083 | 157 | 162 | 5 | 0.5 | 5.00m @ 0.5 g/t | |
| NKDD22-083 | 207.6 | 213 | 5.4 | 4.6 | 5.40m @ 4.6 g/t | |
| NKDD22-083 | 221 | 224 | 3 | 3 | 3.00m @ 3.0 g/t | |
| NKDD22-083 | 230 | 238 | 8 | 1.6 | 8.00m @ 1.6 g/t | |
| NKDD22-083 | 242 | 256 | 14 | 1.7 | 14.00m @ 1.7 g/t | |
| NKDD22-083 | 261.7 | 310.6 | 48.9 | 3.4 | 48.90m @ 3.4 g/t | |
| NKDD22-083 | 315 | 330 | 15 | 1.4 | 15.00m @ 1.4 g/t | |
| NKDD22-083 | 336 | 394.5 | 58.5 | 3.5 | 58.50m @ 3.5 g/t | |
| NKDD22-083 | 400 | 402 | 2 | 0.7 | 2.00m @ 0.7 g/t | |
| NKDD22-083 | 408.1 | 411.6 | 3.5 | 0.5 | 3.50m @ 0.5 g/t | |
| NKDD22-083 | 415 | 428.4 | 13.4 | 0.8 | 13.40m @ 0.8 g/t | |
| NKDD22-083 | 442.4 | 453 | 10.6 | 0.9 | 10.60m @ 0.9 g/t | |
| NKDD22-084 | 71.36 | 75.25 | 3.89 | 3.8 | 3.89m @ 3.8 g/t | |
| NKDD22-084 | 86 | 93 | 7 | 2.3 | 7.00m @ 2.3 g/t | |
| NKDD22-084 | 101.18 | 107.65 | 6.47 | 1.8 | 6.47m @ 1.8 g/t | |
| NKDD22-084 | 115.7 | 120 | 4.3 | 2.4 | 4.30m @ 2.4 g/t | |
| NKDD22-084 | 124 | 128.45 | 4.45 | 1.2 | 4.45m @ 1.2 g/t | |
| NKDD22-084 | 170 | 175 | 5 | 1.4 | 5.00m @ 1.4 g/t | |
| NKDD22-084 | 183 | 188 | 5 | 1.4 | 5.00m @ 1.4 g/t | |
| NKDD22-084 | 201.91 | 206 | 4.09 | 2.7 | 4.09m @ 2.7 g/t | |
| NKDD22-084 | 211.77 | 224 | 12.23 | 3.9 | 12.23m @ 3.9 g/t | |
| NKDD22-086 | 55.65 | 62 | 6.35 | 1.2 | 6.35m @ 1.2 g/t | |
| NKDD22-086 | | | | | | |

22.12.2025 Seite 3/34

22.12.2025 Seite 4/34

22.12.2025 Seite 5/34

22.12.2025 Seite 6/34

22.12.2025 Seite 7/34

14.70m @ 0.8 g/t

22.12.2025 Seite 8/34

22.12.2025 Seite 9/34

| NKDD22-086 | 87 | 97.5 | 10.5 | 1.3 | 10.50m @ 1.3 g/t | |
|------------|--------|--------|-------|-----|------------------|--|
| NKDD22-086 | 102 | 106 | 4 | 3.7 | 4.00m @ 3.7 g/t | |
| NKDD22-086 | 112 | 121 | 9 | 2.4 | 9.00m @ 2.4 g/t | |
| NKDD22-086 | 124.68 | 136.86 | 12.18 | 3.3 | 12.18m @ 3.3 g/t | |
| NKDD22-086 | 145.3 | 149 | 3.7 | 1.6 | 3.70m @ 1.6 g/t | |
| NKDD22-086 | 154 | 159 | 5 | 1.9 | 5.00m @ 1.9 g/t | |
| NKDD22-086 | 168 | 170 | 2 | 1 | 2.00m @ 1.0 g/t | |
| NKDD22-086 | 181 | 186 | 5 | 4.4 | 5.00m @ 4.4 g/t | |
| NKDD22-086 | 191 | 207 | 16 | 5.4 | 16.00m @ 5.4 g/t | |
| NKDD22-088 | 166 | 170 | 4 | 0.6 | 4.00m @ 0.6 g/t | |
| NKDD22-088 | 184 | 191 | 7 | 0.7 | 7.00m @ 0.7 g/t | |
| NKDD22-088 | 203.9 | 218.57 | 14.67 | 1.1 | 14.67m @ 1.1 g/t | |
| NKDD22-088 | 258 | 268.86 | 10.86 | 0.7 | 10.86m @ 0.7 g/t | |
| NKDD22-089 | 44 | 57.2 | 13.2 | 1.2 | 13.20m @ 1.2 g/t | |
| NKDD22-089 | 63 | 65 | 2 | 6.5 | 2.00m @ 6.5 g/t | |
| NKDD22-089 | 72.82 | 77 | 4.18 | 0.8 | 4.18m @ 0.8 g/t | |
| NKDD22-089 | 98 | 103 | 5 | 1.1 | 5.00m @ 1.1 g/t | |
| NKDD22-089 | 107 | 111 | 4 | 3.2 | 4.00m @ 3.2 g/t | |
| NKDD22-089 | 164 | 170 | 6 | 1.2 | 6.00m @ 1.2 g/t | |
| NKDD22-089 | 180 | 183 | 3 | 2.6 | 3.00m @ 2.6 g/t | |
| NKDD22-089 | 197 | 205.2 | 8.2 | 1 | 8.20m @ 1.0 g/t | |
| NKDD22-089 | 214 | 219 | 5 | 1 | 5.00m @ 1.0 g/t | |
| NKDD22-089 | 229.4 | 234 | 4.6 | 0.6 | 4.60m @ 0.6 g/t | |
| NKDD22-089 | 241.2 | 257 | 15.8 | 2.6 | 15.80m @ 2.6 g/t | |
| NKDD22-089 | 289 | 303.2 | 14.2 | 1.7 | 14.20m @ 1.7 g/t | |
| NKDD22-089 | 327 | 336.15 | 9.15 | 1.2 | 9.15m @ 1.2 g/t | |
| NKDD22-091 | 124 | 142 | 18 | 2.7 | 18.00m @ 2.7 g/t | |
| NKDD22-091 | 166 | 173 | 7 | 0.7 | 7.00m @ 0.7 g/t | |
| NKDD22-091 | 180 | 183 | 3 | 3.6 | 3.00m @ 3.6 g/t | |
| NKDD22-091 | | | | | | |

22.12.2025 Seite 10/34

22.12.2025 Seite 11/34

22.12.2025 Seite 12/34

22.12.2025 Seite 13/34

22.12.2025 Seite 14/34

2.00m @ 1.4 g/t

22.12.2025 Seite 15/34

22.12.2025 Seite 16/34

| | | | | 1 | | |
|------------|--------|--------|-------|------|------------------|--|
| NKDD22-091 | 208 | 237.5 | 29.5 | 1 | 29.50m @ 1.0 g/t | |
| NKDD22-091 | 242.5 | 263.3 | 20.8 | 1.1 | 20.80m @ 1.1 g/t | |
| NKDD22-091 | 266.8 | 272.7 | 5.9 | 1.3 | 5.90m @ 1.3 g/t | |
| NKDD22-091 | 278.7 | 336.4 | 57.7 | 3.4 | 57.70m @ 3.4 g/t | |
| NKDD22-091 | 432 | 435.3 | 3.3 | 0.7 | 3.30m @ 0.7 g/t | |
| NKDD22-092 | 63 | 66 | 3 | 1 | 3.00m @ 1.0 g/t | |
| NKDD22-092 | 89.5 | 94 | 4.5 | 1.9 | 4.50m @ 1.9 g/t | |
| NKDD22-092 | 140 | 142 | 2 | 0.9 | 2.00m @ 0.9 g/t | |
| NKDD22-092 | 154 | 166 | 12 | 0.9 | 12.00m @ 0.9 g/t | |
| NKDD22-092 | 172 | 176.9 | 4.9 | 1 | 4.90m @ 1.0 g/t | |
| NKDD22-092 | 189.84 | 211.65 | 21.81 | 5 | 21.81m @ 5.0 g/t | |
| NKDD22-092 | 215.4 | 234 | 18.6 | 1 | 18.60m @ 1.0 g/t | |
| NKDD22-092 | 240 | 242 | 2 | 2.9 | 2.00m @ 2.9 g/t | |
| NKDD22-092 | 249 | 252 | 3 | 1.7 | 3.00m @ 1.7 g/t | |
| NKDD22-092 | 282 | 284.2 | 2.2 | 1.7 | 2.20m @ 1.7 g/t | |
| NKDD22-092 | 318.6 | 324.2 | 5.6 | 1.2 | 5.60m @ 1.2 g/t | |
| NKDD22-093 | 108.6 | 114 | 5.4 | 0.6 | 5.40m @ 0.6 g/t | |
| NKDD22-094 | 149.2 | 157 | 7.8 | 15.9 | 7.80m @ 15.9 g/t | |
| NKDD22-094 | 198 | 200.7 | 2.7 | 2.8 | 2.70m @ 2.8 g/t | |
| NKDD22-097 | 1.2 | 5 | 3.8 | 4.7 | 3.80m @ 4.7 g/t | |
| NKDD22-097 | 47.5 | 54.3 | 6.8 | 3 | 6.80m @ 3.0 g/t | |
| NKDD22-097 | 66.3 | 69.5 | 3.2 | 0.6 | 3.20m @ 0.6 g/t | |
| NKDD22-097 | 79.7 | 81.8 | 2.1 | 8.5 | 2.10m @ 8.5 g/t | |
| NKDD22-097 | 92.8 | 123 | 30.2 | 1.8 | 30.20m @ 1.8 g/t | |
| NKDD22-097 | 134.1 | 136.4 | 2.3 | 1 | 2.30m @ 1.0 g/t | |
| NKDD22-097 | 152.2 | 155 | 2.8 | 0.9 | 2.80m @ 0.9 g/t | |
| NKDD22-097 | 172.3 | 199.3 | 27 | 1.1 | 27.00m @ 1.1 g/t | |
| NKDD22-097 | 205.7 | 208 | 2.3 | 2.8 | 2.30m @ 2.8 g/t | |
| NKDD22-097 | 231 | 256.2 | 25.2 | 1.4 | 25.20m @ 1.4 g/t | |
| NKDD22-098 | | | | | | |

22.12.2025 Seite 17/34

22.12.2025 Seite 18/34

22.12.2025 Seite 19/34

22.12.2025 Seite 20/34

22.12.2025 Seite 21/34

2.00m @ 0.8 g/t

22.12.2025 Seite 22/34

22.12.2025 Seite 23/34

| NIKDDOO 0001040 | | | | | | |
|-----------------|----------|-------|------|-------------------|--|--|
| NKDD22-098 248. | .5 250.5 | 2 | 1 | 2.00m @ 1.0 g/t | | |
| NKDD22-098 270 | 278 | 8 | 4.6 | 8.00m @ 4.6 g/t | | |
| NKDD22-098 284 | 297 | 13 | 1.3 | 13.00m @ 1.3 g/t | | |
| NKDD22-099 66 | 69 | 3 | 3.9 | 3.00m @ 3.9 g/t | | |
| NKDD22-099 259 | 270.3 | 11.3 | 27.6 | 11.30m @ 27.6 g/t | | |
| NKDD22-099 284. | .4 343.2 | 58.8 | 2.4 | 58.80m @ 2.4 g/t | | |
| NKDD22-100 4 | 8.4 | 4.4 | 2 | 4.40m @ 2.0 g/t | | |
| NKDD22-100 13.6 | 30 | 16.4 | 47.3 | 16.40m @ 47.3 g/t | | |
| NKDD22-100 33.2 | 44.3 | 11.1 | 5.2 | 11.10m @ 5.2 g/t | | |
| NKDD22-100 47.9 | 52.9 | 5 | 2.6 | 5.00m @ 2.6 g/t | | |
| NKDD22-100 58.5 | 60.9 | 2.4 | 1.1 | 2.40m @ 1.1 g/t | | |
| NKDD22-100 67.5 | 104 | 36.5 | 2.1 | 36.50m @ 2.1 g/t | | |
| NKDD22-100 107. | .5 131 | 23.5 | 2.8 | 23.50m @ 2.8 g/t | | |
| NKDD22-100 135. | 4 176.2 | 40.8 | 3 | 40.80m @ 3.0 g/t | | |
| NKDD22-100 210. | .6 217.1 | 6.5 | 2.1 | 6.50m @ 2.1 g/t | | |
| NKDD22-100 227. | .6 232 | 4.4 | 1.4 | 4.40m @ 1.4 g/t | | |
| NKDD22-100 236 | 244 | 8 | 1.8 | 8.00m @ 1.8 g/t | | |
| NKDD22-101 133 | 143 | 10 | 1.4 | 10.00m @ 1.4 g/t | | |
| NKDD22-101 164 | 168 | 4 | 2.4 | 4.00m @ 2.4 g/t | | |
| NKDD22-101 176 | 183 | 7 | 1 | 7.00m @ 1.0 g/t | | |
| NKDD22-101 215 | 219.6 | 4.6 | 2.2 | 4.60m @ 2.2 g/t | | |
| NKDD22-101 247. | .7 269 | 21.3 | 2.7 | 21.30m @ 2.7 g/t | | |
| NKDD22-101 300 | 305 | 5 | 1.1 | 5.00m @ 1.1 g/t | | |
| NKDD22-101 319. | .32 343 | 23.68 | 2.8 | 23.68m @ 2.8 g/t | | |
| NKDD22-101 416. | .8 426 | 9.2 | 0.7 | 9.20m @ 0.7 g/t | | |
| NKDD22-101 432 | 436 | 4 | 1.7 | 4.00m @ 1.7 g/t | | |
| NKDD22-101 442 | 447 | 5 | 1.9 | 5.00m @ 1.9 g/t | | |
| NKDD22-101 457 | 461 | 4 | 0.3 | 4.00m @ 0.3 g/t | | |
| NKDD22-101 498 | 503 | 5 | 1.1 | 5.00m @ 1.1 g/t | | |
| NKDD22-102 | | | | | | |

22.12.2025 Seite 24/34

22.12.2025 Seite 25/34

22.12.2025 Seite 26/34

22.12.2025 Seite 27/34

22.12.2025 Seite 28/34

4.00m @ 2.0 g/t

22.12.2025 Seite 29/34

22.12.2025 Seite 30/34

| NKDD22-102 | 259 | 264.4 | 5.4 | 1 | 5.40m @ 1.0 g/t | |
|--|-----------------------------------|------------------------|--------------------------|--------------------|--|--|
| NKDD22-102 | 280.9 | 287 | 6.1 | 8.7 | 6.10m @ 8.7 g/t | |
| NKDD22-102 | 292 | 299.3 | 7.3 | 0.4 | 7.30m @ 0.4 g/t | |
| NKDD22-102 | 302.35 | 335 | 32.65 | 2.3 | 32.65m @ 2.3 g/t | |
| NKDD22-102 | 339.4 | 346.4 | 7 | 1.5 | 7.00m @ 1.5 g/t | |
| NKDD22-102 | 352.5 | 355.5 | 3 | 1 | 3.00m @ 1.0 g/t | |
| NKDD22-102 | 362 | 365 | 3 | 1 | 3.00m @ 1.0 g/t | |
| NKDD22-103 | 112 | 114 | 2 | 3 | 2.00m @ 3.0 g/t | |
| NKDD22-103 | 119.7 | 134 | 14.3 | 2.8 | 14.30m @ 2.8 g/t | |
| NKDD22-103 | 237 | 240 | 3 | 1 | 3.00m @ 1.0 g/t | |
| NKDD22-103 | 375 | 378 | 3 | 7.8 | 3.00m @ 7.8 g/t | |
| Notes: NKDD22-103 | | 405 | 22 | 2.8 | 22.00m @ 2.8 g/t | |
| 1. Refer to Sec NKDD22-103 | 409 | 418.4 | 9.4 | 2.7 | 9.40m @ 2.7 g/t | ctive date February 28, 2022. |
| | | | | | | on to calculate true widths. However, close to perpendicular as possible. |
| พหา ปอ บชอไล ฮร weighted av | 4¢શીભાate | qlaygit h t | γe,4assump | tjiogas of | 7.96m9/6pann.ds≤g/am of | internal waste and displayed as |
| NKDD22-104 | | 7.5.12 | 3.12 2.00d BC | 3.5 Filling. | 3.12m @ 3.5 g/t | |
| Qualified Pers NKDD22-104 | on and Q/ 327.6 | Piamon | | 9.5 | 16.00m @ 9.5 g/t | |
| | | | | | | ed Person as defined by Canadian |
| NIKIDI9202W94 | ളുള se. M | 3 हe ttm | an is respo | p <u>s</u> jble f | უ:ტეტოგდიდ_tჯგდქ/the w | ical information that forms the basis ork including the Data Verification |
| AND SHIPPLYISH | grits com | ijla tj on. | There are | ရုန္ပ န္ၾnov | ng factors that₄could n | ta disclosed by reviewing all data laterially affect the reliability of data |
| NKDD22-105 | erinea ur ettman is r 322 | gt inde 348 | pendent of 26 | Galiano 1.7 | llity assurance/quality 26.00m @ 1.7 g/t | control issues have been identified |
| D4Kti1@212R161161 | ദ് റി ദ േ Mat | a¥i7a0nsar | ı tl 6Blanks a | ı 1e 5inser | t1e6l0bynG@lialn5 g5/bldi | nto the sample stream at the rate of |
| NHEDER Mines | 18880∟16d.in | Ђa∌r kwa | 6⊊4hana wi | th stand | agrod opyreposaration g/metho | All samples have been analysed by ds and 50g fire assay with atomic |
| stream and re | ports them | 494Gali | ളൂനള for do | uble che | gking Higher grade s | VQC samples into the sample amples are re-analysed from pulp or |
| reject material Galiano, It pro NKDD22-106 | or both. II vides testi 330 | ng for a | s an intern wide rang | e of indu 2.7 | ompany operating in istries including the m 59.00m @ 2.7 g/t | 100 countries and is independent of ining, metals, and oil sectors. |
| AHGDD22Hib00 | | | 5.8 | 2.4 | 5.80m @ 2.4 g/t | |
| | - | • | | | <u> </u> | • |

Galiano's vision is to build a sustainable business capable of long-term value creation for its stakeholders through a combination of exploration, accretive M&A activities and the disciplined deployment of its financial resources. The Company currently operates and manages the Asanko Gold Mine, located in Ghana, West Africa which is jointly owned with Gold Fields Ltd. The Company is strongly committed to the highest standards for environmental management, social responsibility, and health and safety for its employees and neighbouring communities. For more information, please visit www.galianogold.com.

22.12.2025 Seite 31/34

Cautionary Note Regarding Forward-Looking Statements Certain statements and information contained in this news release constitute " forward-looking statements " within the meaning of applicable U.S. securities laws and " forward-looking information " within the meaning of applicable Canadian securities laws, which we refer to collectively as " forward-looking statements ". Forward-looking statements are statements and information regarding possible events, conditions or results of operations that are based upon assumptions about future conditions and courses of action. All statements and information other than statements of historical fact may be forward looking statements. In some cases, forward-looking statements can be identified by the use of words such as " seek ", " expect ", " anticipate ", " budget ", " plan ", " estimate ", " continue ", " forecast ", " intend ", " believe ", " predict ", " potential ", " target ", " may ", " could ", " would ", " might ", " will " and similar words or phrases (including negative variations) suggesting future outcomes or statements regarding an outlook.

Forward-looking statements in this news release include, but are not limited to: statements regarding future mining at Nkran including with respect to the nature and extent of possible pit designs and the commencement of mining or further mining; the declaration of an updated Mineral Resource estimate and the timing thereof; the expected results of the exploration program (including its ability to provide the confidence for undertaking a resource estimate and further engineering studies) and the nature and timing of future exploration programs; the ability of future exploration programs to provide the basis for future mineral resources, including the timing for the declaration of such mineral resources; and information regarding planned future exploration, drilling and mining. Such forward-looking statements are based on a number of material factors and assumptions, including, but not limited to: the exploration program proceeding as anticipated; the exploration program achieving the targets and milestones included therein in the manner and on the timelines anticipated therein; the nature of drilling and exploration targets conforming to current expectations; the Company's updated mineral resource estimate and life of mine plan proceeding as currently anticipated; mining proceeding as currently anticipated; the Company proceeding with further exploration programs as currently anticipated; that future exploration programs will provide the basis for future mineral resources; that the Joint Venture approves the Company's exploration budget; the ability of the AGM to continue to operate during the COVID-19 pandemic; that gold production and other activities will not be curtailed as a result of the COVID-19 pandemic; that the AGM will be able to continue to ship doré from the AGM site to be refined; that the doré produced by the AGM will continue to be able to be refined at similar rates and costs to the AGM, or at all; that the Company's and the AGM's responses to the COVID-19 pandemic will be effective in continuing its operations in the ordinary course; the accuracy of the estimates and assumptions underlying Mineral Resource and Mineral Reserve estimates and prior exploration results, including future gold prices, cut-off grades and production and processing estimates; the successful completion of development and exploration projects, planned expansions or other projects within the timelines anticipated and at anticipated production levels; that mineral resources can be developed as planned; that the Company's relationship with joint venture partners will continue to be positive and beneficial to the Company; that required financing and permits will be obtained; general economic conditions; that labour disputes or disruptions, flooding, ground instability, geotechnical failure, fire, failure of plant, equipment or processes to operate are as anticipated and other risks of the mining industry will not be encountered; that contracted parties provide goods or services in a timely manner; that there is no material adverse change in the price of gold or other metals; title to mineral properties; costs; the retention of the Company's key personnel; and changes in laws, rules and regulations applicable to Galiano.

Forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause actual results, performance or achievements to differ materially from those anticipated in such forward-looking statements. The Company believes the expectations reflected in such forward-looking statements are reasonable, but no assurance can be given that these expectations will prove to be correct and you are cautioned not to place undue reliance on forward-looking statements contained herein. Some of the risks and other factors which could cause actual results to differ materially from those expressed in the forward-looking statements contained in this news release, include, but are not limited to: that the results of the Company's exploration programs will not conform with the Company's expectations, and will not be sufficient to support mineral resources or mineral reserves at the AGM or be sufficient to include in the Company's updated life of mine plan; the Company's expectations; that the Company may not undertake planned future mining or exploration, or that such future mining or exploration will not be sufficient to support mineral resources or mineral reserves at the AGM; that the JV will approve the Company's proposed exploration and mining programs; the Company's and/or the AGM's operations may be curtailed or halted entirely as a result of the COVID-19 pandemic, whether as a result of governmental or regulatory law or pronouncement, or otherwise; that the doré produced at the AGM may not be able to be refined at expected levels, on expected terms or at all; that the Company and/or the AGM will experience increased operating costs as a result of the COVID-19 pandemic; that the AGM may not be able to source necessary inputs on commercially reasonable terms, or at all; the Company's and the AGM's responses to the COVID-19 pandemic may not be successful in continuing its operations in the ordinary course; AGM has a limited operating history and is subject to risks associated with establishing new mining operations; sustained

22.12.2025 Seite 32/34

increases in costs, or decreases in the availability, of commodities consumed or otherwise used by the Company may adversely affect the Company; actual production, costs, returns and other economic and financial performance may vary from the Company's estimates in response to a variety of factors, many of which are not within the Company's control; adverse geotechnical and geological conditions (including geotechnical failures) may result in operating delays and lower throughput or recovery, closures or damage to mine infrastructure; the ability of the Company to treat the number of tonnes planned, recover valuable materials, remove deleterious materials and process ore, concentrate and tailings as planned is dependent on a number of factors and assumptions which may not be present or occur as expected; the Company's operations may encounter delays in or losses of production due to equipment delays or the availability of equipment; the Company's operations are subject to continuously evolving legislation, compliance with which may be difficult, uneconomic or require significant expenditures; the Company may be unsuccessful in attracting and retaining key personnel; labour disruptions could adversely affect the Company's operations; the Company's business is subject to risks associated with operating in a foreign country; risks related to the Company's use of contractors; the hazards and risks normally encountered in the exploration, development and production of gold; the Company's operations are subject to environmental hazards and compliance with applicable environmental laws and regulations; the Company's operations and workforce are exposed to health and safety risks; unexpected costs and delays related to, or the failure of the Company to obtain, necessary permits could impede the Company's operations; the Company's title to exploration, development and mining interests can be uncertain and may be contested; the Company's properties may be subject to claims by various community stakeholders; risks related to limited access to infrastructure and water; the Company's exploration programs may not successfully expand its current mineral reserves or replace them with new reserves; the Company's revenues are dependent on the market prices for gold, which have experienced significant recent fluctuations; the Company may not be able to secure additional financing when needed or on acceptable terms; and the Company's primary asset is held through a joint venture, which exposes the Company to risks inherent to joint ventures, including disagreements with joint venture partners and similar risks.

Although the Company has attempted to identify important factors that could cause actual results or events to differ materially from those described in the forward-looking statements, you are cautioned that this list is not exhaustive and there may be other factors that the Company has not identified. Furthermore, the Company undertakes no obligation to update or revise any forward-looking statements included in, or incorporated by reference in, this news release if these beliefs, estimates and opinions or other circumstances should change, except as otherwise required by applicable law

Cautionary Note to US Investors Regarding Mineral Reporting Standards:

As a British Columbia corporation and a "reporting issuer" under Canadian securities laws, the Company is required to provide disclosure regarding its mineral properties, including the AGM, in accordance with Canadian National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"). NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for all public disclosure an issuer makes of scientific and technical information concerning mineral projects. In accordance with NI 43-101, the Company uses the terms mineral reserves and resources as they are defined in accordance with the CIM Definition Standards on mineral reserves and resources (the "CIM Definition Standards") adopted by the Canadian Institute of Mining, Metallurgy and Petroleum. In particular, the terms "mineral reserve", "proven mineral reserve", "probable mineral reserve", "mineral resource", "measured mineral resource", "indicated mineral resource" and "inferred mineral resource" used in this press release are Canadian mining terms defined in accordance with CIM Definition Standards. These definitions differ from the definitions in the disclosure requirements promulgated by the SEC. Accordingly, information contained in this press release may not be comparable to similar information made public by U.S. companies reporting pursuant to SEC disclosure requirements.

United States investors are also cautioned that while the SEC will now recognize "measured mineral resources", "indicated mineral resources" and "inferred mineral resources", investors should not assume that any part or all of the mineralization in these categories will ever be converted into a higher category of mineral resources or into mineral reserves. Mineralization described using these terms has a greater amount of uncertainty as to their existence and feasibility than mineralization that has been characterized as reserves. Accordingly, investors are cautioned not to assume that any "measured mineral resources", "indicated mineral resources", or "inferred mineral resources" that the Company reports are or will be economically or legally mineable.

Further, "inferred resources" have a greater amount of uncertainty as to their existence and as to whether they can be mined legally or economically. Therefore, United States investors are also cautioned not to assume that all or any part of the inferred resources exist. In accordance with Canadian rules, estimates of "inferred mineral resources" cannot form the basis of feasibility or other economic studies, except in limited

22.12.2025 Seite 33/34

circumstances where permitted under NI 43-101.

Neither Toronto Stock Exchange nor the Investment Industry Regulatory Organization of Canada accepts responsibility for the adequacy or accuracy of this release.

View original content to download multimedia:https://www.prnewswire.com/news-releases/galiano-gold-provides-nkran-drilling-update-301612844.html

SOURCE Galiano Gold Inc.

Contact

Todd Romaine, EVP Sustainability and Investor Relations, Toll-Free (N. America): 1-855-246-7341, Telephone: 1-604-416-0088, Email: info@galianogold.com

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/421733--Galiano-Gold-Provides-Nkran-Drilling-Update.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

22.12.2025 Seite 34/34