

# West High Yield (W.H.Y.) Resources Ltd. Drilling Intersects Visible Gold

30.08.2022 | [Newsfile](#)

## And Reports 1.5 Metre Assay Intervals from 12.8 g/t Au to 38.4 g/t Au, Mineralized Zones up to 18 Metres at Midnight Gold Claim

Calgary, August 30, 2022 - [West High Yield \(W.H.Y.\) Resources Ltd.](#) (TSXV: WHY) ("West High Yield" or the "Company") is pleased to announce the presence of visible native gold in several drill core intervals from two of the first five holes and to present highlights of its initial round of Au-Ag assay results from the 2022 6,500 metre exploration drilling program (the "2022 Program"). The 2022 Program is ongoing at the Company's Midnight Gold claim ("Midnight") located in the Rossland Gold Camp area, British Columbia. The Rossland Gold Camp historically produced over 2.76 million ounces of recovered gold and 3.52 million ounces of recovered silver.

The 2022 program is focused on identifying extensions to zones of known Midnight mineralization, areas with potential for targets within and peripheral to the OK and IXL historical mines, and deep targets below the known footprint of mineralization (see Press Releases of September 24, 2020 and December 30, 2021). Many promising drill targets were identified after review of the 1993-2010 drilling programs and historical workings. Figure 1 shows the distribution of the 2022 permitted and active drill collar locations relative to the 2006-2010 drilling. A total of 31 collar locations are fully permitted. Two drills currently are active on the seventh and eighth holes of the program with a third rig to be added in early September (Table 1).

The current area of drilling is focused on the targets from surface to 200 metres depth located to the southeast and east of the historical high-grade Baker Vein within and peripheral to the Listwanite (quartz-carbonate-serpentine) zone (Figure 2) which straddles the east-northeast trending fault contact between the OK ultramafic intrusion and the Jurassic age andesite-dominant sequence to the north. The second drill is exploring deeper targets from 200 metres to more than 600 metres below the Baker Vein. Gold mineralization in the Rossland area is reported to depths exceeding 750 metres and several faults transecting the area are interpreted to have significant vertical displacement.

"We are excited to identify visible gold (Figure 3) in high-grade assay intervals in MN22-02 and look forward to receipt of Au and multi-element assays pending for three additional holes, including an intersection in MN22-05 with visible gold which was submitted for Au by metallic screen protocols. Six intervals (Table 3) from MN22-02, MN22-03 and MN22-04 (5 samples measuring 1.5 metres, 1 sample at 1.2 metres) reported gold by gravimetric analysis ranging from 12.8 g/t Au to 38.4 g/t Au", stated Greg Davison, P. Geo and QP for Midnight. "The presence of high-grade Au over standard sample intervals without discrete, narrow Au-quartz-ankerite vein control is significant for our exploration efforts and potentially future development."

Mr. Davison added, "Those intervals, occurring mainly in intensely listwanitized ultramafic units, exhibited surrounding haloes of multiple gram-plus Au values and lower grade mineralization ranging from 3 to 18 metres with aggregate intersections to 36 metres (Table 2). Silver values typically reported <10 g/t Ag to a maximum of 31.2 g/t Ag. Of principal importance, the high-grade Au intersections are located spatially outside the 2009 10-metre drilling grid. Leapfrog modelling of the current and historical drill results is ongoing. We anticipate that the 2022 program will better define the gold mineralization leading to a mineral resource estimate pursuant to National Instrument 43-101 Standards of Disclosure for Mineral Projects."

Table 1. 2022 Drilling Program - as of August 27, 2022.

Drill Hole	Easting	Northing	Azimuth (°)	Inclination (°)	Elevation (m)	Total Depth (m)
22-01	438580	5435911	0	-90	954	352.6
22-02	438537	5435808	350	-50	943	81.7
22-03	438537	5435808	350	-75	943	197.5
22-04	438531	5435792	295	-68	942	185
22-05	438531	5435792	260	-50	942	113.4

22-06	438531 5435792	260	-70	942	139.8
22-07	438548 5435881	290	-50	962	240*
22-08	438561 5435855	260	-75	956	100*

\* in progress

Figure 1. Location map of current and pending 2022, and post-2000 historical drilling on Midnight, IXL and OK mining claims and grants with mine portals and access trails.

To view an enhanced version of Figure 1, please visit:  
[https://images.newsfilecorp.com/files/5602/135310\\_f0a9279cd43ed8d9\\_003full.jpg](https://images.newsfilecorp.com/files/5602/135310_f0a9279cd43ed8d9_003full.jpg)

Figure 2. NQ2 diameter core from MN22-02 49.5m showing intense serpentinization and silicification of ultramafic host. Multi-stage brittle deformation and veining with quartz, pyrite, chlorite, carbonate and visible native gold.

To view an enhanced version of Figure 2, please visit:  
[https://images.newsfilecorp.com/files/5602/135310\\_f0a9279cd43ed8d9\\_004full.jpg](https://images.newsfilecorp.com/files/5602/135310_f0a9279cd43ed8d9_004full.jpg)

Table 2. Summary of select drill core intersections with gram-plus Au g/t values. Samples greater than 10 g/t Au were finished using gravimetric analysis (highlighted).

hellohello234: TMP File ss - Filed by newsfilecorp.com

Hole #	From (m)	To (m)	Sample #	Au g/t*	Ag g/t
MN22-02	48.50	50.00	212571	36.1	3.7
MN22-02	59.00	60.50	212578	1.98	<0.5
MN22-02	65.00	66.50	212583	7.94	1.4
MN22-02	66.50	68.00	212584	17.9	9.6
MN22-02	68.00	69.50	212585	8.61	2.3
MN22-02	69.50	71.00	212587	22.6	31.2
MN22-02	71.00	72.50	212588	2.88	1
MN22-03	39.10	41.50	212605	12.15	2.1
MN22-03	39.10	41.50	212606**	13.6	1.6
MN22-03	51.00	52.50	212614	2.56	0.6
MN22-03	55.50	57.00	212617	2.13	<0.5
MN22-03	60.00	61.50	212621	20.7	6
MN22-03	72.00	73.50	212631	5.77	7.2
MN22-04	16.76	18.02	212727	1.56	<0.5
MN22-04	18.02	19.28	212728	3.68	1.1
MN22-04	48.70	49.25	225505	1.68	1
MN22-04	54.05	55.25	225511	38.4	6.5
MN22-04	55.25	56.45	225512	2.18	<0.5
MN22-04	64.95	66.03	225523	1.63	1.9
MN22-04	88.95	90.20	225545	2.18	0.5
MN22-04	111.20	112.70	225565	1.295	<0.5

\* Au GRA-21 FAA with gravimetric analysis for samples >10 g/t.

\*\*Preparation Duplicate, core loss est. 1 metre.

Figure 3. Selection of visible gold occurrences identified in MN22-02 60.3m (3), MN22-05 70.2m (1). Gold

grains range from <1mm to 3mm as irregular particles with very fine-grained particles disseminated or along microfractures within quartz, serpentine group and minor carbonate in variably listwanized dunite and peridotite. Spatial association of gold was noted locally with fine to coarse-grained brecciated pyrite with pyrrhotite and galena. Field of view approximately 15mm.

To view an enhanced version of Figure 3, please visit:  
[https://images.newsfilecorp.com/files/5602/135310\\_fig3.jpg](https://images.newsfilecorp.com/files/5602/135310_fig3.jpg)

#### Geochemical Analysis, Quality Assurance and Quality Control

All core handling is conducted at the secure logging facility on Midnight. All samples are bagged and sealed with numbered security tags under the supervision of the QP and delivered to Overland Transport in Rosslund for delivery to ALS Global ("ALS") in North Vancouver, British Columbia for gold and multi-element analysis. Metal values disclosed herein by WHY are reported principally from sawn (1/2) drill core samples over intervals of 30cm to 1.6 metres. Certain friable and broken intervals were processed using a rotary wedge core splitter. The remaining half-core samples are cross stacked on site. Local chain of custody was monitored and maintained by the Project Geologist under the direction of the QP.

Assays from 573 core and QA/QC samples were reported currently for DDH MN22-01 through MN22-03 with partial results for MN22-04.

ALS is a facility certified as ISO 9001:2008 and accredited to ISO/IEC 17025:2005 from the Standards Council of Canada.

The samples were crushed to 70% passing 2mm (PREP-31) and a split of up to 250 grams pulverized to 85% passing 75 micrometres (-200 mesh). Pulps (50gram split) were submitted for Au analysis by Fire Assay with Atomic Absorption finish (Au-AA23). The retained pulps also were analyzed by Four Acid Digestion followed by Inductively Coupled Plasma Atomic Emission Spectrometry (ICP-AES) multi-element analyses (ME-ICP61). Over-limit Au and Ag samples were analyzed by Fire Assay with Gravimetric Finish Ore Grade (Au-GRA21 or Au-GRA22, Ag-GRA21). Screen metallics assays were conducted on select samples using the SCR-24B method to quantify gold distribution in the screen oversize and duplicate pulps.

In-house quality control samples (blanks, standards, preparation duplicates) were inserted into the sample set using a protocol designed by the QP. ALS Global conducts its own internal QA/QC program of blanks, standards and duplicates, and the results are provided with the Company sample certificates. The results of the internal and ALS control samples are reviewed by the Company's QP and evaluated for acceptable tolerances prior to disclosure. All sample and pulp rejects will be stored at ALS Global pending full review of the analytical data, and future selection of pulps for independent third-party check analyses, as requisite.

The Company's Qualified Person believes that the sampling documentation, analytical protocols and quantitative data will withstand scrutiny for inclusion.

#### Qualified Person

Greg Davison, MSc, PGeo, Senior Consulting Geologist to WHY Resources, is the Company's internal Qualified Person for the Midnight Gold Project and is responsible for approval of the technical content of this press release within the meaning of National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"), under TSX guidelines.

#### About West High Yield

West High Yield is a publicly traded junior mining exploration and development company focused on the acquisition, exploration, and development of mineral resource properties in Canada with a primary objective to develop its Record Ridge magnesium, silica, and nickel deposit using green processing techniques to minimize waste and CO<sub>2</sub> emissions.

#### Contact Information:

[West High Yield \(W.H.Y.\) Resources Ltd.](#)

Frank Marasco Jr., President and Chief Executive Officer  
Telephone: (403) 660-3488 Facsimile: (403) 206-7159  
Email: frank@whyresources.com

Cautionary Note Regarding Forward-Looking Information

This press release contains forward-looking statements and forward-looking information within the meaning of Canadian securities legislation. The forward-looking statements and information are based on certain key expectations and assumptions made by the Company. Although the Company believes that the expectations and assumptions on which such forward-looking statements and information are based are reasonable, undue reliance should not be placed on the forward-looking statements and information because the Company can give no assurance that they will prove to be correct.

Forward-looking information is based on the opinions and estimates of management at the date the statements are made, and are subject to a variety of risks and uncertainties and other factors that could cause actual events or results to differ materially from those anticipated in the forward-looking information. Some of the risks and other factors that could cause the results to differ materially from those expressed in the forward-looking information include, but are not limited to: general economic conditions in Canada and globally; industry conditions, including governmental regulation; failure to obtain industry partner and other third party consents and approvals, if and when required; the availability of capital on acceptable terms; the need to obtain required approvals from regulatory authorities; and other factors. Readers are cautioned that this list of risk factors should not be construed as exhaustive.

Readers are cautioned not to place undue reliance on this forward-looking information, which is given as of the date hereof, and to not use such forward-looking information for anything other than its intended purpose. The Company undertakes no obligation to update publicly or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable law.

This press release does not constitute an offer to sell or a solicitation of an offer to buy any securities in the United States. The securities of the Company will not be registered under the United States Securities Act of 1933, as amended (the "U.S. Securities Act") and may not be offered or sold within the United States or to, or for the account or benefit of U.S. persons except in certain transactions exempt from the registration requirements of the U.S. Securities Act.

**NEITHER THE TSX VENTURE EXCHANGE NOR ITS REGULATION SERVICES PROVIDER (AS THAT TERM IS DEFINED IN THE POLICIES OF THE TSX VENTURE EXCHANGE) ACCEPTS RESPONSIBILITY FOR THE ADEQUACY OF THIS RELEASE.**

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/421978--West-High-Yield-W.H.Y.-Resources-Ltd.-Drilling-Intersects-Visible-Gold.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).