

# Marimaca Copper Corp. Announces Infill Drilling Results Further Confirming Consistency of Mineralization at the MOD

07.09.2022 | [GlobeNewswire](#)

VANCOUVER, Sept. 07, 2022 - [Marimaca Copper Corp.](#) ("Marimaca Copper" or the "Company") (TSX: MARI) is pleased to announce further results from the 2022 infill and extensional drilling campaign at the Marimaca Oxide Deposit (the "MOD"). Results reflect a total of 6,130m across 31 drill holes.

The drilling intersected mineralization in-line with the current geological interpretation of the MOD. Drilling in the south-east zone of the MOD, on trend with the Sierra and Sorpresa satellite targets, continues to demonstrate extensions to green-oxide rich mineralization beyond the previously interpreted limits of the 2019 Mineral Resource Estimate ("MRE"). Copper oxide mineralization also remains open to the east of the MOD. Hole MAR-158 was drilled on a ~150m step-out from the eastern pit limits and intersected continuations of shallow green oxide mineralization. Drilling on the western boundary of the MOD confirmed limits of copper oxide mineralization with lower-grade intersections of thinning mineralization. In the central MOD, hole MAR-65Ext intersected extensions of higher-grade mineralization into the MAMIX zone.

## Highlights

- Infill drilling intersected extensions to known green-oxide mineralization in the south-east zone of the MOD, consistent with previous 2022 results (see release dated March 28, 2022)
- MAMIX drilling intersected extensions to higher grade oxide and mixed mineralization at depth, improving confidence in the higher-grade core of the MOD and MAMIX
- Oxide intersections from step-out drilling on the north-eastern boundary of the MOD (MAR-158) demonstrates a material broadening of the MOD's oxide halo to the east which is consistent with previous step-out drilling (MAR-126, see release dated May 5, 2021)
- Notable intersections include
  - MAR-65Ext intersected 332m at 0.44% CuT from 36m, including a higher-grade extension of 78m at 0.90% CuT from 218m
  - LAR-96 intersected 98m at 0.41% CuT from surface including 22m at 1.14% CuT from surface
  - MAR-172 intersected 200m at 0.25% CuT from 12m including 66m at 0.51% CuT from 38m
  - MAR-171 intersected 164m at 0.37% CuT from 2m including 96m at 0.53% CuT from 70m
  - MAR-158 intersected 72m at 0.36% CuT from 120m
  - LAR-03 intersected 346m at 0.32% CuT from 2m including 40m at 0.34% CuT from 272m
  - LAR-25 intersected 340m at 0.33% CuT from 12m
- The 2022 drilling program is now finalized with 38,570m of RC and 3,000m of diamond drilling complete
  - 21,992m of remaining drilling to be released pending final assay results

*Sergio Rivera, VP Exploration of Marimaca Copper, commented:*

*"We have now completed the 2022 Marimaca drilling campaign with our work now focused on the upcoming mineral resource update planned for late September or early October.*

*"Overall, the 2022 program was a success. All our objectives going into the program were met and results continue to be in-line with our geological interpretation at the MOD, with the consistency of the Marimaca mineralization demonstrated again in this latest batch of results."*

## Overview of Drilling Campaign Objectives

Marimaca's 2022 RC drilling campaign consists of over 38,570m of drilling between the MOD infill and the MAMIX zone, the depth extension of the MOD.

Geological interpretation and resource modelling is currently underway ahead of the planned 2022 Mineral Resource Update ("MRE") expected in late Q3. The 2022 MRE will capture drilling data completed up to June 30th, 2022, with the balance of the infill drilling (targeting conversion to Measured and Indicated Resource categories) to be captured in a subsequent MRE planned for early 2023.

Figure 1: Plan View of Infill Drilling Results, Pending Holes and MOD PEA Pit Shell:  
<https://www.globenewswire.com/NewsRoom/AttachmentNg/5a93e53e-c466-4d72-aabd-fcf039cca3cb>

Table 1. Summary of Infill Drill Results

Hole	TD (m)	From (m)	To (m)	m	%CuT
		8	192	184	0.23
	including	8	68	60	0.22
	including	8	28	20	0.23
MAR-158	200	and 46	64	18	0.41
		120	192	72	0.36
	including	120	146	26	0.44
	and	174	192	18	0.71
MAR-159	200	72	84	12	0.21
		150	172	22	0.25
MAR-160	160	24	38	14	0.14
		92	104	12	0.52
MAR-161	210	112	164	52	0.27
MAR-162	180	2	12	10	0.29
		122	134	12	0.25
MAR-163	180	2	8	6	0.22
		88	150	62	0.14
		2	8	6	0.32
MAR-164	200	126	192	66	0.24
	including	152	192	40	0.31
MAR-165	200	118	148	30	0.23
	including	124	138	14	0.34
		12	300	288	0.19
	including	12	30	18	0.23
	and	56	88	32	0.32
MAR-166	300	98	138	40	0.21
		164	172	8	0.36
		230	300	70	0.29
	including	230	258	28	0.49
	and	282	300	18	0.27
		98	154	56	0.15
	including	98	122	24	0.20
MAR-167	300	188	292	104	0.20
	including	188	252	64	0.20
		270	292	22	0.33
		14	150	136	0.20
MAR-168	200	including 14	104	90	0.16
	and	124	150	26	0.46

		96	200	104	0.27
		including 12	52	40	0.20
		and 96	140	44	0.23
MAR-169	250	150	200	50	0.35
		including 150	176	26	0.21
		and 186	200	14	0.81
		222	242	20	0.17
		14	102	88	0.28
MAR-170	250	including 14	42	28	0.50
		and 80	102	22	0.42
		206	214	8	0.48
		2	166	164	0.37
		including 2	20	18	0.21
MAR-171	200	and 38	54	16	0.32
		70	166	96	0.53
		including 70	118	48	0.71
		and 140	166	26	0.62
		12	212	200	0.25
		including 12	28	16	0.16
MAR-172	220	38	104	66	0.51
		including 38	60	22	0.51
		and 72	104	32	0.67
		134	170	36	0.22
LAR-88	200	62	74	12	0.12
		146	156	10	0.29
LAR-89	170	12	24	12	0.41
		144	168	24	0.18
LAR-90	200	18	34	16	0.18
		114	130	16	0.16
LAR-91	150	4	36	32	0.21
		116	134	18	0.15
LAR-93	260	58	82	24	0.21
		34	148	114	0.17
LAR-94	150	including 34	76	42	0.16
		110	148	38	0.28
		including 126	148	22	0.41
		28	190	162	0.20
LAR-95	300	including 40	80	40	0.41
		and 160	182	22	0.27
		228	252	24	0.18
		0	98	98	0.41
		including 0	22	22	1.14
LAR-96	270	and 70	98	28	0.38
		156	164	8	0.53
		236	266	30	0.17
		including 236	248	12	0.27
LAR-97	170	4	18	14	0.26
		24	152	128	0.22
ATR-113	160	including 24	38	14	0.31
		and 50	92	42	0.33
		136	152	16	0.33

Table 2. Summary of MAMIX Drill Results

Hole	TD (m)	From (m)	To (m)	m	%CuT	
		Historic + New 2	348	346	0.32	
LAR-03ext	350	262	348	86	0.25	
		272	312	40	0.34	
		Historic + New 12	428	416	0.15	
LAR-15ext	450	302	320	18	0.30	
		416	428	12	0.13	
LAR-25ext	400	Historic + New 12	352	340	0.33	
		256	352	96	0.24	
		Historic + New 36	368	332	0.44	
MAR-65ext	400	218	368	150	0.61	
		including	218	296	78	0.90
		Historic + New 10	374	364	0.21	
ATR-89ext	400	318	374	56	0.24	
		including	340	374	34	0.34

Table 3. Infill collars and survey

Hole	Easting	Northing	Elevation	Azimuth	Inclination	Depth
MAR-158	375363.6	7435943.5	1127.3	220	-60	200
MAR-159	375219.2	7435932.4	1119.5	220	-60	200
MAR-160	375256.0	7435905.7	1109.6	310	-60	160
MAR-161	375176.6	7435902.6	1114.7	310	-60	210
MAR-162	375235.7	7435861.8	1093.6	310	-60	180
MAR-163	375148.1	7435868.5	1110.4	310	-60	180
MAR-164	375234.3	7435853.9	1093.3	220	-60	200
MAR-165	375146.0	7435861.8	1110.4	220	-60	150
MAR-166	375163.7	7435000.1	1050.8	310	-60	300
MAR-167	375110.5	7435834.2	1104.6	310	-60	300
MAR-168	375224.9	7434945.9	1036.6	310	-60	200
MAR-169	375268.1	7435159.1	1061.5	220	-60	250
MAR-170	374974.0	7435243.1	1051.4	220	-60	250
MAR-171	374991.9	7435297.5	1060.7	220	-60	200
MAR-172	375158.0	7435199.7	1080.0	220	-60	220
LAR-88	374572.7	7435553.3	1026.6	220	-60	200
LAR-89	374665.8	7436069.2	961.9	310	-60	170
LAR-90	374557.6	7435609.9	1023.8	220	-60	200
LAR-91	374494.5	7435937.8	964.0	220	-60	150
LAR-92	374443.3	7435844.1	972.0	220	-60	150
LAR-93	374556.1	7435697.0	1014.9	220	-60	260
LAR-94	374608.2	7435588.3	1050.8	220	-60	150
LAR-95	374639.3	7435579.1	1064.0	220	-60	300
LAR-96 (*)	374762.0	7435919.0	1015.0	220	-60	270
LAR-97	374522.7	7435811.0	984.6	220	-60	170
ATR-113	374771.6	7436325.5	1047.4	310	-60	160

(\*) unsurveyed collar location

Table 4. MAMIX collars and survey

Hole	Easting	Northing	Elevation	Azimuth	Inclination	Extension	Final Depth
------	---------	----------	-----------	---------	-------------	-----------	-------------

LAR03-EXT	374684.6	7435736.1	1084.7	310	-60	100	350
LAR15-EXT	374839.0	7435824.8	1068.2	220	-60	200	450
LAR25-EXT	374765.1	7435781.1	1076.1	220	-60	150	400
MAR65-EXT	374902.1	7435647.2	1112.9	220	-60	200	400
ATR89-EXT	375062.3	7435866.5	1093.2	310	-60	100	400

### Sampling and Assay Protocol

True widths cannot be determined with the information available at this time. RC holes were sampled on a 2m continuous basis, with dry samples riffle split on site and one quarter sent to the Andes Analytical Assay preparation laboratory in Calama and the pulps then sent to the same company laboratory in Santiago for assaying. A second quarter was stored on site for reference. Samples were prepared using the following standard protocol: drying; crushing to better than 85% passing -10#; homogenizing; splitting; pulverizing a 500-700g subsample to 95% passing -150#; and a 125g split of this sent for assaying. All samples were assayed for %CuT (total copper) and %CuS (acid soluble copper) by AAS. A full QA/QC program, involving insertion of appropriate blanks, standards and duplicates was employed with acceptable results. Pulps and sample rejects are stored by Marimaca Copper for future reference.

### Qualified Person

The technical information in this news release, including the information that relates to geology, drilling and mineralization was prepared under the supervision of, or has been reviewed by Paola Kovacic, Exploration Manager, [Marimaca Copper Corp.](#), a geologist with more than 20 years of experience and a member of the Colegio de Geólogos de Chile and of the Society of Economic Geologist USA, , and who is the Qualified Person for the purposes of NI 43-101 responsible for the design and execution of the drilling program.

The QP confirms she has visited the project area, has reviewed relevant project information, is responsible for the information contained in this news release, and consents to its publication.

### Contact Information

For further information please visit [www.marimaca.com](http://www.marimaca.com) or contact:

Tavistock  
+44 (0) 207 920 3150  
Jos Simson / Emily Moss / Nick Elwes  
[marimaca@tavistock.co.uk](mailto:marimaca@tavistock.co.uk)

### Forward Looking Statements

This news release includes certain "forward-looking statements" under applicable Canadian securities legislation. There can be no assurance that such statements will prove to be accurate, and actual results and future events could differ materially from those anticipated in such statements. Forward-looking statements reflect the beliefs, opinions and projections on the date the statements are made and are based upon a number of assumptions and estimates that, while considered reasonable by Marimaca Copper, are inherently subject to significant business, economic, competitive, political and social uncertainties and contingencies. Many factors, both known and unknown, could cause actual results, performance or achievements to be materially different from the results, performance or achievements that are or may be expressed or implied by such forward-looking statements and the parties have made assumptions and estimates based on or related to many of these factors. Such factors include, without limitation: risks related to share price and market conditions, the inherent risks involved in the mining, exploration and development of mineral properties, the uncertainties involved in interpreting drilling results and other geological data, fluctuating metal prices, the possibility of project delays or cost overruns or unanticipated excessive operating costs and expenses, uncertainties related to the necessity of financing, the availability of and costs of financing needed in the future as well as those factors disclosed in the annual information form of the Company dated March 28, 2022, the final short form base prospectus and other filings made by the Company with the Canadian securities regulatory authorities (which may be viewed at [www.sedar.com](http://www.sedar.com)). Accordingly, readers should not place undue reliance on forward-looking statements. Marimaca Copper

undertakes no obligation to update publicly or otherwise revise any forward-looking statements contained herein whether as a result of new information or future events or otherwise, except as may be required by law.

Neither the Toronto Stock Exchange nor the Investment Industry Regulatory Organization of Canada accepts responsibility for the adequacy or accuracy of this release.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/422560--Marimaca-Copper-Corp.-Announces-Infill-Drilling-Results-Further-Confirming-Consistency-of-Mineralization-at-the->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).