# Orford Discovers Gold Bearing Vein System at Qiqavik - First Intersection of Visible Gold in Drill Core

15.09.2022 | CNW

TORONTO, Sept. 15, 2022 - Orford Mining Corp. (TSXV: ORM) (Orford) is pleased to announce it has completed the 2 program on its Qiqavik high-grade gold project located in Nunavik, Quebec. A total of 2,720 metres of diamond drilling completed in 14 holes (Table 2), focusing on the high-grade gold in quartz boulder Annick Trend and the Turtle Head a 1). The 2022 drill program has identified several zones of gold-bearing quartz carbonate veining associated with alterat over a 2km extent. Highlights of the summer 2022 Qiqavik exploration program along with preliminary assay results are below

#### 2022 Program Highlights:

- Newly discovered gold mineralization is associated with a quartz and iron carbonate vein system that may extend strike length from North to South. 2,720 metres of diamond drilling in 14 Holes was completed. Only 19% of the a this drilling have been received to date.
- Preliminary assay results have reported up to 8.1 g/t gold over 0.7 metres in QK-22-003 in quartz veining with spl visible gold (Table 1 and Figure 1).
- Extensive mapping focused on the area around the Annick trend and Turtle Head area has identified new metre-significant gold-bearing quartz carbonate veins in subcrop.
- 392 frost boil (till) samples were collected as part of the regional Qiqavik exploration program. Results for these s
  yet to be received.
- 29 line-kilometres of induced polarization (IP) ground geophysics were completed along the Annick Trend.
- 121 line-kilometres of ground magnetic surveying (Walking Mag) were completed along the Annick & Eric Trends

David Christie, President and CEO of Orford, commented "Orford's technical team was successful in discovering a min altered vein system that we believe is related to the system hosting the Annick style high-grade gold boulders. With two holes intersecting visible gold and 12 of 14 drill holes intersecting mineralized quartz and iron carbonate veins, I believe summer's efforts have been successful. Our understanding of the structural and mineralization environment of the region evolved to a much better level than it was at the start of the summer. Once we receive all the analytical results, we will our geological interpretation and plan the best method to follow up the 2022 results".

Previous exploration work identified the Annick Boulder Trend, an approximate 2.5 km trend of angular quartz-carbona (up to several meters in size) containing pyrite +/- sulfosalts, galena, sphalerite, arsenopyrite and graphite grading up to (see Orford's news release dated December 8, 2021). 2022 exploration work focused on the area around the Annick To southwest toward the Turtle Head area (Figure 1).

Five holes tested the potential source of the Annick trend boulders, and four holes tested the source of surface gold an the Turtle Head area. All holes intersected quartz-carbonate veining with ankerite +/- sericite alteration and similar mine assemblages to those observed in the Annick Trend boulders (Figure 1, Table 1). These intersections are spaced up to kilometres apart and appear to have a stacked sub-horizontal nature, which may be localized by late-stage deformation mineralization intersected in drilling is similar in nature to the Annick trend boulders, we do not believe that the direct so these boulders has been found. However, these similar intersections spaced by up to 2km apart suggest an extensive mineralizing system that remains largely unexplored.

To date only 19% of drill core assays from the 2022 exploration program have been received, along with 0% of frost bo 5% of grab sample assays. Future work will focus on integrating all assay, structural and glacial geology data collected identify additional potential high grade gold targets for the 2023 exploration program.

Table 1: Summary of Results to Date (19% of assay results received)

20.11.2025 Seite 1/6

| Hole      | From   | То     | Interva | l Grade Au<br>(g/t) | ı Area       |
|-----------|--------|--------|---------|---------------------|--------------|
| QK-22-002 | 262.7  | 73.2   | 10.6    | 0.9                 | Annick Trend |
| including | 66.6   | 69.2   | 2.6     | 2.3                 |              |
| including | 67.7   | 68.3   | 0.6     | 5.6                 |              |
| QK-22-003 | 125.5  | 127.3  | 1.8     | 3.6                 | Turtle Head  |
| including | 125.5  | 126.3  | 0.7     | 8.1                 |              |
| QK-22-005 | 70     | 74.8   | 4.8     | 1.1                 | Turtle Head  |
| including | 71.6   | 73.2   | 1.6     | 1.8                 |              |
| QK-22-008 | 3132   | 135.8  | 3.8     | 1.5                 | Turtle Head  |
| including | 133.97 | 134.48 | 30.5    | 2.4                 |              |
| QK-22-008 | 3260.4 | 264.4  | 4       | 0.6                 |              |
| QK-22-009 | 150.7  | 151.2  | 0.5     | 4.01                | Annick Trend |

Note that All drilling intervals are down-hole lengths. True thicknesses cannot be estimated with available information.

Note that grab samples are selective by nature and values reported may not be representative of mineralized zones. All drilling intervals are down-hole lengths. True thicknesses cannot be estimated with available information

Table 2: Summary of 2022 Drilling

20.11.2025 Seite 2/6

| Hole Name  | X      | Y       | Azimuth | Dip | Final<br>Depth<br>(m) | Target Area          |
|------------|--------|---------|---------|-----|-----------------------|----------------------|
| Qk-22-001A | 480117 | 6821003 | 315     | -45 | 13                    | Dumbbell Lake (IPLS) |
| Qk-22-001B | 480117 | 6821003 | 315     | -45 | 192                   | Dumbbell Lake (IPLS) |
| Qk-22-002  | 477239 | 6819839 | 316     | -45 | 198                   | Annick Trend         |
| Qk-22-003  | 476490 | 6818920 | 120     | -45 | 186                   | Turtle Head          |
| Qk-22-004  | 477238 | 6820023 | 155     | -45 | 186                   | Annick Trend         |
| Qk-22-005  | 476647 | 6818847 | 319     | -47 | 187                   | Turtle Head          |
| Qk-22-006  | 477025 | 6819184 | 180     | -45 | 186                   | Other                |
| Qk-22-007  | 476666 | 6819442 | 150     | -45 | 252                   | Other                |
| Qk-22-008  | 476524 | 6818803 | 330     | -45 | 312                   | Turtle Head          |
| QK-22-009  | 477324 | 6820051 | 205     | -45 | 165                   | Annick Trend         |
| QK-22-010  | 477095 | 6819244 | 232     | -50 | 132                   | Other                |
| QK-22-011  | 477368 | 6820129 | 245     | -45 | 171                   | Annick Trend         |
| QK-22-012A | 477130 | 6820712 | 230     | -47 | 45                    | IPLS                 |
| QK-22-012B | 477130 | 6820712 | 230     | -47 | 195                   | IPLS                 |
| QK-22-013  | 477278 | 6819920 | 230     | -45 | 168                   | Annick Trend         |
| QK-22-014  | 476498 | 6818572 | 290     | 45  | 132                   | Turtle Head          |
|            |        |         |         |     |                       |                      |

Total Meters 2720

Co-ordinate system is UTM NAD 83 Zone 18.

### About the Qiqavik Property

The Qiqavik Property covers the 40-km long Qiqavik Break, part of the Cape Smith Belt event which is of Paleoproterozoic age (1.8-1.9 billion years). This geologic era is marked by its significant metal endowment as illustrated by the important gold districts that occur worldwide related to geological events of Paleoproterozoic age. These include the Flin Flon-Snow Lake Belt, the Ashanti Gold Fields of West Africa, the Tapajos-Parima Belt of Brazil, and the Tanami Region in Australia. The Cape Smith Belt is also home to Glencore's world class Raglan Mine. Early-stage exploration work completed to date on the Qiqavik Property shows that high-grade gold and copper occurrences are structurally controlled and associated with secondary splay structures located along the district-scale Qiqavik Break Shear Zone which extends the full 40 km length of the Qiqavik Property.

## **About Orford Mining Corporation**

Orford Mining is a gold explorer focused on highly prospective and underexplored areas of Northern Quebec. Orford's principal assets are located in two areas the Cape Smith Belt in the Nunavik region and the Joutel region of the Abitibi district. The Qiqavik and West Raglan projects comprise a land package totaling over 105,000 hectares in the Cape Smith Belt of Northern Quebec. The Qiqavik Project hosts several new high-grade gold discoveries along a mineralized trend in excess of 40 km. The West Raglan project hosts a number of high-grade Raglan-style nickel/copper/platinum group metal discoveries along a 50 km mineralized trend. Orford has acquired four property positions (Joutel - Eagle, McClure East, Joutel - South

20.11.2025 Seite 3/6

and Joutel - Omega) totaling 26,815 hectares in the Joutel region of the Abitibi district of northern Quebec, which hosts historical deposits such as the Eagle/Telbel, Joutel Copper, Poirier Copper, and Vezza deposits. Orford continually seeks new gold exploration opportunities in North America. Orford's common shares trade on the TSX Venture Exchange under the symbol ORM. This information from neighbouring properties is not necessarily indicative of the mineralization on Orford Mining's properties. To view further details about Orford's Projects, please visit Orford's website, www.orfordmining.com.

#### **Qualified Person**

The disclosure of scientific and technical information contained in this news release has been approved by Alger St-Jean, P.Geo., Chief Geoscientist of Orford, a Qualified Person under NI 43-101.

#### 2022 Grab & Drill Core samples:

Sample shipments were sealed and shipped to AGAT Laboratories, Val-d'Or, Québec. All gold assays reported were obtained by standard fire-assaying on 50-gram for core samples and on 30-gram for grab samples nominal weight with an atomic absorption spectroscopy finish or by gravimetric finish in the case of overlimit and on request (methods 202551/202051 and 202564/202064) at AGAT Laboratories, Mississauga, Ontario. All samples were also analyzed for multi-elements, including copper and silver, using a four-acid method with an ICP-OES finish (method 201070) at AGAT Laboratories, Mississauga, Ontario.

Drill program design, Quality Assurance/Quality Control ("QA/QC") and interpretation of results is performed by qualified persons employing a QA/QC program consistent with NI 43-101 and industry best practices. Standards and blanks are inserted at a minimum rate of 10% for core and 5% for grab samples respectively for QA/QC purposes in addition to those inserted by the lab. A subset of samples has not yet been sent for a verification assay at another lab. AGAT Laboratories are accredited by the Standards Council of Canada and found to comply with the requirements of ISO/IEC 17025:2017.

Cautionary Statement Concerning Forward-Looking Statements

Neither the TSXV nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release.

This news release contains "forward-looking information" including without limitation statements relating to the liquidity and capital resources of Orford and potential of one or more of the Qiqavik, and West Raglan, properties.

Forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of Orford to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Factors that could affect the outcome include, among others: future prices and the supply of metals; the results of drilling; inability to raise the money necessary to incur the expenditures required to retain and advance the properties; environmental liabilities (known and unknown); general business, economic, competitive, political and social uncertainties; accidents, labour disputes and other risks of the mining industry; political instability, terrorism, insurrection or war; or delays in obtaining governmental approvals, failure to obtain regulatory or shareholder approvals. For a more detailed discussion of such risks and other factors that could cause actual results to differ materially from those expressed or implied by such forward-looking statements, refer to Orford's filings with Canadian securities regulators available on SEDAR at www.sedar.com.

Although Orford has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended. Forward-looking statements contained herein are made as of the date of this news release and Orford disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results or otherwise, except as required by applicable securities laws.

The TSXV has neither approved nor disapproved the contents of this news release.

www.orfordmining.com

20.11.2025 Seite 4/6

SOURCE Orford Mining Corp.

Contact

20.11.2025 Seite 5/6

# David Christie, President and CEO, 2 St. Clair Avenue West, 18th Floor, Toronto, ON M4V 1L5, T: 647-255-8037

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet: <a href="https://www.rohstoff-welt.de/news/423344--Orford-Discovers-Gold-Bearing-Vein-System-at-Qigavik---First-Intersection-of-Visible-Gold-in-Drill-Core.html">https://www.rohstoff-welt.de/news/423344--Orford-Discovers-Gold-Bearing-Vein-System-at-Qigavik---First-Intersection-of-Visible-Gold-in-Drill-Core.html</a>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

20.11.2025 Seite 6/6