

# First Energy Identifies More Lithium Exploration Targets From Surface Sampling Program In Quebec

04.10.2022 | [CNW](#)

VANCOUVER, Oct. 3, 2022 - [First Energy Metals Ltd.](#) (CSE: FE) ("First Energy" or the "Company") is pleased to announce that it has received assays from its summer prospecting work program which was carried on the newly acquired claim block on March 22, 2022, see below link for further details.  
<https://www.newswire.ca/news-releases/first-energy-metals-adds-prospective-ground-to-its-existing-lithium-footprint-in->

The work identified several prospective lithium pegmatites with assays in the range of 0.01 to 6.02% lithium oxide (Li<sub>2</sub>O). There are anomalous values of other rare metals including niobium, tantalum, rubidium and cesium.

Highlights of Assays (see Table 1 and Map for details)

- Area 1 has lithium oxide values in the range of 0.01 to 6.02% Li<sub>2</sub>O with two samples over 1% Li<sub>2</sub>O.
- Area 2 has lithium oxide values in the range of 0.02 to 2.19% Li<sub>2</sub>O with eight samples over 1% Li<sub>2</sub>O.
- Area 3 has generally low lithium oxide values in the range of 0.01 to 0.02% Li<sub>2</sub>O.
- Area 4 has lithium oxide values in the range of 0.01 to 0.04% Li<sub>2</sub>O.

The prospecting and sampling work was carried out during the summer months and its purpose was to find new exploration targets, to locate and confirm historical reported lithium pegmatite occurrences, and to locate historical drill holes if present. The ground sampling work was continuous concluded at the end of September and more surface sample results will be released as soon as available.

## Drilling Update

The Company is also pleased to announce that it has completed additional 1,000 meters of diamond core drilling at the Augustus property. The drill holes are being logged and an update on the drilling work will be provided in a subsequent news release.

## Sample Preparation and Analysis

The surface sampling was carried out using a rock saw and other hand tools by cutting about 20-30 cm long, 5 cm wide and 3-5 cm deep cuts in bedrock. The samples were bagged and tagged using best practices and were delivered to Activation Laboratories ("ACTLABS"), Ancaster, Ontario for sample preparation and analyses using laboratories code Ultratrace 7 as summarized below. ACTLABS is an independent commercial, accredited ISO Certified Laboratory.

### Code Ultratrace 7 - Peroxide Fusion - ICP and ICP/MS

Samples are fused with sodium peroxide in a Zirconium crucible. The fused sample is acidified with concentrated nitric and hydrochloric acids. The resulting solutions are diluted and then measured by ICP-OES and ICP-MS. All metals are solubilized.

### ICP-MS

Fused samples are diluted and analyzed by Agilent 7900 ICP-MS. Calibration is performed using five synthetic calibration standards. A set of (10-20) fused certified reference material is run with every batch of samples for calibration and quality control. Fused duplicates are run every 10 samples.

### ICP-OES

Samples are analyzed with a minimum of 10 certified reference materials for the required analytes, all prepared by sodium peroxide fusion. Every 10<sup>th</sup> sample is prepared and analyzed in duplicate; a blank is prepared every 30 samples and analyzed. Samples are analyzed using a Varian 735ES ICP and internal standards are used as

part of the standard operating procedure. Source:  
<https://actlabs.com/geochemistry/lithochemistry-and-whole-rock-analysis/peroxide-total-fusion/>

Afzaal Pirzada, P.Geol., Geological Consultant of the Company, and a "Qualified Person" for the purposes of National Instrument 43-101 - Standards of Disclosure for Mineral Projects, has reviewed and approved the scientific and technical information contained in this news release.

ON BEHALF OF THE BOARD OF  
[First Energy Metals Ltd.](#)

"Gurminder Sangha"  
 Gurminder Sangha  
 CEO & Director

Neither the Canadian Securities Exchange (CSE) nor its Regulation Services Provider accepts responsibility for the adequacy or accuracy of this news release and has neither approved nor disapproved the contents of this news release.

#### Forward-looking Information

Except for the statements of historical fact, this news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates and projections as at the date of this news release. "Forward-looking information" in this news release includes information about the Company's information concerning the intentions, plans and future actions of the parties to the transactions described herein and the terms thereon.

The forward-looking information in this news release reflects the current expectations, assumptions and/or beliefs of the Company based on information currently available to the Company. In connection with the forward-looking information contained in this news release, the Company has made assumptions about the Company's ability to obtain required approvals. The Company has also assumed that no significant events occur outside of the Company's normal course of business. Although the Company believes that the assumptions inherent in the forward-looking information are reasonable, forward-looking information is not a guarantee of future performance and accordingly undue reliance should not be put on such information due to the inherent uncertainty therein.

Table 1: Surface Samples Assay Highlights

Analyte Symbol	Location	Be	Cs	Fe	Li	Li2ONb	Rb	Ta
Unit Symbol	NAD 1983	ppm	ppm	%	ppm	ppm	ppm	ppm
Detection Limit	Zone 18N	3	0.1	0.05	15	2.4	0.4	0.2
Analysis Method		FUS-MS-Na2O2						
1160524	18 U 278483 5357089 266	35.1	0.38	7590	1.63	84.2	288	61.5
1160526	18 U 278481 5357051 109	52.5	0.32	6370	1.37	69.7	679	85.3
1160528	18 U 284758 5367179 5	14.2	0.34	32	0.01	105.5	658	20.3
1160533	17 U 721533 5362620 152	57	0.68	4540	0.98	67.5	640	60.4
1160535	17 U 721519 5362647 98	117	0.84	8720	1.87	61	1970	44.2
1160536	17 U 721554 5362555 225	104	0.54	3620	0.78	51.1	2240	46.1
1160537	18 U 286571 5368042 12	2.8	0.28	42	0.01	152.7	30.5	108

1160538	18 U 284842 53677135	111 0.7 241	0.05 135.7 1040 30.6
1160539	18 U 284773 53677523	168 1.09 28000	6.02 10.5 510 20.9
1160542	18 U 283101 5369080 193	47.4 0.23 5030	1.08 30.8 2130 27.9
1160543	18 U 283106 5369077 96	36.9 0.48 2310	0.50 58.3 2170 81.9
1160544	18 U 283101 5369077 89	18.2 0.26 22	0.00 26 1750 31.8
1160548	17 U 721892 5362778 144	65.4 0.35 5960	1.28 106.4 1070 77.9
1160549	17 U 721888 5362785 194	82.9 0.53 5400	1.16 59.1 1170 51.9
1160550	17 U 721890 5362793 189	134 0.47 4100	0.88 59.2 2020 89.4
1160551	17 U 721883 5362838 177	166 0.39 4730	1.02 50.9 2530 45.2
1160552	17 U 721889 5362772 241	58.9 0.34 371	0.08 100.2 771 70.7
1160553	17 U 721903 5362723 72	86.3 0.45 3440	0.74 78.1 1190 74.8
1160554	17 U 721655 5361774 149	80 0.35 3890	0.84 74.4 1870 70.9
1160555	17 U 721655 5361767 191	110 0.35 1380	0.30 56.7 3760 32.3
1160556	17 U 709222 5363756 4	9.1 0.53 52	0.01 37.7 415 4.3
1160557	17 U 709220 5363760 4	7.6 0.73 70	0.02 51.5 456 6
1160558	17 U 709217 5363760 4	5.7 0.58 33	0.01 44.4 284 7.6
1160562	17 U 710628 5363754 < 3	8.8 0.89 93	0.02 30.9 381 3.1
1160563	17 U 710408 5363550 < 3	8.9 1.04 59	0.01 14.4 385 1.9
1160568	17 U 712311 5364231 4	5.4 0.72 104	0.02 41.2 303 4
1160574	17 U 720676 5361780 239	41 0.66 7150	1.54 131.8 739 50.5
1160575	17 U 720695 5361767 525	131 0.99 10200	2.19 104.4 1880 61
1160576	17 U 701968 5366712 < 3	22.5 0.52 61	0.01 11.6 383 3.3
1160577	17 U 700836 5366399 4	11.4 0.62 93	0.02 16.7 344 2.8
1160578	17 U 700959 5366412 5	12.6 0.8 167	0.04 25.5 369 5.9
1160582	17 U 704341 5362285 4	18.8 0.9 197	0.04 31.2 282 4.8
1160584	17 U 704319 5362340 4	37.9 1.05 128	0.03 41.2 694 5
1160585	17 U 704323 5362369 < 3	13.9 0.76 86	0.02 18.2 302 1.9
1160586	17 U 712442 5369205 6	6.6 0.31 83	0.02 86.2 143 58.7
1160587	17 U 714077 5367676 3	16.9 0.94 53	0.01 28 460 9.1
1160588	18 U 282259 5364846 4	20 0.5 142	0.03 37.8 1070 6.2
1160589	18 U 282441 5364929 4	20.5 0.5 71	0.02 86.1 919 16.4
1160590			

18 U 281969 5363518









0.07







## Contact

please contact the Company at: [gsangha@firstenergymetals.com](mailto:gsangha@firstenergymetals.com) or (604) 375-6005

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/424632--First-Energy-Identifies-More-Lithium-Exploration-Targets-From-Surface-Sampling-Program-In-Quebec.html>

**SOURCE: First Energy Metals Ltd.**  
Alle Rechte vorbehalten. Alle Rechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).