

Bravo's Nickel-Copper Massive Sulphide Intercept Returns High-Grade PGMs

17.10.2022 | [CNW](#)

Results Include 11m @ 4.24 g/t 3PGM+Au, 2.04% Nickel + 1.23% Copper

VANCOUVER, Oct. 17, 2022 - [Bravo Mining Corp.](#) (TSXV: BRVO) (OTCQX: BRVMF), ("Bravo" or the "Company") today announced that high-grade PGM assay results have been received for previously released diamond drill hole DDH22LU047. Hole DDH22LU047 intercepted high-grade nickel and copper at its Luanga palladium + platinum + rhodium + gold + nickel (PGM+Au+Ni) project ("Luanga"), located in the Carajás Mineral Province, state of Pará, Brazil.

The high-grade intercept in hole - DDH22LU047 graded 4.24 g/t 3PGM+Au with 2.04% nickel and 1.23% copper over 11m and occurs in massive and semi-massive sulphides.

"As announced in Bravo's August 16th, 2022 news release, high-grade nickel-copper mineralization had not been previously observed at Luanga. This discovery suggests potential for other metals and styles of mineralization than previously intercepted at Luanga, and we are extremely encouraged that it also contains high grade PGMs," said Luis Azevedo, Chairman and CEO of Bravo. "Downhole EM has commenced and should greatly assist in targeting follow up drilling, whilst surface EM has the potential to identify other massive and semi-massive sulphide mineralization along Luanga's 8.1 km mineralized strike."

Highlights:

HOLE-ID	From (m)	To (m)	Thickness (m)	Pd (g/t)	Pt (g/t)	Rh (g/t)	Au (g/t)	PGM + Au (g/t)	Cu (%)	Ni (%) (Sulphide)	Type
DDH22LU047	131.11	142.15	11.04	3.56	0.57	0.07	0.04	4.24	1.23	2.04	FR

Notes: All 'From', 'To' depths, and 'Thicknesses' are downhole.

Given the orientation of the hole and the mineralization, the intercept is estimated to be 85% of true thickness.

Type: FR = Fresh Rock. Recovery methods and results will differ based on the type of mineralization.

- Two diamond drill holes have been completed on each of two drill sections located 50m north and south of DDH22LU047.
- All four step-out drill holes have intersected varying amounts of semi-massive sulphides. Assay results are pending.
- Drill rigs have been temporarily moved clear of the area while borehole electromagnetic surveys ("EM") are completed on these four step-out drill holes.
- Following the completion of borehole EM, surface fixed loop EM will commence over the entire Luanga deposit.

DDH22LU047: High grade massive sulphide PGM + nickel + copper mineralization at 136.0m*

* Downhole depth

Luanga Drill Program

The Phase 1 diamond drill program continues as planned at Luanga. Six drill rigs are on site, with drilling progressing in several locations along the entire 8.1 km strike length of the known Luanga mineralized envelope (as defined by historic drilling).

date, 91 drill holes have been completed, for a total of 15,554 metres of the planned 25,500 metre Phase 1 drill program.

Additional details for Intercept in Hole -047

HOLE-ID	From (m)	To (m)	Thickness (m)	Pd (g/t)	Pt (g/t)	Rh (g/t)	Au (g/t)	PGM + Au (g/t)	Ni (%) (Sulphide)	Cu (%)	Type
DDH22LU047	131.11	142.15	11.04	3.56	0.57	0.07	0.04	4.24	2.04	1.23	FR
Including	132.26	136.80	4.54	4.03	0.07	0.10	0.03	4.23	2.77	0.54	FR
Including	136.80	137.60	0.80	4.68	0.31	0.08	0.16	5.23	0.98	10.82	FR

Notes: All 'From', 'To' depths, and 'Thicknesses' are downhole.

Given the orientation of the hole and the mineralization, the intercept is estimated to be 85% of true thickness.

Type: FR = Fresh Rock. Recovery methods and results will differ based on the type of mineralization.

Location of Bravo Drilling Reported in this Document

About Bravo Mining Corp.

Bravo is a Canada and Brazil-based mineral exploration and development company focused on advancing its Luanga PGM + Ni Project in the world-class Carajás Mineral Province of Brazil.

The Luanga Project benefits from being in a location close to operating mines, with excellent access and proximity to existing infrastructure, including road, rail and clean and renewable hydro grid power. The project area was previously de-forested agricultural grazing land. Bravo's current Environmental, Social and Governance activities includes replanting trees in the area, hiring and contracting locally, and ensuring protection of the environment during its exploration activities.

Technical Disclosure

Technical information in this news release has been reviewed and approved by Simon Mottram, F.AusIMM (Fellow Australian Institute of Mining and Metallurgy), President of [Bravo Mining Corp.](#) who serves as the Company's "qualified person", as required in National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"). Mr. Mottram has verified the technical data and opinions contained in this news release.

Forward Looking Statements

This news release contains forward-looking information which is not comprised of historical facts. Forward-looking information is characterized by words such as "potential", "assist", "suggest", and other similar words, phrases or statements that certain events or conditions "should", or "will" occur.

In particular, this news release contains forward-looking information pertaining to the Company's ongoing drill program and the results thereof, including the assay results for the four step-out holes near hole -047 that intercepted semi-massive sulphide mineralization; the results of geophysical surveys; the potential for the definition of new styles of mineralization and the Company's plans with respect thereof. Forward-looking information involves risks, uncertainties and other factors that could cause actual events, results, and opportunities to differ materially from those expressed or implied by such forward-looking information. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to, changes in the state of equity and debt markets, fluctuations in commodity prices, delays in obtaining required regulatory or governmental approvals, environmental risks, limitations on insurance coverage; and other risks and uncertainties involved in the mineral exploration and development industry. Forward-looking information in this news release is based on the opinions and assumptions of management considered reasonable as of the date hereof, including, but not limited to, the assumption that the assay results confirm the interpreted mineralization contains significant values of nickel, copper and also contain PGMs; that final drill and assay results will be in line with management's expectations; that activities will not be adversely disrupted or impeded by regulatory, political, community, economic, environmental and/or health and safety risks; that the Luanga Project will not be materially affected by potential supply chain disruptions; and general business and economic conditions will

change in a materially adverse manner. Although the Company believes that the assumptions and factors used in preparing forward-looking information in this news release are reasonable, undue reliance should not be placed on such information. The Company disclaims any intention or obligation to update or revise any forward-looking information, other than as required by applicable securities laws.

Schedule 1: Drill Hole Collar Details

HOLE-ID	Company	East (m)	North (m)	RL (m)	Datum	Depth (m)	Azimuth	Dip
DDH22LU047	Bravo	659899.99	9342475.05	275.18	SIRGAS2000 UTM22S	170.05	090	-60

Schedule 2: Assay Methodologies and QAQC

Samples follow a chain of custody between collection, processing and delivery to the ALS laboratory in Parauapebas, s Para?, Brazil. The drill core is delivered to the core shack at Bravo's Luanga site facilities and processed by geologists insert certified reference materials, blanks and duplicates into the sampling sequence. Drill core is half cut and placed in polyurethane bags, then in security-sealed sacks before being delivered directly from the Luanga site facilities to the Parauapebas ALS laboratory by Bravo staff. Additional information about the methodology can be found on the ALS global website (ALS) in the analytical guides. IN this case a split is collected by Bravo staff and securely delivered to the Intertek laboratory in Parauapebas where it was assayed by high priority for ore grade Ni and Cu.

Quality Assurance and Quality Control ("QAQC") is maintained internally at the lab through rigorous use of internal certified reference materials, blanks, and duplicates. An additional QAQC program is administered by Bravo using certified reference materials, duplicate samples and blank samples that are blindly inserted into the sample batch. If a QAQC sample returns an unacceptable value an investigation into the results is triggered and when deemed necessary, the samples that were tested with the batch with the failed QAQC sample are re-tested.

Bravo ALS

Preparation	Method	Method	Method	Method
For All Elements	Pt, Pd, Au	Rh	Ni-Sulphide	Trace Elements
PREP-31B	PGM-ICP27	Rh-MS25	Ni-ICP05	ME-ICP61

Bravo Intertek

Method

Ni, Cu Sulphide

Ni-ICP05

SOURCE [Bravo Mining Corp.](#)

Contact

please visit www.bravomining.com or contact: Alex Penha, EVP Corporate Development, info@bravomining.com

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/425715--Bravound039s-Nickel-Copper-Massive-Sulphide-Intercept>Returns-High-Grade-PGMs.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).