Rokmaster intersects 8.84 g/t AuEq over 4.20 m on northwestern extension of Revel Ridge Main Zone

28.11.2022 | <u>CNW</u>

25.12.2025 Seite 1/5

VANCOUVER, Nov. 28, 2022 - <u>Rokmaster Resources Corp.</u> (TSXV: RKR) (OTCQB: RKMSF) (FSE: 1RR1) ("Rokmast "the Company") is pleased to announce a strong intersection of the Revel Ridge Main Zone ("RRMZ") by drillhole RR22 the Revel Ridge Project ("Revel Ridge" or "the Project").

Drillhole RR22-102a was wedged to completion around the core barrel which broke due to equipment wear at 222.5 me The primary drillhole (RR22-102) intersected strong sphalerite-galena mineralization in a silicified limestone between 2 and 211.50 m which represents the Yellowjacket Zone ("RRYZ"). Notably, this intersection occurs 65 m from RR21-50, nearest drillhole hosting RRYZ mineralization. The RRYZ was encountered a second time in the wedge hole (RR22-10 which is tabulated below.

The Main Zone ("RRMZ") is located at the base of a thick carbonate unit at 287.3 m. Similar to drillhole RR22-101 (see Release dated Sept. 26, 2022), the RRMZ in RR22-102a is primarily developed in a footwall quartzite package. This far carbonate-quartzite contact, which supports metre-scale massive sulphide bands in the RRMZ, may be laterally extens a distance of 95 metres between RR22-101 and RR22-102a. These broad and successful step outs are external to the resource estimate block model (Figure 1- Long Section). Assay results for drillholes RR22-102 and RR22-102a recently received from the laboratory are tabulated below:

DDH From To Length AuEq Au g/t Ag g/t Pb % Zn % Zone (m) (m) (m) g/t

RR22-102 206.90211.504.60 2.91 0.06 42.67 1.24 5.32 RRYZ

DDH From To (m) Length AuEq Au g/t Ag g/t Pb % Zn % Zone (m) (m) g/t

RR22-102a 287.30 291.50 4.20 8.84 5.24 63.83 4.06 4.04 RRMZ

including 288.50 290.65 2.15 16.01 9.73 107.19 6.74 7.52 RRMZ

Footnote 1. Reported widths of mineralization are drill hole intervals or core lengths recovered. Insufficient data exists to permit the calculation of true width of the reported mineralized intervals.

Footnote 2. Mineralized Zone abbreviations: RRMZ: Revel Ridge Main Zone, RRYZ: Revel Ridge Yellowjacket Zone.

Footnote 3. AuEq calculations use: Metal prices of Au US\$1,625/oz, Ag US\$22/oz, Pb US\$0.95/lb, Zn US\$1.20/lb; RRMZ process recoveries of Au 92%, Ag 88%, Pb 80%, Zn 72%; RRMZ AuEq = Au g/t + (Ag g/t x 0.012) + (Pb% x 0.347) + (Zn% x 0.353); RRYZ process recoveries of Au 91%, Ag 80%, Pb 74%, Zn 75%; RRYZ AuEq = Au g/t + (Ag g/t x 0.011) + (Pb% x 0.325) + (Zn% x 0.372).

John Mirko, President and CEO, comments "Drillhole RR22-102a bolsters the strength of the RRMZ and the Yellowjaci in the northwest extension and meets the primary goal of the summer 2022 drill campaign. Rokmaster has located a fa geological setting hosting wide intersections of RRMZ that is proving to be expansive.

Work is progressing well on the update to the PEA that will be incorporating both the 2021 mineral resource estimate a recent metallurgical break-through that demonstrably improves gold recoveries."

The data from these drillholes will be combined with the Spring 2022 drill program and all of the historical drill data to u mineral resource estimation in 2023. Readers can view the longitudinal section with the above drill results on Rokmaste website at rokmaster.com/projects/revel-ridge/maps-and-figures/

Quality Assurance/Quality Control. Dr. Jim Oliver, P. Geo. supervised all aspects of the drilling and sampling undertake 2021 and 2022 underground and surface diamond drill programs. All drill core assay samples have been collected from core, sawn with a diamond saw with the sample intervals marked by technical personnel. A full QAQC program using b standards and duplicates was utilized to monitor analytical accuracy and precision. QAQC samples are submitted approximately at every 20th sample, or a minimum of 5% of the total sample stream. Appropriate standards are used to

25.12.2025 Seite 2/5

quality control information on high grade and medium to low grade samples. A limestone blank is inserted after select set that have macroscale characteristics of higher-grade mineralization. Duplicate samples are repeat analysis of designate primary sample pulps. The samples were sealed on site and shipped to MSALABS in Langley, British Columbia. MSAL an ISO 17025 (Testing and Calibration Laboratory) and an ISO 9001 (Quality Management System) Certified Laborator core samples were crushed to 2 mm and a 500-gram sub sample was pulverized with 85% of the sample passing 75 m. The sub-sample was analysed using a combination of MSALABS FAS211 for Au and ICP-240 (4 acid digestion) for silv metals and other trace elements. FAS211 for gold is an ore grade fire assay of a 50 g pulp with an AAS finish with a de range between 0.01 and 100 ppm). ICP-240 utilizes four acid digestion and provides ore grade analytical data on silver metals and 26 other elements.

The technical information in this news release has been prepared in accordance with Canadian regulatory requirement out in National Instrument 43-101 and reviewed and approved by Eric Titley P.Geo., who is independent of Rokmaster acts as Rokmaster's Qualified Person.

website: www.rokmaster.com

On Behalf of the Board of Directors of

Rokmaster Resources Corp.

John Mirko, President & Chief Executive Officer.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term in defined in the policies of the TSX Exchange) accepts responsibility for the adequacy or accuracy of this press release.

About Rokmaster

Rokmaster's flagship Revel Ridge Project is host to a high-grade gold and polymetallic orogenic sulphide deposit which been the subject of a PEA Technical Report dated December 8, 2020, and a Technical Report of an Updated NI 43-10 Resource Estimate¹ on the Revel Ridge Property, dated January 17, 2022. The 2022 drill programs are designed to eff expand the volume of the Revel Ridge Main Zone as defined by the updated Mineral Resource Estimate, which current remains open in all directions:

- Measured & Indicated (M&I): 1.36 million gold equivalent ("AuEq") ounces contained within 6.73 million tonnes we average grade of 6.27 g/t AuEq.
- Inferred (Inf): 1.22 million AuEq ounces contained within 6.00 million tonnes at an average grade of 6.33 g/t AuEq

Footnote 1. (Technical Report and Updated Mineral Resource Estimate of the Revel Ridge Polymetallic Property Revelstoke Mining Division, British Columbia, Canada, William Stone, Ph.D., P.Geo. Fred Brown, P.Geo. Jarita Barry, P.Geo. David Burga, P.Geo. Eugene Puritch, P.Eng., FEC, CET Stacy Freudigmann, P.Eng. F.Aus.IMM. P&E Mining Consultants Inc. Report 411 Effective Date: November 15, 2021 Signing Date: January 17, 2022 filed on SEDAR.)

CAUTIONARY NOTE REGARDING FORWARD LOOKING STATEMENTS: This news release may contain forward-looking information within the meaning of applicable securities laws ("forward-looking statements"). Forward-looking statements statements that are not historical facts and are generally, but not always, identified by the words "expects," "plans," "anticipates," "believes," "intends," "estimates," 'projects," "potential" and similar expressions, or that events or condition "would," "may," "could" or "should" occur. These forward-looking statements are subject to a variety of risks and uncert which could cause actual events or results to differ materially from those reflected in the forward-looking statements, in without limitation: risks related to fluctuations in metal prices; uncertainties related to raising sufficient financing to fund planned work in a timely manner and on acceptable terms; changes in planned work resulting from weather, logistical, or other factors; the possibility that results of work will not fulfill expectations and realize the perceived potential of the Company's properties; risk of accidents, equipment breakdowns and labour disputes or other unanticipated difficulties of interruptions; the possibility of cost overruns or unanticipated expenses in the work program; the risk of environmental contamination or damage resulting from Rokmaster's operations and other risks and uncertainties. Any forward-looking statement speaks only as of the date it is made and, except as may be required by applicable securities laws, the Compilication of the date it is made and, except as may be required by applicable securities laws, the Compilication of the otherwise.

SOURCE Rokmaster Resources Corp.

25.12.2025 Seite 3/5

25.12.2025 Seite 4/5

Contact

Mr. John Mirko, President & CEO of Rokmaster Resources Corp., jmirko@rokmaster.com, Ph. 1-604-290-4647 or by website: www.rokmaster.com; For shareholder information please contact: Mike Kordysz, mkordysz@rokmaster.com, Ph. +1 (604) 319-3171

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/429217--Rokmaster-intersects-8.84-g~t-AuEq-over-4.20-m-on-northwestern-extension-of-Revel-Ridge-Main-Zone.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

25.12.2025 Seite 5/5