

Aztec to Resume Drilling at the Tombstone Gold-Silver District in Southeastern Arizona

30.01.2023 | [ACCESS Newswire](#)

VANCOUVER, January 30, 2023 - [Aztec Minerals Corp.](#) (AZT:TSX-V)(OTCQB:AZZTF), announces plans to resume drilling at the Contention open pit gold-silver target in the famous Tombstone Silver Mining District located in southeastern Arizona early this year. The planned 2,500m core drilling program is expected to be a continuation of the prior, very successful, 2020-21 Reverse Circulation ("RC") drill programs, and will be focused on expanding the oxide gold-silver (Au-Ag) mineralization in width and to depth. Every one of the 44 drill holes in 2020-21 programs intersected shallow oxidized Au-Ag mineralization over substantial widths, several drill holes encountered visible gold, and all drill holes bottomed in mineralization, indicating the main mineralized zones are still open to depth as well as laterally. Aztec holds a 75% JV interest in the Tombstone property which includes many of the original patented mining claims in the district. View: Tombstone Property Location Map

Aztec Minerals CEO Simon Dyakowski commented, "At a time of sustained resurgence in precious metals prices and investor sentiment, Aztec is well-positioned to drill expansion targets in the high-grade heart of the famous Tombstone Silver Mining District in Southeast Arizona. Core drilling will test an expansion of mineralization at depth and laterally in the Contention open pit and follow up on the impressive high grade, oxide, gold and silver intersections of our 2020-2021 shallow RC drilling campaigns. The core drilling program will add valuable data to our existing RC drillhole database as we advance the shallow gold-silver mineralized Contention zone toward a maiden 43-101 compliant resource estimate."

The planned drilling program was designed with data obtained from surveys and modelling completed over 2022, following the conclusion of Aztec's previous RC drilling program in late 2021. Aztec has recently completed an ortho-topo drone survey to construct detailed maps, surveyed all drill hole collars from 2020-21, sampled for Terraspec alteration analysis half of the North Contention pit, completed Terraspec analysis on all the 2020-21 RC chips, and advanced the construction of a wire-frame 3-D Leapfrog model of the historic, extensive, underground mine workings, with drilling, mineralization, geology, alteration, geophysics, and multi-element geochemistry.

View: Tombstone 2023 Core Drilling Plan

View: Tombstone Idealized 2023 Drill Plan Cross Section

The planned Tombstone core drilling program is expected to consist of 10 - 12 holes at approximately 225m depth as inclined step-outs along the 900m length of the Contention pit to both sides (East, West) and at depth, with a target of potentially expanding the volume of the known Au-Ag mineralization. The core drilling program is expected to commence in the first quarter of 2023 for a period of 60 days and is subject to available funds and Tombstone JV management committee approval. Planned drill core diameters are PQ, HQ and NQ to 225m, noting that multiple core diameters will be required to complete through the historic underground mine workings.

To date the review of exploration data has defined the following target types for exploration at Tombstone:

- Shallow, bulk tonnage, "heap leachable"-type mineralization typical of Tombstone, composed of mesothermal Au-Ag oxides associated with the enrichment of sediment hosted mineralization on favorable horizons and structures, and with crosscutting, mineralized Qfp dikes and sills, mesothermal veins and hydrothermal breccias. This is the target type of Aztec's exploration focus since 2019.
- Sub-water table (below ~200m depth) extensions of the typical Tombstone Au-Ag mineralization, composed mostly of secondary enrichment minerals and focused by the same horizon and structure types as the extensively mined shallow deposits above.
- Deeper, high grade, "Taylor"- style carbonate replacement silver-lead-zinc-copper-gold deposits (CRD) in the extensive carbonate section (~ 2 kms estimated thickness) below the Bisbee formation.
- The potential for a mineralized porphyry-type deposit as a source of the Tombstone mineralization.

Data obtained from the core drill holes is expected to supplement the previous, shallow RC drilling by providing extensive knowledge of geological relationships and testing at the depth of the water table and below the Contention system across its width and along its length. Notably, Aztec's previous drilling terminated above the water table where typically the enrichment of Ag occurs, and that the main host horizons of the Tombstone district are found at this depth in the Contention target.

Upon the completion of diamond drilling, Aztec plans additional work including:

- Examining multi-element results for correlative, spatial, and geologic relationships.
- Terraspec analysis of the drill core.
- Detailed mapping of the Contention Open Pit, accompanied with Terraspec.
- Update the drilling data into the Leapfrog model, and update known district drilling, geology (lithology, structural, alteration, mineralogy, mineralization age-dating), geophysics, geochemistry, and UG workings to identify mineralization trends to help target the shallow and deep-CRD drilling.
- Examine the possibility of using seismic geophysics for identifying the overthrusts, faults and folding in the carbonates at depth.
- Potential 43-101 compliant resource estimation

Tombstone Project Overview

The Tombstone project is located 100 kilometers (km) southeast of Tucson, Arizona and covers much of the historic Tombstone silver district. Tombstone is renowned for its high grade, oxidized, silver-gold-lead-zinc-copper mesothermal and CRD mineralization hosted in veins, mantos, pipes and disseminated orebodies that were mined in the late 1800's and early 1900's.

Host rocks to the mineralization were primarily the clastic sediments of the Cretaceous Bisbee Formation. Below 200 meters (m) in depth, the Bisbee is underlain by the same Paleozoic limestone formations that host the Taylor zinc-lead-silver deposit located 60 km southwest of Tombstone. Taylor was discovered by Arizona Mining in 2015 and they accepted a takeover bid from South32 Limited in 2018.

Although the historic silver mines at Tombstone were generally small, Aztec believes they could be related to much larger mesothermal and CRD orebodies below the old mines. Since 2017, Aztec has completed geological mapping, geochemical sampling and geophysical surveying to identify the most prospective areas for Au-Ag mineralization around and below the Contention open pit, and CRD zinc-lead-copper-silver-gold mineralization below the entire district.

The 2021 drill holes were collared along the western rim and inside of the north and central parts of the Contention Pit and intersected mineralization over a north-south length of 600 meters by over 150 m of east-west width and to maximum depths of 175 m. The 2020 drilling had an area of mineralization of 850 m long by an average of 75 m wide and to maximum depths of 200 m deep. The combined 2020 and 2021 drilled area now spans 900 m long by over 230 m wide and to maximum depths of 200 m, with Au-Ag mineralization still open in all directions and at depth.

The low sulfidation epithermal gold-silver mineralization observed to date is impressive, marked by hydrothermal breccias, quartz veining and silicification associated with quartz-feldspar porphyry dikes and moderate to strong potassic, argillic and advanced argillic alteration and hornfels within the host Bisbee sandstones and siltstones. Areas of intense hematite, goethite and manganese wad are extensive, associated with quartz-calcite veins and localized skarn alteration in limestones. Cerargyrite (silver chloride) is observed in fractures, often with fine-grained visible gold. Most Au-Ag mineralized zones intersected in the 2020 and 2021 drill programs are proximal to the historic underground mine workings.

Tombstone 2020-21 Drilling Highlights:

- TR21-22: 2.44 gpt Au and 66.56 gpt Ag (3.39 gpt AuEq) over 65.5m
- TR21-10: 1.39 gpt Au and 56.40 gpt Ag (2.20 gpt AuEq) over 96.0m
- TR21-03: 5.71 gpt Au and 40.54 gpt Ag (6.28 gpt AuEq) over 32.0m
- TR21-13: 1.80 gpt Au and 36.90 gpt Ag (2.33 gpt AuEq) over 70.1m
- TR21-17: 1.73 gpt Au and 56.20 gpt Ag (2.53 gpt AuEq) over 64.0m
- TR21-08: 2.09 gpt Au and 47.1 gpt Ag (2.76 gpt AuEq) over 39.6m

- TR21-18: 0.76 gpt Au and 20.61 gpt Ag (1.05 gpt AuEq) over 64.0m
- TR20-02: 0.94 gpt Au and 42.1 gpt Ag (1.60 gpt AuEq) over 77.7m
- TR20-03: 0.77 gpt Au and 25.2 gpt Ag (1.07 gpt AuEq) over 97.5m

Gold equivalents are calculated using a 80:1 silver:gold ratio in 2020 and a 70:1 silver:gold ratio in 2021. Reported lengths are apparent widths, not true widths. The Contention Au-Ag mineralization zones are generally west dipping at around 60-80 degrees, associated with the quartz-feldspar porphyry dikes. However, these dikes also extend as sills in shallow angles out from the Contention fault along fold noses in the Bisbee clastic sediments so the full range of mineralization dips vary from 20 to 80 degrees. True widths for the apparent mineralization intersection widths of the five holes approximately range from 50 to 100% of the apparent widths, with the norm for the mineralized true widths being 60 to 90% of the apparent widths.

Tombstone Project Highlights

- Well located property on patented (42) and unpatented (42) claims (434.4 hectares/1,073.4 acres), covers much of the historic Tombstone silver mining district, great infrastructure, local town, road access, full services, water, power
- Historic silver district produced 32 million oz silver from 1878-1939, in high grade, oxidized, silver-gold-lead-zinc-copper vein and CRD deposits, and small open pit heap leach production in late 1980's
- Drilling by Aztec in 2020-21 has demonstrated that the Contention Pit target has significant Au-Ag mineralization which is open in all directions
- Multiple other prospective targets in Cretaceous and Paleozoic rocks related to major NW and NNE trending structures hosting porphyritic intrusions crosscutting a possible caldera ring structure
- A very important target is a potential bulk-tonnage carbonate replacement deposit in Paleozoic limestones similar to the Taylor discovery (100+ million tonnes of 10% Zinc Equivalent) located 60 km southwest of Tombstone (mineralization hosted on adjacent and/or nearby properties is not necessarily indicative of the mineralization hosted on the Company's property) whose presence is suggested by historic deep drilling intercepts for CRD mineralization returned multiple intersections grading up to 32 gpt silver, 0.61% copper, 6.5% lead and 2.6% zinc over 7.2m core length
- Distinct magnetic and AMT anomalies confirm multiple target areas, Contention pit hosts dikes along strongest district structure, excellent potential for CRD deposits with similar geology to the "Taylor" deposit
- Aztec high-grade samples in Contention Pit, grade up to 3,178 gpt silver and 23.5 gpt gold, epithermal stockwork mineralization open along strike. Out of 94 samples collected from within the pit, silver ranges between <0.1 and 3,178 gpt (114.5 average) and gold ranges <0.005 and 23.5 gpt (1.60 gpt average)
- Historic shallow mining at Contention pit for heap leachable Au-Ag mineralization, historic drilling by USMX around the pit returned multiple intersections including 1.61 gpt Au, 91.2 gpt Ag over 44.2m (see the Company's news release dated September 18, 2018 "Aztec Minerals Acquires Late 1980's-Early 1990's Drilling and Trenching Data for the Tombstone Project, Arizona" for further disclosure on USMX drilling)

Allen David Heyl, B.Sc., CPG., VP Exploration, is the Qualified Person overseeing the Tombstone exploration program. Mr. Heyl reviewed and approved the technical disclosures in this news release

"Simon Dyakowski"

Simon Dyakowski, Chief Executive Officer
[Aztec Minerals Corp.](#)

About Aztec Minerals - Aztec is a mineral exploration company focused on two emerging discoveries in North America. The Cervantes project is an emerging porphyry gold-copper discovery in Sonora, Mexico. The Tombstone project is an emerging gold-silver discovery with high grade CRD silver-lead-zinc potential in southern Arizona. Aztec's shares trade on the TSX-V stock exchange (symbol AZT) and on the OTCQB (symbol AZZTF).

Contact Information - For more information, please contact:
Simon Dyakowski, President & CEO, Director
Tel: (604) 619-7469
Fax: (604) 685-9744
Email: simon@aztecminerals.com

Website: www.aztecminerals.com

Neither the TSXV nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this release. No stock exchange, securities commission or other regulatory authority has approved or disapproved the information contained herein.

Forward-Looking Statements:

Certain statements contained in this press release may constitute forward-looking statements under Canadian securities legislation. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "expects" or "it is expected", or variations of such words and phrases or statements that certain actions, events or results "will" occur. These forward-looking statements are subject to a number of risks and uncertainties. Actual results may differ materially from results contemplated by the forward-looking statements. Factors that could cause actual results to differ materially from those in forward-looking statements. Accordingly, the actual events may differ materially from those projected in the forward-looking statements. When relying on forward-looking statements to make decisions, investors and others should carefully consider the foregoing factors and other uncertainties and should not place undue reliance on such forward-looking statements. The Company does not undertake to update any forward-looking statements, except as may be required by applicable securities laws.

SOURCE: [Aztec Minerals Corp.](http://www.aztecminerals.com)

View source version on accesswire.com:

<https://www.accesswire.com/737204/Aztec-to-Resume-Drilling-at-the-Tombstone-Gold-Silver-District-in-Southeastern-Arizona>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/434197--Aztec-to-Resume-Drilling-at-the-Tombstone-Gold-Silver-District-in-Southeastern-Arizona.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).