

Grid Metals Corp Announces Strong Second Wave of Results From the Main Dyke Lithium Drilling

02.02.2023 | [ACCESS Newswire](#)

TORONTO, February 2, 2023 - [Grid Metals Corp.](#) (TSXV:GRDM)(OTCQB:MSMGF) (the "Company") today reported results from an additional five (5) holes at its Donner Lake Lithium Property (the "Property"), located in the Bird River Greenstone Belt of southeastern Manitoba. The holes are part of an ongoing resource delineation drilling program at the Main Dyke. All delineation holes from the current campaign have intercepted significant, high grade lithium values in the Main Dyke and, locally, in at least three proximal sub-parallel dykes that were not previously known. Donner Lake is currently a 75% / 25% joint venture with Lithium Royalty Corp. Grid has an MOU in place with Tantalum Mining Corporation of Canada Limited focused on creating a toll milling operation to process spodumene-bearing pegmatites from Grid's Donner Lake Property.

Highlights from the five new drill holes at the Main Dyke are shown below.

Above: Table of length-weighted average LiO₂ concentrations for drill holes GDL22-25 to GDL22-30 drilled on the Main Dyke (assays are still pending for GDL22-26). Interval lengths are estimated to represent between 50% and 80% of the true width of the spodumene-rich pegmatite intersections reported.

"We are pleased to see continued high-grade lithium values from our resource drilling at the Main Dyke, which is successfully tracing the Main Dyke to significant depth " said Robin Dunbar, President and CEO of Grid. "The Main Dyke to date has been very consistent in the core ~800m resource drilling area. While we have many more exploration targets at Donner Lake we are currently focused on delineating an initial resource for the property from both the Main and Northwest Dykes." he added.

Above: Completed and planned drill holes at the Main and Northwest Dykes. The area to the south of the Diorite Unit at the Main Dyke (B) is considered highly prospective as a follow up exploration target. The white polygons represent the current focus for the initial resource delineation drilling. The area between the Main and Northwest Dykes (A) is also considered prospective for discovery of further pegmatites. The base image is the apparent resistivity depth slice at 100m below surface derived from a historical VTEM survey. Areas of low resistivity (cold/blue colours) are known to be associated with prospective host mafic rocks such as basalt and gabbro".

Discussion and Analysis

This news release is reporting on holes GDL22-25 to GDL22-30 (assays are still pending for GDL22-26). Grid has now drilled 19 drill holes as part of the resource delineation drilling at the Main Dyke. Several other exploration holes have been completed to attempt to extend the strike extent of the Main Dyke and to provide an initial test of the mapped area occupied by the nearby Southwest Dykes.

Key findings to date include:

- Thus far the Main Dyke is showing excellent continuity of visible spodumene content within a core zone representing ~800 metre of strike length.
- Drilling is also locally encountering one or more narrower spodumene-rich pegmatites in the immediate (i.e., within <50m) hangingwall and footwall to the Main Dyke.
- Mineralization consists coarse-grained spodumene blades (see picture attached) and lesser quartz-spodumene ("SQUI") intergrowths.

Program Plans

Over the next ~2 months, the Company plans to complete the initial resource delineation drilling program at the Main Dyke and the Northwest Dyke. The resource drilling at the Northwest Dyke will include infill and extension holes to augment results obtained from the 15 holes completed during the previous winter drilling campaign. A number of exploration targets proximal to the Main Dyke and Northwest Dyke are also being assessed and could also be drilled before the conclusion of the current campaign. In particular, the southwest extension of the Main Dyke (south of diorite unit shown on the map, above) and the major gap area between the Main and Northwest dykes - which is low-lying, bog-covered and poorly exposed, are considered as immediate priorities for exploration drilling.

Other work currently being conducted in relation to the Donner Lake Property includes:

- a metallurgical test program at the XPS laboratory in Sudbury, which is nearing completion;
- a drone magnetic geophysical survey to guide future exploration; and,
- integration of the 2022 field program lithochemical sampling results with geophysical data to help guide future exploration activities.

Preparation of an Advanced Exploration Permit (AEP) application and associated environmental studies are ongoing with the application near completion. Approval of the AEP application would enable the Company to complete a bulk sampling program at Donner Lake. The bulk sample materials would be sent for processing at the nearby Tanco spodumene concentrator, as contemplated in the recently signed MOU with Tanco. The Tanco Mine is located approximately 50 kilometers by road from the Donner Lake property and is currently Canada's only producer of spodumene concentrate.

Above: Main Dyke in GDL22-28 (252.22 to 259.20 m grades 1.62% Li₂O over 6.98 m)

Above: Close-up of Main Dyke in GDL22-28 (252.22 to 259.20 m grades 1.62% Li₂O over 6.98 m) showing coarse-grained white spodumene crystals set in a matrix of grey-coloured quartz and albite.

QAQC

The exploration program at Donner Lake is being supervised by Carey Galeschuk, P.Geol., who is an experienced lithium geologist with nearly three decades of exploration experience in the Bird River Belt with Grid Metals, Tantalum Mining Corporation of Canada and other companies. Grid Metals applies best practice quality assurance and quality control ("QAQC") protocols on all its exploration programs. For the Donner Lake Lithium Project drilling program, core was logged and sampled at the Company's core facility located on the Makwa Property. Generally, 1.0 metre sample lengths were used. Samples were bagged and tagged and then transported by secure carrier to the Actlabs (Thunder Bay) laboratory for sample preparation and analysis for lithium, cesium, tantalum and selected major and trace element abundances using a sodium peroxide fusion total digestion method followed by ICP-OES and ICP-MS analysis. The Company is using two lithium + rare metal certified reference materials ("CRMs") and an analytical blank for the program to monitor analytical accuracy and check for cross contamination between samples.

Mr. Galeschuk has reviewed and approved the contents of this press release with respect to NI 43-101 reporting guidelines.

About Grid Metals Corp.

Grid Metals is focused on both lithium and Ni-Cu-PGM in the Bird River area approximately 150 km north east of Winnipeg Manitoba. In addition to activity at Donner Lake the Company has a PEA stage Ni-Cu-PGM-Co project (Makwa-Mayville) undergoing exploration and development activity.

On Behalf of the Board of [Grid Metals Corp.](#)

For more information about the Company please see the Company website at www.gridmetalscorp.com or contact:

Robin Dunbar - President, CEO & Director Telephone: 416-955-4773 Email: rd@gridmetalscorp.com
David Black - Investor Relations Email: info@gridmetalscorp.com

We seek safe harbour. This news release contains forward-looking statements within the meaning of the United States Private Securities Litigation Reform Act of 1995 and forward-looking information within the meaning of the Securities Act (Ontario) (together, "forward-looking statements"). Such forward-looking statements include the Company's closing of the proposed financial transactions, sale of royalty and property interests, the overall economic potential of its properties, the availability of adequate financing and involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements expressed or implied by such forward-looking statements to be materially different. Such factors include, among others, risks and uncertainties relating to potential political risk, uncertainty of production and capital costs estimates and the potential for unexpected costs and expenses, physical risks inherent in mining operations, metallurgical risk, currency fluctuations, fluctuations in the price of nickel, cobalt, copper and other metals, completion of economic evaluations, changes in project parameters as plans continue to be refined, the inability or failure to obtain adequate financing on a timely basis, and other risks and uncertainties, including those described in the Company's Management Discussion and Analysis for the most recent financial period and Material Change Reports filed with the Canadian Securities Administrators and available at www.sedar.com.

Neither the TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this press release.

This news release does not constitute an offer of securities for sale in the United States. The securities being offered have not been, nor will they be, registered under the United States Securities Act of 1933, as amended, and such securities may not be offered or sold within the United States absent U.S. registration or an applicable exemption from U.S. registration requirements.

Hole ID	Easting (m)	Northing (m)	Elevation (m)	Azimuth	Dip	Length (m)
GDL22-25	317377	5610245	302	147	-49	278
GDL22-27	317352	5610185	303	147	-48	254
GDL22-28	317352	5610185	303	147	-64	272
GDL22-29	317264	5610157	305	147	-45	269
GDL22-30	317264	5610157	305	147	-58	296

Above: Specifications for drill holes reported in this news release. Easting and northing coordinates are based on a NAD83 UTM Zone 15N projection.

SOURCE: [Grid Metals Corp.](http://www.gridmetalscorp.com)

View source version on accesswire.com:

<https://www.accesswire.com/737779/Grid-Metals-Corp-Announces-Strong-Second-Wave-of-Results-From-the-Main-Dyke-Lithium-Drilling.html>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/434616--Grid-Metals-Corp-Announces-Strong-Second-Wave-of-Results-From-the-Main-Dyke-Lithium-Drilling.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).