

lower-grade, late mineral porphyry, however sporadic high-grade sections below this depth correlate with earlier phase porphyries or breccias in this section. Significant mineralized sections include 36.0m at 1.65% CuEq (1.15% Cu, 0.65 g/t Au, 2.8 g/t Ag) from 1,394.0m (includes 4m at 5.59% Cu); 26.0m at 0.75% CuEq (0.45% Cu, 0.38 g/t Au, 1.5 g/t Ag) from 1,488.0m and 17.3m at 0.99% CuEq (0.76% Cu, 0.28 g/t Au, 2.5 g/t Ag) from 1,728.0m.

FSDH069A was drilled on Section 9400N, towards the west at an angle of -73 degrees from the same platform as FSDH057 with a slightly shallower angle to explore the high-grade zone which hole FSDH057 ended in. The hole is entirely outside of the resource pit shell.

The geology and grade distribution match that in FSDH057 very well, starting in moderately mineralized rhyolite cut by microdiorite intrusives and intersecting the Silver Zone at about 400m. The main mineralized breccia unit was intersected by both holes just above 500m and both holes continued in it to their ends. Only a few narrow intersections of porphyry intrusive were cut by FSDH069A and this hole appears to be west of the main porphyry trend. The hole passes from the high-sulphidation (HS) mineral zone to porphyry-style mineralization very sharply at 992m.

Outlook

Drilling will remain a mix of both large and small step-outs to the north and south of our current interpretation of the Aurora Zone, as well as resource definition drilling within it. Assay results for completed holes will be released as they are received, analyzed, and confirmed by the Company.

On behalf of Filo Mining,

Jamie Beck
President and CEO

About Filo del Sol

Filo del Sol is a high-sulphidation epithermal copper-gold-silver deposit associated with one or more large porphyry copper-gold systems. Overlapping mineralizing events combined with weathering effects, including supergene enrichment, have created several different styles of mineralization, including structurally controlled and breccia-hosted gold, manto-style high-grade silver (+/- copper) and high-grade supergene enriched copper within a broader envelope of disseminated, stockwork and breccia-hosted sulphide copper and gold mineralization. This complex geological history has created a heterogeneous orebody which is characterized by zones of very high-grade copper +/- gold +/- silver mineralization within a large envelope of more homogeneous, lower-grade mineralization.

Qualified Persons and Technical Notes

The scientific and technical disclosure for the Filo del Sol Project included in this news release have been reviewed and approved by Bob Carmichael, B.A.Sc., P.Eng. who is the Qualified Person as defined by NI 43-101. Mr. Carmichael is Vice President, Exploration for the Company. Samples were cut at Filo Mining's operations base near the town of Guañizuil, Argentina by Company personnel. Diamond drill core was sampled in 2 metre intervals (except where shortened by geological contacts) using a rock saw for sulphide mineralization. Oxide mineralization was cut with a core splitter in order to prevent dissolution of water-soluble copper minerals during the wet sawing process. Core diameter is a mix of PQ, HQ and NQ depending on the depth of the drill hole. RC samples were collected at the drill site by Company personnel with splitting carried out at the Company's field camp near the drill sites. Individual samples represent final splits from 2 metre intervals down the hole. Samples were bagged and tagged and packaged for shipment by truck to the ALS preparation laboratory in Mendoza, Argentina where they were crushed and a 500g split was pulverized to 85% passing 200 mesh. The prepared samples were sent to the ALS assay laboratories in either Lima, Peru or Santiago, Chile for copper, gold and silver assays, and multi-element ICP and sequential copper analyses. ALS is an accredited laboratory which is independent of the Company. Gold assays were by fire assay fusion with AAS finish on a 30g sample. Copper and silver were assayed by atomic absorption following a 4-acid digestion. Samples were also analyzed for a suite of 36 elements with ICP-ES and a sequential copper leach analysis was completed on each sample with copper greater than 500ppm (0.05%). Copper and gold standards as well as blanks and duplicates (field, preparation and analysis) were randomly inserted into the sampling sequence for Quality Control. On average, 9% of the submitted samples are Quality Control samples. No data quality problems were indicated by the QA/QC program.

Mineralized zones within the Filo del Sol deposit are typically flat-lying, or bulk porphyry-style zones and drilled widths are interpreted to be very close to true widths.

¹Copper Equivalent (CuEq) for drill intersections is calculated based on US\$ 3.00/lb Cu, US\$ 1,500/oz Au and US\$ 18/oz Ag, with 80% metallurgical recoveries assumed for all metals. The formula is: $CuEq \% = Cu \% + (0.7292 * Au \text{ g/t}) + (0.0088 * Ag \text{ g/t})$.

About Filo Mining

Filo Mining is a Canadian exploration and development company focused on advancing its 100% owned Filo del Sol copper-gold-silver deposit located in Chile's Region III and adjacent San Juan Province, Argentina. The Company's shares are listed on the TSX and Nasdaq First North Growth Market under the trading symbol "FIL", and on the OTCQX under the symbol "FLMMF". Filo Mining is a member of the Lundin Group of Companies.

Filo Mining Base Map with Sat Image February 2023. Hole 68A + 69A.

Filo Mining Long Section Plan Map February 2023. Hole 68A + 69A.

Additional Information

The Company's certified adviser on the Nasdaq First North Growth Market is Aktieinvest FK AB, +46 8 506 51703, rutger.ahlerup@aktieinvest.se.

The information contained in this news release was accurate at the time of dissemination, but may be superseded by subsequent news release(s). The Company is under no obligation, nor does it intend to update or revise the forward-looking information, whether as a result of new information, future events or otherwise.

This information was submitted by [Filo Mining Corp.](#) for publication, through the agency of the contact person set out below, on February 2, 2023 at 17:00 EST.

Cautionary Note Regarding Forward-Looking Statements

Certain statements made and information contained herein in the news release constitutes "forward-looking information" and "forward-looking statements" within the meaning of applicable securities legislation (collectively, "forward-looking information"). The forward-looking information contained in this news release is based on information available to the Company as of the date of this news release. Except as required under applicable securities legislation, the Company does not intend, and does not assume any obligation, to update this forward-looking information. Generally, this forward-looking information can frequently, but not always, be identified by use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "projects", "budgets", "assumes", "strategy", "goals", "objectives", "potential", "possible", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or statements that certain actions, events, conditions or results "will", "may", "could", "would", "should", "might" or "will be taken", "will occur" or "will be achieved" or the negative connotations thereof. All statements other than statements of historical fact may be forward-looking statements.

The Company believes that the expectations reflected in the forward-looking information included in this news release are reasonable, but no assurance can be given that these expectations will prove to be correct and such forward-looking information should not be unduly relied upon. Information contained in this news release is as of the date of this press release. In particular, this press release contains forward-looking information pertaining to assumptions made in the interpretation of drill results, geology, grade, geochemistry and continuity of mineral deposits; expectations regarding access and demand for equipment, skilled labour and services needed for exploration and development of mineral properties; and that activities will not be adversely disrupted or impeded by exploration, development, operating, regulatory, political, community, economic, environmental and/or health and safety risks. In addition, this news release may contain forward-looking statements or information pertaining to: potential exploration upside at the Filo del Sol Project, including the extent and significance of the porphyry copper-gold system underlying the current Mineral Resource and the prospectivity of exploration targets; exploration and development plans and expenditures, including a transition to year-round operations and the timing thereof; the ability of the

