

Sable Intercepts 2.21% CuEq over 11.1m and 1.3% CuEq over 13.7m at La Gringa Target within the Don Julio Project

07.03.2023 | [CNW](#)

VANCOUVER, March 7, 2023 - Sable Resources Ltd. ("Sable" or the "Company") (TSXV: SAE) (OTCQB: SBLRF) is pleased to announce initial results of the ongoing drilling program at the Don Julio Project in San Juan, Argentina. The Company has received full results from the first three holes drilled this exploration season, located within La Gringa target: DJ-DH-22-10, DJ-DH-22-11 and DJ-DH-23-12. All exploration expenditures at Don Julio are fully funded under the Earn-In Agreement between the Company and South32, signed in 2021.

"The near-surface high-grade Cu-Au mineralization intercepted by hole 12 represents a new mineralization style that we are following up to understand its actual geometry, size, and relationship with the overall porphyry system at the La Gringa deposit. We are expanding the search towards the west with promising geological and geochemical observations," stated Dr Ruben Gómez, President, and CEO of Sable.

Highlights

Below are highlights of the reported drill holes with location data and highlighted intervals included in Tables 1 and 2 below.

DJ-DH-22-12

DJ-DI2-22100%CuEq (1.61% Cu; 19.1 g/t Ag; 0.38 g/t Au; 0.4% Zn) over 11.1m from 53.0 to 64.1m
 DJ-DI2-22101%CuEq (2.14% CuEq; 13.52% AgEq; 0.84% AuEq; 0.0012% ZnEq) over 17.0m from 55.0 to 55.7m

9/15%

DDJH-22-10

0.00%

DH-DH-22-10 (Hole 10) targeted a magnetic anomaly combined with low resistivity and geochemical anomalies from his ATW-03 (Figures 1 and 3). The hole was dominated by advanced argillic alteration transitioning into sericite-illite with pyrite and B veinlets. Although the hole did not reach potassic alteration, it extended the porphyry environment at least 900m. DH-DH-22-07 drilled last year. It intercepted a significant number of high-sulfidation structures with Au-Cu anomalies characterized by magnetite, enargite, and pyrite (6.6% pyrite; 6.6 g/t Ag; 8.09 g/t Au; 0.22% Zn) over 1.1m from 160.5 to 161.6m to a core of 7.81% CuEq (3.52% Cu; 43.8 g/t Ag; 5.24 g/t Au; 0.24% Zn) over 0.5m from 162.2 to 162.7m. DH-DH-22-11

Hole	Azimuth	Dip	Depth	Northing	Easting	Elevation
DJ-DH-22-10	220	70	686	6626144	2432900	4462
DJ-DH-22-11	65	70	833	6627047	2431930	4330
DJ-DH-23-12	220	55	461	6627300	2431750	4300

Table 1. Location of reported holes

Hole	From	To	Interval (m)	Ag (g/t)	Au (g/t)	Cu (%)	Mo (ppm)	Zn (%)	CuEq (%)	AuEq (%)
DJ-DH-22-10	16.5	17.1	0.6	50.5	2.14					2.74
DJ-DH-22-10	205.5	217.6	12.1	2.12	0.13	0.09			0.21	
DJ-DH-22-10	227.0	228.0	1.0	4.09	0.27	0.87			1.1	
DJ-DH-22-10	330.0	332.0	2.0	17.2	0.7	0.91			1.57	
DJ-DH-22-10	380.0	400.0	20.0		0.18	0.18			0.31	
Including	392.0	394.0	2.0	1.76	0.82	0.75			1.36	
And	396.0	398.0	2.0		0.28	0.41			0.62	
DJ-DH-22-10	482.0	545.0	63.0	1.23	0.083	0.16			0.23	
Including	510.0	512.0	2.0	1.32	0.31	0.51			0.75	
And	522.0	524.0	2.0	9.82	0.22	1.12			1.37	
And	543.0	545.0	2.0	1.98	0.44	1.11			1.45	
DJ-DH-22-11	375.0	387.0	12.0			0.11				
DJ-DH-22-11	528.0	833.0	305.0	0.95		0.091	139.0		0.14	
Including	528.0	587.0	59.0			0.097	129.0		0.14	
And	636.2	682.0	45.8	1.32		0.11	151.0		0.17	
And	758.0	774.0	16.0	1.4		0.11	135.0		0.17	
DJ-DH-22-12	53.0	64.1	11.1	19.1	0.38	1.61		0.4	2.21	
Including	55.0	55.7	0.7	84.0	0.99	6.52		1.21	8.42	
And	60.0	60.55	0.55	25.4	2.39	3.76		0.64	5.96	
And	63.6	64.1	0.5	82.1	0.95	6.75		1.74	8.80	
DJ-DH-22-12	102.0	102.5	0.5	2.04	1.0	0.391			1.13	
DJ-DH-22-12	149.0	162.7	13.7	6.81	0.95	0.54				
Including	160.5	161.6	1.1	56.6	8.09	4.64		0.22	11.11	
And	162.2	162.7	0.5	43.8	5.24	3.52		0.24	7.81	
DJ-DH-22-12	202.0	204.0	2.0	7.95	3.69	0.82			3.58	
DJ-DH-22-12	221.5	222.5	1.0	50.4	7.19	4.85		0.15	10.58	

Table 2. Highlighted intervals from reported holes

Porphyry mineralization is characterized by broad zones of disseminated sulfides and vein stockwork;

high-grade Cu-Au mineralization intercepted in hole 12 consists of irregular zones of semi-massive sulfides, sulfide-rich breccias, and stockworks; therefore, true width cannot be determined at this time. CuEq and AuEq were calculated based on 100% recovery and prices of USD 1,500 per oz for gold; USD 18.00 per oz for Ag; USD 3.00 per pound for copper; USD 10.00 per pound of molybdenum, and USD 1.10 per pound of zinc.

QUALIFIED PERSON

Luis Arteaga M.Sc. P.Geo., Vice President Exploration is the Company's Qualified Person as defined by NI 43-101. He has reviewed and approved the technical information in this news release.

ABOUT THE DON JULIO PROJECT

The Don Julio project comprises 69,350 hectares in the Cordillera Frontal in San Juan, Argentina. It includes the Don Julio cluster that contains numerous targets of porphyry (La Gringa, Poposa, Amarillo, Punta Cana, Tocota); intermediate sulfidation (Lodo, San Gabriel, Colorado); skarn (Fermin); and the regional properties that include the Los Pumas project as well as extensive unexplored ground. Since 2018, Sable has conducted systematic surface work including mapping; rock sampling; talus sampling; GroundMag, and UAV-Mag, and induced polarization. Sable performed a first drilling campaign in 2019 with 3,101m drilled in 11 holes and a second campaign in early 2022 comprising 4,294m in 9 holes. In 2021, Sable signed an Earn-In agreement with South32 to jointly explore the Don Julio project.

ABOUT SABLE RESOURCES LTD.

Sable is a well-funded junior grassroots explorer focused on the discovery of Tier-One new precious metal and copper projects through systematic exploration in endowed terranes located in favorable, established mining jurisdictions. Sable's focus is developing its large portfolio of new greenfields projects to resource level. Sable is actively exploring the San Juan Regional Program (163,969 ha) incorporating the Don Julio, El Fierro, La Poncha, and Los Pumas Projects in San Juan Province, Argentina; and the Mexico Regional Program (1.16Mha in application, 39,000ha titled) incorporating the Vinata and El Escarpe projects.

ABOUT SOUTH32

South32 is a globally diversified mining and metals company. The company's purpose is to make a difference by developing natural resources, improving people's lives now and for generations to come. South32 is trusted by its owners and partners to realise the potential of their resources. South32 produces commodities including bauxite, alumina, aluminium, copper, silver, lead, zinc, nickel, metallurgical coal, and manganese from its operations in Australia, Southern Africa and South America. With a focus on growing its base metals exposure, South32 also has two development options in North America and several partnerships with junior explorers around the world.

Related link: sableresources.com

Neither the TSX Venture Exchange nor its Regulation Services Provider, as that term is defined in the policies of the TSX Venture Exchange, accepts responsibility for the adequacy or accuracy of this release.

SAMPLE PREPARATION AND QA/QC

Sample preparation for projects in Argentina is carried out by ALS Chemex Argentina, a subsidiary of ALS Minerals, at its facility located in Mendoza, Argentina. Analyses are carried out at their laboratory in Lima, Peru. Sample preparation includes drying in an oven at a maximum temperature of 60°C, fine crushing of the sample to at least 70% passing less than 2 mm, sample splitting using a riffle splitter, and pulverizing a 250 g split to at least 85% passing 75 microns (code PREP-31). The holes contained in this press release were analyzed by methods Au-AA24 (Fire Assay Fusion and Atomic Absorption Spectrometry finish) and ME-MS61 (Four Acid Digestion with Mass Spectrometry finish); the latter one includes 48 elements (Al, Ag, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, U, V, W, Y, Zn, Zr). Both digestion methods dissolve most minerals but not all elements are quantitatively extracted in some sample matrices. Control samples (standards, blanks, and duplicates) are inserted systematically, and their results evaluated according to the Company protocols.

CAUTION REGARDING FORWARD LOOKING STATEMENTS

Certain statements contained in this press release constitute forward-looking information. These statements relate to future events or future performance. The use of any of the words "could", "intend", "expect",

"believe", "will", "projected", "estimated" and similar expressions and statements relating to matters that are not historical facts are intended to identify forward-looking information and are based on Sable's current belief or assumptions as to the outcome and timing of such future events. Actual future results may differ materially. Although such statements are based on reasonable assumptions of Sable's management, there can be no assurance that any conclusions or forecasts will prove to be accurate.

While Sable considers these assumptions to be reasonable based on information currently available, they may prove to be incorrect. Forward looking information involves known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements to be materially different from any future results, performance or achievements expressed or implied by the forward-looking information. Such factors include risks inherent in the exploration and development of mineral deposits, including risks relating to changes in project parameters as plans continue to be redefined, risks relating to variations in grade or recovery rates, risks relating to changes in mineral prices and the worldwide demand for and supply of minerals, risks related to increased competition and current global financial conditions and the COVID-19 pandemic, access and supply risks, reliance on key personnel, operational risks, and regulatory risks, including risks relating to the acquisition of the necessary licenses and permits, financing, capitalization and liquidity risks.

The forward-looking information contained in this release is made as of the date hereof, and Sable is not obligated to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, except as required by applicable securities laws. Because of the risks, uncertainties and assumptions contained herein, investors should not place undue reliance on forward-looking information. The foregoing statements expressly qualify any forward-looking information contained herein.

SOURCE [Sable Resources Ltd.](#)

Contact

please contact: Ruben Padilla, President & CEO at ruben.padilla@sableresources.com or +1 (520) 488-2520

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/437604--Sable-Intercepts-2.21Prozent-CuEq-over-11.1m-and-1.3Prozent-CuEq-over-13.7m-at-La-Gringa-Target-within-the->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenrechte. Beachten Sie bitte auch unsere [AGB/Disclaimer](#)!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzhilinen](#).