BeMetals Identifies Several Higher-Grade Copper Target Zones from Results of 2023 Shallow Aircore Program at the D-Prospect, Pangeni Project, Zambia

13.09.2023 | ACCESS Newswire

VANCOUVER, September 13, 2023 - <u>BeMetals Corp.</u> (TSXV:BMET)(OTCQB:BMTLF)(Frankfurt:10I.F) (the "Company" or "BeMetals") is pleased to announce significant results from its 2023 aircore campaign at the D-Prospect within the Pangeni Copper Project ("Pangeni" or the "Project" or the "Property"). Three newly identified higher-grade target zones have been outlined by six shallow aircore holes returning samples of more than 2,000 parts per million ("ppm") (0.2% Copper ("Cu")) with these target zones defined by samples ranging from 5,870 ppm Cu (0.58% Cu) to 1,987 ppm Cu (0.20% Cu).

The Pangeni Project mineralization represents westerly extensions to the prolific Zambian Copperbelt. Aircore drilling of other prospects and targets at Pangeni is ongoing as part of the Company's current US\$2 million exploration program which is pro rata funded by BeMetals (72.2%) and the Japan Organization for Metals and Energy Security ("JOGMEC") (27.8%).

HIGHLIGHTS OF 2023 D-PROSPECT AIRCORE RESULTS:

- TARGET ZONE 1: Identified by four aircore holes with copper values of: D14-03: 5,870 ppm Cu, D15-02: 5,079 ppm Cu, D16-03B: 2,942 ppm Cu, and D7-04: 4,363* ppm Cu. The footprint of this zone at the base of the Kalahari cover is some 400 metres in length and 100-125 metres in width and remains open to the North and South.
- TARGET ZONE 2: Identified by two aircore holes with copper values of: D17-04: 4,657 ppm Cu, and D18-03: 1,987 ppm Cu. The footprint of this zone at the base of the Kalahari cover is some 250 metres in length and 100 metres in width and remains open to the North and potentially at depth to the South.
- TARGET ZONE 3: Identified by two aircore holes with copper values of: D18-01: 3,352 ppm Cu, and D17-02: 2,769 ppm Cu. The footprint of this zone at the base of the Kalahari cover is some 200 metres in length and 100 metres in width and remains open to the South.

Note: Reported values are single 1 metre samples representing observed bedrock or weathered bedrock below the Kalahari sand cover, with maximum copper values for each aircore hole, determined by pXRF. (See details in QA/QC section below). *Previously reported from 2021 aircore program.

John Wilton, President and CEO of BeMetals stated, "We are very pleased with these results from the shallow aircore drilling program completed, last month, at the D-Prospect within our Pangeni Copper Project. The results include some of the highest-grade copper aircore sample values returned to date at the Pangeni Project, and as such generate exciting priority targets for core drill testing.

This year's aircore drilling at the D-Prospect was designed to specifically identify, structurally controlled, potentially higher-grade copper zones within the mineralization, as observed at certain, large scale, copper mines in this region of the Zambian Copperbelt. The aircore program has been successful by indicating three such interpreted target zones where higher-grade copper is predicted. Core drill testing of these target zones is planned to commence during September, 2023.

Copper exploration projects with the discovery potential of Pangeni are rare, situated at the western extension to the Zambian Copperbelt that hosts several world-class copper mines, in an area where little historical exploration has been undertaken due to the thin but extensive Kalahari sand cover. The ongoing aircore drilling program is testing additional prospects and targets on the Property. Follow-up core drilling of new and confirmed targets is planned for the remainder of the year."

14.11.2025 Seite 1/22

PANGENI COPPER PROJECT - 2023 D-PROSPECT AIRCORE RESULTS

The 2023 aircore program at the D-Prospect was designed to identify targets for potential higher-grade zones of copper within the mineralization discovered by the Company under the thin Kalahari sand cover. This objective has been successfully achieved with three exciting target zones defined by the shallow drilling.

Figure 1 illustrates the location of the three interpreted higher-grade target zones identified at the D-Prospect. The 2023 aircore results have been integrated into the previously reported 2018-2022 phases of shallow drilling. Simple contouring of the bedrock and weathered bedrock copper values beneath the Kalahari sand cover unit outlines the target zones.

As designed it appears that with the new sampling results from the 2023 aircore program it is now possible to map target areas where interpreted structural features and relatively reactive host rocks have focused the copper mineralization. Similar higher tenor copper zones controlled by such geological situations are known to exist elsewhere in the Domes Region deposits and mines of the Zambian Copperbelt such as the large scale Lumwana copper mine.

The orientation of these target zones is also generally supported by the interpretation of detailed structural core logging of the drill holes completed to date at this prospect. The target zones are expected to plunge relatively shallowly to the South and South South-West. This likely explains why the aircore holes in the southern area of the prospect do not return elevated copper values, as the target zones are likely below the depth sampled by the shallow aircore in that direction.

The higher-grade target zones are interpreted to range from some 400 to 200 metres in length and 125 to 100 metres in width and are defined by bedrock and weathered bedrock copper values ranging between 5,870 ppm Cu (D14-03) and 1,978 ppm Cu (D18-03). On average in the area of the D-Prospect copper mineralization, core drilled to date, it is covered by 26 metres of Kalahari sand ranging between 18-33 metres in certain areas.

Figure 1: Plan Map of D-Prospect showing 2023 aircore copper results (Blue symbols) contoured with 2018-2021 results (Red symbols), previous core drill holes, and interpreted higher grade target zones (Zones 1-3).

Note: The reported aircore copper values are single 1 metre samples representing observed bedrock or weathered bedrock below the Kalahari sand cover, with maximum copper values for each aircore hole. The results of the previously reported 2018-2021 aircore drilling at the D-Prospect were analyzed by Intertek Genalysis, an independent and accredited laboratory and determined by ICP-OES. The 2023 results were determined using pXRF. (See details in QA/QC section below).

Table 1 lists all the aircore results from the 2023 program at the D-Prospect with sample depths and thickness of Kalahari sand cover unit. Table 2 provides details of; hole ID, azimuth, dip, end of hole depth and collar coordinates.

Figure 2 shows the previously reported copper intersections from core drilling at the D-Prospect to date. It indicates that the previous core drilling did not intersect the newly identified high-grade target zones. Core drilling to commence during September, 2023 will directly target these zones.

As previously reported, to date, copper mineralization at the D-Prospect is interpreted to extend for at least 1.2 kilometres along the strike of the host units (see Figure 2). These previously reported core holes (D2-C1, D2-C2, D7-C1, D7-C2 and D3-C1) returned meaningful and multiple copper intersections ranging from 6.0 to 2.12 metres in width and 0.58% Cu to 0.32% Cu in grade (0.3% Cu cut-off grade). Significant copper mineralization has been intersected in five core drill holes completed at the D-Prospect. The copper grades in these drill holes are similar to those for operating large-scale copper mines in the Domes Region of the Zambian Copperbelt (Examples: First Quantum Minerals' Sentinel Mine Reserves: 876.8 million tonnes grading 0.46% Cu⁽¹⁾ and Barrick Gold's Lumwana Mine Reserves: 538.8 million tonnes grading 0.56% Cu⁽²⁾). (See Figure 3 for other regional project locations and the Company's news release dated; November 15, 2022: BeMetals Defines Priority Copper Targets and Commences Core Drilling at Pangeni Copper Project).

(1) First Quantum Minerals Ltd. website, Mineral Reserves - depleted for mining as at 31st December 2019,

14.11.2025 Seite 2/22

and based on a \$3.00/lb Cu price. Sentinel Mine, Trident Project, North West Province, Zambia, NI 43-101 Technical Report, March 2020.

(2) Barrick Gold Corporation website, Mineral Reserves - December 31, 2013, Technical Report on the Lumwana Mine, North?Western, Province, Republic of Zambia, Barrick Gold Corporation, Report for NI 43?101, March 27, 2014.

Figure 2: Plan Map of D-Prospect showing interpreted higher grade target zones and previously reported core drilling intersections (D2-C1, D2-C2, D7-C1, D7-C2 and D3-C1)

Note: The reported aircore copper values are single 1 metre samples representing observed bedrock or weathered bedrock below the Kalahari sand cover, with maximum copper values for each aircore hole. The results of the previously reported 2018-2021 aircore at the D-Prospect and all core drilling results were analyzed by Intertek Genalysis, an independent and accredited laboratory and determined by ICP-OES. The 2023 results were determined using pXRF. (See details in QA/QC section below).

Table 1: D-Prospect 2023 Aircore Program Results (Bedrock or Weathered Bedrock Copper Values)

	From To		Copper in Bedroo	Copper in Bedrock		
Aircore Hole ID			m) Maximum per hol	Kalahari Sand Cover Thickness e		
	(m)	(m)	(222)	(m)		
			(ppm)			
D5-09	44	45 1	30	43		
D11-01	17	18 1	75	16		
D11-02	30	31 1	44	30		
D11-03	32	33 1	1463	29		
D12-01	27	28 1	131	27		
D12-02	28	29 1	94	28		
D13-01	24	25 1	639	20		
D13-02	27	28 1	96	26		
D14-01	20	21 1	60	18		
D14-02	44	45 1	424	34		
D14-03	28	29 1	5870	17		
D14-04	22	23 1	1490	20		
D14-05	35	36 1	165	30		
D15-01	26	27 1	1805	22		
D15-02	28	29 1	5079	26		
D15-02B	34	35 1	994	29		

14.11.2025 Seite 3/22

30	31 1	110	29
23	24 1	1380	23
30	31 1	911	23
38	39 1	2942	28
32	33 1	348	30
35	36 1	2769	33
31	32 1	84	30
29	30 1	4657	24
31	32 1	483	29
46	47 1	3352	31
23	24 1	78	22
26	27 1	1987	23
33	34 1	229	29
25	26 1	55	24
35	36 1	582	30
39	40 1	67	29
54	55 1	36	53
53	54 1	15	52
53	54 1	9	52
	23 30 38 32 35 31 29 31 46 23 26 33 25 35 39 54 53	23	23 24 1 1380 30 31 1 911 38 39 1 2942 32 33 1 348 35 36 1 2769 31 32 1 84 29 30 1 4657 31 32 1 483 46 47 1 3352 23 24 1 78 26 27 1 1987 33 34 1 229 25 26 1 55 35 36 1 582 39 40 1 67 54 55 1 36 53 54 1 15

Table 1 Notes: Reported values are single 1 metre samples representing observed bedrock or weathered bedrock below the Kalahari sand cover, with maximum copper values for each aircore hole, determined by pXRF. (See details in QA/QC section below).

Table 2: Aircore Hole ID, Azimuth, Dip, End of Hole Depth and Collar Coordinates

					Northing	
				Easting (m)		Elevation
Aircore Drill Hole ID	Azimuth Degree	Dip Degree	End of hole Depth (m)		(m)	
				(UTM X)		(m)
					(UTM Y)	
D5-09	Vertical	-90	48	177044	8600720	1338
D11-01	Vertical	-90	24	177311	8601010	1312
D11-02	Vertical	-90	39	177140	8601114	1305
D11-03						

14.11.2025 Seite 4/22

Vertical

14.11.2025 Seite 5/22

14.11.2025 Seite 6/22

14.11.2025

Seite 7/22

14.11.2025 Seite 8/22

14.11.2025 Seite 9/22

14.11.2025 Seite 10/22

14.11.2025 Seite 11/22

D12-01	Vertical	-90	39	177226	8601193 1305
D12-02	Vertical	-90	33	177144	8601238 1319
D13-01	Vertical	-90	27	177400	8601323 1310
D13-02	Vertical	-90	36	177324	8601371 1321
D14-01	Vertical	-90	34	177642	8601277 1301
D14-02	Vertical	-90	45	177566	8601324 1309
D14-03	Vertical	-90	32	177471	8601383 1321
D14-04	Vertical	-90	25	177387	8601431 1305
D14-05	Vertical	-90	38	177302	8601486 1327
D15-01	Vertical	-90	32	177562	8601436 1311
D15-02	Vertical	-90	29	177475	8601493 1320
D15-02B	Vertical	-90	36	177394	8601543 1319
D16-01	Vertical	-90	36	177800	8601486 1333
D16-02	Vertical	-90	27	177709	8601556 1310
D16-03	Vertical	-90	33	177632	8601607 1356
D16-03B	Vertical	-90	39	177542	8601661 1283
D17-01	Vertical	-90	38	177966	8601494 1307
D17-02	Vertical	-90	53	177882	8601548 1360
D17-03	Vertical	-90	37	177803	8601596 1319
D17-04	Vertical	-90	35	177707	8601652 1363
D17-05	Vertical	-90	32	177629	8601701 1312
D18-01	Vertical	-90	50	177947	8601610 1317
D18-02	Vertical	-90	29	177858	8601666 1315
D18-03	Vertical	-90	33	177777	8601719 1315
D19-01	Vertical	-90	35	178095	8601714 1320
D19-02	Vertical	-90	30	178002	8601772 1322
D20-01	Vertical	-90	36	178170	8601787 1303
D20-02	Vertical	-90	40	178082	8601834 1325
D21-01	Vertical	-90	55	176624	8600653 1330
D21-02					

14.11.2025 Seite 12/22

Vertical

14.11.2025 Seite 13/22

14.11.2025 Seite 14/22

14.11.2025 Seite 15/22

55

14.11.2025 Seite 16/22

14.11.2025 Seite 17/22

14.11.2025 Seite 18/22

14.11.2025 Seite 19/22

D21-03 Vertical -90 57 176281 8600855 1348

THE PANGENI COPPER PROJECT OVERVIEW

The Pangeni Project is located on the western extension of the Zambian Copperbelt, within the Lufilian Arc, underlain by Katangan Supergroup metasediments situated unconformably on basement schists and gneisses, which are covered by a thin veneer of Kalahari sands. The open pit Sentinel Copper Mine is operated by First Quantum Minerals Ltd., some 130 kilometres to the northeast of the Pangeni Project. A number of major international mining companies have identified this region of the Zambian Copperbelt to be prospective for the discovery of tier one copper mines and are conducting extensive exploration work in this region. See Figure 3 for the Project location map.

The Pangeni Project property is geologically prospective for the following deposit types; Basement-hosted Cu (analogues: the Lumwana Deposit), Sediment-hosted stratiform Cu-Co (analogues: Nchanga, Konkola, Nkana, and Mufulira Deposits), other Domes Region Deposits e.g. Sentinel, and Kansanshi, and DRC Copperbelt Deposits e.g. Lonshi, Frontier, Kamoa-Kakula).

Figure 3. Location of Pangeni Copper Project

QUALITY ASSURANCE AND QUALITY CONTROL

The results previously reported here for the 2018-2021 aircore at the D-Prospect and all the core drilling results were analyzed by Intertek Genalysis, an independent and accredited laboratory. Samples were prepared at their facility in Kitwe, Zambia and analytical work conducted in Australia. The results were determined using multi-acid, near total digest, and analyzed by Inductively Coupled Plasma ("ICP") Optical (Atomic) Emission Spectrometry ("OES"). The core and aircore sampling was conducted with a robust sampling protocol that included the appropriate insertion of standard reference material, duplicates, and blanks into the sample stream.

The results from the 2023 aircore (pXRF) program were completed by Remote Exploration Services ("RES") who managed all aspects of the field operations in-line with the standard operating procedures as previously and consistently implemented at this project. Representative material from each sampled metre of aircore drilling was dried, screened to 180 micron, bagged and transported to a field camp where they were analysed using the Olympus Vanta M Series Desktop XRF analyser ("pXRF"). Strict sampling protocol was observed throughout the pXRF analysis including; homogenisation, field duplicates, blanks, and calibration checks using Certified Reference Material. For a more detailed description of the aircore pXRF sampling protocol see BeMetals news release dated; November 15, 2018, QA/QC section, available on the Company's website and on SEDAR.

Field operations and management have been provided by RES an independent geological consulting and contracting company. The aircore and core drilling was conducted by Blurock Mining Services, of Kitwe, Zambia.

ABOUT BEMETALS CORP.

BeMetals is a precious and base metals exploration and development company focused on becoming a leading metal producer through the acquisition of quality exploration, development and potentially production stage projects. The Company has established itself in the gold sector with the acquisition of a portfolio of wholly owned exploration projects in Japan. BeMetals is also progressing its tier-one targeted, Pangeni Copper Exploration Project in the prolific Zambian Copperbelt with co-funding investor the Japanese state agency JOGMEC ("Japan Organization for Metals and Energy Security"). Guiding and leading BeMetals' growth strategy is a strong board and management team, founders, and significant shareholders of the Company, who have an extensive proven record of delivering exceptional value in the mining sector, over many decades, through the discovery, construction and operation of mines around the world.

QUALIFIED PERSON STATEMENT

The technical information in this news release for BeMetals has been reviewed and approved by John Wilton, CGeol FGS, CEO and President of BeMetals, and a "Qualified Person" as defined under National Instrument 43-101.

ON BEHALF OF <u>BeMetals Corp.</u>
"John Wilton"

14.11.2025 Seite 20/22

John Wilton President, CEO and Director

For further information about BeMetals please visit our website at www.bemetalscorp.com and sign-up to our email list to receive timely updates, or contact:

Derek Iwanaka Vice President, Investor Relations & Corporate Development Telephone: 604-928-2797 Email: diwanaka@bemetalscorp.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

Cautionary Note Regarding Forward-Looking Statements

This news release contains "forward-looking statements" and "forward-looking information" (as defined under applicable securities laws), based on management's best estimates, assumptions and current expectations. Such statements include but are not limited to, statements with respect to future exploration, development and advancement of the Kazan Projects in Japan and the Pangeni Project in Zambia, and the acquisition of additional base and/or precious metal projects. Generally, these forward-looking statements can be identified by the use of forward-looking terminology such as "expects", "expected", "budgeted", "forecasts", "anticipates", "plans", "anticipates", "believes", "intends", "estimates", "projects", "aims", "potential", "goal", "objective", "prospective", and similar expressions, or that events or conditions "will", "would", "may", "can", "could" or "should" occur. These statements should not be read as guarantees of future performance or results. Such statements involve known and unknown risks, uncertainties and other factors that may cause actual results, performance or achievements to be materially different from those expressed or implied by such statements, including but not limited to: the actual results of exploration activities, the availability of financing and/or cash flow to fund the current and future plans and expenditures, the ability of the Company to obtain and maintain any required licenses, permits and rights for its projects, the ability of the Company to satisfy the conditions of the option agreement for the Pangeni Project, and changes in the world commodity markets or equity markets. Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. The forward-looking statements and forward-looking information are made as of the date hereof and are qualified in their entirety by this cautionary statement. The Company disclaims any obligation to revise or update any such factors or to publicly announce the result of any revisions to any forward-looking statements or forward-looking information contained herein to reflect future results, events or developments, except as require by law. Accordingly, readers should not place undue reliance on forward-looking statements and information. Please refer to the Company's most recent filings under its profile at www.sedar.com for further information respecting the risks affecting the Company and its business.

SOURCE: BeMetals Corp.

View source version on accesswire.com:

https://www.accesswire.com/783536/bemetals-identifies-several-higher-grade-copper-target-zones-from-results-of-202

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/452932--BeMetals-Identifies-Several-Higher-Grade-Copper-Target-Zones-from-Results-of-2023-Shallow-Aircore-Program-a

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

14.11.2025 Seite 21/22

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

14.11.2025 Seite 22/22