

# **SPC Nickel Intersects Shallow Mineralization Grading 1.07% Nickel and 0.44% Copper over 12.5 metres at West Graham Project**

13.09.2023 | [CNW](#)

SUDBURY, Sept. 13, 2023 - [SPC Nickel Corp.](#) (TSXV:SPC) ("SPC Nickel"), is pleased to release additional Phase 2 assay results from a series of short holes drilled immediately beneath the surface exposure of the West Graham mineralized zone. Recent geological mapping by SPC and historical sampling by Vale Canada have outlined the surface exposure of the mineralized zone in a 300 metre by 150 metre area north of the norite-granite footwall contact and south of any drilling completed during the Phase 1 and Phase 2 programs (see Figure 2). Initial results from the short 16 hole program have confirmed the down-dip extension of the mineralization with thick mineralized intervals at grades equal to or better than the historical West Graham mineral resource. This work has further demonstrated the potential for any future development at West Graham to be open-pit amenable.

A total of 13,254 metres in 62 holes have so far been completed on the West Graham Project since drilling commenced in March. The Phase 1 program consisted of 5,338 metres in 27 holes and was completed in late May while a total of 7,916 metres in 35 holes, including the 16 short holes mentioned above, have been completed from the ongoing Phase 2 program, (Figure 2).

Highlights:

- WG-23-062: 0.87% Ni, 0.41% Cu over 20.00 metres (1.00-21.00 metres) including 1.07% Ni, 0.44% Cu over 12.50 metres (6.50 to 19.00 metres).
- WG-23-061: 0.48% Ni, 0.24% Cu over 34.00 metres (14.00-48.00 metres) including 2.07% Ni, 0.15% Cu over 1.15 metres (15.60 to 16.75 metres).

Length refers to downhole length. Estimated true thickness ratios are provided in Table 1.

Grant Moure, CEO and President of SPC Nickel commented, "Today's results continue to demonstrate the robust function of the West Graham Project. We continue to intersect thick intervals of near surface mineralization, which are equal to or better than the historical mineral resource. These recent results combined with our previous reported drill intersections demonstrate we are growing a significant nickel resource within the world class Sudbury Mining Camp. The West Graham Project benefits from excellent place infrastructure, has year-round road access, access to hydroelectric power, and several processing facilities within the site. We're looking forward to announcing additional drilling results and a maiden Mineral Resource estimate for the West Graham Project by the end of 2023."

For detailed sections across the West Graham Property, please visit the website at <https://spcnickel.com/projects/locke> under Current Program or click on the following link West Graham Sections.

Assay Results

Table 1: Reported assay results from the Phase 2 drill program on the West Graham Project. Assays from all holes not listed in Table 1 are pending.

| HOLE ID   | From (m) | To (m) | Length (m) <sup>1</sup> | Ni (%) | Cu (%) | Co (%) | Pt (g/t) | Pd (g/t) | Au (g/t) | Ag (g/t) | Estimated |
|-----------|----------|--------|-------------------------|--------|--------|--------|----------|----------|----------|----------|-----------|
|           |          |        |                         |        |        |        |          |          |          |          | True      |
|           |          |        |                         |        |        |        |          |          |          |          | Width %   |
| WG-23-059 | 23.00    | 37.00  | 14.00                   | 0.53   | 0.37   | 0.02   | 0.04     | 0.02     | 0.03     | 1.95     | 100       |
| WG-23-060 | 12.00    | 42.00  | 30.00                   | 0.32   | 0.20   | 0.01   | 0.02     | 0.01     | 0.01     | 1.49     | 100       |
| WG-23-061 | 14.00    | 48.00  | 34.00                   | 0.48   | 0.24   | 0.02   | 0.03     | 0.01     | 0.02     | 1.57     | 90        |
| including | 14.00    | 26.00  | 12.50                   | 0.66   | 0.26   | 0.02   | 0.03     | 0.02     | 0.01     | 1.58     | 90        |
| including | 15.60    | 16.75  | 1.15                    | 2.07   | 0.15   | 0.07   | 0.03     | 0.03     | 0.01     | 2.17     | 90        |
| WG-23-062 | 1.00     | 21.00  | 20.00                   | 0.87   | 0.41   | 0.03   | 0.07     | 0.03     | 0.05     | 2.45     | 90        |
| including |          |        |                         |        |        |        |          |          |          |          |           |

6.50

19.00

12.50



0.44

0.04

0.08

0.03

0.04







Notes:

1. Length refers to downhole length. Estimated True Width is expressed as a percentage of downhole length. Bold text denotes intervals with a Ni% grade multiplied by downhole length greater than 15.

Previously Reported Results

Table 2: Previously reported assay results from the West Graham Project.

| Hole ID   | From (m) | To (m) | Length (m) <sup>1</sup> | Ni (%) | Cu (%) | Co (%) | Pt (g/t) | Pd (g/t) | Au (g/t) | Ag (g/t) | Estimated True Width % |
|-----------|----------|--------|-------------------------|--------|--------|--------|----------|----------|----------|----------|------------------------|
| WG-23-019 | 64.00    | 93.00  | 29.00                   | 0.39   | 0.25   | 0.01   | 0.04     | 0.02     | 0.02     | 1.36     | 70                     |
| WG-23-020 | 47.00    | 91.00  | 44.00                   | 0.53   | 0.27   | 0.02   | 0.05     | 0.02     | 0.02     | 1.41     | 100                    |
| including | 75.00    | 83.00  | 7.00                    | 0.75   | 0.39   | 0.03   | 0.06     | 0.02     | 0.02     | 1.86     | 100                    |
| including | 87.00    | 91.00  | 4.00                    | 1.03   | 0.62   | 0.04   | 0.07     | 0.05     | 0.03     | 2.85     | 100                    |
| WG-23-021 | 41.00    | 72.00  | 31.00                   | 0.46   | 0.29   | 0.02   | 0.06     | 0.02     | 0.02     | 1.50     | 90                     |
| including | 42.00    | 46.00  | 4.00                    | 0.63   | 0.46   | 0.02   | 0.10     | 0.03     | 0.04     | 2.40     | 90                     |
| including | 58.00    | 63.00  | 5.00                    | 0.66   | 0.30   | 0.02   | 0.04     | 0.02     | 0.01     | 1.50     | 90                     |
| WG-23-022 | 61.00    | 81.00  | 20.00                   | 0.51   | 0.26   | 0.02   | 0.03     | 0.01     | 0.01     | 1.12     | 100                    |
| including | 76.00    | 80.00  | 4.00                    | 0.85   | 0.46   | 0.03   | 0.05     | 0.02     | 0.02     | 1.80     | 100                    |
| WG-23-023 | 45.00    | 83.00  | 38.00                   | 0.47   | 0.28   | 0.02   | 0.04     | 0.02     | 0.02     | 1.45     | 90                     |
| including | 71.00    | 82.00  | 11.00                   | 0.71   | 0.41   | 0.02   | 0.07     | 0.02     | 0.04     | 2.09     | 90                     |
| WG-23-024 | 29.00    | 48.00  | 19.00                   | 0.46   | 0.25   | 0.02   | 0.04     | 0.01     | 0.02     | 1.21     | 100                    |
| and       | 56.00    | 61.00  | 5.00                    | 0.93   | 0.50   | 0.03   | 0.06     | 0.02     | 0.02     | 4.18     | 100                    |
| WG-23-025 | 20.00    | 67.00  | 47.00                   | 0.56   | 0.30   | 0.02   | 0.05     | 0.02     | 0.02     | 1.85     | 90                     |
| including | 42.00    | 65.00  | 23.00                   | 0.72   | 0.42   | 0.02   | 0.08     | 0.03     | 0.03     | 2.73     | 90                     |
| WG-23-026 | 106.00   | 186.90 | 80.90                   | 0.49   | 0.25   | 0.02   | 0.05     | 0.02     | 0.02     | 1.29     | 35                     |
| including | 167.00   | 186.90 | 19.90                   | 1.19   | 0.37   | 0.04   | 0.09     | 0.02     | 0.02     | 1.29     | 35                     |
| including | 170.00   | 177.90 | 7.90                    | 2.48   | 0.64   | 0.08   | 0.15     | 0.04     | 0.02     | 1.82     | 35                     |
| WG-23-027 | 68.00    | 120.50 | 52.50                   | 0.43   | 0.27   | 0.01   | 0.05     | 0.02     | 0.02     | 1.49     | 85                     |
| including | 96.65    | 120.50 | 23.85                   | 0.57   | 0.33   | 0.02   | 0.06     | 0.02     | 0.03     | 1.79     | 85                     |
| including | 111.00   | 120.50 | 9.50                    | 0.83   | 0.37   | 0.02   | 0.09     | 0.03     | 0.03     | 2.16     | 85                     |
| WG-23-028 | 79.00    | 275.85 | 196.85                  | 0.32   | 0.19   | 0.01   | 0.04     | 0.01     | 0.02     | 1.07     | 30                     |
| including | 89.00    | 110.00 | 21.00                   | 0.72   | 0.18   | 0.03   | 0.03     | 0.01     | 0.01     | 0.75     | 30                     |
| including |          |        |                         |        |        |        |          |          |          |          |                        |

93.60

95.00





0.27



0.06

0.07

0.01







WG-23-029 84.00 107.00 23.00 0.37 0.25 0.01 0.03 0.02 0.02 1.39 50  
 WG-23-030 20.00 52.00 32.00 0.60 0.36 0.02 0.07 0.02 0.03 2.02 45  
 including 39.00 46.00 7.00 0.98 0.54 0.03 0.15 0.38 0.04 3.00 45  
 WG-23-031 3.00 9.65 6.65 0.37 0.22 0.01 0.04 0.01 0.01 1.08 95  
 WG-23-032 34.50 42.50 8.00 0.49 0.38 0.02 0.05 0.02 0.03 2.00 85  
 WG-23-033 38.00 52.00 14.00 0.35 0.24 0.01 0.04 0.02 0.02 1.29 80  
 WG-23-034 59.00 90.00 31.00 0.27 0.19 0.01 0.04 0.01 0.01 1.26 50  
 including 96.00 97.65 1.65 0.67 0.34 0.02 0.05 0.03 0.03 2.29 50  
 WG-23-035 43.00 51.00 8.00 0.26 0.21 0.01 0.04 0.02 0.02 1.25 80  
 WG-23-036 97.00 102.00 5.00 0.39 0.23 0.01 0.05 0.02 0.01 1.54 45  
 WG-23-037 147.00 188.65 41.65 0.50 0.34 0.02 0.08 0.02 0.03 1.64 50  
 including 174.00 188.65 14.65 0.81 0.51 0.02 0.14 0.04 0.05 2.61 50  
 including 174.00 179.00 5.00 1.21 0.69 0.04 0.14 0.04 0.05 3.32 50  
 WG-23-038 130.00 140.00 10.00 0.43 0.25 0.01 0.06 0.02 0.21 1.31 75  
 WG-23-039 191.50 241.00 49.50 0.36 0.28 0.01 0.05 0.02 0.02 1.49 40  
 including 224.00 241.00 17.00 0.43 0.49 0.01 0.08 0.03 0.04 2.58 40  
 WG-23-040 169.00 209.00 40.00 0.46 0.32 0.01 0.07 0.02 0.03 1.90 60  
 WG-23-041 237.00 276.00 39.00 0.43 0.36 0.01 0.17 0.03 0.06 2.04 55  
 including 243.00 250.00 7.00 0.60 0.49 0.02 0.10 0.03 0.04 2.13 55  
 including 262.82 275.00 12.20 0.60 0.54 0.02 0.36 0.05 0.11 3.46 55  
 WG-23-042 256.00 306.00 50.00 1.06 0.34 0.03 0.15 0.04 0.04 1.71 75  
 including 286.00 306.00 20.00 1.71 0.46 0.05 0.17 0.06 0.06 2.61 75  
 including 286.90 291.70 4.80 3.15 0.21 0.09 0.15 0.11 0.02 0.95 75  
 and 331.00 331.40 0.40 6.23 0.30 0.14 0.10 0.12 0.03 2.60 75  
 and 336.90 337.20 0.30 7.07 0.09 0.15 0.04 0.07 0.01 2.50 75  
 WG-23-043 212.00 280.00 68.00 0.46 0.36 0.01 0.09 0.02 0.03 1.90 60  
 including 246.00 280.00 34.00 0.64 0.50 0.02 0.12 0.03 0.04 2.64 60  
 including 266.00 275.00 9.00 0.94 0.68 0.02 0.19 0.05 0.06 3.83 60  
 including 277.50 280.00 2.50 0.96 1.02 0.02 0.05 0.04 0.04 4.58 60  
 and 304.10 304.60 0.50 6.09 0.07 0.12 0.81 0.30 0.03 2.50 60  
 WG-23-044 362.35 375.40 13.05 0.74 0.81 0.02 0.22 0.05 0.10 4.84 45  
 including

369.25

375.40



0.96



0.03



0.08









|  |        |        |       |      |      |      |      |      |      |      |     |
|--|--------|--------|-------|------|------|------|------|------|------|------|-----|
| WG-23-045  | 286.00 | 296.00 | 10.00 | 0.33 | 0.24 | 0.01 | 0.12 | 0.02 | 0.03 | 1.33 | 60  |
| and  | 302.05 | 304.00 | 1.95  | 0.54 | 0.75 | 0.02 | 0.21 | 0.05 | 0.11 | 4.93 | 60  |
| and  | 307.55 | 308.55 | 1.00  | 0.81 | 1.12 | 0.02 | 0.31 | 0.09 | 0.37 | 8.50 | 60  |
| WG-23-046  | 381.55 | 402.35 | 20.80 | 0.46 | 0.58 | 0.01 | 0.32 | 0.04 | 0.14 | 4.03 | 65  |
| including  | 381.55 | 387.30 | 5.75  | 0.51 | 0.59 | 0.01 | 0.76 | 0.08 | 0.07 | 3.79 | 65  |
| Including  | 395.30 | 402.35 | 7.05  | 0.89 | 1.09 | 0.02 | 0.29 | 0.06 | 0.35 | 7.63 | 65  |
| WG-23-047  | 221.00 | 271.00 | 50.00 | 0.70 | 0.32 | 0.02 | 0.14 | 0.03 | 0.04 | 1.57 | 80  |
| including  | 245.00 | 263.00 | 18.00 | 1.27 | 0.47 | 0.04 | 0.20 | 0.05 | 0.04 | 2.16 | 80  |
| WG-23-048  | 196.00 | 229.10 | 33.10 | 0.54 | 0.38 | 0.02 | 0.09 | 0.03 | 0.03 | 1.98 | 85  |
| including  | 216.00 | 230.00 | 14.00 | 0.76 | 0.60 | 0.02 | 0.14 | 0.06 | 0.05 | 3.03 | 85  |
| WG-23-049  | 271.00 | 302.00 | 31.00 | 0.46 | 0.38 | 0.01 | 0.12 | 0.03 | 0.04 | 1.78 | 70  |
| including  | 289.00 | 299.00 | 10.00 | 0.69 | 0.47 | 0.02 | 0.16 | 0.04 | 0.05 | 2.10 | 70  |
| WG-23-050  | 118.00 | 143.00 | 25.00 | 0.53 | 0.34 | 0.02 | 0.07 | 0.02 | 0.03 | 1.82 | 85  |
| including  | 130.00 | 141.00 | 11.00 | 0.76 | 0.48 | 0.02 | 0.10 | 0.03 | 0.04 | 2.56 | 85  |
| WG-23-051  | 86.00  | 111.05 | 25.05 | 0.28 | 0.23 | 0.01 | 0.04 | 0.02 | 0.02 | 1.11 | 100 |
| WG-23-052  | 174.00 | 228.00 | 54.00 | 0.55 | 0.29 | 0.02 | 0.07 | 0.02 | 0.03 | 1.45 | 60  |
| including  | 184.60 | 208.00 | 23.40 | 0.78 | 0.35 | 0.02 | 0.07 | 0.02 | 0.02 | 1.63 | 60  |
| including  | 202.50 | 206.15 | 3.65  | 1.24 | 0.21 | 0.04 | 0.11 | 0.03 | 0.02 | 0.92 | 60  |
| WG-23-053  | 256.00 | 259.85 | 3.85  | 0.41 | 0.35 | 0.01 | 0.04 | 0.02 | 0.02 | 2.09 | 90  |
| and  | 276.75 | 281.00 | 4.25  | 0.49 | 0.29 | 0.02 | 0.08 | 0.02 | 0.03 | 1.62 | 90  |
| and  | 294.00 | 299.00 | 5.00  | 0.52 | 0.35 | 0.01 | 0.30 | 0.06 | 0.05 | 2.10 | 90  |
| WG-23-054  | 339.00 | 384.15 | 45.15 | 0.38 | 0.28 | 0.01 | 0.18 | 0.06 | 0.05 | 1.74 | 85  |
| including  | 348.70 | 369.00 | 20.30 | 0.55 | 0.38 | 0.01 | 0.17 | 0.04 | 0.06 | 2.30 | 85  |
| WG-23-055  | 335.00 | 354.30 | 19.30 | 0.36 | 0.22 | 0.01 | 0.09 | 0.02 | 0.03 | 1.00 | 75  |
| Notes:   | 382.5  | 394.00 | 11.50 | 0.35 | 0.25 | 0.01 | 0.19 | 0.03 | 0.05 | 0.92 | 75  |
| and  | 429.05 | 458.00 | 28.95 | 0.47 | 0.36 | 0.02 | 0.15 | 0.03 | 0.04 | 2.01 | 85  |
| WG-23-056  | 458.00 | 480.75 | 22.75 | 0.47 | 0.36 | 0.02 | 0.15 | 0.03 | 0.04 | 2.01 | 85  |
| and  | 485.35 | 492.00 | 6.65  | 0.56 | 0.46 | 0.02 | 0.17 | 0.04 | 0.06 | 2.49 | 65  |
| WG-23-057  | 408.00 | 428.00 | 19.00 | 0.41 | 0.33 | 0.01 | 0.09 | 0.03 | 0.03 | 1.67 | 95  |
| West Graham Project  | 447.00 | 462.00 | 15.00 | 0.39 | 0.28 | 0.01 | 0.34 | 0.07 | 0.06 | 0.63 | 95  |
| and  | 407.00 | 468.05 | 61.05 | 0.47 | 0.17 | 0.04 | 0.46 | 0.18 | 0.09 | 0.70 | 95  |
| On January 23, 2023, SPC Nickel announced the signing of an Agreement with Vale Canada ("Vale") granting SPC Nickel a 10% net-net interest in the Hill 3 Property that is located adjacent to SPC Nickel's West Graham Property. |        |        |       |      |      |      |      |      |      |      |     |
| WG-23-058  | 327.00 | 358.00 | 31.00 | 0.52 | 0.37 | 0.02 | 0.16 | 0.03 | 0.05 | 2.11 | 90  |

- As an advanced project, the combination of the West Graham and Crean Hill 3 assets is a transformational opportunity for SPC Nickel. The historical mineral resources on these properties form one contiguous near-surface deposit and are being re-evaluated as follows:
  - Crean Hill 3 hosts a historical mineral estimate of 16.78Mt @ 0.43% Ni and 0.30% Cu<sup>1</sup>.
  - West Graham hosts a historical indicated mineral resource of 8.55Mt @ 0.45% Ni, 0.31% Cu along with an inferred mineral resource of 2.0Mt @ 0.38% Ni, 0.30% Cu<sup>2</sup>.

SPC Nickel considers the West Graham and Crean Hill 3 resource estimates to be historical mineral resource estimates for purposes of NI 43-101. Neither the Company nor a qualified person on behalf of SPC Nickel have done sufficient work to classify the historical estimates as current mineral resources and SPC Nickel is not treating such historical estimates as current mineral resources. SPC Nickel considers the historic mineral resource estimates to be relevant to an understanding of the Project but has not done any work to validate the estimates.

#### Reference

1. Van Wiechen, A.G (1990): December 31, 1989 Mineral Resource Inventory table in: The Exploration Potential for Sulphide Mineralization in the Crean Hill - Ellen - Crean Hill No.3 Environment, Internal Inco Report, December 13, 1990.
2. Routledge, Richard and Churchill, Bruce (2009): Technical Report on the West Graham Property Conwest Zone Resource Estimate, Graham Township, Ontario, Canada prepared for [First Nickel Inc.](#), January 15, 2009. Scott Wilson Roscoe Postle Associates.

#### Quality Assurance, Quality Control and Qualified Persons

The technical elements of this news release have been approved by Mr. Grant Murre, P.Geo. (PGO), CEO and President of [SPC Nickel Corp.](#) and a Qualified Person under National Instrument 43-101.

SPC Nickel follows rigorous sampling and analytical protocols that meet or exceed industry standards. Core samples are stored in a secured area until transport in batches to the ALS facility in Sudbury, Ontario, Canada. Sample batches include certified reference materials, blank, and duplicate samples that are then processed under the control of ALS. All samples were analyzed in Vancouver by ALS Chemex. Platinum, palladium, and gold values were determined together using standard lead oxide collection fire assay and ICP-AES finish. Base metal values were determined using sodium peroxide fusion and ICP-AES finish. Silver values were determined using an aqua regia digestion and an AAS finish. A Certified Reference Material (CRM) standard, blank or duplicate is inserted on every 10th sample in the following order: CRM, blank, CRM, duplicate. The cycle repeats every 40 samples, thus ensuring that 10% of samples submitted are control samples.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

#### About SPC Nickel Corp.

[SPC Nickel Corp.](#) is a Canadian public corporation focused on exploring for Ni-Cu-PGMs within the world class Sudbury Mining Camp. SPC Nickel is currently exploring its key 100% owned exploration project Lockerby East located in the heart of the historic Sudbury Mining Camp that includes the West Graham Resource and the Crean Hill 3 property under option from Vale. SPC Nickel also holds three additional projects across Canada including the large camp-scale Muskox Project (located in Nunavut), the past producing Aer-Kidd Project (located in the Sudbury Mining Camp) and the Janes Project (located 50 km northwest of Sudbury). The corporate focus is on Sudbury, and SPC Nickel continues to look for new opportunities to add shareholder value. Additional information regarding SPC Nickel and its projects can be found at [www.spcnickel.com](http://www.spcnickel.com).

#### Cautionary Note on Forward-Looking Information

Except for statements of historical fact contained herein, the information in this news release constitutes

"forward-looking information" within the meaning of Canadian securities law. Such forward-looking information may be identified by words such as "plans", "proposes", "estimates", "intends", "expects", "believes", "may", "will" and include without limitation, statements regarding estimated capital and operating costs, expected production timeline, benefits of updated development plans, foreign exchange assumptions and regulatory approvals. There can be no assurance that such statements will prove to be accurate; actual results and future events could differ materially from such statements. Factors that could cause actual results to differ materially include, among others, metal prices, competition, risks inherent in the mining industry, and regulatory risks. Most of these factors are outside the control of SPC Nickel. Investors are cautioned not to put undue reliance on forward-looking information. Except as otherwise required by applicable securities statutes or regulation, SPC Nickel expressly disclaims any intent or obligation to update publicly forward-looking information, whether as a result of new information, future events or otherwise.

SOURCE [SPC Nickel Corp.](#)

Further information is available at [www.spcnickel.com](http://www.spcnickel.com) by contacting: Grant Mourre, Chief Executive Officer, [SPC Nickel Corp.](http://www.spcnickel.com), Tel: (705) 669-1777, Email: [info@spcnickel.com](mailto:info@spcnickel.com)

---

Dieser Artikel stammt von [Rohstoff-Welt.de](http://Rohstoff-Welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/452968--SPC-Nickel-Intersects-Shallow-Mineralization-Grading-1.07Prozent-Nickel-and-0.44Prozent-Copper-over-12.5-met>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).