

Lion One Drills 448.98 g/t, 202.34 g/t, and 108.5 g/t Gold at Tuvatu, Provides Operations Update

25.04.2024 | [Newsfile](#)

North Vancouver, April 25, 2024 - [Lion One Metals Ltd.](#) (TSXV: LIO) (OTCQX: LOMLF) (ASX: LLO) ("Lion One" or the "Company") is pleased to report significant new high-grade gold results from ongoing infill and grade control drilling at its 100% owned Tuvatu Alkaline Gold Project in Fiji and provides an update to mining operations at Tuvatu.

Assay results are presented here for infill and grade control drilling completed in the Zone 2 area of Tuvatu and include multiple bonanza grade gold results such as 448.98 g/t, 202.34 g/t, 108.5 g/t, 92.89 g/t, and 82.35 g/t. These drill intercepts are all located in the near surface portion of Tuvatu and are scheduled for mining in the short term. The results included in this news release are from drill holes that targeted the URW1 and Murau lode systems proximal to underground development. Previous results from Zone 2 drilling are available in the news releases dated October 19, 2023 and September 14, 2023.

Mining operations are also advancing in Zone 2 and in Zone 5. A total of 2,630 m of sludge hole drilling has been completed in advance of longhole mining in Zone 2. In Zone 5, airleg stoping on the UR2 lode is ongoing, with two leadings stopes underway and sublevels being driven for a gallery stope. Longhole production drilling is expected to commence in both Zone 2 and Zone 5 in late April, generating production tonnes in mid-May.

Highlights of Zone 2 drill results (3.0 g/t cutoff):

- 226.55 g/t Au over 0.6 m (including 448.98 g/t Au over 0.3 m) (TGC-0113, from 84.6 m depth)
- 18.35 g/t Au over 4.8 m (including 40.99 g/t Au over 0.6 m) (TUDDH-686A, from 128.9 m depth)
- 9.99 g/t Au over 8.1 m (including 30.34 g/t Au over 0.3 m) (TGC-0121, from 65.0 m depth)
- 82.35 g/t Au over 0.9 m (including 82.35 g/t Au over 0.9 m) (TGC-0110, from 65.1 m depth)
- 7.48 g/t Au over 9 m (including 20.78 g/t Au over 0.9 m) (TGC-0118, from 86.3 m depth)
- 105.86 g/t Au over 0.6 m (including 202.34 g/t Au over 0.3 m) (TGC-0121, from 83.3 m depth)
- 14.9 g/t Au over 4.2 m (including 21.44 g/t Au over 2.4 m) (TUDDH-698, from 146.3 m depth)
- 8.27 g/t Au over 7.2 m (including 25.58 g/t Au over 0.3 m) (TGC-0127, from 66.0 m depth)
- 27.94 g/t Au over 2.1 m (including 54.65 g/t Au over 0.9 m) (TGC-0118, from 66.2 m depth)
- 15.72 g/t Au over 3.6 m (including 25.53 g/t Au over 1.2 m) (TUDDH-682, from 74.3 m depth)
- 16.29 g/t Au over 3.3 m (including 46.63 g/t Au over 0.6 m) (TGC-0130, from 107.8 m depth)
- 33.92 g/t Au over 1.5 m (including 92.89 g/t Au over 0.3 m) (TGC-0134, from 113.8 m depth)
- 20.86 g/t Au over 2.4 m (including 23.67 g/t Au over 1.2 m) (TGC-0125, from 14.4 m depth)
- 11.08 g/t Au over 4.5 m (including 46.77 g/t Au over 0.6 m) (TGC-0102, from 41.4 m depth)
- 13.18 g/t Au over 3.3 m (including 22.4 g/t Au over 0.9 m) (TGC-0125, from 100.2 m depth)

Highlights of operations update:

- 2,630 m of sludge hole drilling complete in the URW1 and Murau lodes in Zone 2.
- Airleg mining of the UR2 leading stopes ongoing in Zone 5.
- Two longhole drill rigs successfully commissioned.
- Two remote capable loaders to be commissioned by early May.
- Upgrades to CIL circuit advancing, two new blowers to be installed in late April and early May.

Figure 1. Location of Zone 2 infill and grade control drillholes. Left image: Plan view of Tuvatu showing Zone 2 infill and grade control drillholes in relation to the mineralized lodes at Tuvatu, shown in grey. Right image: Oblique view of Zone 2 infill and grade control drilling looking approximately northeast.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/2178/206800_93e3f6c7e4916a2f_001full.jpg

Table 1. Highlights of composited infill and grade control drill results in the Zone 2 area, 3.0 g/t Au cutoff. For full results see Table 3 in the appendix.

Hole ID	From	To	Interval (m)	Au (g/t)	
TGC-0113	84.6	85.2	0.6	226.55	
	including	84.6	84.9	0.3	448.98
TUDDH-686A	128.9	133.7	4.8	18.35	
	including	128.9	129.5	0.6	20.80
	and	129.5	130.1	0.6	40.99
	and	130.7	131.3	0.6	9.97
	and	131.9	132.8	0.9	30.02
	and	132.8	133.4	0.6	18.88
	and	133.4	133.7	0.3	13.23
TGC-0121	65.0	73.1	8.1	9.99	
	including	65.0	65.3	0.3	30.34
	and	68.3	69.2	0.9	11.96
	and	70.1	71.3	1.2	22.51
	and	71.3	72.2	0.9	12.22
	and	72.2	73.1	0.9	15.63
TGC-0110	65.1	66.0	0.9	82.35	
TGC-0118	86.3	95.3	9.0	7.48	
	including	87.2	88.1	0.9	20.27
	and	91.1	92.3	1.2	8.33
	and	93.2	94.1	0.9	20.78
TGC-0121	83.3	83.9	0.6	105.86	
	including	83.3	83.6	0.3	9.38
	and	83.6	83.9	0.3	202.34
TUDDH-698	146.3	150.5	4.2	14.90	
	including	146.3	146.9	0.6	20.45
	and	146.9	147.5	0.6	28.43
	and	147.5	148.1	0.6	20.89
	and	148.1	148.7	0.6	15.99
	and	149.3	150.5	1.2	8.96
TGC-0127	66.0	73.2	7.2	8.27	
	including	66.0	66.6	0.6	25.25
	and	67.2	67.8	0.6	8.10
	and	69.9	70.2	0.3	15.57
	and	70.2	70.5	0.3	13.03
	and	70.5	71.1	0.6	7.91
	and	71.1	71.4	0.3	6.29
	and	71.4	71.7	0.3	19.87
	and	71.7	72.0	0.3	25.58
TGC-0118	66.2	68.3	2.1	27.94	
	including	66.2	67.1	0.9	54.65
	and	67.1	68.3	1.2	7.91
TUDDH-682	74.3	77.9	3.6	15.72	
	including	74.3	75.5	1.2	25.53
	and	76.4	77.3	0.9	11.87
	and	77.3	77.9	0.6	25.25
TGC-0130	107.8	111.1	3.3	16.29	
	including	107.8	108.4	0.6	8.66
	and	108.4	109.0	0.6	46.63
	and	109.0	109.6	0.6	17.82
	and	110.2	111.1	0.9	8.16
TGC-0134	113.8	115.3	1.5	33.92	
	including	113.8	114.1	0.3	58.96
	and	114.1	114.4	0.3	92.89
	and	114.4	114.7	0.3	9.39

TGC-0125	14.4	16.8	2.4	20.86
including	14.4	14.7	0.3	8.60
and	14.7	15.9	1.2	23.67
and	15.9	16.8	0.9	21.22
TGC-0102	41.4	45.9	4.5	11.08
including	41.4	42	0.6	15.02
and	42.9	43.5	0.6	46.77
and	43.5	43.8	0.3	11.96
and	44.7	45.3	0.6	7.21
TGC-0125	100.2	103.5	3.3	13.18
including	100.2	100.8	0.6	25.65
and	100.8	101.1	0.3	15.69
and	101.1	101.4	0.3	10.76
and	102.3	102.6	0.3	15.92
and	102.9	103.2	0.3	21.22
and	103.2	103.5	0.3	30.11

Zone 2 Drilling

The Zone 2 area of Tuvatu is located in the northwest part of the deposit, near the main portal. The URW1 and Murau lode systems are the primary mineralized systems in Zone 2, with production mining starting first in URW1 and then in Murau. A total of 38 drill holes are reported in this news release, including 18 targeting the URW1 lodes and 20 targeting the Murau system.

The URW1 drilling reported here was designed to provide grade control results between the 1161 and 1101 levels in Zone 2, and to provide infill and down-dip extension results in the URW1 system below the 1101 level. Leading edge airleg stoping has been completed on the 1141 level, and a 5 m wide access drive on the 1161 level has also been completed. The 1161 access drive will provide longhole drill and underground loader access to the upper part of the URW1 lode system for mechanized production.

Figure 2. Zone 2 URW1 drilling with high-grade intersects highlighted, 3.0 g/t gold cutoff. Drilling below the 1101 level is targeting URW1 down-dip extension, drilling above the 1101 level is grade control drilling.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/2178/206800_93e3f6c7e4916a2f_002full.jpg

The Murau drilling reported here was designed to provide infill and grade control results in the upper portion of the Murau lode system, which will be the first part of the system to be mined and is scheduled for production in Q3 2024. The Murau lode system dips moderately to the SSW and is open down dip and at depth. The upper portion of the system that is targeted for near-term mining has a strike length of 80m and extends down dip for a length of 100 m.

Figure 3. Zone 2 Murau drilling with high-grade intersects highlighted, 3.0 g/t gold cutoff. The Murau lode system will be the second area to enter production in Zone 2 after the URW1 lode system. The drilling shown here is infill and grade control drilling in the upper portion of the system. View is to the southeast, looking approximately down the decline from the entrance portal. The intersections on the bottom left of the image represent newly discovered mineralized lodes to be followed up with near-mine exploration drilling.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/2178/206800_93e3f6c7e4916a2f_003full.jpg

Operations Update

The URW1 lodes will be the first at Tuvatu to undergo mechanized production mining. Development has been ongoing across the 1101, 1121, 1141, and 1161 levels in advance of production. A leading airleg stope has been completed on the 1141 level, and the 1141 A and B vein drives are undergoing stripping to

facilitate larger equipment, in preparation for bulk stoping. An access drive has been completed on the 1161 level and will provide access for the longhole drills and larger loaders.

The URW1 lodes consist of primary subvertical veins with a halo of stockwork mineralization. Sludge drilling is being conducted in advance of mining to confirm the extent of stockwork mineralization beyond the primary vein as well as to inform the final stope design. A total of 1,930 m of sludge hole drilling has been completed in the URW1 lode system. Sludge hole drilling on the 1101 level is complete (1,200 m) and is ongoing on the 1121 and 1141 levels (730 m complete to date). Longhole drilling will commence in the URW1 lode system in late April with production mining of the 1101 level starting in May. Sludge drilling has also commenced on the Murau lode system with 700 m complete to date.

Figure 4. Zone 2 mine development and sludge drilling. Sludge drilling on the 1101 level is complete and is ongoing on the 1121 and 1141 levels. Longhole drilling is scheduled to begin on the 1101 level in late April.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/2178/206800_93e3f6c7e4916a2f_004full.jpg

In Zone 5, airleg stoping on the UR2 lode is underway on the 1130 North level and on the 1120 South level. Airleg development is ongoing on the URW3 lode with airleg rises planned above the 1126 Sublevel. Mineralization in the UR2 and URW3 lodes is predominantly subvertical high-grade narrow-vein gold with minimal stockwork veining. Longhole mining is scheduled to take place in Zone 5 on the 1120 North UR2 drive, beginning in May.

Figure 5. Oblique view of Zone 5 development. Airleg stoping of the UR2 lode is ongoing on the 1130 North and 1120 South levels. Airleg development on the URW3 lode is ongoing on the 1126 Sublevel. The first area scheduled for longhole mining in Zone 5 will be the 1120 North drive on the UR2 lode.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/2178/206800_93e3f6c7e4916a2f_005full.jpg

Two remote-capable loaders required to facilitate the extraction of material from longhole stopes have been acquired. A CAT 1700 loader fitted with remote technology will be commissioned in May for bogging of the 1101 bulk stope at the URW1 lodes, and a CAT 1300 remote loader from Australia is now on site and will also be commissioned in early May. These loaders will enable increased production from the mine.

The first of two blowers ordered to upgrade the CIL circuit and improve aeration within the tanks has arrived on site and will be installed by April 30, 2024. The second blower is scheduled to arrive by the end of April and will be installed in early May. Air sparger installation in the CIL tanks was completed in April resulting in improved aeration and gold recovery in the CIL circuit, with gold recoveries of over 80% achieved. Installation of the new blowers is anticipated to further improve aeration and recoveries in the CIL circuit.

Qualified Person (NI43-101)

In accordance with National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"), Alex Nichol, MAIG, VP Geology and Exploration, is the Qualified Person for the Company, and has reviewed, validated, and approved the technical and scientific content of this news release.

Lion One Laboratories / QAQC

Lion One adheres to rigorous QAQC procedures above and beyond basic regulatory guidelines in conducting its drilling, sampling, testing, and analyses. The Company operates its own geochemical assay laboratory and its own fleet of 7 diamond drill rigs using PQ, HQ and NQ sized drill rods.

Diamond drill core samples are logged and split by Lion One personnel on site and delivered to the Lion One Laboratory for preparation and analysis. All samples are pulverized at the Lion One lab to 85% passing through 75 microns and gold analysis is carried out using fire assay with an AA finish. Samples that return grades greater than 10.00 g/t Au are re-analyzed by gravimetric method, which is considered more accurate for very high-grade samples.

Duplicates of 5% of samples with grades above 0.5 g/t Au are delivered to ALS Global Laboratories in Australia for check assay determinations using the same methods (Au-AA26 and Au-GRA22 where applicable). ALS also analyses 33 pathfinder elements by HF-HNO₃-HClO₄ acid digestion, HCl leach and ICP-AES (method ME-ICP61). The Lion One lab can test a range of up to 71 elements through Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES), but currently focuses on a suite of 23 important pathfinder elements with an aqua regia digest and ICP-OES finish.

About Lion One Metals Limited

Lion One Metals is an emerging Canadian gold producer headquartered in North Vancouver BC, with new operations established in late 2023 at its 100% owned Tuvatu Alkaline Gold Project in Fiji. The Tuvatu project comprises the high-grade Tuvatu Alkaline Gold Deposit, the Underground Gold Mine, the Pilot Plant, and the Assay Lab. The Company also has an extensive exploration license covering the entire Navilawa Caldera, which is host to multiple mineralized zones and highly prospective exploration targets.

Contact Information

Investor inquiries: info@liononemetals.com
 Phone: 1-855-805-1250 (toll free North America)
 Website: www.liononemetals.com

Neither the TSX-V nor its Regulation Service Provider accepts responsibility or the adequacy or accuracy of this release

This press release may contain statements that may be deemed to be "forward-looking statements" within the meaning of applicable Canadian securities legislation. All statements, other than statements of historical fact, included herein are forward-looking information. Generally, forward-looking information may be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "proposed", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases, or by the use of words or phrases which state that certain actions, events or results may, could, would, or might occur or be achieved. This forward-looking information reflects [Lion One Metals Ltd.](#)'s current beliefs and is based on information currently available to [Lion One Metals Ltd.](#) and on assumptions [Lion One Metals Ltd.](#) believes are reasonable. These assumptions include, but are not limited to, the actual results of exploration projects being equivalent to or better than estimated results in technical reports, assessment reports, and other geological reports or prior exploration results. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance, or achievements of [Lion One Metals Ltd.](#) or its subsidiaries to be materially different from those expressed or implied by such forward-looking information. Such risks and other factors may include, but are not limited to: the stage development of [Lion One Metals Ltd.](#), general business, economic, competitive, political and social uncertainties; the actual results of current research and development or operational activities; competition; uncertainty as to patent applications and intellectual property rights; product liability and lack of insurance; delay or failure to receive board or regulatory approvals; changes in legislation, including environmental legislation, affecting mining, timing and availability of external financing on acceptable terms; not realizing on the potential benefits of technology; conclusions of economic evaluations; and lack of qualified, skilled labor or loss of key individuals. Although [Lion One Metals Ltd.](#) has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking information, there may be other factors that cause results not to be as anticipated, estimated, or intended. Accordingly, readers should not place undue reliance on forward-looking information. [Lion One Metals Ltd.](#) does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

Appendix 1: Full Drill Results and Collar Information

Table 2. Collar coordinates for drillholes reported in this release. Coordinates are in Fiji map grid.

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	Depth
TGC-0102	1876266	3920768	152	24.7	-60.3	65.6
TGC-0103	1876266	3920768	152	26.6	-45.6	71.8
TGC-0104	1876267	3920763	152	52.9	-45.6	62.6
TGC-0105	1876268	3920762	152	56.5	-38.6	200.7
TGC-0108	1876267	3920762	151	56.4	-72.4	66.7
TGC-0110	1876268	3920763	153	50.6	-17.6	80.2

TGC-0111	1876268 3920763 153	54.3	-10.8	80.4
TGC-0113	1876269 3920758 153	85.0	-2.0	115.9
TGC-0115	1876269 3920758 153	76.8	3.9	107.0
TGC-0117	1876375 3920628 128	355.2	-19.0	135.0
TGC-0118	1876269 3920758 152	76.3	-14.2	107.3
TGC-0119	1876375 3920628 127	348.7	-29.2	120.7
TGC-0120	1876374 3920628 128	327.3	-18.6	150.0
TGC-0121	1876269 3920758 152	82.9	-12.8	107.3
TGC-0122	1876269 3920757 152	88.0	-16.6	113.3
TGC-0123	1876375 3920628 128	347.3	-18.8	11.5
TGC-0124	1876375 3920628 128	341.3	-19.4	125.2
TGC-0125	1876268 3920757 152	92.7	-36.5	125.7
TGC-0126	1876375 3920628 127	341.0	-26.1	120.8
TGC-0127	1876268 3920757 151	98.6	-70.0	83.5
TGC-0128	1876375 3920628 128	330.3	-19.7	120.4
TGC-0129	1876267 3920756 151	135.1	-79.6	26.2
TGC-0130	1876375 3920628 128	338.6	-8.3	130.3
TGC-0131	1876267 3920757 151	127.4	-78.7	95.8
TGC-0132	1876375 3920628 128	350.0	-19.5	11.5
TGC-0133	1876375 3920628 128	348.8	-19.8	135.3
TGC-0134	1876375 3920628 128	337.7	-18.5	125.0
TGC-0136	1876375 3920628 127	337.4	-26.6	120.7
TUDDH-682	1876259 3920803 203	63.8	-71.1	101.4
TUDDH-683	1876225 3920709 218	27.2	-65.2	170.5
TUDDH-684	1876260 3920802 203	75.0	-61.1	100.0
TUDDH-686	1876225 3920709 218	36.9	-58.2	25.0
TUDDH-686A	1876225 3920709 218	36.5	-58.1	160.1
TUDDH-689	1876260 3920801 203	79.2	-67.3	105.1
TUDDH-694	1876259 3920803 203	44.4	-81.1	99.8
TUDDH-697	1876259 3920804 203	36.6	-69.2	96.2
TUDDH-698	1876224 3920708 218	37.6	-66.3	180.0
TUDDH-700	1876254 3920802 203	18.6	-72.3	95.4

Table 3. Compositated results from infill and grade control drillholes in the Zone 2 area (grade >3.0 g/t Au)

Hole ID	From	To	Interval (m)	Au (g/t)
TGC-0102	7.5	8.1	0.6	7.23
TGC-0102	18.3	18.6	0.3	5.56
TGC-0102	41.4	45.9	4.5	11.08
including	41.4	42	0.6	15.02
and	42.9	43.5	0.6	46.77
and	43.5	43.8	0.3	11.96
and	44.7	45.3	0.6	7.21
and	45.3	45.9	0.6	4.29
TGC-0102	48.3	48.6	0.3	6.56
TGC-0103	22.2	22.5	0.3	9.70
TGC-0103	25.8	26.1	0.3	11.26
TGC-0103	38.7	40.5	1.8	3.99
including	38.7	39.6	0.9	3.84
and	39.6	40.5	0.9	4.15
TGC-0103	41.7	43.5	1.8	10.38
including	41.7	42.6	0.9	5.15
and	42.6	42.9	0.3	27.32
and	42.9	43.5	0.6	9.76
TGC-0103	50.7	52.8	2.1	5.29
including	50.7	51.6	0.9	3.52
and	52.2	52.5	0.3	10.85
and	52.5	52.8	0.3	9.80
TGC-0104	19.2	19.5	0.3	15.22

TGC-0104	45.6	47.4	1.8	4.06
including	45.6	46.2	0.6	9.88
and	47.1	47.4	0.3	4.62
TGC-0104	49.8	50.4	0.6	3.46
TGC-0104	52.2	53.4	1.2	5.01
including	52.2	52.5	0.3	3.08
and	52.5	52.8	0.3	8.36
and	52.8	53.4	0.6	4.31
TGC-0105	22.5	22.8	0.3	8.86
TGC-0105	46.5	47.7	1.2	10.88
TGC-0105	52.5	54.0	1.5	3.99
including	52.5	52.8	0.3	3.79
and	53.7	54.0	0.3	14.85
TGC-0105	135.3	136.2	0.9	4.32
TGC-0105	181.2	182.1	0.9	25.59
TGC-0108	13.2	13.5	0.3	5.25
TGC-0108	47.1	47.4	0.3	3.98
TGC-0108	48.9	50.1	1.2	5.43
TGC-0110	30.9	32.1	1.2	6.14
TGC-0110	39.9	40.2	0.3	108.50
TGC-0110	60.9	61.2	0.3	3.60
TGC-0110	65.1	66.0	0.9	82.35
TGC-0110	68.1	69.0	0.9	4.83
TGC-0110	74.1	74.4	0.3	7.02
TGC-0111	43.2	43.8	0.6	3.24
TGC-0111	51.6	52.2	0.6	4.27
TGC-0111	56.1	56.7	0.6	9.85
TGC-0111	59.1	64.2	5.1	4.90
including	59.1	59.7	0.6	3.51
and	60.6	61.2	0.6	7.28
and	61.8	62.4	0.6	7.06
and	62.4	63.0	0.6	10.23
and	63.0	63.6	0.6	6.67
and	63.6	64.2	0.6	6.97
TGC-0111	68.4	69.0	0.6	12.07
TGC-0111	75.6	76.5	0.9	3.07
TGC-0111	78.6	79.2	0.6	4.36
TGC-0113	48.0	48.6	0.6	4.76
TGC-0113	66.6	66.9	0.3	4.87
TGC-0113	68.7	69.0	0.3	5.26
TGC-0113	70.8	72.3	1.5	5.53
including	70.8	71.7	0.9	7.00
and	71.7	72.3	0.6	3.33
TGC-0113	77.4	78.0	0.6	4.38
TGC-0113	82.5	82.8	0.3	6.77
TGC-0113	84.6	85.2	0.6	226.55
including	84.6	84.9	0.3	448.98
and	84.9	85.2	0.3	4.12
TGC-0115	15.0	15.3	0.3	5.18
TGC-0115	74.4	75.0	0.6	26.70
including	74.4	74.7	0.3	4.44
and	74.7	75.0	0.3	48.96
TGC-0115	79.2	79.8	0.6	7.43
TGC-0115	94.5	94.8	0.3	5.84
TGC-0117	81.9	82.2	0.3	9.30
TGC-0118	15.2	16.1	0.9	10.45
TGC-0118	66.2	68.3	2.1	27.94
including	66.2	67.1	0.9	54.65

	and	67.1	68.3	1.2	7.91
TGC-0118		72.2	76.1	3.9	6.92
	including	72.2	73.1	0.9	6.79
	and	73.1	74.3	1.2	7.55
	and	74.3	75.2	0.9	6.79
	and	75.2	76.1	0.9	6.37
TGC-0118		82.1	84.2	2.1	4.10
	including	82.1	83.3	1.2	3.41
	and	83.3	84.2	0.9	5.02
TGC-0118		86.3	95.3	9.0	7.48
	including	86.3	87.2	0.9	5.20
	and	87.2	88.1	0.9	20.27
	and	88.1	89.3	1.2	5.46
	and	90.2	91.1	0.9	4.03
	and	91.1	92.3	1.2	8.33
	and	93.2	94.1	0.9	20.78
	and	94.1	95.3	1.2	4.00
TGC-0119		82.6	82.9	0.3	23.21
TGC-0121		15.8	16.4	0.6	7.17
	including	15.8	16.1	0.3	4.30
	and	16.1	16.4	0.3	10.05
TGC-0121		36.8	37.7	0.9	9.87
	including	36.8	37.1	0.3	5.95
	and	37.1	37.4	0.3	12.68
	and	37.4	37.7	0.3	10.99
TGC-0121		65.0	73.1	8.1	9.99
	including	65.0	65.3	0.3	30.34
	and	65.3	66.2	0.9	3.71
	and	67.1	68.3	1.2	3.92
	and	68.3	69.2	0.9	11.96
	and	70.1	71.3	1.2	22.51
	and	71.3	72.2	0.9	12.22
	and	72.2	73.1	0.9	15.63
TGC-0121		83.3	83.9	0.6	105.86
	including	83.3	83.6	0.3	9.38
	and	83.6	83.9	0.3	202.34
TGC-0121		90.2	91.1	0.9	6.28
TGC-0121		99.2	100.1	0.9	6.46
TGC-0122		14.7	15.3	0.6	3.47
TGC-0122		22.5	23.4	0.9	13.80
	including	22.5	23.1	0.6	7.89
	and	23.1	23.4	0.3	25.64
TGC-0122		64.2	66.3	2.1	4.62
	including	64.2	64.8	0.6	9.79
	and	64.8	65.1	0.3	6.38
	and	65.7	66.3	0.6	3.22
TGC-0122		111.6	113.3	1.7	5.37
	including	111.6	112.2	0.6	9.99
	and	112.8	113.3	0.5	3.69
TGC-0124		103.5	103.8	0.3	13.87
TGC-0125		14.4	16.8	2.4	20.86
	including	14.4	14.7	0.3	8.60
	and	14.7	15.9	1.2	23.67
	and	15.9	16.8	0.9	21.22
TGC-0125		85.8	87.0	1.2	5.42
	including	85.8	86.1	0.3	5.16
	and	86.7	87.0	0.3	10.58
TGC-0125		100.2	103.5	3.3	13.18

	including	100.2	100.8	0.6	25.65
	and	100.8	101.1	0.3	15.69
	and	101.1	101.4	0.3	10.76
	and	102.3	102.6	0.3	15.92
	and	102.9	103.2	0.3	21.22
	and	103.2	103.5	0.3	30.11
TGC-0126		88.7	89.0	0.3	4.81
TGC-0127		10.2	10.5	0.3	3.38
TGC-0127		52.5	52.8	0.3	7.86
TGC-0127		66.0	73.2	7.2	8.27
	including	66.0	66.6	0.6	25.25
	and	67.2	67.8	0.6	8.10
	and	67.8	68.4	0.6	4.49
	and	68.4	69.3	0.9	4.33
	and	69.9	70.2	0.3	15.57
	and	70.2	70.5	0.3	13.03
	and	70.5	71.1	0.6	7.91
	and	71.1	71.4	0.3	6.29
	and	71.4	71.7	0.3	19.87
	and	71.7	72.0	0.3	25.58
	and	72.6	72.9	0.3	3.82
	and	72.9	73.2	0.3	4.43
TGC-0129		9.3	10.2	0.9	11.03
	including	9.3	9.6	0.3	18.79
	and	9.6	10.2	0.6	7.16
TGC-0130		106.0	106.6	0.6	4.11
TGC-0130		107.8	111.1	3.3	16.29
	including	107.8	108.4	0.6	8.66
	and	108.4	109.0	0.6	46.63
	and	109.0	109.6	0.6	17.82
	and	109.6	110.2	0.6	4.27
	and	110.2	111.1	0.9	8.16
TGC-0131		65.8	66.7	0.9	10.99
TGC-0133		82.2	82.8	0.6	43.89
TGC-0134		95.5	96.4	0.9	3.62
TGC-0134		110.8	111.4	0.6	4.90
TGC-0134		113.8	115.3	1.5	33.92
	including	113.8	114.1	0.3	58.96
	and	114.1	114.4	0.3	92.89
	and	114.4	114.7	0.3	9.39
	and	114.7	115.3	0.6	4.18
TGC-0135		120.3	121.2	0.9	4.71
TGC-0136		90.0	90.9	0.9	29.78
TGC-0136		92.1	93.0	0.9	3.43
TGC-0136		100.2	100.5	0.3	3.27
TUDDH-682		24.5	24.8	0.3	3.55
TUDDH-682		63.8	64.4	0.6	7.01
TUDDH-682		68.6	69.8	1.2	8.16
	including	68.6	69.2	0.6	9.79
	and	69.2	69.8	0.6	6.53
TUDDH-682		74.3	77.9	3.6	15.72
	including	74.3	75.5	1.2	25.53
	and	76.4	77.3	0.9	11.87
	and	77.3	77.9	0.6	25.25
TUDDH-684		59.5	60.1	0.6	3.45
TUDDH-684		73.0	75.7	2.7	5.29
	including	73.0	74.2	1.2	9.06
	and	74.8	75.7	0.9	3.79

TUDDH-684	77.5	77.8	0.3	10.35
TUDDH-684	78.7	79.0	0.3	3.54
TUDDH-686A	86.3	87.5	1.2	5.78
TUDDH-686A	116.0	116.6	0.6	3.79
TUDDH-686A	128.9	133.7	4.8	18.35
including	128.9	129.5	0.6	20.80
and	129.5	130.1	0.6	40.99
and	130.1	130.7	0.6	4.38
and	130.7	131.3	0.6	9.97
and	131.9	132.8	0.9	30.02
and	132.8	133.4	0.6	18.88
and	133.4	133.7	0.3	13.23
TUDDH-686A	136.7	137.0	0.3	5.04
TUDDH-686A	139.4	140.6	1.2	3.24
TUDDH-689	63.3	63.9	0.6	13.42
TUDDH-689	73.8	75.0	1.2	4.80
TUDDH-689	81.0	81.3	0.3	9.24
TUDDH-694	28.9	29.5	0.6	8.03
including	28.9	29.2	0.3	4.29
and	29.2	29.5	0.3	11.78
TUDDH-694	68.2	68.5	0.3	3.34
TUDDH-694	72.4	75.4	3.0	6.09
including	72.4	73.0	0.6	12.02
and	73.6	74.8	1.2	3.65
and	74.8	75.4	0.6	9.78
TUDDH-694	76.6	77.8	1.2	9.54
including	76.6	77.2	0.6	3.60
and	77.2	77.8	0.6	15.48
TUDDH-697	62.5	63.1	0.6	3.90
TUDDH-697	66.7	67.3	0.6	3.76
TUDDH-698	146.3	150.5	4.2	14.90
including	146.3	146.9	0.6	20.45
and	146.9	147.5	0.6	28.43
and	147.5	148.1	0.6	20.89
and	148.1	148.7	0.6	15.99
and	149.3	150.5	1.2	8.96
TUDDH-698	152.3	152.6	0.3	63.56
TUDDH-698	153.8	155.6	1.8	3.67
including	153.8	154.4	0.6	4.94
and	154.4	154.7	0.3	7.02
and	155.3	155.6	0.3	3.81
TUDDH-698	156.8	159.5	2.7	16.10
including	156.8	157.4	0.6	5.81
and	157.4	158.6	1.2	25.47
and	158.6	159.2	0.6	12.86
and	159.2	159.5	0.3	5.76
TUDDH-700	68.7	69.3	0.6	9.29
TUDDH-700	73.5	73.8	0.3	3.25

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/206800>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/469164--Lion-One-Drills-448.98-g-t-202.34-g-t-and-108.5-g-t-Gold-at-Tuvatu-Provides-Operations-Update.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).