

# Lundin Gold Reports High-grade Mineralization At Fdns As Part Of Its Near-mine Drilling Program

31.07.2024 | [CNW](#)

Highest-grade drill holes reported at FDNS confirm high grade vein system close to mine infrastructure

VANCOUVER, July 31, 2024 - [Lundin Gold Inc.](#) (TSX: LUG) (Nasdaq Stockholm: LUG) (OTCQX: LUGDF) ("Lundin Gold" or the "Company") is pleased to announce additional results from its ongoing 2024 near-mine and conversion drilling programs at its 100% owned Fruta del Norte ("FDN") gold mine in southeast Ecuador. The near-mine drilling program at FDN South ("FDNS") returned significant results, highlighted by one of the highest-grade intercepts achieved in this sector to date. The conversion drilling program continues to advance in the north sector of the FDN deposit with wide and high-grade drilling results returned in areas adjacent to mine workings. Highlights from the FDNS and conversion programs are outlined below. Detailed results are provided at the end of this release (see Appendix 1). PDF Version

FDNS Exploration Highlights (not true widths):

- Drill hole UGE-S-2024-138 intersected 27.04 grams per tonne ("g/t") of gold ("Au") over 30.10m from 18.1m, including:
  - 109.27 g/t Au over 6.30m
  - 13.31 g/t Au over 8.10m
- Drill hole UGE-S-24-129 intersected 17.14 g/t Au over 8.05 m from 130.60 m, including:
  - 31.28 g/t Au over 3.90 m
- Drill hole UGE-S-24-132 intersected 7.71 g/t Au over 9.05 m from 99.7 m, including:
  - 29.17 g/t Au over 2.15 m

Conversion Drilling Highlights (not true widths):

- Drill hole FDN-C24-134 intersected 8.63 g/t Au over 69.00 m from 0.8 m, including:
  - 17.91 g/t Au over 23.20 m
- Drill hole FDN-C24-111 intersected 6.11 g/t Au over 122.05 m from 126.40 m, including:
  - 17.96 g/t Au over 5.6 m
- Drill hole FDN-C24-107 intersected 18.23 g/t Au over 32.85 m from 0.0 m, including:
  - 67.82 g/t Au over 7.8 m

Ron Hochstein, President and CEO, commented, "I am very pleased with the continued advancement of our exploration programs. FDNS is near our existing infrastructure and the high-grade zone currently being delineated continues to suggest meaningful Mineral Resource upside and potential for expansion at FDN. In addition, the conversion program continues to intercept wide and high-grade zones within the FDN deposit resource envelope that we expect will lead to continued conversion of Mineral Resources to Reserves. Importantly, our exploration programs are illustrating the potential for continued replacement of mined Mineral Reserves."

## NEAR-MINE EXPLORATION PROGRAM

The near-mine exploration strategy focuses on extending mine life through the expansion of Mineral Resources at FDN by exploring and delineating new discoveries close to the operation. Ten rigs are currently turning on the FDN conversion and near-mine exploration programs, three underground and seven on surface.

A total of 26,056 metres across sixty-four holes, from surface and underground, have been completed in 2024 as part of the near-mine program. One of the key components of the near-mine program is the underground

drilling program, which investigates potential expansion of the FDN deposit. Over recent months underground drilling has focused on FDNS, where extension of underground levels 1170 and 1080 to the south of FDN has enabled drilling in this sector.

## FDNS

At FDNS, exploration and geological data interpretation indicated new areas for resource growth at the southern limit of the FDN deposit (see figure 1). Ten drill holes have been completed in 2024 and results confirm the presence of a new high-grade vein system represented by hydrothermal alteration zones with chalcedony manganoan-calcite veins and a significant amount of visible gold (see figure 2). Highlights include drill hole UGE-S-2024-138 (109.27 g/t Au over 6.30m), the highest-grade intercept ever recorded at FDNS. Assay results are presented in Tables 1 and 3 at the end of this release. Results are still pending for some drill holes.

The delineation of this vein system suggests a new style of gold mineralization in this sector and highlights the upside potential for additional higher-grade zones close to existing infrastructure. The system remains open for expansion along strike to the south and at depth. One rig is currently turning at FDNS and a second will shortly be added.

## CONVERSION PROGRAM

The 2024 conversion drilling program continues to work on the objective of converting Inferred Mineral Resources to Indicated in areas immediately beyond the current Mineral Reserve boundary in the north and central sector of the FDN deposit. A total of 9,772 metres of underground drilling across 70 drill holes has been completed to date in 2024.

Numerous drill holes have returned wide and high-grade intercepts associated to large hydrothermal alteration zones represented by breccias, veining or stockwork zones, very similar in style and geometry to that found in the areas of the north sector currently being mined (see figure 3). Two rigs are currently turning under the conversion program, and based on results to date, the conversion program will be increased from 9,815 metres to 14,000 metres in 2024. Assay results received to date are presented in Tables 2 and 3 at the end of this release. Some results from the conversion program are pending.

Figure 1: Map showing FDNS near-mine exploration and conversion drilling programs

Figure 2: Cross section (left) and plan view map (right) with selected FDNS exploration drilling results

Figure 3: FDN long section showing selected conversion drilling results

## Qualified Persons

The technical information contained in this News Release has been reviewed and approved by Andre Oliveira, P. Geo, Vice President, Exploration of the Company, who is a Qualified Person in accordance with the requirements of National Instrument 43-101 - Standards of Disclosure for Mineral Projects.

Samples consist of half HQ and NQ-size diamond core that are split by diamond saw on site, prepared at the ALS laboratory in Quito, and analysed by 50g fire assay and multi-element (ICP-AES/ICP-MS) at the ALS Laboratory in Lima, Peru. The quality assurance-quality control (QA-QC) program of Lundin Gold includes the insertion of certified standards of known gold content, blank and duplicate samples. The remaining half core is retained for verification and reference purposes. For further information on the assay, QA-QC and data verification procedures, please see Lundin Gold's Annual Information Form dated March 26, 2024, filed under the Company's profile at [www.sedarplus.ca](http://www.sedarplus.ca).

## About Lundin Gold

Lundin Gold, headquartered in Vancouver, Canada, owns the Fruta del Norte gold mine in southeast Ecuador.

Fruta del Norte is among the highest-grade operating gold mines in the world.

The Company's board and management team have extensive expertise in mine operations and are dedicated to operating Fruta del Norte responsibly. The Company operates with transparency and in accordance with international best practices. Lundin Gold is committed to delivering value to its shareholders, while simultaneously providing economic and social benefits to impacted communities, fostering a healthy and safe workplace and minimizing the environmental impact. The Company believes that the value created through the development of Fruta del Norte will benefit its shareholders, the Government and the citizens of Ecuador.

#### Additional Information

The information in this release is subject to the disclosure requirements of Lundin Gold under the EU Market Abuse Regulation. This information was publicly communicated on July 31, 2024 at 2:00 p.m. Pacific Time through the contact persons set out below.

#### Caution Regarding Forward-Looking Information and Statements

Certain of the information and statements in this press release are considered "forward-looking information" or "forward-looking statements" as those terms are defined under Canadian securities laws (collectively referred to as "forward-looking statements"). Any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance (often, but not always, identified by words or phrases such as "believes", "anticipates", "expects", "is expected", "scheduled", "estimates", "pending", "intends", "plans", "forecasts", "targets", or "hopes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "will", "should" "might", "will be taken", or "occur" and similar expressions) are not statements of historical fact and may be forward-looking statements. By their nature, forward-looking statements and information involve assumptions, inherent risks and uncertainties, many of which are difficult to predict, and are usually beyond the control of management, that could cause actual results to be materially different from those expressed by these forward-looking statements and information. Lundin Gold believes that the expectations reflected in this forward-looking information are reasonable, but no assurance can be given that these expectations will prove to be correct. Forward-looking information should not be unduly relied upon. This information speaks only as of the date of this press release, and the Company will not necessarily update this information, unless required to do so by securities laws.

This press release contains forward-looking information in a number of places, such as in statements relating to the Company's exploration plans, activities and results. There can be no assurance that such statements will prove to be accurate, as Lundin Gold's actual results and future events could differ materially from those anticipated in this forward-looking information as a result of the factors discussed in the "Risk Factors" section in Lundin Gold's Annual Information Form dated March 26, 2024, which is available at [www.lundingold.com](http://www.lundingold.com) or [www.sedarplus.ca](http://www.sedarplus.ca).

Lundin Gold's actual results could differ materially from those anticipated. Factors that could cause actual results to differ materially from any forward-looking statement or that could have a material impact on the Company or the trading price of its shares include: instability in Ecuador; community relations; forecasts relating to production and costs; mining operations; security; non-compliance with laws and regulations and compliance costs; tax changes in Ecuador; waste disposal and tailings; government or regulatory approvals; environmental compliance; gold price; infrastructure; dependence on a single mine; exploration and development; control of Lundin Gold; availability of workforce and labour relations; dividends; information systems and cyber security; Mineral Reserve and Mineral Resource estimates; title matters and surface rights and access; health and safety; human rights; employee misconduct; measures to protect biodiversity; endangered species and critical habitats; global economic conditions; shortages of critical resources; competition for new projects; key talent recruitment and retention; market price of the Company's shares; social media and reputation; insurance and uninsured risks; pandemics, epidemics or infectious disease outbreak; climate change; illegal mining; conflicts of interest; ability to maintain obligations or comply with debt; violation of anti-bribery and corruption laws; internal controls; claims and legal proceedings; and reclamation obligations.

#### APPENDIX 1

Table 1: Drillhole assay results from the near-mine drilling program at FDNS reported for thickness versus grade

intervals above 14 (m x g/t Au >14). Drill hole intercepts are reported in drill core lengths

Hole ID	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Target Zone
UGE-S-24-12573.1	77.1	4		5.84	7.6	FDNS Underground
UGE-S-24-12597.1	102.6	5.5		5.14	10.74	
UGE-S-24-12665.6	69.1	3.5		4.37	18.12	FDNS Underground
UGE-S-24-126101.8	118	16.2		3.3	1.87	
Including	101.8	105.9	4.1	5.3	2.24	
UGE-S-24-12950.4	59	8.6		8.33	6.20	FDNS Underground
UGE-S-24-129130.6	138.65	8.05		17.14	9.03	
Including	132.3	136.2	3.9	31.28	15.01	
UGE-S-24-13299.7	108.75	9.05		7.71	5.05	FDNS Underground
Including	106.6	108.75	2.15	29.17	11.18	
UGE-S-24-135	Pending Results					FDNS Underground
UGE-S-24-13818.1	48.2	30.1		27.04	24.63	FDNS Underground
Including	18.1	24.4	6.3	109.27	60.31	
Including	40.1	48.2	8.1	13.31	28.42	
UGE-S-24-139	Pending Results					FDNS Underground
UGE-S-24-142	Pending Results					FDNS Underground
UGE-S-24-145	Pending Results					FDNS Underground

Table 2: Drillhole assay results from the conversion underground drilling program reported for thickness versus grade intervals above 14 (m x g/t Au >14). Drill hole intercepts are reported in drill core lengths and true width

Hole ID	From (m)	To (m)	Interval (m)	True Width (m)	Au (g/t)	Ag (g/t)	Target	Zone
FDN-C24-0900	69.1	69.1		39.63	8.05	8		Northern Underground
Including	30.2	38.5	8.3	4.76	17.64	16.57		
FDN-C24-091 2.4	14.1	11.7		5.85	6.1	6.64		Northern Underground
Including	10.2	14.1	3.9	1.95	12.05	11.15		
FDN-C24-091 40.2	74.75	34.55		17.28	6.34	6.05		
Including	42.5	52.1	9.6	4.80	12.54	10.26		
FDN-C24-093 93.7	101.6	7.9		7.78	10.65	11.57		Northern Underground
FDN-C24-094 9	25.8	16.8		12.87	17.21	19.57		Northern Underground
Including	14.5	18.9	4.4	3.37	32.51	34.19		
FDN-C24-095 112.6	131.7	19.1		16.20	5.96	6.85		Northern Underground
Including	127.9	136.9	9	7.63	10.68	10.31		
FDN-C24-095 143.7	151.3	7.6		6.45	3.68	6.16		
FDN-C24-096 19.8	53.4	33.6		27.52	5.97	5.86		Northern Underground
Including	32.7	39.4	6.7	5.49	10.46	7.24		
FDN-C24-097 2.1	6.2	4.1		2.74	4.57	4.82		Northern Underground
FDN-C24-097 18.3	23	4.7		3.14	3.81	3.35		
FDN-C24-098 152.6	176.5	23.9		18.31	14.52	23.2		Northern Underground
Including	167.2	176.2	9	6.89	24.1	41.34		
FDN-C24-099 3.8	14	10.2		7.21	5.53	5.98		Northern Underground
FDN-C24-099 26.9	31.1	4.2		2.97	12.84	10.06		
FDN-C24-100 3.85	13.6	9.75		9.60	10.59	11.72		Northern Underground
Including	5.9	9.5	3.6	3.55	19.11	20.83		
FDN-C24-100 25.8	40	14.2		13.98	8	6.86		
FDN-C24-101 101.6	115.5	13.9		11.52	7.15	9.68		Northern Underground
Including	102.6	109.4	6.8	5.64	12.37	15.15		
FDN-C24-102 21.8	38	16.2		15.22	7.8	18.49		Northern Underground
Including	30.8	35.8	5	4.70	15.95	10.48		
FDN-C24-103 74.5	100.6	26.1		26.00	3.56	4.34		Northern Underground
Including	82.5	87.6	5.1	5.08	6.04	7.85		

FDN-C24-1040	27.2	27.2	26.94	5.84	105.99	Northern Underground
Including	0	4.3	4.3	4.26	17.27	566.3
Including	23.1	27.2	4.1	4.06	11.36	32.03
FDN-C24-10474.2	102.7	28.5	28.22	5.76	6.87	
FDN-C24-10559.1	85	25.9	25.65	14.89	7.58	Northern Underground
Including	60.2	70.7	10.5	10.40	29.63	14.33
FDN-C24-106115.45	192.5	77.05	66.73	6.85	10.17	Northern Underground
Including	144.4	157.8	13.4	11.60	10.7	8.97
FDN-C24-1070	32.85	32.85	32.13	18.23	23.91	Northern Underground
Including	0	7.8	7.8	7.63	67.82	77.49
FDN-C24-10887.4	97.15	9.75	9.60	5.26	6.85	Northern Underground
FDN-C24-10991.15	102.15	11	10.34	3.82	6.55	Northern Underground
FDN-C24-10993.15	97.15	4	3.76	5.46	8.58	
FDN-C24-109115.35	124.35	9	8.46	4.00	8.10	
FDN-C24-109130.35	135.1	4.75	4.46	4.70	7.59	
FDN-C24-110154.9	218.3	63.4	45.61	8.54	7.76	Northern Underground
Including	154.9	185.2	30.3	21.80	13.04	11.50
FDN-C24-111126.4	248.45	122.05	105.70	6.11	5.75	Northern Underground
Including	238.3	243.9	5.6	4.85	17.96	13.58
FDN-C24-11219.15	87.75	68.6	67.93	3.95	7.47	Northern Underground
Including	21.2	31.5	10.3	10.20	9.38	11.81
FDN-C24-11321.2	46.4	25.2	24.95	3.84	12.25	Northern Underground
FDN-C24-11428.2	70.7	42.5	41.57	7.51	14.43	Underground
Including	32	43.4	11.4	11.15	13.22	14.13
FDN-C24-11590.1	95.7	5.6	4.59	3.78	3.86	Northern Underground
FDN-C24-115119.85	126.65	6.8	5.57	4.82	6.79	
FDN-C24-115136.2	152.2	16	13.11	3.69	14.18	
FDN-C24-11689	117.7	28.7	26.22	3.59	15.95	Northern Underground
Including	89	93.8	4.8	4.39	8.39	54.33
FDN-C24-116129.8	135.8	6	5.48	4.07	8.70	
FDN-C24-116149.3	154.3	5	4.57	3.54	7.56	

FDN-C24-117	150.1	234.5	84.4	59.68	5.30	7.17	Northern Underground
Including	163.7	175.7	12	8.49	11.71	11.75	
Including	179.7	196.7	17	12.02	8.22	8.71	
Including	203.8	209.1	5.3	3.75	8.06	8.86	
FDN-C24-118	14.6	38.8	24.2	24.17	4.10	6.85	Northern Underground
Including	20.1	24.3	4.2	4.19	9.95	10.28	
FDN-C24-118	91.8	99	7.2	7.19	6.05	16.07	
FDN-C24-119	24.25	35.1	10.85	10.20	5.04	12.68	Northern Underground
FDN-C24-1200		103.5	103.5	93.80	3.70	7.27	Northern Underground
Including	28.6	33.3	4.7	4.26	11.76	6.40	
Including	65	92.7	27.7	25.10	5.66	3.76	
Including	96.7	102.4	5.7	5.17	5.67	4.94	
FDN-C24-121	27.3	37.15	9.85	9.26	4.17	5.59	Northern Underground
FDN-C24-121	59.05	63.8	4.75	4.46	4.34	3.80	
FDN-C24-121	86.8	94.7	7.9	7.42	5.21	4.77	
FDN-C24-122	210.7	272.75	62.05	41.52	4.05	7.28	Northern Underground
Including	222.1	229.55	7.45	4.99	10.14	17.28	
Including	262.6	272.75	10.15	6.79	8.50	7.27	
FDN-C24-123	63.35	68.9	5.55	3.92	7.13	37.75	Northern Underground
FDN-C24-124	59	64.3	5.3	4.98	3.66	7.15	Northern Underground
FDN-C24-124	95	114.2	19.2	18.04	4.00	20.80	
FDN-C24-124	135.9	139.9	4	3.76	3.86	17.71	
FDN-C24-125	220.1	237.5	17.4	10.47	4.14	4.21	Northern Underground
Including	224	230	6	3.61	6.19	5.82	
FDN-C24-125	271.9	275.3	3.4	2.05	7.28	6.05	
FDN-C24-126	14.55	16.6	2.05	1.23	3.77	34.40	Northern Underground
FDN-C24-126	41.3	47.8	6.5	3.91	2.87	8.05	
FDN-C24-126	67.1	68.3	1.2	0.72	9.13	92.47	
FDN-C24-127	7.6	14.5	6.9	6.48	4.29	28.22	Northern Underground
FDN-C24-127	75	85	10	9.40	5.45	8.87	
FDN-C24-127	137.2	150	12.8	12.03	5.40	10.28	
FDN-C24-128							

92.8











Northern

Underground



FDN-C24-1298.2	12.65	4.45	4.13	3.45	10.33	Northern Underground
FDN-C24-12928.5	31.35	2.85	2.64	2.29	12.14	
FDN-C24-13086.4	94.45	8.05	7.99	1.43	5.55	Northern Underground
FDN-C24-13197.6	102.6	5	4.97	4.18	7.28	Northern Underground
FDN-C24-1321.7	39.7	38	30.35	2.79	3.60	Northern Underground
Including	14	18.1	4.1	3.27	4.17	4.10
Including	21.4	27.1	5.7	4.55	6.73	6.07
Including	31	34.65	3.65	2.92	6.56	6.38
FDN-C24-13312	25	13	11.26	4.40	6.05	Northern Underground
Including	20.75	25	4.25	3.68	10.22	14.60
FDN-C24-13327.9	49.2	21.3	18.45	2.90	4.26	
Including	35.6	38	2.4	2.08	4.96	3.73
Including	40.85	43.1	2.25	1.95	8.30	7.80
Including	46.7	49.2	2.5	2.17	7.29	12.35
FDN-C24-1340.8	69.8	69	56.52	8.63	7.94	Northern Underground
Including	43.1	66.3	23.2	19.00	17.91	14.00
FDN-C24-13510.25	14.4	4.15	2.20	6.39	5.80	Northern Underground
Including	11.2	14	2.8	1.48	8.16	7.12
FDN-C24-13519.7	23.7	4	2.12	5.11	5.07	
Including	19.7	21.85	2.15	1.14	7.43	7.32
FDN-C24-13526.8	28.7	1.9	1.01	4.79	4.56	
FDN-C24-13544.15	45.85	1.7	0.90	6.19	9.00	
FDN-C24-13553.45	57.3	3.85	2.04	5.44	7.62	
FDN-C24-13581.8	84.45	2.65	1.40	7.49	10.25	
FDN-C24-136196.6	217.4	20.8	15.93	3.19	17.59	Northern Underground
Including	197.5	198.9	1.4	1.07	16.94	21.45
Including	200.2	201.7	1.5	1.15	4.89	10.51
Including	216.1	217.4	1.3	1.00	9.71	81.40
FDN-C24-137 Pending Results						Northern Underground
FDN-C24-138 Pending Results						Northern Underground
FDN-C24-139 Pending Results						Northern Underground
FDN-C24-140						

Pending Results

Northern

Underground



FDN-C24-141 Pending Results	Northern Underground
FDN-C24-142 Pending Results	Northern Underground
FDN-C24-143 Pending Results	Northern Underground
FDN-C24-144 Pending Results	Northern Underground
FDN-C24-145 Pending Results	Northern Underground
FDN-C24-146 Pending Results	Northern Underground
FDN-C24-147 Pending Results	Northern Underground
FDN-C24-148 Pending Results	Northern Underground
FDN-C24-150 Pending Results	Northern Underground

Table 3: Collar locations of reported drill holes

Hole ID	Target	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)	Drilling Type	Year
UGE-S-24-125	FDNS	778156	9582349	1092	288	20	150.00	Underground	2024
UGE-S-24-126	FDNS	778156	9582349	1091	295	-18	149.00	Underground	2024
UGE-S-24-129	FDNS	778175	9582352	1092	310	30	170.00	Underground	2024
UGE-S-24-132	FDNS	778156	9582348	1090	283	-50	250.00	Underground	2024
UGE-S-24-135	FDNS	778199	9582347	1090	110	-17	172.90	Underground	2024
UGE-S-24-138	FDNS	778199	9582347	1088	90	-75	110.00	Underground	2024
UGE-S-24-139	FDNS	778199	9582347	1090	60	-17	200.10	Underground	2024
UGE-S-24-142	FDNS	778196	9582351	1090	72	-43	238.00	Underground	2024
UGE-S-24-145	FDNS	778183	9582366	1184	7	10	178.90	Underground	2024
FDN-C24-110	FDN - Conversion	777958	9583480	1192	125	-43	240.0	Underground	2024
FDN-C24-111	FDN - Conversion	777958	9583480	1193	135	-29	328.3	Underground	2024
FDN-C24-112	FDN - Conversion	778124	9583006	1268	250	7	107.0	Underground	2024
FDN-C24-113	FDN - Conversion	778124	9583006	1269	235	8	120.0	Underground	2024
FDN-C24-114	FDN - Conversion	778125	9583005	1269	220	10	110.0	Underground	2024
FDN-C24-115	FDN - Conversion	777958	9583480	1192	135	35	164.7	Underground	2024
FDN-C24-116	FDN - Conversion	778195	9582868	1105	269	-23	205.0	Underground	2024
FDN-C24-117	FDN - Conversion	777959	9583480	1193	110	-45	320.0	Underground	2024
FDN-C24-118	FDN - Conversion	778195	9582868	1105	252	3	100.0	Underground	2024
FDN-C24-119	FDN - Conversion	778195	9582868	1104	251	-21	90.0	Underground	2024
FDN-C24-120	FDN - Conversion	778092	9582821	1223	230	-22	120.0	Underground	2024
FDN-C24-121	FDN - Conversion	778092	9582822	1223	270	-20	120.0	Underground	2024
FDN-C24-122	FDN - Conversion	777959	9583481	1192	90	-47	336.3	Underground	2024
FDN-C24-123	FDN - Conversion	778177	9582890	1079	328	-37	90.0	Underground	2024
FDN-C24-124	FDN - Conversion	778177	9582889	1079	295	-14	155.0	Underground	2024
FDN-C24-125	FDN - Conversion	777959	9583481	1192	95	-52	310.0	Underground	2024
FDN-C24-126	FDN - Conversion	778176	9582888	1078	270	-53	90.0	Underground	2024
FDN-C24-128	FDN - Conversion	777959	9583481	1195	87	21	130.0	Underground	2024
FDN-C24-127	FDN - Conversion	778176	9582887	1079	256	-20	150.0	Underground	2024
FDN-C24-129	FDN - Conversion	778176	9582887	1079	246	-28	69.0	Underground	2024

FDN-C24-130	FDN - Conversion 777959 9583481 1194	100	7	200.0	Underground 2024
FDN-C24-131	FDN - Conversion 777959 9583481 1194	82	6	202.2	Underground 2024
FDN-C24-132	FDN - Conversion 778103 9583279 1152	285	-39	45.0	Underground 2024
FDN-C24-133	FDN - Conversion 778103 9583277 1152	255	-35	50.0	Underground 2024
FDN-C24-134	FDN - Conversion 778092 9583382 1056	290	35	100.0	Underground 2024
FDN-C24-135	FDN - Conversion 778092 9583381 1053	232	-59	135.0	Underground 2024
FDN-C24-136	FDN - Conversion 777959 9583481 1193	83	-40	236.3	Underground 2024
FDN-C24-137	FDN - Conversion 777959 9583481 1192	100	-47	313.7	Underground 2024
FDN-C24-138	FDN - Conversion 778093 9583385 1053	315	-54	75.0	Underground 2024
FDN-C24-139	FDN - Conversion 778094 9583385 1053	333	-66	110.0	Underground 2024
FDN-C24-140	FDN - Conversion 777959 9583481 1193	109	-40	284.6	Underground 2024
FDN-C24-141	FDN - Conversion 778084 9583277 1051	236	-40	80.0	Underground 2024
FDN-C24-142	FDN - Conversion 778071 9583217 1025	255	-49	130.0	Underground 2024
FDN-C24-143	FDN - Conversion 778071 9583217 1025	239	-50	140.0	Underground 2024
FDN-C24-144	FDN - Conversion 778111 9583392 1054	315	-23	60.0	Underground 2024
FDN-C24-145	FDN - Conversion 778071 9583217 1025	227	-52	160.0	Underground 2024
FDN-C24-146	FDN - Conversion 778072 9583221 1026	320	-10	75.0	Underground 2024
FDN-C24-147	FDN - Conversion 778111 9583392 1054	290	-25	70.0	Underground 2024
FDN-C24-148	FDN - Conversion 778073 9583221 1027	303	-53	130.0	Underground 2024
FDN-C24-150	FDN - Conversion 778111 9583378 1053	280	-55	110.0	Underground 2024

## Contact

For more information, please contact: Ron F. Hochstein, President and CEO, Tel (Ecuador): +593 2-299-6400, Tel (Canada): +1-604-806-3589, ron.hochstein@lundinggold.com; Finlay Heppenstall, Director, Investor Relations and Corporate Development, Tel: +1 604 806 3089, finlay.heppenstall@lundinggold.com

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/477103--Lundin-Gold-Reports-High-grade-Mineralization-At-Fdns-As-Part-Of-Its-Near-mine-Drilling-Program.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).