

NexGen Announces Best Hole to Date (RK-24-222) and High-Grade Expansion at Patterson Corridor East Concluding a Successful 2024 Drilling Program

12.11.2024 | [CNW](#)

- NexGen's 2024 exploration campaign delivered a new discovery on Rook I at Patterson Corridor East ("PCE") 3.5km east of Arrow.
- Subsequent drilling has materially expanded the mineralized zone to 600 m strike length and 600 m vertical extent with 19 of 30 holes intersecting mineralization including 10 holes with multiple intervals >10,000 cps.
- Today's announcement highlights the best hole to date at PCE (RK-24-222) returns 17.0 m wide vein with multiple high intensity (>61,000 cps) occurrences.
- In 2024, PCE is the largest drill program in the Athabasca Basin by any Company at 34,000 meters (m).

VANCOUVER, Nov. 12, 2024 - [NexGen Energy Ltd.](#) ("NexGen" or the "Company") (TSX: NXE) (NYSE: NXE) (ASX: NXG) is proud to announce the completion of its 2024 drilling campaign at Patterson Corridor East (PCE) that included more than 34,000 m across a total of 46 drillholes. Upon initial discovery of intense uranium mineralization at PCE (see March 11 News Release), the Company directed all drilling activity to focus exclusively on PCE, whereby 19 of 30 holes intersected mineralization. Bold and systematic spacing of drillhole intercepts have quickly grown the discovery from a single hole to a broad and continuous new uranium discovery. Real-time evaluation of results throughout the duration of the program focused on determining the overall outer extents of the mineralized zone and in parallel, precisely targeting high-grade sub-domains (Figures 1 and 2, Table 1).

In late October, a high-grade portion has presented itself within the overall mineralized zone with upgraded intensity of mineralization in the now best hole to date, RK-24-222 (Figure 3). A 17.0 m wide vein with multiple occurrences of off-scale (>61,000 cps) mineralization (Table1, Figure 3). In addition, RK-24-220 and -223 intersected strong mineralization up to 41,000 cps and 40,000 cps, respectively including multiple intercepts of >10,000 cps. System strength is confirmed by these zones characterized by semi-massive to massive replacement by uraninite. A high-grade sub-domain of the mineralized footprint now covers 100 m of strike and 170 m of depth extent with potential growth in all directions (Figure 2). The high-grade intersection in RK-24-222 represents the fifth drillhole at PCE to return off-scale (>61,000 cps) mineralization, joining previous significant intersections in RK-24-183, -197, -202, and -207.

Leigh Curyer, Chief Executive Officer, commented: "This focused effort has elevated the materiality of PCE and today's results highlight the increasing potential of the PCE system with RK-24-222. With 600 m of strike length and 600 m of depth extent, this new zone located entirely within competent basement rock only 3.5 km from the flagship world-class Arrow deposit has emerged as a compelling and prospective addition to NexGen's dominant portfolio in the south western section of the Athabasca Basin.

NexGen's disciplined dual focus on the advancement of the Rook I Project and the expanded exploration at PCE demonstrates the Company's commitment to unlocking the full potential of this major uranium district at a time where the need for clean affordable safe baseload energy has never been more evident. With the world's leading tech companies all committing to nuclear power in recent month's the outlook is incredibly exciting in the nuclear fuel space."

Assays from disclosed intersections are expected in Q4 2024 and Q1 2025, with reporting to follow. Exploration activity will resume in January 2025 with planning underway for a significant drill program at PCE where the prospectivity for material growth is clearly evident.

Table 1: 2024 Spectrometer results since previous release on August 8, 2024

Drillhole			Unconformity Handheld Spectrometer Results (RS-125)					
Hole ID	Azimuth	Dip	Total Depth (m)	From (m)	To (m)	Width (m)	CPS Range	
RK-24-208	310	-70	756	104.3	435	435.5	0.5	<500
					435.5	436	0.5	<500 - 710
					522	522.5	0.5	<500
					523	523.5	0.5	<500
					655	655.5	0.5	<500 - 750
					655.5	656	0.5	<500
					657.5	658	0.5	<500
					658.5	659	0.5	<500
					665.5	666	0.5	<500
					666	666.5	0.5	<500 - 610
					669.5	670.5	1	<500
					670.5	671	0.5	560 - 950
					671	671.5	0.5	1400 - 3560
					673	673.5	0.5	<500 - 690
					673.5	674	0.5	500 - 1140
					674	675	1	<500
					680	681	1	<500
					685.5	686	0.5	<500 - 600
					686.5	687	0.5	600 - 800
					687	687.5	0.5	900 - 3000
					687.5	688	0.5	<500 - 3000
					689	689.5	0.5	<500 - 500
					689.5	690	0.5	1300 - 5700
					690	690.5	0.5	<500 - 2400
					690.5	691	0.5	<500
					691.5	692	0.5	<500 - 1800
					692	692.5	0.5	<500 - 1600
					692.5	693	0.5	<500
	693	693.5	0.5	<500 - 1300				

				693.5	694	0.5	<500 - 500
				694	694.5	0.5	<500 - 610
				694.5	695	0.5	<500 - 600
				695	695.5	0.5	550 - 1500
				695.5	696	0.5	<500 - 3500
				696	696.5	0.5	<500 - 810
				697.5	698.5	1	<500
RK-24-209	310	-70 840	110.7	395	396	1	<500
				627.5	628	0.5	<500 - 510
				695	695.5	0.5	<500
				759	759.5	0.5	<500 - 600
RK-24-210	310	-70 1095	102.4	639	639.5	0.5	<500
				639.5	640	0.5	<500 - 510
				640	640.5	0.5	<500
				854	854.5	0.5	<500 - 700
				854.5	855	0.5	<500
				855.5	856	0.5	<500 - 1600
				856	856.5	0.5	<500 - 1800
				857.5	858	0.5	<500
				858	858.5	0.5	<500 - 1600
				862	862.5	0.5	<500 - 950
				863.5	864	0.5	<500 - 700
				869	869.5	0.5	<500 - 600
				869.5	870	0.5	<500 - 500
				874.5	875	0.5	<500 - 550
				875.5	876	0.5	<500 - 3800
				876	876.5	0.5	2700 - 6500
				876.5	877	0.5	<500 - 1100
				877	879	2	<500
				879	879.5	0.5	<500 - 1200
				879.5	880	0.5	<500 - 700
				880			

880.5

<500 - 750

				880.5	881	0.5	600 - 1200
				881	881.5	0.5	<500 - 600
				881.5	882	0.5	<500 - 900
				882	882.5	0.5	<500 - 1500
				882.5	883	0.5	800 - 3400
				883	883.5	0.5	<500 - 520
				884.5	885	0.5	<500
				885.5	886	0.5	<500 - 600
				886	886.5	0.5	<500 - 1100
				886.5	887	0.5	<500 - 1600
				888	888.5	0.5	<500
				888.5	889	0.5	<500 - 900
				915.5	916.5	1	<500
				920	920.5	0.5	<500 - 500
				921	921.5	0.5	<500 - 700
				921.5	922	0.5	<500
RK-24-211	310	-70 1302	103.1	776.5	777	0.5	<500
				784	784.5	0.5	<500
				1116.5	1117	0.5	<500
RK-24-212	315	-70 137	121	No Significant Intersections			
RK-24-213	310	-70 936	87	No Significant Intersections			
RK-24-214	310	-70 989	111.6	463	463.5	0.5	<500
				466.5	467	0.5	<500
				859.5	860	0.5	<500
				862.5	863.5	1	<500
				863.5	864	0.5	<500 - 950
				865	865.5	0.5	<500
				865.5	866	0.5	<500 - 540
				866	866.5	0.5	<500 - 1400
				867.5	868	0.5	<500
				868	868.5	0.5	<500 - 650
				868.5			

<500 - 2200

				869.5	870	0.5	<500
RK-24-215	310	-70 840	114.8	542	542.5	0.5	600 - 1300
				542.5	543	0.5	2200 - 3200
				543	543.5	0.5	6000 - 11000
				543.5	544	0.5	<500 - 5000
				544	544.5	0.5	<500 - 700
				544.5	545	0.5	600 - 3500
				545	545.5	0.5	500 - 1800
				545.5	546	0.5	<500 - 700
				546	546.5	0.5	<500 - 1400
				546.5	547	0.5	<500 - 1150
				547	547.5	0.5	<500
				551.5	552	0.5	<500 - 1700
				552	553.5	1.5	<500
				564.5	565	0.5	<500 - 700
				570	570.5	0.5	<500
				570.5	571	0.5	<500 - 800
				571	571.5	0.5	<500
				571.5	572	0.5	<500 - 600
				572	572.5	0.5	<500
				583.5	584	0.5	<500
				584.5	585	0.5	<500
				585	585.5	0.5	600 - 1500
				585.5	586	0.5	<500 - 550
				586	586.5	0.5	<500 - 700
				586.5	587	0.5	<500 - 800
				587	588	1	<500
				588	588.5	0.5	600 - 2000
				588.5	589	0.5	700 - 2100
				589	589.5	0.5	<500 - 1300
				589.5	590	0.5	1200 - 1500
				590.5			

<500

				600	600.5	0.5	<500 - 500
				604.5	605	0.5	<500
				608.5	609	0.5	<500
				609	609.5	0.5	800 - 2850
				609.5	610	0.5	<500
				610	610.5	0.5	<500 - 850
				621.5	622	0.5	<500 - 1500
				622	622.5	0.5	<500 - 700
				643	643.5	0.5	<500
				646	646.5	0.5	<500 - 700
				646.5	647	0.5	<500 - 1300
				647	647.5	0.5	<500 - 2500
				647.5	648	0.5	<500 - 700
				648	649	1	<500
				657	657.5	0.5	<500 - 1200
				658	658.5	0.5	<500 - 500
				658.5	659	0.5	<500 - 500
				659	659.5	0.5	<500 - 1950
				665.5	666	0.5	<500 - 600
				681	681.5	0.5	<500 - 900
				681.5	682	0.5	<500 - 850
RK-24-216	310	-70 1071	99.7	787	787.5	0.5	<500 - 600
				787.5	788	0.5	1100 - 3700
				788	788.5	0.5	800 - 1200
				788.5	789	0.5	<500
				789.5	790	0.5	<500 - 700
				790	790.5	0.5	<500 - 700
				790.5	791	0.5	<500
				791.5	792	0.5	<500 - 550
				805	805.5	0.5	<500 - 740
				805.5	806	0.5	<500
				807.5			

808.5

<500

				811.5	812	0.5	<500 - 5800
				815	815.5	0.5	<500 - 760
				815.5	816	0.5	<500 - 700
				819	820	1	<500
RK-24-217	310	-70 1185	105.6	519	520	1	<500
				528.5	529	0.5	<500
				709	710	1	<500
RK-24-217a	310	-70 120	105.1	No Significant Intersections			
RK-24-218	310	-70 696	109.6	325.5	326	0.5	<500 - 830
				424.5	425	0.5	<500 - 550
				425.5	426	0.5	<500
				463.5	464	0.5	<500 - 520
				494.5	495	0.5	<500 - 550
				515.5	516	0.5	<500
				516	516.5	0.5	<500 - 700
				516.5	517	0.5	<500 - 1200
				517	517.5	0.5	500 - 4300
				517.5	518	0.5	<500 - 1200
				518	518.5	0.5	1000 - 2000
				518.5	519	0.5	<500 - 1000
RK-24-219	310	-70 1187	99.8	758.5	759	0.5	<500 - 1050
				759.5	760	0.5	<500 - 1100
				897.5	898	0.5	<500
				982	982.5	0.5	<500 - 570
RK-24-220	310	-70 732	116	387	387.5	0.5	<500
				445.5	446	0.5	<500 - 510
				446	446.5	0.5	<500 - 660
				446.5	447	0.5	<500
				452	452.5	0.5	<500 - 2400
				452.5	453	0.5	<500 - 2000
				453	454.5	1.5	<500
				454.5			

<500 - 650

455.5	456	0.5	<500 - 1700
456	456.5	0.5	600 - 1300
456.5	457	0.5	<500 - 1200
457	457.5	0.5	700 - 27000
457.5	458	0.5	1700 - 41000
459.5	460	0.5	<500 - 550
460	461	1	<500
461	461.5	0.5	<500 - 7000
461.5	462	0.5	<500 - 6000
462	462.5	0.5	740 - 2000
462.5	463	0.5	3500 - 4500
463	463.5	0.5	1300 - 6000
463.5	464	0.5	600 - 6500
464	464.5	0.5	600 - 2000
464.5	465	0.5	700 - 4000
465	465.5	0.5	<500 - 5600
465.5	466	0.5	1200 - 8200
466	466.5	0.5	<500 - 6000
477.5	478	0.5	<500 - 750
478	478.5	0.5	<500 - 800
479	479.5	0.5	<500
479.5	480	0.5	<500 - 800
480	480.5	0.5	<500 - 680
480.5	481	0.5	680 - 1300
481	481.5	0.5	<500 - 600
481.5	482	0.5	<500
482	482.5	0.5	<500 - 520
482.5	483	0.5	<500 - 520
483	483.5	0.5	<500
483.5	484	0.5	<500 - 800
484	484.5	0.5	<500 - 1100
484.5			

<500 - 16000

485	485.5	0.5	3000 - 16000
485.5	486	0.5	<500 - 7000
486	486.5	0.5	<500 - 13000
486.5	487	0.5	<500 - 1200
487	488	1	<500
489	489.5	0.5	<500 - 640
489.5	490	0.5	<500 - 950
490	490.5	0.5	<500 - 800
490.5	491	0.5	<500 - 2100
491	491.5	0.5	<500 - 6000
491.5	492	0.5	<500 - 840
495	495.5	0.5	<500
495.5	496	0.5	<500 - 6800
496	496.5	0.5	<500 - 4100
496.5	497	0.5	<500 - 6000
497	497.5	0.5	2600 - 2600
497.5	498	0.5	<500 - 500
498	498.5	0.5	<500 - 1800
498.5	499	0.5	<500
503	503.5	0.5	<500 - 1500
503.5	504.5	1	<500
525.5	526	0.5	<500
539	539.5	0.5	<500
539.5	540	0.5	540 - 7300
570.5	571	0.5	<500 - 730
579.5	580	0.5	<500
580	580.5	0.5	<500 - 510
580.5	581	0.5	<500 - 520
583	583.5	0.5	<500
583.5	584	0.5	<500 - 1500
584	584.5	0.5	<500 - 620
596.5			

<500 - 1300

				597	597.5	0.5	<500 - 1300
				599.5	600	0.5	<500
RK-24-221	310	-70 861.6	115.9	302	302.5	0.5	<500
				302.5	303	0.5	<500 - 600
				303	303.5	0.5	<500 - 830
				594.5	595	0.5	<500
				595	595.5	0.5	<500 - 1700
				597.5	598	0.5	<500 - 5500
				599	599.5	0.5	<500 - 2700
				642	642.5	0.5	<500
				642.5	643	0.5	<500 - 520
				643	643.5	0.5	<500 - 1100
				644	644.5	0.5	<500
				650.5	651	0.5	<500 - 670
				697.5	698	0.5	<500
				698	698.5	0.5	<500 - 2300
RK-24-222	354	-65 753	108.4	588	588.5	0.5	770 - 1200
				598	599.5	1.5	<500
				602.5	603	0.5	<500 - 820
				603	603.5	0.5	640 - 2000
				603.5	604.5	1	<500
				604.5	605	0.5	3000 - 20000
				605	605.5	0.5	5800 - 17000
				605.5	605.6	0.1	18000 - 60000
				605.6	605.7	0.1	>61000
				605.7	606	0.3	9000 - 60000
				606	606.5	0.5	1800 - 10000
				606.5	607	0.5	<500 - 730
				607	607.4	0.4	3000 - 60000
				607.4	607.8	0.4	>61000
				607.8	608	0.2	5000 - 60000
				608			

608.2

16000 - 60000

608.2	608.4	0.2	>61000
608.4	608.5	0.1	10000 - 60000
608.5	609	0.5	6400 - 42000
609	609.5	0.5	10000 - 25000
609.5	610	0.5	7000 - 25000
610	610.5	0.5	<500 - 6000
610.5	610.9	0.4	7000 - 60000
610.9	611	0.1	>61000
611	611.5	0.5	4000 - 26000
611.5	612	0.5	3000 - 10000
612	612.5	0.5	700 - 3000
612.5	613	0.5	3000 - 7000
613	613.5	0.5	700 - 6000
613.5	614	0.5	2000 - 33000
614	614.5	0.5	900 - 6000
614.5	615	0.5	1900 - 39000
615	615.5	0.5	580 - 15000
615.5	616	0.5	500 - 5000
616	616.5	0.5	900 - 7500
616.5	617	0.5	900 - 25000
617	617.5	0.5	2800 - 14000
617.5	618	0.5	1100 - 3500
618	618.4	0.4	1300 - 60000
618.4	618.5	0.1	>61000
618.5	619	0.5	15000 - 31000
619	619.5	0.5	9800 - 39000
619.5	620	0.5	3400 - 14500
620	620.5	0.5	1800 - 24000
620.5	621	0.5	2500 - 25000
621	621.5	0.5	<500 - 2800
622	622.5	0.5	<500 - 580
622.5			

<500 - 800

				623	623.5	0.5	550 - 18000
				623.5	624	0.5	500 - 1400
				624	624.5	0.5	<500 - 700
				624.5	625	0.5	<500 - 10000
				625	625.4	0.4	500 - 60000
				625.4	625.5	0.1	>61000
				625.5	626	0.5	700 - 40000
				627	627.5	0.5	<500
				629	629.5	0.5	<500 - 1000
				640	640.5	0.5	<500 - 600
				640.5	641	0.5	<500 - 510
				649	649.5	0.5	<500
				658	658.5	0.5	<500 - 800
				658.5	659	0.5	<500
				665	665.5	0.5	<500
				668	668.5	0.5	<500 - 800
				668.5	669	0.5	<500 - 560
				671	671.5	0.5	<500
				687	687.5	0.5	<500
RK-24-223	345	-66 TBD	106.8	336	336.5	0.5	<500 - 800
				633	633.5	0.5	<500 - 7200
				633.5	634	0.5	<500 - 40000
				634	634.5	0.5	<500 - 1300
				634.5	635	0.5	<500 - 1700
				635	635.5	0.5	<500
				645.5	646	0.5	<500 - 740
				646	646.5	0.5	2100 - 10000
				646.5	647	0.5	7500 - 24000
				647	647.5	0.5	1000 - 24000
				675	675.5	0.5	500 - 4200
				675.5	676	0.5	1200 - 7200
				676			

676.5

<500 - 3700

678	678.5	0.5	<500 - 700
678.5	679	0.5	<500
679.5	680	0.5	<500 - 800
689.5	690	0.5	<500 - 2500
690	690.5	0.5	5000 - 14000
690.5	691	0.5	4000 - 12000
691	691.5	0.5	<500 - 6000
691.5	692	0.5	3000 - 12000
692	692.5	0.5	5000 - 14000
692.5	693	0.5	<500 - 1100
695.5	696	0.5	<500 - 3100
696	696.5	0.5	<500 - 1500
696.5	697	0.5	<500
702.5	703.5	1	<500
704.5	705	0.5	<500
713.5	714	0.5	<500 - 1700
714.5	715	0.5	<500
715	715.5	0.5	<500 - 1200
716	716.5	0.5	1200 - 1800
716.5	717	0.5	<500 - 1100
717	717.5	0.5	1500 - 2200
717.5	718	0.5	<500 - 2000
718	718.5	0.5	<500 - 5100
720.5	721	0.5	<500 - 5900
721	721.5	0.5	<500 - 2000
722	722.5	0.5	1100 - 12000
722.5	723	0.5	1500 - 23000
723	723.5	0.5	3500 - 37000
726	726.5	0.5	<500 - 3000
726.5	727	0.5	3000 - 12000
727	727.5	0.5	<500
737.5			

<500 - 5000

738	738.5	0.5	<500 - 1400
743	743.5	0.5	<500 - 700
749	750	1	<500
756.5	757	0.5	<500
757.5	758	0.5	<500
758.5	759	0.5	<500
759	759.5	0.5	<500 - 720
760	760.5	0.5	<500 - 3000
763.5	764	0.5	<500 - 650

- All depths and intervals are meters downhole, true thicknesses are yet to be determined.
- "Off-scale" refers to >61,000 cps total readings by gamma spectrometer type RS-125.
- Unconformity of 'N/A' denotes a lack of visible contact between Athabasca sandstone and basement rock.
- Maximum internal dilution 2.0 m downhole.
- Minimum thickness of 0.5 m downhole.
- All depths and intervals are metres downhole, true thicknesses are yet to be determined. Resource modelling in conjunction with an updated mineral resource estimate is required before true thicknesses can be determined.

764.5	765.5	1	<500
765.5	766	0.5	900 - 3700
766	766.5	0.5	800 - 15000
766.5	767	0.5	800 - 2500
767	767.5	0.5	1000 - 11000

About NexGen

767.5	768	0.5	<500
772	772.5	0.5	<500-500

NexGen Energy is a Canadian company focused on delivering clean energy fuel for the future. The Company's flagship Rook I Project is being optimally developed into the largest low cost producing uranium mine globally, incorporating the most elite standards in environmental and social governance. The Rook I Project is supported by a NI 43-101 compliant Feasibility Study which outlines the elite environmental performance and industry leading economics. NexGen is led by a team of experienced uranium and mining industry professionals with expertise across the entire mining life cycle, including exploration, financing, project engineering and construction, operations, and closure. NexGen is leveraging its proven experience to deliver a Project that leads the entire mining industry socially, technically, and environmentally. The Project and prospective portfolio in northern Saskatchewan will provide generational long-term economic, environmental, and social benefits for Saskatchewan, Canada, and the world.

RK-24-224 310 -70 TBD 115.8 TBD

NexGen is listed on the Toronto Stock Exchange, the New York Stock Exchange under the ticker symbol "NXE" and on the Australian Securities Exchange under the ticker symbol "NXG" providing access to global investors to participate in NexGen's mission of solving three major global challenges in decarbonization, energy security and access to power. The Company is headquartered in Vancouver, British Columbia, with its primary operations office in Saskatoon, Saskatchewan.

www.nexgenenergy.ca

Technical Disclosure*

All technical information in this news release has been reviewed and approved by Jason Craven, NexGen's Manager, Exploration, a qualified person under National Instrument 43-101.

Natural gamma radiation in drill core reported in this news release was measured in counts per second (cps) using a Radiation Solutions Inc. RS-125 gamma spectrometer. The reader is cautioned that total count gamma readings may not be directly or uniformly related to uranium grades of the rock sample measured; they should be used only as a preliminary indication of the presence of radioactive minerals.

A technical report in respect of the FS is filed on SEDAR (www.sedar.com) and EDGAR (www.sec.gov/edgar.shtml) and is available for review on NexGen Energy's website (www.nexgenenergy.ca).

Cautionary Note to U.S. Investors

This news release includes Mineral Reserves and Mineral Resources classification terms that comply with reporting standards in Canada and the Mineral Reserves and the Mineral Resources estimates are made in accordance with NI 43-101. NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for all public disclosure an issuer makes of scientific and technical information concerning mineral projects. These standards differ from the requirements of the Securities and Exchange Commission ("SEC") set by the SEC's rules that are applicable to domestic United States reporting companies. Consequently, Mineral Reserves and Mineral Resources information included in this news release is not comparable to similar information that would generally be disclosed by domestic U.S. reporting companies subject to the reporting and disclosure requirements of the SEC. Accordingly, information concerning mineral deposits set forth herein may not be comparable with information made public by companies that report in accordance with U.S. standards.

Forward-Looking Information

The information contained herein contains "forward-looking statements" within the meaning of applicable United States securities laws and regulations and "forward-looking information" within the meaning of applicable Canadian securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to mineral reserve and mineral resource estimates, the 2021 Arrow Deposit, Rook I Project and estimates of uranium production, grade and long-term average uranium prices, anticipated effects of completed drill results on the Rook I Project, planned work programs, completion of further site investigations and engineering work to support basic engineering of the project and expected outcomes. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation thereof. Statements relating to "mineral resources" are deemed to be forward-looking information, as they involve the implied assessment that, based on certain estimates and assumptions, the mineral resources described can be profitably produced in the future.

Forward-looking information and statements are based on the then current expectations, beliefs, assumptions, estimates and forecasts about NexGen's business and the industry and markets in which it operates. Forward-looking information and statements are made based upon numerous assumptions, including among others, that the mineral reserve and resources estimates and the key assumptions and parameters on which such estimates are based are as set out in this news release and the technical report for the property, the results of planned exploration activities are as anticipated, the price and market supply of uranium, the cost of planned exploration activities, that financing will be available if and when needed and on reasonable terms, that third party contractors, equipment, supplies and governmental and other approvals required to conduct NexGen's planned exploration activities will be available on reasonable terms and in a timely manner and that general business and economic conditions will not change in a material adverse manner. Although the assumptions made by the Company in providing forward looking information or making forward looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate in the future.

Forward-looking information and statements also involve known and unknown risks and uncertainties and other factors, which may cause actual results, performances and achievements of NexGen to differ materially from any projections of results, performances and achievements of NexGen expressed or implied by such forward-looking information or statements, including, among others, the existence of negative operating cash flow and dependence on third party financing, uncertainty of the availability of additional financing, the risk that pending assay results will not confirm previously announced preliminary results, conclusions of economic valuations, the risk that actual results of exploration activities will be different than anticipated, the cost of labour, equipment or materials will increase more than expected, that the future price of uranium will decline or otherwise not rise to an economic level, the appeal of alternate sources of energy to uranium-produced energy, that the Canadian dollar will strengthen against the U.S. dollar, that mineral resources and reserves are not as estimated, that actual costs or actual results of reclamation activities are greater than expected, that changes in project parameters and plans continue to be refined and may result in

increased costs, of unexpected variations in mineral resources and reserves, grade or recovery rates or other risks generally associated with mining, unanticipated delays in obtaining governmental, regulatory or First Nations approvals, risks related to First Nations title and consultation, reliance upon key management and other personnel, deficiencies in the Company's title to its properties, uninsurable risks, failure to manage conflicts of interest, failure to obtain or maintain required permits and licences, risks related to changes in laws, regulations, policy and public perception, as well as those factors or other risks as more fully described in NexGen's Annual Information Form dated March 6, 2024 filed with the securities commissions of all of the provinces of Canada except Quebec and in NexGen's 40-F filed with the United States Securities and Exchange Commission, which are available on SEDAR at www.sedar.com and Edgar at www.sec.gov .

Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking information or statements or implied by forward-looking information or statements, there may be other factors that cause results not to be as anticipated, estimated or intended. Readers are cautioned not to place undue reliance on forward-looking information or statements due to the inherent uncertainty thereof.

There can be no assurance that forward-looking information and statements will prove to be accurate, as actual results and future events could differ materially from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on forward-looking statements or information. The Company undertakes no obligation to update or reissue forward-looking information as a result of new information or events except as required by applicable securities laws.

View original content to download

multimedia:<https://www.prnewswire.com/news-releases/nexgen-announces-best-hole-to-date-rk-24-222-and-high-grad>

SOURCE NexGen Energy Ltd.

Contact

Contact Information: Leigh Curyer, Chief Executive Officer, NexGen Energy Ltd., +1 604 428 4112, lcuryer@nxe-energy.ca; Travis McPherson, Chief Commercial Officer, NexGen Energy Ltd., +1 604 428 4112, tmcpherson@nxe-energy.ca, www.nexgenenergy.ca; Monica Kras, Vice President, Corporate Development, +44 7307 191933, mkras@nxe-energy.ca, www.nexgenenergy.ca

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/484779--NexGen-Announces-Best-Hole-to-Date-RK-24-222-and-High-Grade-Expansion-at-Patterson-Corridor-East-Conclu>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).