

Aya Gold & Silver Reports Zgounder At-Depth High-Grade Drill Results

19.11.2024 | [GlobeNewswire](#)

MONTREAL, Nov. 19, 2024 - [Aya Gold & Silver Inc.](#) (TSX: AYA; OTCQX: AYASF) ("Aya" or the "Corporation") is pleased to report additional high-grade silver drill results from its at-depth drill exploration program at the Zgounder Silver Mine in the Kingdom of Morocco.

Highlights (all intersections are in core lengths)

- In the Central Zone from the 1,950m level:
 - hole DZG-SF-24-172 intercepted 2,165 grams per tonne ("g/t") silver ("Ag") over 21.0 meters ("m"), including 4,600 g/t Ag over 3.5m
 - hole DZG-SF-24-145 intercepted 4,645 g/t Ag over 3.0m, including 6,703 g/t Ag over 2.0m
 - hole DZG-SF-24-272 intercepted 1,849 g/t Ag over 5.5m, including 3,894 g/t Ag over 2.5m
- In the Western Zone near the granite contact:
 - hole ZG-SF-24-200 intercepted 1,151 g/t Ag over 21.0m, including 3,290 g/t Ag over 6.0m
- In the Eastern Zone near the open-pit area:
 - hole DZG-SF-24-153 intercepted 3,955 g/t Ag over 4.0m
 - hole ZG-RC-24-028 intercepted 986 g/t Ag over 24.0m, including 4,418 g/t Ag over 4.0m
 - hole ZG-RC-24-082 intercepted 1,155 g/t Ag over 16.0m, including 2,335 g/t Ag over 5.0m
 - hole ZG-RC-24-031 intercepted 744 g/t Ag over 14.0m
- 28,983m of the 2024 exploration program drilled year to date

"Today's high-grade drill results, including hole DZG-SF-24-172, show good continuity of high-grade silver mineralization at Zgounder," stated Benoit La Salle, President & CEO. "The multiple silver-rich intersections within and around the pit area could lead to an increase of the open pit mining rate. Furthermore, the high-grade intercept at the western extremity, together with the previously announced ZG-SF-24-141 at the western boundary of the fault, highlight the potential for additional resource expansion. With four underground, two surface, and one RC rig currently active, we anticipate a steady flow of results in the coming months to further advance our understanding and resource growth potential at Zgounder."

Included in this release are results for 458 holes, which include 107 underground diamond drill holes ("DDH"), 148 reverse circulation ("RC"), 137 T28 and 66 YAK holes (T28 and YAK: percussion drilling using an air-compressed hammer). For a full summary of today's results, refer to Appendix 1.

Table 1 - Significant Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Length (m)*	Ag x width
Underground DDH					
ZG-SF-24-170	28.5	35.5	977	7.0	6,836
Including	28.5	31.0	2,432	2.5	6,080
ZG-SF-24-200	265.0	286.0	1,151	21.0	24,166
Including	280.0	286.0	3,290	6.0	19,738
DZG-SF-24-145	13.0	16.0	4,645	3.0	13,934
Including	13.0	15.0	6,703	2.0	13,406
DZG-SF-24-151	17.5	20.0	2,489	2.5	6,222
DZG-SF-24-153	56.0	60.0	3,955	4.0	15,818
DZG-SF-24-172	22.5	43.5	2,165	21.0	45,474

Including	30.5	34.0	4,600	3.5	16,100
DZG-SF-24-247	47.0	66.0	400	19.0	7,596
DZG-SF-24-272	4.0	9.5	1,849	5.5	10,170
Including	4.5	7.0	3,894	2.5	9,736
DZG-SF-24-273	3.0	11.0	1,219	8.0	9,748
Including	7.5	9.5	4,140	2.0	8,280
Surface RC					
ZG-RC-24-001	8.0	25.0	504	17.0	8,560
ZG-RC-24-027	11.0	19.0	769	8.0	6,152
Including	11.0	15.0	1,433	4.0	5,732
ZG-RC-24-028	2.0	26.0	986	24.0	23,672
Including	18.0	22.0	4,418	4.0	17,672
ZG-RC-24-028	45.0	55.0	908	10.0	9,076
Including	50.0	54.0	1,900	4.0	7,600
ZG-RC-24-029	5.0	17.0	543	12.0	6,516
ZG-RC-24-029	20.0	37.0	464	17.0	7,892
ZG-RC-24-031	8.0	22.0	744	14.0	10,416
ZG-RC-24-033	25.0	28.0	1,863	3.0	5,588
ZG-RC-24-062	10.0	21.0	370	11.0	4,072
ZG-RC-24-067	74.0	78.0	1,075	4.0	4,300
ZG-RC-24-074	62.0	76.0	387	14.0	5,424
ZG-RC-24-082	24.0	40.0	1,155	16.0	18,472
Including	33.0	38.0	2,335	5.0	11,676
ZG-RC-24-140	11.0	13.0	2,268	2.0	4,536
ZG-RC-24-142	1.0	5.0	1,881	4.0	7,524
Including	2.0	4.0	3,546	2.0	7,092
ZG-RC-24-243	0.0	25.0	420	25.0	10,504
Including	9.0	13.0	1,242	4.0	4,968
Underground T28					
TD28-24-2030-329	0.0	9.6	519	9.6	4,982
TD28-24-2030-335	0.0	12.0	718	12.0	8,621
Including	2.4	6.0	1,447	3.6	5,208
TD28-24-2030-338	1.2	25.2	539	24.0	12,926
Including	9.6	15.6	1,558	6.0	9,350
TD28-24-2050-412	19.2	26.4	705	7.2	5,078
Underground YAK					
YAKD-24-2000-122	14.4	28.8	931	14.4	13,406
Including	21.6	26.4	2,054	4.8	9,859
YAKD-24-2000-130	22.8	34.8	729	12.0	8,750
Including	24.0	27.6	1,963	3.6	7,066

¹ Holes were drilled at various angles; true widths are unknown at this time.

² All assay results are above the cut-off grade of 75 g/t Ag

Figure 1: Location of Drill Results at Zgounder

Quality Assurance

For core drilling, all individual samples represent approximately one meter in length of core, which is halved. Half of the core is kept on site for reference, and its counterpart is sent for preparation and assaying to

African Laboratory for Mining and Environment ("Afrilab") in Marrakech, Morocco. All samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by atomic absorption spectroscopy ("AAS"). Samples grading above 200 g/t Ag are reanalyzed using fire assaying.

For definition drilling using T28 drilling equipment, all individual samples represent 1.2m in length. Samples are assayed at either the Zgounder Mine laboratory or at Afrilab. At Afrilab, all samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by AAS. Samples grading above 200 g/t Ag are reanalyzed using fire assaying. At ZMSM, all samples are analyzed for silver only using Aqua regia and finished by AAS. Rigorous quality controls (QaQc) are applied at both locations.

David Lalonde, B.Sc. P. Geo, Vice-President Exploration, is Aya Gold & Silver's Qualified Person and has reviewed this press release for accuracy and compliance with National Instrument 43-101.

About Aya Gold & Silver Inc.

Aya Gold & Silver Inc. is a rapidly growing, Canada-based silver producer with operations in the Kingdom of Morocco.

The only TSX-listed pure silver mining company, Aya operates the high-grade Zgounder Silver Mine and is exploring its properties along the prospective South-Atlas Fault, several of which have hosted past-producing mines and historical resources. Aya's Moroccan mining assets are complemented by its Tijirit Gold Project in Mauritania, which, subject to the announcement of September 12, 2024, will be developed by Mx2 Mining, a new spinout gold-growth company.

Aya's management team has been focused on maximizing shareholder value by anchoring sustainability at the heart of its operations, governance, and financial growth plans.

For additional information, please visit Aya's website at www.ayagoldsilver.com.

Or contact

Benoit La Salle, FCPA, MBA	Alex Ball
President & CEO	VP, Corporate Development & IR
Benoit.lasalle@ayagoldsilver.com	alex.ball@ayagoldsilver.com

Forward-Looking Statements

This press release contains certain statements that constitute forward-looking information within the meaning of applicable securities laws ("forward-looking statements"), which reflects management's expectations regarding Aya's future growth and business prospects (including the timing and development of new deposits and the success of exploration activities) and other opportunities. Wherever possible, words such as "show", "lead", "potential", "expand", "anticipate", "grow", and similar expressions or statements that certain actions, events or results "may", "could", "would", "might", "will", or are "likely" to be taken, occur or be achieved, have been used to identify such forward-looking information. Specific forward-looking statements in this press release include, but are not limited to, statements and information with respect to advancement of the commissioning work according to Aya's plan. Although the forward-looking information contained in this press release reflect management's current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, Aya cannot be certain that actual results will be consistent with such forward-looking information. Such forward-looking statements are based upon assumptions, opinions and analysis made by management in light of its experience, current conditions, and its expectations of future developments that management believe to be reasonable and relevant but that may prove to be incorrect. These assumptions include, among other things, the capacity for the company to show, through drilling continuity of high grade mineralisation at Zgounder and the existence of same, the capacity for the company to increase its open pit mining rate, the capacity and ability for adding resources and growing the resource at Zgounder, the ability to obtain any requisite governmental approvals, obtaining regulatory permits for on-site work, importing goods and machinery and

employment permits, the accuracy of Mineral Reserve and Mineral Resource Estimates (including, but not limited to, ore tonnage and ore grade estimates), the price of silver, the price of gold, exchange rates, fuel and energy costs, future economic conditions, anticipated future estimates of free cash flow, and courses of action. Aya cautions you not to place undue reliance upon any such forward-looking statements.

The risks and uncertainties that may affect forward-looking statements include, among others: the inherent risks involved in exploration and development of mineral properties, including government approvals and permitting, changes in economic conditions, changes in the worldwide price of silver gold and other key inputs, changes in mine plans (including, but not limited to, throughput and recoveries being affected by metallurgical characteristics), accuracy of mineral reserves and resource calculations and other factors, such as project execution delays, many of which are beyond the control of Aya, as well as other risks and uncertainties which are more fully described in Aya's 2023 Annual Information Form dated March 28, 2024, and in other filings of Aya with securities and regulatory authorities which are available on SEDAR+ at www.sedarplus.ca. Aya does not undertake any obligation to update forward-looking statements should assumptions related to these plans, estimates, projections, beliefs, and opinions change. Nothing in this document should be construed as either an offer to sell or a solicitation to buy or sell Aya securities. All references to Aya include its subsidiaries unless the context requires otherwise.

Appendix 1 - Mineral Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Ag x width Length (m)*
Underground DDH				
ZG-SF-24-169	51.0	52.0	268	268
ZG-SF-24-169	63.0	63.5	260	030
ZG-SF-24-169	77.0	80.5	126	340
ZG-SF-24-170	7.5	9.0	96	144
ZG-SF-24-170	28.5	35.5	977	6,036
Including	28.5	31.0	2,432	6,080
ZG-SF-24-170	49.0	57.5	92	854
ZG-SF-24-170	94.0	97.0	200	600
ZG-SF-24-170	109.0	112.5	1,094	3,628
ZG-SF-24-171	72.0	73.5	80	120
ZG-SF-24-171	75.0	76.5	192	288
ZG-SF-24-171	75.0	78.0	166	398
ZG-SF-24-171	79.0	79.5	116	65
ZG-SF-24-171	80.5	81.5	124	124
ZG-SF-24-172	100.5	101.5	268	268
ZG-SF-24-172	105.5	109.5	161	642
Including	105.5	107.0	293	440
ZG-SF-24-172	113.5	118.0	102	458
ZG-SF-24-174	16.0	17.5	287	430
ZG-SF-24-174	18.0	19.0	80	80
ZG-SF-24-174	57.0	61.5	760	3,522
ZG-SF-24-185	54.0	57.0	266	398
ZG-SF-24-188	130.5	132.0	188	282
ZG-SF-24-188	138.0	141.0	119	357
ZG-SF-24-188	142.5	144.0	92	138
ZG-SF-24-190	110.0	111.5	116	174
ZG-SF-24-190	123.5	125.0	128	192
ZG-SF-24-192	199.0	202.0	794	2,082
ZG-SF-24-192	284.0	285.5	76	174
ZG-SF-24-192	302.0	303.5	84	126
ZG-SF-24-192	307.5	313.5	147	682

ZG-SF-24-192	321.0	326.0	112	562
ZG-SF-24-194	140.0	141.5	268	402
ZG-SF-24-194	151.5	154.5	1,040	3,020
ZG-SF-24-195	6.2	7.5	128	166
ZG-SF-24-195	10.5	13.0	124	210
ZG-SF-24-198	201.5	203.0	208	312
ZG-SF-24-198	225.5	227.0	88	132
ZG-SF-24-198	228.5	230.0	88	132
ZG-SF-24-199	129.5	130.5	642	642
ZG-SF-24-200	204.0	208.5	208	936
ZG-SF-24-200	265.0	286.0	1,151	24,066
Including	273.0	275.0	1,356	2,012
Including	280.0	286.0	3,290	6,0738
ZG-SF-24-200	322.0	323.0	168	168
ZG-SF-24-200	326.5	327.0	188	94
ZG-SF-24-200	329.0	330.0	120	120
ZG-SF-24-200	346.5	348.0	192	288
ZG-SF-24-200	352.5	354.0	104	156
ZG-SF-24-200	364.5	366.0	204	306
ZG-SF-24-202	109.0	110.5	700	1,650
ZG-SF-24-202	135.5	136.5	80	80
ZG-SF-24-202	137.5	138.0	80	95
ZG-SF-24-205	4.5	6.0	80	120
ZG-SF-24-205	182.0	184.1	90	289
ZG-SF-24-212	9.0	10.5	96	144
ZG-SF-24-212	135.5	138.5	134	302
ZG-SF-24-239	42.5	45.0	242	804
ZG-SF-24-239	54.5	56.0	144	216
DZG-SF-24-129	40.5	41.5	176	176
DZG-SF-24-129	43.5	44.5	224	224
DZG-SF-24-129	55.0	56.0	96	96
DZG-SF-24-129	57.0	57.5	208	004
DZG-SF-24-129	61.5	64.0	110	276
DZG-SF-24-129	67.5	73.0	143	588
DZG-SF-24-129	80.5	84.5	173	690
DZG-SF-24-141	1.5	3.0	88	132
DZG-SF-24-144	36.0	37.5	76	114
DZG-SF-24-145	0.0	1.0	96	96
DZG-SF-24-145	2.0	3.5	620	930
DZG-SF-24-145	6.5	8.0	360	540
DZG-SF-24-145	13.0	16.0	4,645	33,934
Including	13.0	15.0	6,703	23,406
DZG-SF-24-146	4.0	11.5	205	7,536
DZG-SF-24-149	33.0	39.0	643	6,860
Including	34.0	35.5	2,176	3,264
DZG-SF-24-149	55.0	56.0	76	76
DZG-SF-24-150	38.0	39.5	128	192
DZG-SF-24-150	44.0	49.5	292	5,606
DZG-SF-24-151	17.5	20.0	2,489	8,222
DZG-SF-24-151	24.0	26.0	384	268
DZG-SF-24-153	13.5	15.0	120	180
DZG-SF-24-153	16.0	17.0	104	104

DZG-SF-24-153	56.0	60.0	3,955	45 818
DZG-SF-24-154	16.0	17.0	92	92
DZG-SF-24-154	28.5	29.0	208	004
DZG-SF-24-154	42.5	45.5	156	368
DZG-SF-24-157	15.0	24.0	436	9,024
DZG-SF-24-157	34.5	38.0	102	358
DZG-SF-24-161	18.0	19.5	104	156
DZG-SF-24-166	40.5	42.0	80	120
DZG-SF-24-166	43.5	45.0	84	126
DZG-SF-24-168	30.0	31.0	76	760
DZG-SF-24-168	32.0	33.5	208	312
DZG-SF-24-170	21.0	23.0	96	292
DZG-SF-24-170	41.5	42.5	84	840
DZG-SF-24-170	43.0	45.5	548	2,570
DZG-SF-24-170	49.0	55.5	235	6,526
DZG-SF-24-170	57.0	57.5	88	045
DZG-SF-24-171	18.0	19.5	180	270
DZG-SF-24-171	62.5	64.0	260	390
DZG-SF-24-172	15.0	16.5	104	156
DZG-SF-24-172	18.0	19.5	264	396
DZG-SF-24-172	22.5	43.5	2,165	25,074
Including	30.5	34.0	4,600	365100
DZG-SF-24-172	52.5	55.5	318	954
DZG-SF-24-176	32.0	40.0	168	8,042
Including	32.0	34.5	346	864
DZG-SF-24-177	18.0	21.0	114	342
DZG-SF-24-177	36.0	37.5	196	294
DZG-SF-24-181	28.0	29.5	76	114
DZG-SF-24-227	3.0	4.5	112	168
DZG-SF-24-230	9.0	12.5	102	356
DZG-SF-24-231	35.0	35.5	184	025
DZG-SF-24-232	7.5	9.0	92	138
DZG-SF-24-232	16.5	19.0	1,050	2,626
DZG-SF-24-233	9.0	14.5	144	590
DZG-SF-24-234	27.5	28.5	80	800
DZG-SF-24-235	26.5	28.5	206	212
DZG-SF-24-236	63.0	67.0	286	4,044
DZG-SF-24-238	4.5	5.5	768	768
DZG-SF-24-238	10.5	15.0	533	2,598
Including	10.5	13.5	705	2,014
DZG-SF-24-241	34.5	35.5	436	436
DZG-SF-24-241	43.0	44.5	228	342
DZG-SF-24-242	15.0	21.0	279	6,074
DZG-SF-24-243	14.5	18.0	177	618
DZG-SF-24-243	22.0	22.5	472	036
DZG-SF-24-243	36.5	38.5	76	252
DZG-SF-24-244	29.0	30.0	156	156
DZG-SF-24-244	37.0	41.5	84	378
DZG-SF-24-244	60.5	68.5	163	8,000
DZG-SF-24-245	12.0	15.0	96	288
DZG-SF-24-245	43.0	47.5	117	528
DZG-SF-24-247	3.0	4.5	144	216

DZG-SF-24-247	39.5	43.0	255	892
DZG-SF-24-247	47.0	66.0	400	7596
Including	47.0	50.0	796	2,088
Including	60.0	62.0	800	2,600
DZG-SF-24-271	7.5	9.0	100	150
DZG-SF-24-271	12.0	20.5	279	2,568
Including	13.0	17.5	400	4,398
DZG-SF-24-272	1.5	3.0	92	138
DZG-SF-24-272	4.0	9.5	1,849	55170
Including	4.5	7.0	3,894	2,336
DZG-SF-24-272	11.0	12.5	80	120
DZG-SF-24-273	3.0	11.0	1,219	9,048
Including	7.5	9.5	4,140	2,080
DZG-SF-24-275	39.0	40.5	76	1,14
DZG-SF-24-277	22.0	23.5	76	1,14
DZG-SF-24-278	24.5	26.0	76	1,14
DZG-SF-24-288	40.5	46.0	516	2,838
DZG-SF-24-289	27.0	30.0	224	672
DZG-SF-24-289	31.5	33.0	96	1,44
DZG-SF-24-291	42.0	45.0	321	964
Surface RC				
ZG-RC-24-001	8.0	25.0	504	8,560
Including	11.0	14.0	883	2,648
ZG-RC-24-001	40.0	41.0	88	88
ZG-RC-24-001	63.0	64.0	76	76
ZG-RC-24-020	27.0	28.0	84	84
ZG-RC-24-020	32.0	35.0	303	908
ZG-RC-24-021	45.0	55.0	366	3,664
Including	45.0	48.0	707	2,020
ZG-RC-24-021	57.0	58.0	168	168
ZG-RC-24-021	60.0	63.0	759	2,276
ZG-RC-24-021	66.0	68.0	126	252
ZG-RC-24-024	59.0	66.0	329	2,004
ZG-RC-24-024	83.0	84.0	120	120
ZG-RC-24-027	3.0	7.0	131	524
ZG-RC-24-027	11.0	19.0	769	6,052
Including	11.0	15.0	1,433	5,032
ZG-RC-24-027	32.0	33.0	96	96
ZG-RC-24-027	34.0	35.0	92	92
ZG-RC-24-028	2.0	26.0	986	23,672
Including	18.0	22.0	4,418	47,672
ZG-RC-24-028	31.0	32.0	532	532
ZG-RC-24-028	45.0	55.0	908	9,006
Including	50.0	54.0	1,900	7,600
ZG-RC-24-029	1.0	2.0	80	80
ZG-RC-24-029	1.0	3.0	80	260
ZG-RC-24-029	5.0	17.0	543	6,206
ZG-RC-24-029	20.0	37.0	464	7,792
Including	20.0	22.0	1,388	2,076
Including	32.0	35.0	1,095	3,284
ZG-RC-24-029	56.0	65.0	156	9,000
ZG-RC-24-030	40.0	42.0	208	2,16

ZG-RC-24-030	49.0	51.0	108	216
ZG-RC-24-031	8.0	22.0	744	10,016
ZG-RC-24-032	23.0	43.0	108	20166
Including	23.0	28.0	200	5,000
ZG-RC-24-032	67.0	68.0	164	164
ZG-RC-24-032	75.0	77.0	280	260
ZG-RC-24-032	82.0	91.0	202	9,820
ZG-RC-24-033	25.0	28.0	1,863	5,688
ZG-RC-24-033	38.0	39.0	96	96
ZG-RC-24-034	92.0	93.0	80	80
ZG-RC-24-034	94.0	95.0	80	80
ZG-RC-24-036	12.0	25.0	225	2,304
ZG-RC-24-038	56.0	60.0	940	3,060
ZG-RC-24-038	76.0	83.0	261	7,828
ZG-RC-24-041	4.0	6.0	97	294
ZG-RC-24-042	103.0	104.0	100	100
ZG-RC-24-044	90.0	95.0	122	608
ZG-RC-24-047	45.0	46.0	256	256
ZG-RC-24-048	6.0	8.0	218	236
ZG-RC-24-048	56.0	57.0	84	84
ZG-RC-24-048	61.0	62.0	80	80
ZG-RC-24-049	36.0	39.0	555	3,664
ZG-RC-24-050	14.0	19.0	118	588
ZG-RC-24-051	93.0	98.0	258	5,092
ZG-RC-24-061	0.0	8.0	113	904
ZG-RC-24-061	11.0	17.0	147	684
ZG-RC-24-061	21.0	23.0	130	260
ZG-RC-24-061	28.0	29.0	112	112
ZG-RC-24-061	31.0	32.0	108	108
ZG-RC-24-061	31.0	33.0	116	232
ZG-RC-24-061	31.0	34.0	100	300
ZG-RC-24-061	31.0	35.0	102	408
ZG-RC-24-061	37.0	38.0	92	92
ZG-RC-24-061	40.0	41.0	80	80
ZG-RC-24-062	5.0	7.0	140	280
ZG-RC-24-062	10.0	21.0	370	4,102
Including	13.0	20.0	490	3,032
ZG-RC-24-062	32.0	37.0	130	652
ZG-RC-24-063	53.0	54.0	828	828
ZG-RC-24-064	22.0	24.0	136	272
ZG-RC-24-064	31.0	32.0	132	132
ZG-RC-24-065	30.0	33.0	1,308	3,924
ZG-RC-24-065	48.0	49.0	1,328	1,828
ZG-RC-24-065	79.0	80.0	204	204
ZG-RC-24-066	14.0	16.0	254	208
ZG-RC-24-066	23.0	24.0	128	128
ZG-RC-24-066	59.0	60.0	848	848
ZG-RC-24-066	62.0	63.0	128	128
ZG-RC-24-066	66.0	67.0	80	80
ZG-RC-24-066	78.0	79.0	260	260
ZG-RC-24-066	84.0	85.0	84	84
ZG-RC-24-067	71.0	72.0	140	140

ZG-RC-24-067	74.0	78.0	1,075	4,000
ZG-RC-24-069	93.0	94.0	136	136
ZG-RC-24-073	55.0	56.0	92	92
ZG-RC-24-074	62.0	76.0	387	5,404
Including	69.0	72.0	881	2,644
ZG-RC-24-075	71.0	75.0	441	4,064
ZG-RC-24-078	92.0	93.0	332	332
ZG-RC-24-079	1.0	2.0	120	120
ZG-RC-24-081	19.0	20.0	76	76
ZG-RC-24-082	24.0	40.0	1,155	18,072
Including	33.0	38.0	2,335	5,0676
ZG-RC-24-082	47.0	48.0	356	356
ZG-RC-24-083	5.0	13.0	331	2,644
Including	10.0	12.0	1,044	2,088
ZG-RC-24-083	39.0	45.0	628	6,068
Including	41.0	43.0	1,704	2,008
ZG-RC-24-083	54.0	55.0	104	104
ZG-RC-24-083	64.0	69.0	502	2,612
ZG-RC-24-084	4.0	10.0	507	6,040
ZG-RC-24-084	12.0	13.0	76	76
ZG-RC-24-084	14.0	15.0	216	216
ZG-RC-24-084	19.0	25.0	141	644
ZG-RC-24-084	28.0	29.0	424	424
ZG-RC-24-085	48.0	49.0	124	124
ZG-RC-24-085	51.0	52.0	124	124
ZG-RC-24-085	57.0	58.0	128	128
ZG-RC-24-089	10.0	11.0	316	316
ZG-RC-24-089	14.0	18.0	340	4,060
ZG-RC-24-090	46.0	48.0	142	284
ZG-RC-24-091	49.0	50.0	112	112
ZG-RC-24-091	51.0	60.0	305	2,048
ZG-RC-24-092	47.0	48.0	472	472
ZG-RC-24-092	57.0	58.0	472	472
ZG-RC-24-099	34.0	35.0	100	100
ZG-RC-24-125	11.0	12.0	128	128
ZG-RC-24-125	17.0	18.0	76	76
ZG-RC-24-127	60.0	66.0	323	6,940
ZG-RC-24-129	34.0	41.0	469	3,084
ZG-RC-24-138	26.0	30.0	227	908
ZG-RC-24-138	37.0	39.0	322	644
ZG-RC-24-139	23.0	28.0	178	692
ZG-RC-24-140	11.0	13.0	2,268	2,636
ZG-RC-24-142	1.0	5.0	1,881	7,624
Including	2.0	4.0	3,546	2,092
ZG-RC-24-142	8.0	9.0	220	220
ZG-RC-24-142	14.0	15.0	712	712
ZG-RC-24-213	37.0	38.0	136	136
ZG-RC-24-213	40.0	41.0	96	96
ZG-RC-24-213	56.0	57.0	96	96
ZG-RC-24-213	58.0	59.0	104	104
ZG-RC-24-214	47.0	48.0	664	664
ZG-RC-24-214	57.0	58.0	668	668

ZG-RC-24-228	51.0	52.0	76	70
ZG-RC-24-228	66.0	67.0	80	80
ZG-RC-24-228	70.0	71.0	84	84
ZG-RC-24-243	0.0	25.0	420	26,604
Including	9.0	13.0	1,242	4,968
ZG-RC-24-243	28.0	29.0	312	312
ZG-RC-24-254	1.0	3.0	86	272
ZG-RC-24-254	8.0	9.0	96	96
ZG-RC-24-254	10.0	11.0	88	88
ZG-RC-24-254	34.0	35.0	80	80
Underground T28				
TD28-24-2030-327	0.0	6.0	144	664
TD28-24-2030-328	2.4	6.0	177	638
TD28-24-2030-328	10.8	12.0	80	962
TD28-24-2030-329	0.0	9.6	519	9,082
TD28-24-2030-330	2.4	7.2	708	3,898
TD28-24-2030-330	15.6	16.8	88	106
TD28-24-2030-332	7.2	8.4	1,204	1,245
TD28-24-2030-332	9.6	10.8	84	101
TD28-24-2030-332	14.4	16.8	640	2,536
TD28-24-2030-334	18.0	19.2	552	662
TD28-24-2030-334	20.4	26.4	211	6,067
TD28-24-2030-335	0.0	12.0	718	3,601
Including	2.4	6.0	1,447	5,808
TD28-24-2030-335	13.2	14.4	104	125
TD28-24-2030-335	15.6	16.8	112	131
TD28-24-2030-335	18.0	19.2	652	782
TD28-24-2030-335	22.8	24.0	508	610
TD28-24-2030-336	0.0	7.2	305	2,194
TD28-24-2030-336	8.4	9.6	80	962
TD28-24-2030-337	3.6	12.0	189	3,584
TD28-24-2030-338	1.2	25.2	539	22,926
Including	9.6	15.6	1,558	9,050
TD28-24-2030-339	9.6	10.8	188	226
TD28-24-2030-340	0.0	3.6	120	332
TD28-24-2030-340	4.8	6.0	84	101
TD28-24-2030-340	10.8	12.0	84	101
TD28-24-2030-342	0.0	4.8	336	4,613
TD28-24-2030-342	12.0	13.2	400	480
TD28-24-2030-342	16.8	21.6	375	4,800
TD28-24-2030-342	25.2	26.4	492	590
TD28-24-2030-344	3.6	4.8	208	250
TD28-24-2030-351	2.4	4.8	98	235
TD28-24-2030-359	20.4	22.8	84	202
TD28-24-2030-360	0.0	1.2	96	115
TD28-24-2030-360	7.2	8.4	124	149
TD28-24-2030-360	9.6	10.8	92	110
TD28-24-2030-360	12.0	14.4	80	292
TD28-24-2030-360	15.6	16.8	80	962
TD28-24-2030-360	20.4	21.6	86	103
TD28-24-2030-361	6.0	9.6	144	513
TD28-24-2030-361	10.8	13.2	84	202

TD28-24-2030-372	15.6	18.0	682	2,637
TD28-24-2050-316	3.6	4.8	172	206
TD28-24-2050-411	18.0	19.2	148	178
TD28-24-2050-412	19.2	26.4	705	5,078
Including	19.2	21.6	1,212	2,909
TD28-24-2050-413	2.4	3.6	560	672
TD28-24-2050-413	8.4	9.6	152	182
TD28-24-2050-413	18.0	20.4	326	282
TD28-24-2050-413	22.8	24.0	80	96
TD28-24-2050-414	7.2	8.4	80	96
TD28-24-2050-414	18.0	22.8	83	398
TD28-24-2050-416	9.6	10.8	76	92
TD28-24-2050-416	12.0	14.4	80	292
TD28-24-2050-416	15.6	16.8	76	92
TD28-24-2050-418	1.2	2.4	452	542
TD28-24-2050-418	6.0	7.2	84	102
TD28-24-2050-418	10.8	16.8	86	618
TD28-24-2075-477	0.0	2.4	164	294
TD28-24-2075-479	0.0	1.2	386	468
TD28-24-2100-385	9.6	18.0	142	8,490
TD28-24-2100-385	20.4	21.6	84	102
TD28-24-2100-386	10.8	12.0	88	106
TD28-24-2100-400	0.0	3.6	215	378
TD28-24-2100-423	1.2	2.4	400	480
TD28-24-2100-432	10.8	12.0	188	226
TD28-24-2100-432	20.4	21.6	80	96
TD28-24-2100-439	9.6	10.8	136	168
TD28-24-2100-442	24.0	25.2	160	192
TD28-24-2100-447	9.6	18.0	89	844
TD28-24-2100-448	2.4	3.6	104	125
TD28-24-2100-448	10.8	12.0	124	149
TD28-24-2100-448	13.2	14.4	76	92
TD28-24-2100-448	22.8	24.0	132	158
TD28-24-2100-450	4.8	8.4	95	346
TD28-24-2100-455	8.4	16.8	178	8,493
TD28-24-2100-455	19.2	20.4	132	158
TD28-24-2100-456	12.0	15.6	125	356
TD28-24-2100-456	25.2	26.4	112	134
Underground YAK				
YAKD-24-1950-080	0.0	3.6	157	566
YAKD-24-1950-081	10.8	12.0	252	302
YAKD-24-1950-086	37.2	38.4	90	108
YAKD-24-1950-086	42.0	45.6	83	298
YAKD-24-1950-087	44.4	46.8	126	202
YAKD-24-1950-088	14.4	15.6	104	125
YAKD-24-1950-088	21.6	22.8	100	120
YAKD-24-1950-088	32.4	42.0	132	9,062
Including	32.4	36.0	216	378
YAKD-24-1950-088	46.8	48.0	88	106
YAKD-24-2000-106	19.2	24.0	229	4,099
YAKD-24-2000-108	6.0	7.2	104	125
YAKD-24-2000-108	44.4	45.6	272	326

YAKD-24-2000-111	33.6	34.8	96	1,15
YAKD-24-2000-115	9.6	10.8	84	101
YAKD-24-2000-115	15.6	16.8	80	96
YAKD-24-2000-117	22.8	24.0	76	91
YAKD-24-2000-117	25.2	26.4	332	398
YAKD-24-2000-117	32.4	45.6	169	2,327
Including	33.6	36.0	466	2,418
YAKD-24-2000-118	25.2	26.4	100	120
YAKD-24-2000-118	45.6	46.8	104	125
YAKD-24-2000-119	0.0	8.4	142	8,490
YAKD-24-2000-119	18.0	19.2	168	202
YAKD-24-2000-122	4.8	6.0	184	221
YAKD-24-2000-122	14.4	28.8	931	13,406
Including	21.6	26.4	2,054	9,859
YAKD-24-2000-130	20.4	21.6	80	96
YAKD-24-2000-130	22.8	34.8	729	8,760
Including	24.0	27.6	1,963	3,666
YAKD-24-2000-132	27.6	28.8	96	1,15
YAKD-24-2000-132	30.0	33.6	148	533
YAKD-24-2000-132	42.0	48.0	201	6,205
YAKD-24-2050-169	25.2	27.6	1,128	2,707
YAKD-24-2050-173	12.0	36.0	117	2,608
YAKD-24-2050-175	16.8	25.2	127	8,066
YAKD-24-2050-175	26.4	27.6	100	120
YAKD-24-2050-176	30.0	31.2	280	336
YAKD-24-2050-176	39.6	40.8	92	110
YAKD-24-2075-091	34.8	39.6	269	4,891
YAKD-24-2075-092	7.2	8.4	440	528
YAKD-24-2075-093	16.8	19.2	180	232
YAKD-24-2075-096	16.8	18.0	160	192
YAKD-24-2075-096	36.0	43.2	197	7,221

¹ Holes were drilled at various angles, true widths are not known at this time.

² All assay results are above the cut-off grade of 75 g/t Ag.

A photo accompanying this announcement is available at
<https://www.globenewswire.com/NewsRoom/AttachmentNg/e504921f-dc39-432a-88bd-6d98f2d6380f>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/485432--Aya-Gold-und-Silver-Reports-Zgounder-At-Depth-High-Grade-Drill-Results.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
 Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).