F3 Uranium Corp. Hits Anomalous Radioactivity 12km South of JR Zone on Broach Property

18.03.2025 | Newsfile

20.0m Composite Mineralization at JR Zone with 2.25m high grade Radioactivity

<u>F3 Uranium Corp.</u> (TSXV: FUU) (OTCQB: FUUFF) ("F3" or "the Company") is pleased to release initial scintillometer results from the ongoing winter drill programs at the PLN and Broach Properties including drilling at JR Zone, B1, and the PW Area. At Broach Lake a new prospective area "PW" is emerging, where exploration drillhole PLN25-202 encountered six distinct zones of anomalous radioactivity, with readings ranging between 300 cps and 720 cps over a 90m downhole interval. At JR Zone, PLN25-200 returned mineralization over 20.0m, including 2.25m of high grade (>10,000 cps) containing 0.68m of off-scale mineralization (>65,535 cps).

2025 Handheld Spectrometer Highlights:

PLN: JR Zone PLN25-198 (line 090S):

- 6.5m interval with mineralization between 214.5 and 223.0m, including
 - 0.20m high-grade radioactivity (> 10,000 cps) between 220.65 and 220.85m, and
- 1.5m interval with mineralization between 228.5 and 230.0m

PLN25-200 (line 045S):

- 1.0m interval with mineralization between 229.0 and 230.0m, and
- 19.0m interval with mineralization between 233.0 and 252.0m, including
 - 2.25m high-grade composite radioactivity (> 10,000 cps) between 236.0 and 238.75m

Broach Lake: PW Area PLN25-202 (line 11325S):

- 0.5m interval with radioactivity between 272.5 and 273.0m, and
- 0.5m interval with radioactivity between 275.5 and 276.0m, and
- 0.5m interval with radioactivity between 296.0 and 296.5m, and
- 0.5m interval with radioactivity between 321.0 and 321.5m, and
- 0.5m interval with radioactivity between 359.5 and 360.0m, and
- 0.5m interval with radioactivity between 362.5 and 363.0m

B1 Conductor:

PLN25-196 (line 2835S):

0.5m interval with radioactivity between 336.5 and 367.0m

Sam Hartmann, Vice President Exploration, commented:

"The 'PW' area, situated on the Broach Property approximately 12 kilometers south of the JR Zone, lies just within the Athabasca Basin and represents a region with minimal historical exploration and drilling activity. No previously defined conductors had been identified in this area, largely due to the presence of a thick layer of conductive Cretaceous mudstone from the Manville Group, which locally reaches thicknesses of nearly 100 meters. Recognizing the potential of this challenging but underexplored region, we conducted a specifically designed MLTDEM ground survey (see NR February 11) which has just been completed by Abitibi Geophysics. This approach successfully delineated a number of basement-hosted conductors on the survey lines interpreted so far with lines L3200N to L4400N still outstanding (see Map 2), overcoming the

07.11.2025 Seite 1/5

interference posed by the conductive mudstones. Drillhole PLN25-202 was collared based on an initial interpretation and conductor model on L1600N, and intersected strongly altered basement lithologies, encountering six distinct radioactive intercepts across a 90-meter downhole interval. Data from this drillhole was subsequently re-integrated back into the electromagnetic (EM) model - which resulted in a lateral shift of the conductor model by approximately 100 meters. This adjustment suggests that PLN25-202 overshot the intended target yet - still encountered significant alteration and structures along with radioactivity. A follow-up drillhole is scheduled and planned to step back by approximately 100 meters to better intersect the refined target, which lies in a distinct circular gravity anomaly. While the PW Area is still in its early stages of exploration, we are highly encouraged by these strong initial results, and intend to conduct further drilling in the area before shifting focus back to the JR Zone toward the conclusion of the winter season."

Map 1. Patterson Lake North - JR Zone 2025 Scintillometer Results

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/8110/244920_f088d21f648b2b38_002full.jpg

Map 2. Broach Lake - PW Area 2025 Scintillometer Results

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/8110/244920_f088d21f648b2b38_003full.jpg

Table 1. Drill Hole Summary and Handheld Spectrometer Results

Collar Information		* Hand-held S	Spectrometer Res	sults On Mineralized Dr
Hole ID Section Lin	ne Easting Northing Elevatio 589265.0 6408368.2 537.9	From	то (316)7.00	Interval (m) 0.50
PLN25-197 030S	587776.2 6410760.2 546.4	55.1 -70.7 206.50	207.00	0.50
1 21120 107 0000	0011101201101001201011	207.00	207.50	0.50
		207.50	208.00	0.50
		208.00	208.50	0.50
		208.50	209.00	0.50
		209.00	209.50	0.50
		209.50	210.00	0.50
		210.00	210.50	0.50
		210.50	211.00	0.50
		211.00	211.50	0.50
PLN25-198 090S	587842.96410645.2546.0	9.4 -64.9214.50	215.00	0.50
1 LIN29-1900900	307042.90410043.2340.0	215.00	215.50	0.50
		215.50	217.50	2.00
		217.50	218.00	0.50
		218.00	218.50	0.50
		218.50	219.00	0.50
		219.00	219.50	0.50
		219.50	220.00	0.50
		220.00	220.50	0.50
		220.50	220.65	0.15
		220.65	220.85	0.20
		220.85	221.00	0.15
		221.00	221.50	0.50
		221.50	222.00	0.50
		222.00	222.50	0.50
		222.50	223.00	0.50
		228.50	229.00	0.50
		229.00	229.50	0.50
		229.50	230.00	0.50
PLN25-199 010N	587693.26410748.1545.2	54.9 -65.7 232.00	232.50	0.50

07.11.2025 Seite 2/5

Collar Information			_		
Conar information				ults On Mineralized D	
		242.00	242.50	0.50	
		242.50	243.00	0.50	
		243.00	243.50	0.50	
PLN25-200 045S	587730.96410712.4545.2	53.4 -65.5 229.00	229.50	0.50	
		229.50	230.00	0.50	
		233.00	233.50	0.50	
		233.50	234.00	0.50	
		234.00	234.50	0.50	
		234.50	235.00	0.50	
		235.00	235.50	0.50	
		235.50	236.00	0.50	
		236.00	236.50	0.50	
		236.50	237.00	0.50	
		237.00	237.50	0.50	
		237.50	237.65	0.15	
		237.65	238.00	0.35	
		238.00	238.33	0.33	
		238.33	238.50	0.17	
		238.50	238.75	0.25	
		238.75	239.00	0.25	
		239.00	239.50	0.50	
		239.50	240.00	0.50	
		240.00	240.50	0.50	
		240.50	241.00	0.50	
		241.00	241.50	0.50	
		241.50	242.00	0.50	
		242.00	242.50	0.50	
		242.50	243.00	0.50	
		243.00	244.00	1.00	
		244.00	244.50	0.50	
		244.50	246.50	2.00	
		246.50	247.00	0.50	
		247.00	247.50	0.50	
		247.50	248.00	0.50	
		248.00	248.50	0.50	
		248.50	249.00	0.50	
		249.00	249.50	0.50	
		249.50	250.00	0.50	
		250.00	251.00	1.00	
		251.00	251.50	0.50	
		251.50	252.00	0.50	
PLN25-201 12510S	590064.46397263.8568.9	45.9-70.2 PW Exploration	2 PW Exploration; no radioactivity >300 cps		
PLN25-20211325S	589352.66397967.0583.2	45.9 -63.3 272.50	273.00	0.50	
		275.50	276.00	0.50	
		296.00	296.50	0.50	
		321.00	321.50	0.50	
		359.50	360.00	0.50	
		362.50	363.00	0.50	

Handheld spectrometer composite parameters:
1: Minimum Thickness of 0.5m
2: CPS Cut-Off of 300 counts per second
3: Maximum Internal Dilution of 2.0m

Image 1: Anomalous Radioactivity in PLN25-202

07.11.2025 Seite 3/5 To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/8110/244920_f088d21f648b2b38_004full.jpg

The natural gamma radiation detected in the drill core, as detailed in this news release, was measured in counts per second (cps) using a handheld Radiation Solutions RS-125 spectrometer. The Company designates readings exceeding 300 cps on the handheld spectrometer (occasionally referred to as a scintillometer in industry parlance; this colloquial usage stems from historical naming conventions and the shared functionality of detecting gamma radiation with a scintillometer)-as "anomalous", readings above 10,000 cps as "high-grade", and readings surpassing 65,535 cps as "off-scale". However, readers are cautioned that spectrometer or scintillometer measurements often do not directly or consistently correlate with the uranium grades of the rock samples and should be regarded solely as a preliminary indicator of the presence of radioactive materials.

Samples from the drill core are split into half sections on site. Where possible, samples are standardized at 0.5m down-hole intervals. One-half of the split sample is sent to SRC Geoanalytical Laboratories (an SCC ISO/IEC 17025: 2005 Accredited Facility) in Saskatoon, SK while the other half remains on site for reference. Analysis includes a 63 element suite including boron by ICP-OES, uranium by ICP-MS and gold analysis by ICP-OES and/or AAS.

The Company considers uranium mineralization with assay results of greater than 1.0 weight % U_3O_8 as "high grade" and results greater than 20.0 weight % U_3O_8 as "ultra-high grade".

All depth measurements reported are down-hole and true thicknesses are yet to be determined.

About the Patterson Lake North Project:

The Company's 42,961-hectare 100% owned Patterson Lake North Project (PLN) is located just within the south-western edge of the Athabasca Basin in proximity to Paladin's Triple R and NexGen Energy's Arrow high-grade uranium deposits, an area poised to become the next major area of development for new uranium operations in northern Saskatchewan. The PLN Project consists of the 4,074-hectare Patterson Lake North Property, the 19,864-hectare Minto Property, and the 19,022-hectare Broach Property. All three properties comprising the PLN Project are accessed by Provincial Highway 955; the new JR Zone uranium discovery on the PLN property is located 23km northwest of Paladin's Triple R deposit.

Qualified Person:

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and approved on behalf of the company by Raymond Ashley, P.Geo., President & COO of F3 Uranium Corp, a Qualified Person. Mr. Ashley has verified the data disclosed.

About F3 Uranium Corp.:

F3 Uranium is a uranium exploration company, focusing on the recently discovered high-grade JR Zone on its Patterson Lake North (PLN) Project in the Western Athabasca Basin. F3 Uranium currently has 3 properties in the Athabasca Basin: Patterson Lake North, Minto, and Broach. The western side of the Athabasca Basin, Saskatchewan, is home to some of the world's largest high grade uranium deposits including Paladin's Triple R and Nexgen's Arrow.

Forward-Looking Statements

This news release contains certain forward-looking statements within the meaning of applicable securities laws. All statements that are not historical facts, including without limitation, statements regarding future estimates, plans, programs, forecasts, projections, objectives, assumptions, expectations or beliefs of future performance, including statements regarding the suitability of the Properties for mining exploration, future

07.11.2025 Seite 4/5

payments, issuance of shares and work commitment funds, entry into of a definitive option agreement respecting the Properties, are "forward-looking statements." These forward-looking statements reflect the expectations or beliefs of management of the Company based on information currently available to it. Forward-Looking statements are subject to a number of risks and uncertainties, including those detailed from time to time in filings made by the Company with securities regulatory authorities, which may cause actual outcomes to differ materially from those discussed in the forward-looking statements. These factors should be considered carefully and readers are cautioned not to place undue reliance on such forward-looking statements. The forward-looking statements and information contained in this news release are made as of the date hereof and the Company undertakes no obligation to update publicly or revise any forward-looking statements or information, whether as a result of new information, future events or otherwise, unless so required by applicable securities laws.

The TSX Venture Exchange and the Canadian Securities Exchange have not reviewed, approved or disapproved the contents of this press release, and do not accept responsibility for the adequacy or accuracy of this release.

F3 Uranium Corp. 750-1620 Dickson Avenue Kelowna, BC V1Y9Y2 Contact Information Investor Relations Telephone: 778 484 8030 Email: ir@f3uranium.com

ON BEHALF OF THE BOARD "Dev Randhawa" Dev Randhawa, CEO

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/685951--F3-Uranium-Corp.-Hits-Anomalous-Radioactivity-12km-South-of-JR-Zone-on-Broach-Property.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

07.11.2025 Seite 5/5