

# Aya Gold & Silver Reports High-Grade Silver Results at Depth to the West and Near Pit to the East

26.03.2025 | [GlobeNewswire](#)

MONTREAL, March 26, 2025 - [Aya Gold & Silver Inc.](#) (TSX: AYA; OTCQX: AYASF) ("Aya" or the "Corporation") is pleased to announce additional high-grade silver drill results from its drill exploration program at the Zgounder Silver Mine in the Kingdom of Morocco.

Highlights (*all intersections are in core lengths*)

- In the Central Zone from the 2,000m level:
  - Hole DZG-SF-24-228 intercepted 3,794 grams per tonne ("g/t") silver ("Ag") over 10.0 meters ("m")
  - Hole DZG-SF-24-353 intercepted 572 g/t Ag over 13.0m
- In the open-pit area:
  - Hole ZG-RC-24-413 intercepted 1,001 g/t Ag over 28.0m, including 2,787 g/t Ag over 7.0m
  - Hole ZG-RC-24-452 intercepted 1,364 g/t Ag over 14.0m, including 2,433 g/t Ag over 6.0m
  - Hole ZG-RC-24-232 intercepted 1,054 g/t Ag over 11.0m, including 2,063 g/t Ag over 5.0m
  - Hole ZG-RC-24-401 intercepted 3,565 g/t Ag over 3.0m
  - Hole ZG-RC-24-155 intercepted 755 g/t Ag over 13.0m
  - Hole ZG-RC-24-399 intercepted 1,298 g/t Ag over 7.0m, including 2,081 g/t Ag over 4.0m
- At depth near the granite contact:
  - Hole ZG-SF-24-203 intercepted 911 g/t Ag over 10.0m, including 4,855 g/t Ag over 1.5m
  - Hole ZG-SF-24-209 intercepted 1,756 g/t Ag over 4.5m including 6,800 g/t Ag over 1.0m
  - Hole ZG-SF-24-259 intercepted 1,082 g/t Ag over 8.5m, including 2,133 g/t Ag over 2.7m
  - Hole ZG-SF-25-290 intercepted 823 g/t Ag over 10.0m and 2,055 g/t Ag over 4.5m
- 2,653m of the 2025 exploration program drilled year to date

"Today's high-grade silver drill results, particularly holes ZG-SF-24-290 and ZG-SF-24-259 near the granite contact, confirm the presence of an additional high-grade zone to the west by the fault, reinforcing the potential to expand Zgounder resources at depth," said Benoit La Salle, Aya Gold & Silver President & CEO. "In addition, high-grade intercepts near the open-pit, including ZG-RC-24-413 and ZG-RC-24-452, confirm the continuity of high-grade mineralization to the east, supporting our confidence in extending the open-pit operation. With two underground rigs and one RC rig currently active, we expect a steady flow of results in the coming months to further enhance our understanding and resource potential."

Included in this release are results from 490 holes, which include 27 surface Diamond Drill ("DDH"), 192 underground DDH, 198 Reverse Circulation ("RC"), 37 T28 and 36 YAK holes (T28 and YAK: percussion drilling using an air-compressed hammer). For a full summary of today's results, refer to Appendix 1.

Table 1 - Significant Intercepts from Drilling at Zgounder (core lengths)

Hole ID	From	To	Ag (g/t)	Length (m)	Ag x width
Surface DDH					
ZG-24-128	26.0	32.0	960	6.0	5 760
Including	30.0	32.0	2428	2.0	4 856
Underground DDH					
ZG-SF-24-203	176.0	186.0	911	10.0	9 106

Including	180.5	182.0	4 855	1.5	7 282
ZG-SF-24-209	299.0	303.5	1 756	4.5	7 900
Including	300.0	301.0	6 800	1.0	6 800
ZG-SF-24-219	65.0	70.0	1 147	5.0	5 734
Including	65.0	67.5	2 174	2.5	5 434
ZG-SF-24-223	97.0	108.0	439	11.0	4 832
ZG-SF-24-259	66.0	74.5	1 082	8.5	9 197
Including	67.5	70.2	2 133	2.7	5 760
ZG-SF-25-290	275.0	285.0	823	10.0	8 228
ZG-SF-25-290	297.5	302.0	2 055	4.5	9 246
DZG-SF-24-228	6.0	16.0	3 794	10.0	37 940
DZG-SF-24-325	52.0	58.0	1 113	6.0	6 675
DZG-SF-24-353	46.5	59.5	572	13.0	7 430
Surface RC					
ZG-RC-24-155	0.0	13.0	755	13.0	9 812
ZG-RC-24-169	0.0	17.0	484	17.0	8 220
ZG-RC-24-232	0.0	11.0	1 054	11.0	11 596
Including	0.0	5.0	2 063	5.0	10 316
ZG-RC-24-354	19.0	31.0	664	12.0	7 969
Including	22.0	25.0	1 793	3.0	5 380
ZG-RC-24-390	1.0	6.0	971	5.0	4 856
ZG-RC-24-399	63.0	70.0	1 298	7.0	9 085
Including	64.0	68.0	2 081	4.0	8 324
ZG-RC-24-401	17.0	20.0	3 565	3.0	10 696
ZG-RC-24-413	10.0	38.0	1 001	28.0	28 026
Including	26.0	33.0	2 787	7.0	19 512
ZG-RC-24-424	42.0	44.0	3 733	2.0	7 466
ZG-RC-24-452	39.0	53.0	1 364	14.0	19 100
Including	45.0	51.0	2 433	6.0	14 596
ZG-RC-24-471	0.0	7.0	826	7.0	5 780
ZG-RC-24-491	0.0	15.0	538	15.0	8 068
Including	4.0	10.0	949	6.0	5 692
ZG-RC-25-412	27.0	37.0	745	10.0	7 452
ZG-RC-25-449	11.0	15.0	1 347	4.0	5 388
Underground T28					
T28-24-525	7.2	12.0	1 397	4.8	6 706
Underground YAK					
YAK-24-143	1.2	21.6	382	20.4	7 784
YAK-24-144	13.2	25.2	520	12.0	6 238
YAK-24-152	3.6	9.6	1 532	6.0	9 192

Figure 1: Location of Drill Results at Zgounder

### Quality Assurance

For core drilling, all individual samples represent approximately one meter in length of core, which is halved. Half of the core is kept on site for reference, and its counterpart is sent for preparation and assaying to African Laboratory for Mining and Environment ("Afrilab") in Marrakech, Morocco. All samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by atomic absorption spectroscopy

("AAS"). Samples grading above 200 g/t Ag are reanalyzed using fire assaying.

For definition drilling using RC, all individual samples represent 1.0m in length and for T28 drilling equipment, all individual samples represent 1.2m in length. Samples are assayed at either the ALS Mine laboratory or at Afrilab. All samples are analyzed for silver, copper, iron, lead, and zinc using Aqua regia and finished by AAS. Samples grading above 200 g/t Ag are reanalyzed using fire assaying. Rigorous quality controls (QaQc) are applied at both locations.

David Lalonde, B.Sc. P. Geo, Vice-President Exploration, is Aya Gold & Silver's Qualified Person and has reviewed this press release for accuracy and compliance with National Instrument 43-101.

About Aya Gold & Silver Inc.

Aya Gold & Silver Inc. is a rapidly growing, Canada-based silver producer with operations in the Kingdom of Morocco.

The only TSX-listed pure silver mining company, Aya operates the high-grade Zgounder Silver Mine and is exploring its properties along the prospective South-Atlas Fault, several of which have hosted past-producing mines and historical resources. Aya's Moroccan mining assets are complemented by its Tijirit Gold Project in Mauritania, which, subject to the announcement of September 12, 2024, will be developed by Mx2 Mining, a new spinout gold-growth company.

Aya's management team has been focused on maximizing shareholder value by anchoring sustainability at the heart of its operations, governance, and financial growth plans.

For additional information, please visit Aya's website at [www.ayagoldsilver.com](http://www.ayagoldsilver.com).

Or contact

Benoit La Salle, FCPA, MBA President & CEO <a href="mailto:Benoit.lasalle@ayagoldsilver.com">Benoit.lasalle@ayagoldsilver.com</a>	Alex Ball VP, Corporate Development & IR <a href="mailto:alex.ball@ayagoldsilver.com">alex.ball@ayagoldsilver.com</a>
---	---

#### Forward-Looking Statements

This press release contains certain statements that constitute forward-looking information within the meaning of applicable securities laws ("forward-looking statements"), which reflects management's expectations regarding Aya's future growth and business prospects (including the timing and development of new deposits and the success of exploration activities) and other opportunities. Wherever possible, words such as "confirm", "potential", "expand", "confidence", "extend", "expect", "enhance", and similar expressions or statements that certain actions, events or results "may", "could", "would", "might", "will", or are "likely" to be taken, occur or be achieved, have been used to identify such forward-looking information. Specific forward-looking statements in this press release include, but are not limited to, statements and information with respect to the continuity of the mineralization and its grade, the potential to extend strikes, expand resources at depth, expand open pit operations, obtain results in the coming months to enhance our understanding of the resource potential, increasing ounces within and near the open pit area, expanding open-pit operations in the near term, enhancing the resource and better understanding the deposit as well as exploration results in the open-pit and underground areas. Although the forward-looking information contained in this press release reflect management's current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, Aya cannot be certain that actual results will be consistent with such forward-looking information. Such forward-looking statements are based upon assumptions, opinions and analysis made by management in light of its experience, current conditions, and its expectations of future developments that management believe to be reasonable and relevant but that may prove to be incorrect. These assumptions include, among other things, the ability to obtain any requisite governmental approvals, obtaining regulatory permits for on-site work, importing goods and machinery and employment permits, the accuracy of Mineral Reserve and Mineral Resource Estimates (including, but not limited to, ore tonnage and ore grade estimates), the price of

silver, the price of gold, exchange rates, fuel and energy costs, future economic conditions, anticipated future estimates of free cash flow, and courses of action. Aya cautions you not to place undue reliance upon any such forward-looking statements.

The risks and uncertainties that may affect forward-looking statements include, among others: the inherent risks involved in exploration and development of mineral properties, including government approvals and permitting, changes in economic conditions, changes in the worldwide price of silver gold and other key inputs, changes in mine plans (including, but not limited to, throughput and recoveries being affected by metallurgical characteristics) and other factors, such as project execution delays, many of which are beyond the control of Aya, as well as other risks and uncertainties which are more fully described in Aya's 2023 Annual Information Form dated March 28, 2024, and in other filings of Aya with securities and regulatory authorities which are available on SEDAR+ at [www.sedarplus.ca](http://www.sedarplus.ca). Aya does not undertake any obligation to update forward-looking statements should assumptions related to these plans, estimates, projections, beliefs, and opinions change. Nothing in this document should be construed as either an offer to sell or a solicitation to buy or sell Aya securities. All references to Aya include its subsidiaries unless the context requires otherwise.

#### Appendix 1 - Mineral Intercepts from Drilling at Zgounder (*core lengths*)

Hole ID	From	To	Ag (g/t)	Length (m)	Ag x width
<b>Surface DDH</b>					
ZG-24-109	76.0	80.0	124	4.0	496
ZG-24-109	84.0	84.5	132	0.5	66
ZG-24-112	66.0	70.5	105	4.5	474
ZG-24-112	78.0	79.5	76	1.5	114
ZG-24-112	91.5	98.3	132	6.8	896
ZG-24-119	110.0	112.8	291	2.8	815
ZG-24-122	2.6	4.0	140	1.4	196
ZG-24-123	1.7	10.2	404	8.5	3 437
ZG-24-124	4.2	6.5	361	2.3	831
ZG-24-125	3.3	7.3	167	4.0	668
ZG-24-127	0.0	2.8	111	2.8	312
ZG-24-127	23.0	24.5	358	1.5	538
ZG-24-128	3.0	3.7	264	0.7	185
ZG-24-128	26.0	32.0	960	6.0	5 760
Including	30.0	32.0	2 428	2.0	4 856
ZG-24-128	43.5	44.0	144	0.5	72
ZG-24-132	5.3	8.0	213	2.7	575
ZG-24-138	5.5	6.0	78	0.5	39
ZG-24-138	7.0	8.0	76	1.0	76
ZG-24-138	14.0	15.0	80	1.0	80
<b>Underground DDH</b>					
ZG-SF-24-179	53.1	55.0	1 102	1.9	2 093
ZG-SF-24-200	257.0	265.0	375	8.0	3 002
ZG-SF-24-201	139.0	140.5	164	1.5	246
ZG-SF-24-201	149.0	150.5	212	1.5	318
ZG-SF-24-201	155.5	162.5	138	7.0	964
ZG-SF-24-201	165.5	167.0	80	1.5	120
ZG-SF-24-203	150.0	151.0	88	1.0	88
ZG-SF-24-203	155.0	156.5	75	1.5	113
ZG-SF-24-203	176.0	186.0	911	10.0	9 106
Including	180.5	182.0	4 855	1.5	7 282
ZG-SF-24-203	195.5	197.0	77	1.5	116

ZG-SF-24-207	157.5	164.0	621	6.5	4 038
Including	158.5	160.0	2 036	1.5	3 054
ZG-SF-24-207	166.5	168.0	76	1.5	114
ZG-SF-24-208	144.5	145.5	156	1.0	156
ZG-SF-24-209	299.0	303.5	1 756	4.5	7 900
Including	300.0	301.0	6 800	1.0	6 800
ZG-SF-24-209	311.0	312.5	80	1.5	120
ZG-SF-24-210	141.5	144.5	98	3.0	294
ZG-SF-24-210	150.0	151.0	92	1.0	92
ZG-SF-24-213	246.5	251.0	228	4.5	1 024
ZG-SF-24-213	255.5	256.5	168	1.0	168
ZG-SF-24-215	148.5	150.0	220	1.5	330
ZG-SF-24-216	90.0	91.5	236	1.5	354
ZG-SF-24-216	100.7	101.7	79	1.0	79
ZG-SF-24-217	124.0	125.5	304	1.5	456
ZG-SF-24-217	126.0	126.5	104	0.5	52
ZG-SF-24-219	57.5	60.0	112	2.5	279
ZG-SF-24-219	65.0	70.0	1 147	5.0	5 734
Including	65.0	67.5	2 174	2.5	5 434
ZG-SF-24-219	82.0	83.0	159	1.0	159
ZG-SF-24-220	311.0	315.0	107	4.0	428
ZG-SF-24-223	84.0	86.0	92	2.0	184
ZG-SF-24-223	89.0	92.0	118	3.0	354
ZG-SF-24-223	97.0	108.0	439	11.0	4 832
Including	97.0	101.0	916	4.0	3 664
ZG-SF-24-224	129.0	130.1	100	1.1	110
ZG-SF-24-227	108.0	109.5	212	1.5	318
ZG-SF-24-228	279.5	284.0	499	4.5	2 244
ZG-SF-24-228	302.5	305.5	98	3.0	294
ZG-SF-24-228	326.0	327.0	140	1.0	140
ZG-SF-24-229	60.5	62.0	400	1.5	600
ZG-SF-24-230	243.5	244.4	77	0.9	69
ZG-SF-24-232	153.0	154.5	280	1.5	420
ZG-SF-24-232	184.5	185.6	3 176	1.1	3 494
ZG-SF-24-235	31.0	33.0	164	2.0	328
ZG-SF-24-235	64.0	69.5	536	5.5	2 948
ZG-SF-24-243	66.2	67.4	475	1.2	570
ZG-SF-24-247	45.0	47.4	625	2.4	1 501
ZG-SF-24-249	77.0	78.0	1 244	1.0	1 244
ZG-SF-24-250	50.5	52.0	80	1.5	120
ZG-SF-24-251	48.0	54.0	204	6.0	1 224
ZG-SF-24-251	62.2	63.5	104	1.3	135
ZG-SF-24-252	34.0	38.0	653	4.0	2 610
ZG-SF-24-252	44.0	45.5	228	1.5	342
ZG-SF-24-252	55.5	56.5	290	1.0	290
ZG-SF-24-252	73.0	73.5	672	0.5	336
ZG-SF-24-256	132.0	133.0	88	1.0	88
ZG-SF-24-256	134.5	136.0	2 720	1.5	4 080
ZG-SF-24-256	139.0	140.5	84	1.5	126
ZG-SF-24-259	60.5	62.0	112	1.5	168
ZG-SF-24-259	66.0	74.5	1 082	8.5	9 197
Including	67.5	70.2	2 133	2.7	5 760

ZG-SF-24-259	94.0	96.0	100	2.0	200
ZG-SF-24-261	45.5	51.5	401	6.0	2 406
ZG-SF-24-262	116.5	117.0	76	0.5	38
ZG-SF-24-263	16.0	17.5	204	1.5	306
ZG-SF-24-264	113.0	114.5	104	1.5	156
ZG-SF-24-267	39.5	41.5	82	2.0	164
ZG-SF-24-268	235.8	237.3	108	1.5	162
ZG-SF-24-269	78.5	80.0	84	1.5	126
ZG-SF-24-269	86.0	90.0	388	4.0	1 553
ZG-SF-24-269	94.0	94.5	84	0.5	42
ZG-SF-24-269	97.0	100.0	213	3.0	640
ZG-SF-24-272	56.0	57.5	104	1.5	156
ZG-SF-24-278	100.0	101.5	111	1.5	166
ZG-SF-24-281	94.5	97.4	1 033	2.9	2 994
Including	95.0	96.5	1 741	1.5	2 612
ZG-SF-24-284	85.0	85.5	160	0.5	80
ZG-SF-24-284	92.5	93.5	184	1.0	184
ZG-SF-24-284	95.0	95.5	76	0.5	38
ZG-SF-24-284	97.0	97.5	160	0.5	80
ZG-SF-24-286	117.5	121.0	151	3.5	528
ZG-SF-24-286	127.0	128.5	208	1.5	312
ZG-SF-24-286	130.0	130.5	113	0.5	57
ZG-SF-24-286	131.5	132.0	92	0.5	46
ZG-SF-25-290	213.0	214.0	192	1.0	192
ZG-SF-25-290	223.0	224.0	220	1.0	220
ZG-SF-25-290	275.0	285.0	823	10.0	8 228
Including	279.0	281.0	2 252	2.0	4 504
ZG-SF-25-290	290.5	291.5	356	1.0	356
ZG-SF-25-290	297.5	302.0	2 055	4.5	9 246
ZG-SF-25-291	70.8	71.3	230	0.5	115
DZG-SF-24-156	33.5	36.5	460	3.0	1 380
DZG-SF-24-156	55.5	56.5	244	1.0	244
DZG-SF-24-167	67.5	69.0	116	1.5	174
DZG-SF-24-190	39.0	40.5	212	1.5	318
DZG-SF-24-192	34.0	35.5	216	1.5	324
DZG-SF-24-203	22.0	23.0	88	1.0	88
DZG-SF-24-203	28.0	29.0	80	1.0	80
DZG-SF-24-205	28.0	31.0	272	3.0	816
DZG-SF-24-206	22.5	31.5	261	9.0	2 350
Including	24.5	25.5	1 292	1.0	1 292
DZG-SF-24-209	34.0	37.5	446	3.5	1 560
DZG-SF-24-220	30.5	34.5	992	4.0	3 966
Including	30.5	31.5	2 360	1.0	2 360
DZG-SF-24-220	38.5	40.0	148	1.5	222
DZG-SF-24-220	46.5	48.0	308	1.5	462
DZG-SF-24-222	28.5	30.0	268	1.5	402
DZG-SF-24-228	6.0	16.0	3 794	10.0	37 940
DZG-SF-24-248	59.5	60.5	188	1.0	188
DZG-SF-24-248	62.5	63.5	92	1.0	92
DZG-SF-24-248	67.0	68.5	88	1.5	132
DZG-SF-24-254	31.0	37.0	88	6.0	530
DZG-SF-24-254	41.5	43.0	148	1.5	222

DZG-SF-24-254	46.0	47.5	84	1.5	126
DZG-SF-24-254	55.0	56.5	140	1.5	210
DZG-SF-24-262	6.0	7.0	344	1.0	344
DZG-SF-24-266	63.0	65.5	1 187	2.5	2 968
DZG-SF-24-268	3.0	4.5	112	1.5	168
DZG-SF-24-268	20.0	21.5	492	1.5	738
DZG-SF-24-268	26.5	29.0	364	2.5	910
DZG-SF-24-268	46.0	48.5	95	2.5	238
DZG-SF-24-269	10.5	13.5	111	3.0	332
DZG-SF-24-269	19.5	21.0	496	1.5	744
DZG-SF-24-269	37.0	41.0	337	4.0	1 348
DZG-SF-24-269	48.0	49.0	88	1.0	88
DZG-SF-24-269	63.0	65.0	160	2.0	320
DZG-SF-24-270	27.5	32.5	826	5.0	4 128
Including	29.5	32.5	1 236	3.0	3 708
DZG-SF-24-282	46.0	47.5	100	1.5	150
DZG-SF-24-295	28.5	30.0	98	1.5	147
DZG-SF-24-295	49.5	51.0	96	1.5	144
DZG-SF-24-297	19.0	26.0	196	7.0	1 370
Including	19.0	20.0	622	1.0	622
DZG-SF-24-297	39.5	47.0	342	7.5	2 562
DZG-SF-24-297	55.5	60.0	357	4.5	1 605
Including	56.5	57.5	868	1.0	868
DZG-SF-24-303	54.5	56.5	279	2.0	558
DZG-SF-24-320	23.5	24.5	180	1.0	180
DZG-SF-24-320	33.5	35.0	172	1.5	258
DZG-SF-24-321	51.5	53.5	94	2.0	188
DZG-SF-24-322	13.5	15.0	124	1.5	186
DZG-SF-24-323	52.5	57.0	254	4.5	1 142
DZG-SF-24-324	43.0	46.0	94	3.0	282
DZG-SF-24-324	49.0	50.0	252	1.0	252
DZG-SF-24-325	15.0	22.0	261	7.0	1 825
DZG-SF-24-325	22.5	23.0	84	0.5	42
DZG-SF-24-325	37.0	38.5	1 688	1.5	2 532
DZG-SF-24-325	45.5	47.0	1 608	1.5	2 412
DZG-SF-24-325	52.0	58.0	1 113	6.0	6 675
DZG-SF-24-326	15.5	18.5	493	3.0	1 480
DZG-SF-24-326	54.0	55.0	172	1.0	172
DZG-SF-24-332	5.5	8.0	631	2.5	1 578
DZG-SF-24-332	39.5	41.0	116	1.5	174
DZG-SF-24-333	0.0	1.5	136	1.5	204
DZG-SF-24-333	12.0	13.5	76	1.5	114
DZG-SF-24-333	22.5	24.0	88	1.5	132
DZG-SF-24-333	25.5	27.0	92	1.5	138
DZG-SF-24-333	28.5	30.0	92	1.5	138
DZG-SF-24-334	10.5	13.5	192	3.0	576
DZG-SF-24-334	16.5	18.0	80	1.5	120
DZG-SF-24-336	6.0	7.5	140	1.5	210
DZG-SF-24-336	44.0	47.5	123	3.5	432
DZG-SF-24-338	43.0	45.5	299	2.5	748
DZG-SF-24-339	47.5	53.5	187	6.0	1 124
DZG-SF-24-343	24.0	25.5	1 044	1.5	1 566

DZG-SF-24-343	48.0	49.5	128	1.5	192
DZG-SF-24-345	48.5	54.5	154	6.0	921
DZG-SF-24-346	30.5	38.0	141	7.5	1 056
DZG-SF-24-346	44.0	45.5	120	1.5	180
DZG-SF-24-346	48.5	54.5	151	6.0	906
DZG-SF-24-347	16.5	19.5	142	3.0	426
DZG-SF-24-348	13.5	16.5	100	3.0	300
DZG-SF-24-348	23.0	24.5	128	1.5	192
DZG-SF-24-348	27.5	29.0	204	1.5	306
DZG-SF-24-348	36.5	37.5	116	1.0	116
DZG-SF-24-348	44.5	47.5	122	3.0	366
DZG-SF-24-348	55.0	57.0	178	2.0	356
DZG-SF-24-349	29.0	30.5	96	1.5	144
DZG-SF-24-350	54.5	56.0	1 013	1.5	1 520
DZG-SF-24-352	20.0	21.0	84	1.0	84
DZG-SF-24-353	46.5	59.5	572	13.0	7 430
Including	53.5	55.0	1 376	1.5	2 064
DZG-SF-24-354	17.0	18.0	202	1.0	202
DZG-SF-24-354	52.0	60.3	439	8.3	3 640
Including	52.0	53.5	1 391	1.5	2 086
DZG-SF-24-356	52.5	54.0	580	1.5	870
DZG-SF-24-357	43.5	45.0	98	1.5	147
DZG-SF-24-357	59.0	60.0	102	1.0	102
DZG-SF-24-358	55.0	56.5	112	1.5	168
DZG-SF-24-361	36.0	37.5	440	1.5	660
DZG-SF-24-364	0.0	1.0	121	1.0	121
DZG-SF-24-366	8.5	9.5	172	1.0	172
DZG-SF-24-372	10.5	12.0	208	1.5	312
DZG-SF-24-376	42.0	43.0	198	1.0	198
DZG-SF-24-376	53.5	55.0	448	1.5	672
DZG-SF-24-379	22.5	24.0	132	1.5	198
DZG-SF-24-379	54.0	56.5	1 243	2.5	3 108
Including	54.0	55.0	2 840	1.0	2 840
DZG-SF-24-381	64.0	65.0	104	1.0	104
DZG-SF-24-385	38.0	39.0	100	1.0	100
DZG-SF-24-385	41.0	42.0	96	1.0	96
DZG-SF-24-385	45.0	46.5	92	1.5	138
DZG-SF-24-385	70.5	71.5	144	1.0	144
DZG-SF-24-386	84.0	85.5	1 025	1.5	1 538
DZG-SF-24-386	88.5	90.0	495	1.5	742
DZG-SF-24-389	18.0	19.5	75	1.5	113
DZG-SF-24-391	74.0	78.5	351	4.5	1 578
DZG-SF-24-397	23.5	25.0	84	1.5	126
Surface RC					
ZG-RC-24-146	5.0	14.0	527	9.0	4 744
Including	8.0	10.0	1 358	2.0	2 716
ZG-RC-24-146	28.0	31.0	555	3.0	1 664
ZG-RC-24-146	35.0	41.0	727	6.0	4 360
Including	36.0	38.0	1 520	2.0	3 040
ZG-RC-24-146	52.0	53.0	208	1.0	208
ZG-RC-24-155	0.0	13.0	755	13.0	9 812
ZG-RC-24-155	23.0	24.0	132	1.0	132

---

ZG-RC-24-155	26.0	28.0	312	2.0	624
ZG-RC-24-155	84.0	85.0	2 160	1.0	2 160
ZG-RC-24-156	36.0	46.0	202	10.0	2 020
ZG-RC-24-169	0.0	17.0	484	17.0	8 220
ZG-RC-24-194	81.0	83.0	1 580	2.0	3 160
ZG-RC-24-202	41.0	42.0	78	1.0	78
ZG-RC-24-204	1.0	4.0	289	3.0	868
ZG-RC-24-207	5.0	6.0	84	1.0	84
ZG-RC-24-218	0.0	7.0	141	7.0	984
ZG-RC-24-218	50.0	53.0	103	3.0	308
ZG-RC-24-231	0.0	1.0	88	1.0	88
ZG-RC-24-231	17.0	19.0	108	2.0	216
ZG-RC-24-232	0.0	11.0	1 054	11.0	11 596
Including	0.0	5.0	2 063	5.0	10 316
ZG-RC-24-233	3.0	6.0	84	3.0	252
ZG-RC-24-233	11.0	13.0	78	2.0	156
ZG-RC-24-245	19.0	20.0	94	1.0	94
ZG-RC-24-256	0.0	2.0	90	2.0	179
ZG-RC-24-256	4.0	7.0	111	3.0	332
ZG-RC-24-257	21.0	22.0	78	1.0	78
ZG-RC-24-273	0.0	1.0	368	1.0	368
ZG-RC-24-279	91.0	92.0	80	1.0	80
ZG-RC-24-283	47.0	48.0	76	1.0	76
ZG-RC-24-287	0.0	1.0	80	1.0	80
ZG-RC-24-292	17.0	18.0	76	1.0	76
ZG-RC-24-292	21.0	22.0	80	1.0	80
ZG-RC-24-296	1.0	3.0	102	2.0	204
ZG-RC-24-296	14.0	15.0	112	1.0	112
ZG-RC-24-298	1.0	4.0	127	3.0	380
ZG-RC-24-300	5.0	6.0	180	1.0	180
ZG-RC-24-300	13.0	15.0	442	2.0	884
ZG-RC-24-307	0.0	1.0	316	1.0	316
ZG-RC-24-311	46.0	47.0	100	1.0	100
ZG-RC-24-311	55.0	58.0	275	3.0	824
ZG-RC-24-354	19.0	31.0	664	12.0	7 969
Including	22.0	25.0	1 793	3.0	5 380
ZG-RC-24-354	34.0	35.0	140	1.0	140
ZG-RC-24-354	38.0	39.0	132	1.0	132
ZG-RC-24-359	9.0	11.0	1 198	2.0	2 396
ZG-RC-24-359	17.0	18.0	104	1.0	104
ZG-RC-24-359	22.0	23.0	272	1.0	272
ZG-RC-24-363	2.0	7.0	204	5.0	1 021
ZG-RC-24-363	13.0	19.0	177	6.0	1 059
ZG-RC-24-363	36.0	37.0	76	1.0	76
ZG-RC-24-363	42.0	47.0	203	5.0	1 013
ZG-RC-24-363	66.0	67.0	136	1.0	136
ZG-RC-24-367	24.0	25.0	160	1.0	160
ZG-RC-24-367	31.0	34.0	161	3.0	484
ZG-RC-24-371	10.0	11.0	85	1.0	85
ZG-RC-24-371	14.0	17.0	156	3.0	467
ZG-RC-24-371	20.0	21.0	142	1.0	142
ZG-RC-24-375	44.0	47.0	443	3.0	1 328

ZG-RC-24-375	48.0	49.0	76	1.0	76
ZG-RC-24-377	20.0	21.0	248	1.0	248
ZG-RC-24-377	46.0	47.0	140	1.0	140
ZG-RC-24-379	39.0	40.0	508	1.0	508
ZG-RC-24-380	10.0	13.0	732	3.0	2 196
ZG-RC-24-381	14.0	15.0	104	1.0	104
ZG-RC-24-381	23.0	27.0	100	4.0	400
ZG-RC-24-381	66.0	67.0	264	1.0	264
ZG-RC-24-382	0.0	5.0	185	5.0	924
ZG-RC-24-382	14.0	26.0	150	12.0	1 800
ZG-RC-24-382	42.0	43.0	84	1.0	84
ZG-RC-24-382	52.0	53.0	84	1.0	84
ZG-RC-24-382	55.0	56.0	92	1.0	92
ZG-RC-24-382	59.0	60.0	148	1.0	148
ZG-RC-24-382	62.0	63.0	88	1.0	88
ZG-RC-24-385	23.0	24.0	88	1.0	88
ZG-RC-24-385	26.0	27.0	188	1.0	188
ZG-RC-24-385	30.0	35.0	223	5.0	1 116
ZG-RC-24-388	0.0	1.0	92	1.0	92
ZG-RC-24-389	27.0	29.0	456	2.0	911
ZG-RC-24-389	36.0	38.0	105	2.0	209
ZG-RC-24-390	1.0	6.0	971	5.0	4 856
Including	1.0	4.0	1 495	3.0	4 484
ZG-RC-24-390	16.0	18.0	708	2.0	1 416
ZG-RC-24-391	1.0	6.0	140	5.0	700
ZG-RC-24-396	17.0	18.0	136	1.0	136
ZG-RC-24-397	43.0	49.0	123	6.0	736
ZG-RC-24-398	18.0	19.0	208	1.0	208
ZG-RC-24-399	47.0	49.0	366	2.0	732
ZG-RC-24-399	63.0	70.0	1 298	7.0	9 085
Including	64.0	68.0	2 081	4.0	8 324
ZG-RC-24-400	13.0	14.0	886	1.0	886
ZG-RC-24-400	43.0	44.0	4 720	1.0	4 720
ZG-RC-24-401	1.0	2.0	80	1.0	80
ZG-RC-24-401	11.0	13.0	94	2.0	188
ZG-RC-24-401	17.0	20.0	3 565	3.0	10 696
ZG-RC-24-401	53.0	54.0	92	1.0	92
ZG-RC-24-405	83.0	84.0	78	1.0	78
ZG-RC-24-408	43.0	45.0	1 368	2.0	2 736
ZG-RC-24-409	8.0	15.0	328	7.0	2 296
ZG-RC-24-411	0.0	4.0	163	4.0	654
ZG-RC-24-413	10.0	38.0	1 001	28.0	28 026
Including	26.0	33.0	2 787	7.0	19 512
ZG-RC-24-413	42.0	43.0	132	1.0	132
ZG-RC-24-415	9.0	10.0	84	1.0	84
ZG-RC-24-415	24.0	31.0	144	7.0	1 008
ZG-RC-24-415	46.0	47.0	130	1.0	130
ZG-RC-24-418	1.0	2.0	276	1.0	276
ZG-RC-24-418	3.0	4.0	112	1.0	112
ZG-RC-24-418	6.0	7.0	92	1.0	92
ZG-RC-24-419	0.0	16.0	152	16.0	2 432
ZG-RC-24-422	4.0	9.0	105	5.0	524

---

ZG-RC-24-422	12.0	13.0	236	1.0	236
ZG-RC-24-422	16.0	17.0	84	1.0	84
ZG-RC-24-423	0.0	2.0	336	2.0	672
ZG-RC-24-424	3.0	4.0	124	1.0	124
ZG-RC-24-424	31.0	32.0	88	1.0	88
ZG-RC-24-424	42.0	44.0	3 733	2.0	7 466
ZG-RC-24-425	53.0	54.0	408	1.0	408
ZG-RC-24-428	0.0	13.0	244	13.0	3 168
ZG-RC-24-429	0.0	9.0	172	9.0	1 552
ZG-RC-24-429	16.0	17.0	112	1.0	112
ZG-RC-24-432	0.0	3.0	172	3.0	516
ZG-RC-24-432	4.0	5.0	116	1.0	116
ZG-RC-24-433	0.0	5.0	234	5.0	1 168
ZG-RC-24-433	14.0	15.0	156	1.0	156
ZG-RC-24-435	46.0	49.0	457	3.0	1 372
ZG-RC-24-436	11.0	12.0	88	1.0	88
ZG-RC-24-436	16.0	21.0	127	5.0	636
ZG-RC-24-438	2.0	3.0	80	1.0	80
ZG-RC-24-438	32.0	34.0	88	2.0	176
ZG-RC-24-439	3.0	5.0	276	2.0	552
ZG-RC-24-441	5.0	7.0	242	2.0	484
ZG-RC-24-441	16.0	17.0	92	1.0	92
ZG-RC-24-441	22.0	23.0	288	1.0	288
ZG-RC-24-441	37.0	39.0	200	2.0	400
ZG-RC-24-444	24.0	25.0	96	1.0	96
ZG-RC-24-445	3.0	4.0	88	1.0	88
ZG-RC-24-445	9.0	11.0	94	2.0	188
ZG-RC-24-446	4.0	5.0	116	1.0	116
ZG-RC-24-446	15.0	16.0	112	1.0	112
ZG-RC-24-446	18.0	19.0	112	1.0	112
ZG-RC-24-446	60.0	61.0	172	1.0	172
ZG-RC-24-446	69.0	70.0	184	1.0	184
ZG-RC-24-448	3.0	4.0	736	1.0	736
ZG-RC-24-448	21.0	22.0	80	1.0	80
ZG-RC-24-448	25.0	26.0	376	1.0	376
ZG-RC-24-450	33.0	34.0	432	1.0	432
ZG-RC-24-450	53.0	55.0	372	2.0	744
ZG-RC-24-452	0.0	9.0	196	9.0	1 768
ZG-RC-24-452	10.0	11.0	76	1.0	76
ZG-RC-24-452	17.0	18.0	116	1.0	116
ZG-RC-24-452	19.0	21.0	98	2.0	196
ZG-RC-24-452	27.0	28.0	80	1.0	80
ZG-RC-24-452	29.0	30.0	84	1.0	84
ZG-RC-24-452	32.0	33.0	100	1.0	100
ZG-RC-24-452	34.0	35.0	568	1.0	568
ZG-RC-24-452	39.0	53.0	1 364	14.0	19 100
Including	45.0	51.0	2 433	6.0	14 596
ZG-RC-24-453	18.0	19.0	84	1.0	84
ZG-RC-24-453	24.0	25.0	120	1.0	120
ZG-RC-24-453	33.0	34.0	120	1.0	120
ZG-RC-24-453	37.0	38.0	120	1.0	120
ZG-RC-24-453	67.0	68.0	80	1.0	80

---

---

ZG-RC-24-455	0.0	5.0	177	5.0	884
ZG-RC-24-456	0.0	1.0	268	1.0	268
ZG-RC-24-456	9.0	22.0	145	13.0	1 888
ZG-RC-24-457	9.0	12.0	118	3.0	354
ZG-RC-24-457	23.0	24.0	364	1.0	364
ZG-RC-24-459	0.0	1.0	168	1.0	168
ZG-RC-24-461	0.0	1.0	100	1.0	100
ZG-RC-24-461	3.0	4.0	92	1.0	92
ZG-RC-24-461	8.0	9.0	152	1.0	152
ZG-RC-24-461	14.0	15.0	148	1.0	148
ZG-RC-24-463	0.0	8.0	265	8.0	2 116
ZG-RC-24-463	13.0	14.0	152	1.0	152
ZG-RC-24-463	24.0	25.0	116	1.0	116
ZG-RC-24-463	47.0	49.0	486	2.0	972
ZG-RC-24-464	0.0	1.0	84	1.0	84
ZG-RC-24-465	15.0	16.0	180	1.0	180
ZG-RC-24-469	1.0	8.0	316	7.0	2 212
ZG-RC-24-470	3.0	4.0	76	1.0	76
ZG-RC-24-470	11.0	20.0	190	9.0	1 708
ZG-RC-24-471	0.0	7.0	826	7.0	5 780
ZG-RC-24-471	14.0	15.0	140	1.0	140
ZG-RC-24-472	12.0	13.0	80	1.0	80
ZG-RC-24-472	26.0	27.0	152	1.0	152
ZG-RC-24-476	0.0	4.0	128	4.0	510
ZG-RC-24-476	48.0	49.0	88	1.0	88
ZG-RC-24-486	0.0	1.0	76	1.0	76
ZG-RC-24-491	0.0	15.0	538	15.0	8 068
Including	4.0	10.0	949	6.0	5 692
ZG-RC-24-491	17.0	18.0	84	1.0	84
ZG-RC-24-491	19.0	20.0	156	1.0	156
ZG-RC-24-491	24.0	25.0	352	1.0	352
ZG-RC-24-491	33.0	49.0	119	16.0	1 904
ZG-RC-24-499	1.0	3.0	146	2.0	292
ZG-RC-24-499	8.0	9.0	172	1.0	172
ZG-RC-24-499	16.0	17.0	532	1.0	532
ZG-RC-24-504	31.0	32.0	84	1.0	84
ZG-RC-24-504	35.0	36.0	84	1.0	84
ZG-RC-24-504	47.0	48.0	80	1.0	80
ZG-RC-24-504	51.0	54.0	81	3.0	244
ZG-RC-24-516	1.0	2.0	124	1.0	124
ZG-RC-24-516	28.0	29.0	124	1.0	124
ZG-RC-24-516	33.0	34.0	184	1.0	184
ZG-RC-24-516	37.0	40.0	212	3.0	636
ZG-RC-24-592	7.0	10.0	519	3.0	1 556
ZG-RC-24-594	0.0	1.0	80	1.0	80
ZG-RC-24-594	5.0	6.0	84	1.0	84
ZG-RC-24-595	51.0	54.0	921	3.0	2 764
ZG-RC-24-595	57.0	58.0	304	1.0	304
ZG-RC-24-595	63.0	64.0	80	1.0	80
ZG-RC-24-595	69.0	70.0	2 560	1.0	2 560
ZG-RC-24-598	0.0	10.0	250	10.0	2 500
ZG-RC-25-412	27.0	37.0	745	10.0	7 452

ZG-RC-25-412	50.0	51.0	824	1.0	824
ZG-RC-25-449	0.0	1.0	808	1.0	808
ZG-RC-25-449	11.0	15.0	1 347	4.0	5 388
ZG-RC-25-449	23.0	31.0	147	8.0	1 172
ZG-RC-25-449	38.0	39.0	80	1.0	80
ZG-RC-25-449	46.0	47.0	104	1.0	104
ZG-RC-25-451	0.0	17.0	207	17.0	3 514
ZG-RC-25-451	18.0	19.0	80	1.0	80
ZG-RC-25-511	5.0	6.0	116	1.0	116
ZG-RC-25-521	6.0	8.0	344	2.0	688
Underground T28					
T28-24-489	20.4	22.8	438	2.4	1 051
T28-24-499	21.6	22.8	168	1.2	202
T28-24-508	2.4	4.8	132	2.4	317
T28-24-509	3.6	6.0	86	2.4	206
T28-24-521	0.0	14.4	154	14.4	2 222
T28-24-522	2.4	7.2	498	4.8	2 390
T28-24-525	4.8	6.0	76	1.2	91
T28-24-525	7.2	12.0	1 397	4.8	6 706
T28-24-526	0.0	1.2	132	1.2	158
T28-24-526	2.4	3.6	172	1.2	206
T28-24-526	7.2	9.6	152	2.4	365
T28-24-526	13.2	14.4	104	1.2	125
T28-24-527	3.6	20.4	246	16.8	4 128
T28-24-537	0.0	2.4	162	2.4	389
T28-24-537	9.6	10.8	124	1.2	149
T28-24-554	4.8	6.0	80	1.2	96
Underground YAK					
YAK-24-137	0.0	6.0	82	6.0	490
YAK-24-137	19.2	20.4	120	1.2	144
YAK-24-138	2.4	6.0	115	3.6	414
YAK-24-138	14.4	20.4	111	6.0	667
YAK-24-143	1.2	21.6	382	20.4	7 784
YAK-24-144	13.2	25.2	520	12.0	6 238
YAK-24-146	7.2	8.4	316	1.2	379
YAK-24-146	13.2	15.6	470	2.4	1 128
YAK-24-149	30.0	40.8	400	10.8	4 325
Including	30.0	32.4	1 076	2.4	2 582
YAK-24-150	9.6	10.8	98	1.2	117
YAK-24-150	12.0	14.4	1 474	2.4	3 538
YAK-24-151	3.6	9.6	285	6.0	1 709
YAK-24-151	14.4	15.6	136	1.2	163
YAK-24-152	3.6	9.6	1 532	6.0	9 192
YAK-24-152	15.6	16.8	144	1.2	173
YAK-24-153	0.0	14.4	203	14.4	2 928
YAK-24-158	34.8	37.2	198	2.4	475
YAK-24-158	45.6	46.8	76	1.2	91
YAK-24-161	4.8	6.0	192	1.2	230
YAK-24-161	9.6	10.8	176	1.2	211
YAK-24-161	19.2	21.6	184	2.4	442
YAK-24-183A	18.0	19.2	236	1.2	283
YAK-24-184A	0.0	8.4	106	8.4	888

YAK-24-184A	25.2	26.4	96	1.2	115
YAK-24-184A	48.0	50.4	538	2.4	1 291
YAK-24-200	14.4	20.4	360	6.0	2 160
YAK-24-200	36.0	37.2	168	1.2	202
YAK-24-206	7.2	8.4	676	1.2	811
YAK-24-206	9.6	10.8	100	1.2	120

A photo accompanying this announcement is available at  
<https://www.globenewswire.com/NewsRoom/AttachmentNg/ff613292-ec4c-4631-9be0-f6a41a959bcc>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/686795--Aya-Gold-und-Silver-Reports-High-Grade-Silver-Results-at-Depth-to-the-West-and-Near-Pit-to-the-East.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).