

# Lavras Gold Corp. Intersects 1.2 g/t Gold Over 251 m at Fazenda do Posto Gold Target, LDS Project, Southern Brazil

02.04.2025 | [Newsfile](#)

## Drilling intersection includes 2.2 g/t gold over 100 metres, including 4.7 g/t gold over 10 metres

[Lavras Gold Corp.](#) (TSXV: LGC) (OTCQX: LGCFF) ("Lavras Gold" or the "Company") is pleased to release the results from 12 new drill holes representing 4,007 metres, testing the Fazenda do Posto Gold Target ("Fazenda do Posto" or "Fazenda Gold Discovery"), located at the western side of the LDS Project in southern Brazil. Gold mineralization was intersected in 11 of the 12 holes reported in this news release at Fazenda do Posto. The Fazenda Gold Discovery is located immediately adjacent and northwest to the Butiá gold deposit (Figure 1), which hosts a surface Mineral Resource Estimate of 377,000 ounces of gold in the Measured and Indicated categories, and 115,000 ounces of gold in the Inferred category. Several of these 12 new holes returned more than 100 metres of continuous gold mineralization characterized by higher-grade subintervals - consistent with previous results.

The Company has also engaged SGS Laboratory in Belo Horizonte, Brazil to complete a comprehensive metallurgical test program for Fazenda do Posto mineralization. The first batch of bulk samples was recently sent to the lab. These new drill results and initiatives continue to move Lavras Gold toward its short-term corporate goal of defining an economically feasible gold resource on the LDS Project, focused on the Fazenda do Posto Gold Discovery, and adjacent Butiá Gold Deposit.

## HIGHLIGHTS

### Drilling

\*Hole 24BT043 intersected:

- 251.0 metres grading 1.2 g/t gold from 208.0 metres, and including:
  - 100.0 metres grading 2.2 g/t gold from 214.0 metres, and including
    - 20.0 metres grading 2.4 g/t gold from 233.0 metres, and
    - 10.0 metres grading 2.7 g/t gold from 259.0 metres, and
    - 25.0 metres grading 2.9 g/t gold from 276.0 metres, and
    - 10 metres grading 4.6 g/t gold from 304.0 metres.
  - 49.0 metres grading 1.3 g/t gold from 348.0 metres, and including
    - 21.0 metres grading 2.3 g/t gold from 362.0 metres, and
    - 3.0 metres grading 2.9 g/t gold from 387.0 metres.

\* NOTE to Hole 24BT043 -This hole is tagged with a Butiá drill hole number as it was collared on the Butiá claim block, drilling west into the Fazenda do Posto claim block.

Hole 24FP032 returned:

- 139.0 metres grading 1.0 g/t gold from 202.0 metres and including:
  - 6.0 metres grading 2.7 g/t gold from 203.0 metres.
  - 34.0 metres grading 1.8 g/t gold from 254.0.0 metres, and including:
    - 19.0 metres grading 2.1 g/t gold from 264.0 metres, and
  - 10.0 metres grading 1.4 g/t gold from 297.0 metres.

"In addition to making new discoveries in this highly prospective gold district, our short-term goal remains unchanged - the delineation of an economically feasible gold mine on the LDS Project. The results from this new round of drilling are very exciting for us in that they significantly enhance our understanding of the Fazenda do Posto Gold Discovery and the northeast/southwest trending structures that play a significant role in the pattern and nature of mineralization at Fazenda do Posto," commented Lavras Gold President & CEO, Michael Durose. "Significantly, drillhole 24BT043 was collared on the far eastern side of Fazenda do Posto

adjacent to Butiá and drilled in a northwesterly direction on an azimuth of 290 degrees and inclined 60 degrees. The purpose was to test for the continuity of gold mineralization across an interpreted northeast-southwesterly direction. The hole intercepted more than 250 metres of consistent gold mineralization, grading 1.2 g/t gold, successfully extending the known gold mineralized footprint to the northwest. Importantly, this hole was drilled in a direction perpendicular to discovery hole 23FP002 that was drilled on an azimuth of 020 degrees and inclined 60 degrees returning 340.0 metres, grading 1.1 g/t gold, thus demonstrating the robustness of continuous gold mineralization over a very large area.

"As our model anticipated, the new drilling results continue to demonstrate the excellent gold grade and continuity of the Fazenda do Posto Gold Discovery. Long continuous intervals of gold mineralization over more than 100 metres typically with higher-grade subintervals confirm the disseminated nature of gold mineralization at Fazenda do Posto. Part of the on-going drilling program at Fazenda do Posto is testing the potential for extensions to mineralization based on our increasingly more detailed and evolving geological model. Our current interpretation is that Fazenda do Posto is a steeply northwest plunging, irregular pipe-like structure. We have also initiated a detailed metallurgical testing program for Fazenda do Posto and Butiá, as part of the overall derisking strategy for the project.

"We will continue drilling at the Butiá and Fazenda do Posto areas and to the north on the Caneleira Concession, where we made our most recent discovery, Olaria."

[Click here](#) for additional comments on the importance of these northeast/southwest trending structures from CEO Michael Durose.

[\* Footnote: Butiá hosts an Estimated Mineral Resource of 377,000 ounces of gold in the Measured and Indicated categories and 115,000 ounces of gold in the Inferred category as detailed in the report titled "NI 43-101 Technical Report Mineral Resource for the Butiá Gold Prospect, Rio Grande do Sul, Brasil", prepared for Lavras Gold by author VMG Consultoria e Soluções Ltda., with an effective date of January 25, 2022, and an amended report date of November 15, 2024. This Report is available on the Company's website and [www.sedarplus.ca](http://www.sedarplus.ca) under Lavras Gold's issuer profile.]

#### Discussion of Drill Results - Fazenda do Posto Discovery

Fazenda do Posto is the most advanced gold discovery on the LDS Project located immediately adjacent to and slightly northwest of the Butiá Gold Deposit. The purpose of the current drilling program at Fazenda do Posto is to define the gold mineralization footprint and extent of mineralization, and gain greater insight into the geological controls to mineralization. Recent drilling results from Fazenda do Posto were disclosed in the news release dated September 09, 2024. To date, results from 36 drill holes totaling 11,067 metres of drilling have been disclosed based on the 2023 and 2024 drilling program. This total includes the 12 holes disclosed in this news release (24FP025 to 24FP036 ((excluding 24FP033 which was lost)); and 24BT043). In addition, more than 30,000 metres of drilling have been completed at the adjacent Butiá gold deposit to date, including historical drilling prior to 2022.

Figure 1 is a general location map for the LDS Project deposits and targets. Drill collar locations for Fazenda do Posto are shown in Figure 2. Details of drill holes showing assay results can be found in the plan view in Figure 3. A long section looking northeast is shown in Figure 4. Table 1 details all assay results including newly disclosed results in this press release. Table 2 tabulates drill hole information including collar coordinates, drill hole azimuth and drill hole depths. Note drill hole 24FP026 was collared 1.4 kilometres northwest of the main zone of drilling at Fazenda do Posto and is not shown in Figure 2, Figure 3 or Figure 4.

A primary purpose of the recent drilling was to test the lateral continuity of gold mineralization across a postulated northeast trending structural corridor. Ten of the 12 holes drilled had an azimuth oriented 90 to 110 degrees, and/or 290 degrees and inclined 60 degrees. As shown in Figure 3 and summarized in Table 1, the lateral holes include 24FP026, 24FP027, 24FP029, 24FP030, 24FP031, 24FP032, 24FP034, 24FP035, 24FP036, and 24BT043. Drillholes 24FP025 and 24FP028 were vertical holes designed to test the vertical continuity of mineralization.

The lateral holes confirm continuous gold mineralization across a northeast trending structural corridor. Drill holes 24FP034, 24FP035 and 24FP036 suggest a northeast trending structure along the southeast portion

of the Fazenda do Posto target area characterized by continuous moderate grade gold mineralization associated with episyenite and perthitic granite. Drillhole 24FP026 tested a target 1.4 kilometres northwest of the main zone of drilling at Fazenda do Posto and did not find any gold mineralization.

#### Central and North Portion of Fazenda do Posto

Drillhole 24BT043 was collared in the east-central portion of Fazenda do Posto and drilled from east to west on an azimuth of 290 degrees and inclined 60 degrees. The hole returned multiple intervals of gold in mineralized episyenite and perthitic granite. Highlights include:

- 18.4 metres grading 0.5 g/t gold from 14.0 metres and including
  - 10.0 metres grading 1.0 g/t gold from 24.0 metres.
  
- 251.0 metres grading 1.2 g/t gold from 208.0 metres including:
  - 100.0 metres grading 2.2 g/t gold from 214.0 metres, and including
  - 20.0 metres grading 2.4 g/t gold from 233.0 metres, and including
  - 10.0 metres grading 2.7 g/t gold from 259.0 metres, and including
  - 25.0 metres grading 2.9 g/t gold from 276.0 metres, and including
  - 10.0 metres grading 4.6 g/t gold from 304.0 metres, and
  - 49.0 metres grading 1.3 g/t gold from 348.0 metres, and including
  - 21.0 metres grading 2.3 g/t gold from 362.0 metres, and including
  - 3.0 metres grading 2.91 g/t gold from 387.0 metres.

Drillhole 24FP025 was collared in the north central portion of Fazenda do Posto and drilled vertically to test the depth extent of mineralization. The hole returned:

- 157.0 metres grading 0.7 g/t gold from 116.0 metres and including:
  - 3.0 metres grading 4.3 g/t gold from 145.0 metres.
  - 1.0 metres grading 12.5 g/t gold from 147.0 metres.
  
- 78.0 metres grading 0.9 g/t gold from 273.0 metres including:
  - 2.0 metres grading 1.4 g/t gold from 303.0 metres.
  - 3.0 metres grading 1.1 g/t gold from 310.0 metres.
  - 1.0 metre grading 1.8 g/t gold from 317.0 metres.
  - 20.0 metres grading 1.7 g/t gold from 321.0 metres.
  
- 10.0 metres grading 0.7 g/t gold from 374.0 metres including:
  - 1.0 metres grading 1.5 g/t gold from 376.0 metres, and
  - 1.0 metres grading 1.5 g/t gold from 382.0 metres.

Drillhole 24FP032 was collared west of Fazenda do Posto, and drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees. The hole was designed to test mineralization across a northeast trending structure. The hole returned:

- 139.0 metres grading 1.0 g/t gold from 202.0 metres within mineralized episyenite. Several higher-grade subintervals were intercepted including:
  - 6.0 metres grading 2.7 g/t gold from 203.0 metres
  - 34.0 metres grading 1.8 g/t gold from 254.0 metres,
  - 19.0 metres grading 2.1 g/t gold from 264.0 metres, and
  - 10.0 metres grading 1.4 g/t gold from 297.0 metres.

Drill hole 24FP027 was a step out hole and collared northwest of the main zone of mineralization at Fazenda do Posto and designed to test for the extension of favourable alteration and mineralization. The hole was drilled from west to east on an azimuth of 110 degrees and an inclined angle of 60 degrees. The hole encountered alternating intervals of fresh granodiorite and metasomatized/albitized rock, along with multiple intercepts of lamprophyre dykes, followed by strongly altered perthitic granite and 3 intervals of mineralized episyenite. The best intercept was:

- 12 metres grading 2.3 g/t gold from 411.0 metres.

This is a significant finding as it demonstrates that the metasomatic alteration and mineralizing processes are

open to the north of the known mineralized footprint of Fazenda do Posto. The current interpretation is that the mineralized zones of episyenite are occurring along northeast trending structures north of the current mineralized footprint at Fazenda do Posto. Further work is required to better understand this area.

Drillhole 24FP029 was drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees. The hole encountered:

- 57 metres of mineralized episyenite having a gold grade of 0.8 g/t gold from 130.0 metres and including:
  - 6.0 metres grading 1.8 g/t gold from 139.0 metres, and
  - 5.0 metres grading 1.7 g/t gold from 162.0 metres.

The hole successfully demonstrated gold mineralization in the central south portion of Fazenda do Posto.

Drillhole 24FP30 was drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees in the south-central portion of Fazenda do Posto. The hole encountered:

- 78.0 metres of continuous gold mineralization grading 0.3 g/t gold from 61.0 metres including
  - 9.0 metres grading 0.8 g/t gold from 68.0 metres, and including
  - 2.0 metres grading 1.8 g/t gold from 68.0 metres within mineralized episyenite.

Drillhole 24FP031 was drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees in the east-central portion of the Fazenda do Posto. The hole returned:

- 121.0 metres grading 0.3 g/t gold from surface within mineralized episyenite, including
  - 5.0 metres grading 0.9 g/t gold from 42.0 metres, and
  - 7.0 metres grading 0.9 g/t gold from 73.0 metres.

#### Southeast Portion of Fazenda do Posto

Three holes were drilled to test the southeast area of Fazenda do Posto. Results are as follows:

Drillhole 24FP034 was drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees. The hole returned multiple intervals of moderate grade disseminated gold, including 51.0 metres grading 0.3 g/t gold within mineralized episyenite, and including 15.0 metres grading 0.4 g/t gold from 73.0 metres.

Drillhole 24FP035 was drilled from west to east on an azimuth of 110 degrees and inclined at 60 degrees. The hole returned several gold intervals of low to moderate gold grades within episyenite and perthitic granite.

Drillhole 24FP036 was drilled from west to east on an azimuth of 110 degrees and inclined 60 degrees. The hole intercepted several intervals of gold mineralization similar to drillhole 24FP035.

Please refer to Table 1 for a complete list of all drill holes and detailed assay results.

#### Figure 1. LDS Project Deposit and Target Locations

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/10429/247043\\_5a95cecd3464b87f\\_002full.jpg](https://images.newsfilecorp.com/files/10429/247043_5a95cecd3464b87f_002full.jpg)

Table 1. Summary of Drill Hole Composites from the Fazenda do Posto Gold Discovery - Note that holes 23FP001 to 24FP024 have been published prior to this press release.

Drill Hole		From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
23FP001 Previously published results		77.00	153.00	76.00	0.17	Perthitic granite mixed with episyenite
		85.00	86.00	1.00	0.32	Perthitic Granite
		90.00	93.00	3.00	0.33	Episyenite
		96.00	97.00	1.00	0.57	Episyenite
		102.00	104.00	2.00	0.34	Episyenite
		109.00	110.00	1.00	0.42	Episyenite
		113.00	118.00	5.00	0.23	Perthitic Granite
		135.00	137.00	2.00	0.47	Perthitic Granite
	143.00	144.00	1.00	0.26	Perthitic Granite	
23FP002 Previously published results		58.00	59.00	1.00	0.18	Albitite
		117.00	457.00	340.00	1.09	Mineralized episyenite
	Including	199.00	359.00	160.00	1.79	Episyenite
	Including	208.00	235.00	27.00	2.07	Episyenite
	Including	293.00	361.00	68.00	2.09	Episyenite
23FP003 Previously published results		24.00	27.00	3.00	0.71	Albitite
		87.00	294.00	207.00	0.49	Episyenite
	including	87.00	227.00	140.00	0.67	Episyenite
	Including	87.00	195.00	108.00	0.80	Episyenite
	Including	87.00	151.00	64.00	0.91	Episyenite
	Including	106.00	145.00	39.00	1.17	Episyenite
23FP004 Previously published results		No Significant Values				Fresh Granodiorite
23FP005 Previously published results		118.00	119.00	1.00	0.26	Albitite
		131.55	135.00	3.45	1.01	Perthitic Granite
		139.00	140.00	1.00	0.99	Perthitic Granite
		143.00	146.00	3.00	1.21	Perthitic Granite
		159.00	161.00	2.00	0.26	Perthitic Granite
		171.00	172.00	1.00	0.33	Perthitic Granite
		176.00	177.00	1.00	0.30	Perthitic Granite
		181.00	182.00	1.00	0.33	Perthitic Granite
23BT006 Previously published results		31.06	261.00	229.94	0.86	Episyenite
	including	31.06	235.00	203.94	0.95	Episyenite
	including	31.06	222.00	190.94	1.00	Episyenite
	including	149.00	214.00	65.00	1.94	Episyenite
	including	149.00	187.00	38.00	2.03	Episyenite
	including	154.00	164.00	10.00	2.96	Episyenite
	including	190.00	205.00	15.00	2.05	Episyenite
23FP007 Previously published results		No Significant Values				Fresh Granodiorite, Perthitic Granite

Drill Hole		From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
23FP008 Previously published results		104.00	105.00	1.00	0.27	Episyenite
		114.00	115.00	1.00	0.42	Episyenite
		106.00	229.00	123.00	1.12	Episyenite
	including	228.00	306.00	78.00	1.36	Episyenite
	including	231.00	266.00	35.00	2.46	Episyenite
		325.00	345.00	20.00	0.60	Perthitic Granite
	including	331.00	335.00	4.00	2.67	Perthitic Granite
	including	332.00	335.00	3.00	3.49	Perthitic Granite
23FP009 Previously published results		1.00	3.00	2.00	0.49	Episyenite and Metasomat Alteration
		15.00	16.00	1.00	0.40	Episyenite and Metasomat Alteration
		23.01	37.00	13.99	0.79	Episyenite and Metasomat Alteration
	Including	29.00	38.00	9.00	0.91	Episyenite and Metasomat Alteration
		40.00	40.94	0.94	0.25	Episyenite and Metasomat Alteration
		75.00	77.00	2.00	0.72	Episyenite and Metasomat Alteration
		93.00	96.00	3.00	0.44	Episyenite and Metasomat Alteration
		131.00	132.00	1.00	0.41	Episyenite and Metasomat Alteration
		149.00	152.00	3.00	0.44	Episyenite and Metasomat Alteration
		157.00	160.00	3.00	0.43	Episyenite and Metasomat Alteration
		162.00	163.00	1.00	0.25	Episyenite and Metasomat Alteration
	164.00	168.00	4.00	0.30	Episyenite and Metasomat Alteration	
23FP010 Previously published results		3.00	147.00	144.00	0.58	Pervasive albite alteration, episyenite, PG
	Including	3.00	44.00	41.00	1.00	Episyenite
	Including	3.00	4.00	1.00	1.06	Episyenite
	Including	23.00	44.00	21.00	1.29	Episyenite
	Including	23.00	26.00	3.00	1.07	Episyenite
	Including	31.00	40.00	9.00	2.17	Episyenite
	Including	31.00	35.00	4.00	3.46	Episyenite
	Including	50.00	51.00	1.00	1.14	Episyenite
	Including	64.00	65.00	1.00	1.28	Episyenite
	Including	72.00	79.00	7.00	0.89	Episyenite
	Including	78.00	80.00	2.00	1.55	Episyenite
	Including	83.00	90.00	7.00	1.02	Episyenite
	Including	107.00	111.41	4.41	1.21	Perthitic Granite
	Including	139.00	142.00	3.00	0.97	Episyenite
23FP011 Previously published results		32.00	33.00	1.00	0.29	Episyenite

Drill Hole	From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
	69.00	242.00	173.00	0.95	Episyenite
Including	75.00	79.00	4.00	1.16	Episyenite
Including	97.00	103.00	6.00	1.07	Episyenite
Including	99.00	101.00	2.00	2.08	Episyenite
Including	126.00	220.83	94.83	1.37	Episyenite
Including	126.00	128.00	2.00	3.56	Episyenite
Including	135.00	138.00	3.00	2.47	Episyenite
Including	153.00	161.00	8.00	1.64	Episyenite
Including	166.10	181.00	14.90	1.66	Episyenite
Including	191.00	204.00	13.00	1.46	Episyenite
Including	209.00	215.00	6.00	2.01	Episyenite
Including	239.13	241.13	2.00	1.97	Episyenite
23FP012 Previously published results	4.00	5.27	1.27	0.29	Episyenite
	12.00	14.00	2.00	0.32	Episyenite
	58.00	60.00	2.00	0.27	Episyenite
	63.00	64.00	1.00	3.19	Episyenite
	58.00	173.00	115.00	0.59	Episyenite, albite alteration
Including	83.00	84.00	1.00	2.26	Episyenite
Including	87.77	89.92	2.15	0.95	Episyenite
Including	102.16	104.00	1.84	1.06	Episyenite
Including	107.00	108.00	1.00	0.95	Episyenite
Including	110.00	111.00	1.00	1.10	Episyenite
Including	118.00	171.00	53.00	0.86	Episyenite, intermittent Perthitic Granite
Including	118.00	119.00	1.00	1.09	Episyenite
Including	121.00	169.00	48.00	0.91	Episyenite, intermittent Perthitic Granite
Including	130.00	156.00	26.00	1.08	Episyenite, intermittent Perthitic Granite
Including	130.00	145.00	15.00	1.24	Episyenite
Including	162.00	168.00	6.00	1.09	Episyenite
23FP013 Previously published results	259.00	264.00	5.00	0.229	Perthitic Granite
	299.00	309.00	10.00	0.364	Episyenite
24FP014 Previously published results	195.00	195.70	0.70	0.262	Episyenite
24FP015 Previously published results	No Significant Values				Fresh Granodiorite
24FP016 Previously published results	190.00	191.00	1.00	0.655	Episyenite
	202.00	203.00	1.00	0.803	Episyenite
	233.00	292.00	59.00	2.853	Episyenite
	238.00	288.00	50.00	3.232	Episyenite
	240.00	272.00	32.00	4.335	Episyenite
	253.00	256.00	3.00	17.628	Episyenite
	253.00	254.00	1.00	9.55	Episyenite
	254.00	255.00	1.00	23.267	Episyenite

Drill Hole	From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
	255.00	256.00	1.00	30.33	Episyenite
24FP017 Previously published results	0.00	301.00	301.00	0.684	Albite, Episyenite, Perthitic Granite
Including	3.00	261.00	261.00	0.769	Albite, Episyenite, Perthitic Granite
Including	50.00	77.00	27.00	1.278	Episyenite
Including	84.00	103.00	19.00	1.131	Episyenite
including	84.00	99.00	15.00	1.272	Episyenite
Including	84.00	91.00	7.00	1.441	Episyenite
Including	123.00	126.00	3.00	1.431	Episyenite
Including	144.00	158.00	14.00	1.666	Episyenite
Including	192.00	253.00	61.00	1.414	Episyenite
Including	192.00	214.00	22.00	1.856	Episyenite
24FP018 Previously published results	68.00	143.00	75.00	1.108	Episyenite
including	75.00	107.00	32.00	1.784	Episyenite
including	86.00	107.00	21.00	2.387	Episyenite
including	86.00	95.00	9.00	4.167	Episyenite
including	97.00	98.00	1.00	8.937	Episyenite
24FP019 Previously published results	0.00	25.00	25.00	1.226	Perthitic Granite
including	11.00	23.00	12.00	2.382	Perthitic Granite
including	15.00	16.00	1.00	26.40	Perthitic Granite
	38.00	39.00	1.00	0.450	Perthitic Granite
	59.00	61.00	2.00	0.410	Perthitic Granite
24FP020 Previously published results	145.00	265.00	120.00	0.939	Episyenite, Perthitic Granite
including	163.00	188.00	25.00	1.096	Episyenite
including	168.00	172.00	4.00	1.362	Episyenite
including	178.00	188.00	10.00	1.504	Episyenite
including	181.00	183.00	2.00	2.693	Episyenite
including	194.00	213.00	19.00	1.422	Episyenite
including	194.00	207.00	13.00	1.677	Episyenite
including	194.00	198.00	4.00	1.251	Episyenite
including	223.00	234.00	11.00	1.167	Episyenite
including	233.00	235.00	2.00	1.810	Episyenite
including	250.00	261.00	11.00	2.185	Episyenite
including	250.00	253.00	3.00	4.154	Episyenite
including	251.00	252.00	1.00	10.220	Episyenite
24FP021 Previously published results	0.00	130.00	130.00	0.477	Perthitic Granite, Episyenite
including	13.00	19.00	6.00	1.114	Episyenite
including	16.00	17.00	1.00	4.428	Episyenite
including	32.00	42.00	10.00	1.063	Episyenite
including	32.00	37.00	5.00	1.507	Episyenite
including	90.00	99.00	9.00	1.496	Episyenite
including	96.00	99.00	3.00	3.116	Episyenite
including	118.00	119.00	1.00	1.088	Episyenite

Drill Hole		From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
24FP022		167.00	168.00	1.00	0.477	Perthitic Granite
Previously published results		176.00	187.00	11.00	0.249	Perthitic Granite
	including	176.00	178.00	2.00	0.753	Perthitic Granite
	including	184.00	186.00	2.00	0.449	Perthitic Granite
24FP023		274.00	275.00	1.00	0.248	Perthitic Granite
Previously published results						
24FP024		58.00	114.00	56.00	0.29	Perthitic Granite
Previously published results						
	including	58.00	64.00	6.00	0.401	Perthitic Granite
	including	61.00	62.00	1.00	0.834	Perthitic Granite
	including	70.00	71.00	1.00	0.856	Perthitic Granite
	including	89.00	96.00	7.00	0.467	Perthitic Granite
	including	91.00	92.00	1.00	0.81	Perthitic Granite
24FP025		15.00	18.00	3.00	0.19	Episyenite
NEW	including	16.00	17.00	1.00	0.31	Episyenite
		52.00	56.00	4.00	0.18	Episyenite
	including	52.00	54.00	2.00	0.24	Episyenite
		100.00	102.00	2.00	0.24	Episyenite
		116.00	273.00	157.00	0.66	Episyenite/Perthitic Granite
	including	145.00	148.00	3.00	4.26	Perthitic Granite
	including	147.00	148.00	1.00	12.47	Perthitic Granite
	including	236.00	238.00	2.00	0.22	Perthitic Granite
		273.00	351.00	78.00	0.87	Episyenite/Perthitic Granite
	including	303.00	305.00	2.00	1.40	Episyenite
	including	310.00	313.00	3.00	1.10	Episyenite
	including	317.00	318.00	1.00	1.78	Episyenite
	including	321.00	341.00	20.00	1.71	Episyenite
		374.00	384.00	10.00	0.65	Episyenite
	including	376.00	377.00	1.00	1.52	Epitsyenite
	including	382.00	383.00	1.00	1.46	Epitsyenite
24FP026						Granodiorite
	No significant values					
24FP027		277.00	278.00	1.00	0.22	Episyenite
NEW		377.00	379.00	2.00	0.90	Perthitic Granite
		411.00	423.00	12.00	2.27	Episyenite
	including	413.00	420.00	7.00	3.37	Episyenite
	and including	419.00	420.00	1.00	6.01	Episyenite
		434.00	438.00	4.00	0.26	Perthitic Granite
24FP028		186.00	188.00	2.00	0.29	Metasomatite
NEW		234.00	259.00	25.00	0.39	Metasomatite
	including	238.00	244.00	6.00	0.86	Metasomatite
	and including	238.00	239.00	1.00	2.04	Metasomatite
	and including	243.00	244.00	1.00	1.38	Metasomatite
		269.00	270.00	1.00	0.34	Perthitic Granite
24FP029		130.00	187.00	57.00	0.81	Episyenite
NEW		139.00	145.00	6.00	1.76	Episyenite
	including	142.00	143.00	1.00	3.92	Episyenite
	and including	155.00	161.00	6.00	1.07	Episyenite

Drill Hole		From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment
		162.00	167.00	5.00	1.71	Episyenite
	including and including	164.00	165.00	1.00	2.51	Episyenite
24FP030 NEW		61.00	139.00	78.00	0.34	Episyenite
	including	68.00	83.00	15.00	0.64	Episyenite
	and including	68.00	77.00	9.00	0.80	Episyenite
	and including	68.00	70.00	2.00	1.83	Episyenite
24FP031 NEW		0.00	121.00	121.00	0.33	Episyenite
	including	1.00	4.00	3.00	0.44	Episyenite
	including	19.00	21.00	2.00	0.41	Episyenite
	including	30.00	35.00	5.00	0.43	Episyenite
	including	42.00	47.00	5.00	0.91	Episyenite
	including	73.00	80.00	7.00	0.94	Episyenite
	including	95.00	98.00	3.00	0.72	Episyenite
24FP032 NEW		191.00	194.00	3.00	0.38	Perthitic Granite
		202.00	341.00	139.00	1.00	Episyenite
	including	203.00	209.00	6.00	2.71	Episyenite
	and including	203.00	204.00	1.00	3.47	Episyenite
	and including	204.00	205.00	1.00	4.95	Episyenite
	including	211.00	212.00	1.00	1.12	Episyenite
	including	215.00	220.00	5.00	1.09	Episyenite
	including	225.00	231.00	6.00	1.15	Episyenite
	including	241.00	247.00	6.00	1.10	Episyenite
	including	254.00	288.00	34.00	1.79	Episyenite
	and including	257.00	260.00	3.00	2.21	Episyenite
	and including	264.00	283.00	19.00	2.10	Episyenite
	including	297.00	307.00	10.00	1.35	Episyenite
24FP034 NEW		69.00	120.00	51.00	0.25	Episyenite
	including	73.00	88.00	15.00	0.39	Episyenite
	including	93.00	96.00	3.00	0.31	Episyenite
	including	101.00	104.00	3.00	0.36	Episyenite
	including	107.00	110.00	3.00	0.32	Episyenite
		150.00	151.00	1.00	0.26	Perthitic Granite
		157.00	158.00	1.00	0.42	Perthitic Granite
		182.00	184.00	2.00	0.26	Episyenite
24FP035 NEW		150.00	161.00	11.00	0.25	Perthitic Granite
	including	159.00	161.00	2.00	0.81	Perthitic Granite
		186.00	188.00	2.00	0.26	Episyenite
		230.00	238.00	8.00	0.32	Perthitic Granite
	including	230.00	231.00	1.00	0.90	Perthitic Granite
	including	237.00	238.00	1.00	0.81	Perthitic Granite
		245.00	251.00	6.00	0.44	Perthitic Granite
	including	246.00	247.00	1.00	1.70	Perthitic Granite
		258.00	259.00	1.00	0.66	Perthitic Granite
		274.00	275.00	1.00	0.37	Perthitic Granite
		296.00	298.00	2.00	0.45	Perthitic Granite

Drill Hole	From (metres)	To (metres)	Interval (metres)	Gold grade (grams/tonne)	Comment	
24FP036 NEW	46.00	48.00	2.00	0.25	Episyenite	
	50.00	55.00	5.00	0.18	Episyenite	
	70.00	72.00	2.00	0.25	Episyenite	
	129.00	130.00	1.00	0.50	Perthitic Granite	
	132.00	135.00	3.00	0.19	Perthitic Granite	
24BT043 NEW	14.00	32.41	18.41	0.51	Perthitic Granite	
	including	24.00	34.00	10.00	1.03	Perthitic Granite
		58.00	67.00	9.00	0.34	Episyenite
		107.00	109.00	2.00	0.26	Perthitic Granite
		144.00	151.00	7.00	0.32	Episyenite
		208.00	459.00	251.00	1.17	Episyenite
	including	214.00	314.00	100.00	2.16	Episyenite
	and including	233.00	253.00	20.00	2.42	Episyenite
	and including	259.00	269.00	10.00	2.74	Episyenite
	and including	276.00	301.00	25.00	2.87	Episyenite
	and including	304.00	314.00	10.00	4.62	Episyenite
	including	332.00	335.00	3.00	0.26	Perthitic Granite
	including	348.00	397.00	49.00	1.33	Episyenite
	and including	362.00	383.00	21.00	2.31	Episyenite
	and including	387.00	390.00	3.00	2.91	Episyenite
		407.00	420.00	13.00	0.27	Perthitic Granite
		438.00	440.00	2.00	0.31	Perthitic Granite
		455.00	465.00	10.00	0.26	Perthitic Granite
		487.00	493.00	6.00	0.19	Perthitic Granite
		497.00	503.00	6.00	0.22	Perthitic Granite

- Assumes 0.25 g/t gold cut-off grade, no top cut.
- The Company has been targeting larger intersections of greater than 0.25 g/t gold. Intersections lower than this threshold may provide exploration insight and may therefore be disclosed.
- Intervals represent drill core interval; true widths have not been determined at this time.

Table 2. Fazenda do Posto Drill Hole Coordinates

Note that 23FP001 to 24FP024 are previously published holes. 24FP025 to 24BT043 are newly published holes.

Drill Hole	Easting	Northing	Elevation (metres)	Azimuth (Degrees)	Dip (Degrees)	Start Depth (metres)	Final Depth (metres)
23FP001	217906	6586455	393	20	-60	0	214.1
23FP002	217857	6586483	392	20	-60	0	464.6
23FP003	217890	6586569	392	0	-90	0	332.2
23FP004	217827	6586607	396	200	-60	0	201.3
23FP005	217933	6586311	405	20	-60	0	248.2
23FP006	217933	6586677	386	200	-60	0	299.8
23FP007	217929	6586676	386	20	-60	0	161.4
23FP008	217932	6586675	386	200	-60	0	401.4
23FP009	217911	6586590	389	290	-60	0	232.9
23FP010	217910	6586591	389	110	-60	0	300.0
23FP011	217929	6586674	386	220	-60	0	283.8
23FP012	217846	6586648	391	110	-60	0	231.5
23FP013	217844	6586648	391	0	-90	0	369.5
24FP014	217828	6586388	397	20	-60	0	292.1
24FP015	217856	6586477	392	0	-90	0	311.9

24FP0162178626586633390	0	-90	0	342.6
24FP0172179136586610387	0	-90	0	382.6
24FP0182178896586566392	20	-60	0	310.4
24FP0192179556586598383	0	-90	0	312.5
24FP0202178436586591395	0	-90	0	283.0
24FP0212179356586552386	0	-90	0	247.2
24FP0222178226586541395	0	-90	0	243.9
24FP0232176196586441410	65	-60	0	411.9
24FP0242179206586503389	0	-90	0	180.9
24FP0252178826586678381	0	-90	0	441.8
24FP0262164396587374396	110	-60	0	385.4
24FP0272176936586806397	110	-60	0	646.6
24FP0282177986586602388	0	-90	0	429.2
24FP0292178156586605386	90	-60	0	256.2
24FP0302178976586562387	110	-60	0	171.5
24FP0312179376586554372	110	-60	0	127.2
24FP0322177866586669391	110	-60	0	364.1
24FP0342178906586411384	110	-60	0	208.9
24FP0352178706586357396	110	-60	0	325.0
24FP0362179066586457385	110	-60	0	142.9
24BT0432180076586582379	290	-60	0	508.6

Figure 2. Location of 2023 and 2024 Drill Collars for Fazenda do Posto Gold Discovery

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/10429/247043\\_5a95cecd3464b87f\\_003full.jpg](https://images.newsfilecorp.com/files/10429/247043_5a95cecd3464b87f_003full.jpg)

Figure 3. Plan View of 2023 and 2024 Butiá Drill Holes and Gold Assay Grades

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/10429/247043\\_5a95cecd3464b87f\\_004full.jpg](https://images.newsfilecorp.com/files/10429/247043_5a95cecd3464b87f_004full.jpg)

Figure 4. Long-Section Looking Northeast of 2023 and 2024 Butiá Drill Holes and Gold Assay Grades

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/10429/247043\\_5a95cecd3464b87f\\_005full.jpg](https://images.newsfilecorp.com/files/10429/247043_5a95cecd3464b87f_005full.jpg)

#### About the LDS Project

The LDS Project is centred on the town of Lavras do Sul in Rio Grande do Sul, Brazil. It is approximately 320 kilometres, or a 4.5-hour drive, from the state capital of Porto Alegre. The Company, through its subsidiary, holds directly or indirectly, contractual interests over 34 mineral rights covering approximately 23,000 hectares.

The LDS intrusive complex is a multiphase intrusive centre that is surrounded by coeval volcanic rocks to the east. Geologically, LDS is in the far south of the Neoproterozoic Mantiqueira Province, a 2,700-kilometre-long belt of tectonically and magmatically accreted terrains that stretch as far south as the coastline of central Uruguay and north into southern Bahia State in Brazil. The most advanced targets are the Butiá and Cerrito Gold Deposits - Butiá with 377,000 ounces of gold in the Measured and Indicated categories and 115,000 ounces of gold in the Inferred category, and Cerrito with 188,000 ounces of gold in the Indicated category and 293,000 ounces of gold in the Inferred category.

#### About Lavras Gold Corp.

Lavras Gold Corp. (TSXV: LGC) (OTCQX: LGCFF) is a Canadian exploration company focused on realizing the potential of a highly prospective gold district in southern Brazil. Its Lavras do Sul Project is located in Rio Grande do Sul State and is primarily an intrusive hosted gold system of possible alkaline affinity. More than 24 gold prospects centred on historic gold workings have been identified on the property, which spans approximately 23,000 hectares. Follow Lavras Gold on [www.lavrasgold.com](http://www.lavrasgold.com), as well as on LinkedIn, X, and YouTube.

Michael Durose, President & CEO of Lavras Gold Corp., is the qualified person ("QP") as defined by Canadian National Instrument 43-101 and has reviewed and approved the technical information contained in this release.

On Behalf of Lavras Gold Corp.

"Michael Durose"

President & CEO

For further information, please visit the Lavras Gold Corp. website at [www.lavrasgold.com](http://www.lavrasgold.com), or contact:

Michael Durose, President & CEO or Naomi Nemeth, VP Investor Relations  
Phone: +1-289-624-1343 or +1-289-624-1377  
Email: [investor@lavrasgold.com](mailto:investor@lavrasgold.com)  
Website: [www.lavrasgold.com](http://www.lavrasgold.com)  
X (Twitter): @LavrasGold  
LinkedIn: Lavras Gold Corp.  
YouTube

Additional Technical Notes:

Quality Assurance & Quality Control: For the Butiá Gold Deposit, sample handling, preparation, and analysis are monitored through the implementation of formal chain-of-custody procedures and quality assurance/quality control programs designed to follow industry best practices.

All drill hole samples in this drilling program consist of split NQ diamond drill core. Drill core is logged and sampled in a secure facility located in Lavras do Sul, Rio Grande do Sul State, Brazil. Drill core samples for gold assay are cut in half using a diamond saw and submitted to ALS Laboratories Inc. in Goiania, Goiás State, Brazil for preparation by crushing to 85% passing 1.0 mm, riffle splitting to obtain 500 g aliquots, and pulverizing to 85% passing 75 microns.

Pulps are shipped to ALS Laboratories Inc. in Lima, Peru and analyzed by a 50g fire assay and AAS finish. Three 50g aliquots are taken for samples in the mineralized zone and one aliquot is taken in fresh rocks. The average grade of the three aliquots is used to determine the final grade of the mineralized sample.

Certified standards, non-certified blanks and field duplicates are inserted into the sample stream at regular intervals, so that QA/QC accounted for about 10% of the total samples. Results are routinely evaluated for accuracy, precision, and contamination.

Lavras Gold has been targeting larger intersections of greater than 0.25 g/t gold. Intersections that are lower than this threshold may provide exploration insight and may therefore be disclosed. The Company maintains a robust QAQC program that includes the collection and analysis of duplicate samples and the insertion of blanks and standards (certified reference material).

Disclaimer: Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this

release.

Forward-looking statements: This news release includes certain "forward-looking information" within the meaning of Canadian securities legislation and "forward-looking statements" within the meaning of the United States Private Securities Litigation Reform Act of 1995 (collectively "forward-looking statements"). Forward-looking statements include predictions, projections and forecasts and are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "estimate", "forecast", "expect", "potential", "project", "target", "schedule", "budget" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions and includes the negatives thereof. All statements other than statements of historical fact included in this release, including, without limitation, statements regarding the Company's further 2025 drill plans and future results at the LDS Project are forward-looking statements that involve various risks and uncertainties. There can be no assurance that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Forward-looking statements are based on a number of material factors and assumptions. Important factors that could cause actual results to differ materially from Company's expectations include actual exploration results, changes in project parameters as plans continue to be refined, results of future resource estimates, future metal prices, availability of capital and financing on acceptable terms, general economic, market or business conditions, uninsured risks, regulatory changes, defects in title, availability of personnel, materials and equipment on a timely basis, accidents or equipment breakdowns, delays in receiving government approvals, unanticipated environmental impacts on operations and costs to remedy same, and other exploration or other risks detailed herein and from time to time in the filings made by the Company with securities regulators. Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ from those described in forward-looking statements, there may be other factors that cause such actions, events or results to differ materially from those anticipated. There can be no assurance that forward-looking statements will prove to be accurate and accordingly readers are cautioned not to place undue reliance on forward-looking statements.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/687593--Lavras-Gold-Corp.-Intersects-1.2-g--t-Gold-Over-251-m-at-Fazenda-do-Posto-Gold-Target-LDS-Project-Southern-E>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).