F3 - Hits 13.7% U3O8 Over 2.5m Within 5.5% Over 7.5m at JR

16.07.2025 | Newsfile

Engaged SLR for Mineral Resource Estimate

Kelowna, July 16, 2025 - F3 Uranium Corp. (TSXV: FUU) (OTCQB: FUUFF) ("F3" or "the Company") is pleased to announce the final assay results of 2024 JR Zone drilling including drillhole PLN24-184 (See NR October 29, 2024) which returned 13.0m of 3.2% U₃O₈, including a high grade core with 2.5m of 13.7% U₃O₈. Exploration geochemical results are highlighted by PLN24-187 which targeted and intersected the A1 Extension 3.2km along strike from JR Zone, an interpreted continuation of the A1 Main Shear on the southeast side of the Harrison Fault and which intersected strongly elevated uranium values averaging 70ppm over 8.5m, with a peak of 244ppm at 549.0m.

Elevated uranium values of 111ppm U over 5.5m between 193.5 - 199.0m in PLN14-019 helped prioritize the A1 conductor which hosts the JR Zone. Continued anomalous intersects across the Harrison fault, A1 Extension and B1 areas highlight the complex geologic and structural setting which still hosts numerous high priority untested targets.

F3 is also pleased to announce the engagement of SLR International Corporation ("SLR") to complete the maiden resource estimate for the Company. SLR brings deep familiarity with basement hosted uranium deposit modeling and resource estimation and is qualified to prepare a NI 43-101 Technical Report on the Patterson Lake North Project, targeted for completion in Q4 2025.

2024 JR Zone Highlights:

PLN24-184 (line 105S):

- 13.0m @ 3.2% U₃O₈ (228.5m to 241.5m), including:
- 2.5 @ 13.7% U₃O₈ (238.0m to 240.5m), further including:
- 0.5m @ 26.3% U₃O₈ (238.5m to 239.0m)

PLN24-185 (line 025S):

- 11.5m @ 2.7% U₃O₈ (219.5m to 231.0m), including:
- 3.5m @ 8.2% U₃O₈ (222.5m to 226.0m), further including:
- 1.0m @ 17.7% U₃O₈ (223.0m to 224.0m)

2024 Exploration Highlights:

PLN24-178 (line 2535S):

- 2.0m @ 94ppm U (446.5m to 448.5m), including:
- 0.5m @ 128ppm U (446.5m to 447.0m)

PLN24-179 (line 4245S):

• 0.5m @ 119ppm U (426.0m to 426.5m)

PLN24-187 (line 3240S):

03.11.2025 Seite 1/4

- 8.5m @ 70ppm U (545.0m to 553.5m), including:
- 1.5m @ 198ppm U (549.0m to 550.5m), including:
 0.5m @ 244ppm U (549.0m to 549.5m)

Sam Hartmann, Vice President Exploration, commented:

"F3 Uranium is pleased to report the completion of the 2024 assay results for the JR Zone drilling program. These results will be integrated into our dataset to support the maiden mineral resource estimate, targeted for completion in Q4 2025. This milestone represents a significant achievement for F3 Uranium, advancing the JR Zone from discovery to a defined resource. During this time, we will continue drilling at our new discovery - the Tetra Zone just 12km to the south."

Table 1. Drill Hole Summary and Uranium Assay Results

Collar Information					Assay Results						U ₃ O ₈
Hole ID G	Grid Line	Easting Northing Elevation	Azi	Dip	Fron	m (m)	To (m)	Interval	(m)	weight %
											70
PLN24-1692	2820S	5894866408554530							minerali		
PLN24-1701	50S	5879406410726546	58	-85	A1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1713	345S	5896336408013535	55	-66	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1723	780S	5900066407749539	56	-65	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1732	2850S	5892306408338537	55	-67	A1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1743	8075S	5895966408116533							minerali		
PLN24-1754	245S	5902436407348543	56	-67	B1 I	Explo			minerali	zatio	n >0.05
PLN24-1777	'0S	5878136410743547	56	-81	199	.5	212	.0	12.50		0.17
				inc.	210	.5	211	.0	0.50		1.29
PLN24-1782	2535S	5892506408365538	54	-67	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1794	245S	590178 6407292 542	54	-64	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1801	125S	5881926409710542	54	-60	A1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1812	2880S	589301 6408383 540							minerali		
PLN24-1825	280S	590644 6406355 539							minerali		
PLN24-1833	3240S	5894146407983530					ration		minerali	zatio	n >0.05
PLN24-1841	05S	5877536410654545	53	-62	228	.5	238	.0	9.50		0.73
					238	.0	240	.5	2.50		13.72
				inc.	238	.0	239	.0	1.00		21.65
					240	.5	241	.5	1.00		0.05
					244		245	.0	0.50		0.05
PLN24-1850	25S	5877376410739545	53	-66	219	.5	222	.5	3.00		0.19
					222	.5	226	.0	3.50		8.16
				inc.	223	.0	224	.0	1.00		17.70
					226	.0	231	.0	5.00		0.34
PLN24-1860	35S	5878106410777546	51	-79	187	.0	187	.5	0.50		0.08
					189	.5	197	.0	7.50		0.33
PLN24-1873	3240S	5894106407980531	54	-65	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1884		5901006407369544	54	-70	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1893	3450S	5895896407853540	54	-70	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1903	360S	5897526408087531	54	-66	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1912	2955S	589548 6408433 531	232	2-68	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1922	2895S	5893646408432537	94	-66	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1933	8015S	5894696408464530	109	-67	B1 I	Explo	ration	; no	minerali	zatio	n >0.05
PLN24-1942	2865S	5895946408578532	65	-66	B1 I	Explo	ration	; no	minerali	zatio	n >0.05

Map 1. JR Zone Drill Holes with Uranium Results

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/8110/258906_e3ccfb97a473a8ae_002full.jpg

Map 2. Exploration Highlights

03.11.2025 Seite 2/4 To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/8110/258906_e3ccfb97a473a8ae_003full.jpg

Samples from the drill core are split into half sections on site. Where possible, samples are standardized at 0.5m down-hole intervals. One-half of the split sample is sent to SRC Geoanalytical Laboratories (an SCC ISO/IEC 17025: 2005 Accredited Facility) in Saskatoon, SK while the other half remains on site for reference. Analysis includes a 63 element suite including boron by ICP-OES, uranium by ICP-MS and gold analysis by ICP-OES and/or AAS.

The Company considers uranium mineralization with assay results of greater than 1.0 weight % U_3O_8 as "high grade" and results greater than 20.0 weight % U_3O_8 as "ultra-high grade".

All depth measurements reported are down-hole and true thicknesses are yet to be determined.

About the Patterson Lake North Project:

The Company's 42,961-hectare 100% owned Patterson Lake North Project (PLN) is located just within the south-western edge of the Athabasca Basin in proximity to Paladin's Triple R and NexGen Energy's Arrow high-grade uranium deposits, an area poised to become the next major area of development for new uranium operations in northern Saskatchewan. The PLN Project consists of the 4,074-hectare Patterson Lake North Property hosting the JR Zone Uranium discovery approximately 23km northwest of Paladin's Triple R deposit, the 19,864-hectare Minto Property, and the 19,022-hectare Broach Property hosting the Tetra Zone, F3's newest discovery 13km south of the JR Zone. All three properties comprising the PLN Project are accessed by Provincial Highway 955.

Qualified Person:

The technical information in this news release has been prepared in accordance with the Canadian regulatory requirements set out in National Instrument 43-101 and approved on behalf of the company by Raymond Ashley, P.Geo., President & COO of F3 Uranium Corp, a Qualified Person. Mr. Ashley has reviewed and approved the data disclosed.

About F3 Uranium Corp.:

F3 is a uranium exploration company, focusing on the high-grade JR Zone and new Tetra Zone discovery 12km to the south in the PW area on its Patterson Lake North (PLN) Project in the Western Athabasca Basin. F3 currently has 3 properties in the Athabasca Basin: Patterson Lake North, Minto, and Broach. The western side of the Athabasca Basin, Saskatchewan, is home to some of the world's largest high grade uranium deposits including Paladin's Triple R project and NexGen's Arrow project.

Forward-Looking Statements

This news release contains certain forward-looking statements within the meaning of applicable securities laws. All statements that are not historical facts, including without limitation, statements regarding future estimates, plans, programs, forecasts, projections, objectives, assumptions, expectations or beliefs of future performance, including statements regarding the suitability of the Properties for mining exploration, future payments, issuance of shares and work commitment funds, entry into of a definitive option agreement respecting the Properties, are "forward-looking statements." These forward-looking statements reflect the expectations or beliefs of management of the Company based on information currently available to it. Forward-looking statements are subject to a number of risks and uncertainties, including those detailed from time to time in filings made by the Company with securities regulatory authorities, which may cause actual outcomes to differ materially from those discussed in the forward-looking statements. These factors should be considered carefully and readers are cautioned not to place undue reliance on such forward-looking statements. The forward-looking statements and information contained in this news release are made as of the date hereof and the Company undertakes no obligation to update publicly or revise any forward-looking statements or information, whether as a result of new information, future events or otherwise, unless so required by applicable securities laws.

03.11.2025 Seite 3/4

The TSX Venture Exchange and the Canadian Securities Exchange have not reviewed, approved or disapproved the contents of this press release, and do not accept responsibility for the adequacy or accuracy of this release.

F3 Uranium Corp. 750-1620 Dickson Avenue Kelowna, BC V1Y9Y2 Contact Information Investor Relations Telephone: 778 484 8030 Email: ir@f3uranium.com

ON BEHALF OF THE BOARD "Dev Randhawa" Dev Randhawa, CEO

To view the source version of this press release, please visit https://www.newsfilecorp.com/release/258906

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/698782--F3---Hits-13.7Prozent-U3O8-Over-2.5m-Within-5.5Prozent-Over-7.5m-at-JR.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

03.11.2025 Seite 4/4