

Southern Cross Gold Extends Mineralization to 600 Metres Depth with Multiple High-Grade Intersections at Christina

24.07.2025 | [Newsfile](#)

Results include 2.9 m @ 16.3 g/t Au and 2.5 m @ 17.6 g/t Au

Vancouver, July 24, 2025 - [Southern Cross Gold Consolidated Ltd.](#) (TSX: SXGC) (ASX: SX2) (OTC Pink: MWSNF) (FSE: MV3.F) ("SXGC", "SX2" or the "Company") announces results from seven diamond drill holes from the Christina prospect, the western extension of the 100%-owned Sunday Creek gold-antimony project in Victoria (Figures 1 to 3).

Four Key Points

1. **Visible Gold Discovery with High Grades:** Drill hole SDDSC173 intersected visible gold in four separate locations with four entirely new vein sets, delivering grades up to 58.0 g/t gold over 0.6 m. The hole returned multiple high-grade intervals including 2.9 m @ 14.4 g/t gold equivalent and 2.5 m @ 18.4 g/t gold equivalent.
2. **Expanding Strike Length to 1.5 km:** The gold-bearing corridor now extends 1.5 km from Apollo East to Christina West, with westernmost intersections including 7.1 m @ 5.2 g/t gold equivalent containing higher grades up to 74.8 g/t gold. This represents a significant expansion of the known mineralized footprint.
3. **Deepest and Most Westerly Intersections:** These results include the deepest high-grade gold intersections at Christina, reaching 926 meters depth (580m below surface) with 1.0 m @ 9.5 g/t gold equivalent. They lie approximately 100 m outside the current Exploration Target boundary, proving mineralization extends much deeper and further west than previously defined.
4. **Growth Beyond Exploration Target:** Multiple high-grade gold zones have been discovered well outside the current exploration area, with drill hole SDDSC160W2 intersecting seven separate mineralized intervals down to record depths. This demonstrates the deposit continues to grow beyond original geological interpretations, expanding the potential resource base.

Michael Hudson, President & CEO, states: "These results demonstrate exceptional geological continuity to the deepest levels tested at Christina. The discovery of high-grade mineralization well outside our current Exploration Target validates our geological model and continues to confirm the robust vertical extent of this impressive system."

"What's particularly exciting is that our systematic infill drilling continues to discover additional vein sets beyond our original interpretations - SDDSC173 intersected four instances of visible gold with four entirely new vein sets. These results, combined with our extension of the mineralized strike length to 1.5 km from Apollo East to Christina West reinforce Sunday Creek's position as one of the western world's most significant gold-antimony discoveries."

"With 33 drill holes currently pending assay results and our 60 km drill program advancing on multiple fronts, we're positioned to continue expanding this exceptional prospect both laterally and to depth."

FOR THOSE WHO LIKE THE DETAILS

Key Take Aways

Multiple High-Grade Intersections at the Christina prospect:

- SDDSC166: 7.1 m @ 5.2 g/t AuEq (4.9 g/t Au, 0.1% Sb) from 296.7 m, including:
 - 0.1 m @ 76.8 g/t AuEq (74.8 g/t Au, 0.8% Sb) from 296.7 m
 - 0.5 m @ 27.4 g/t AuEq (27.3 g/t Au, 0.1% Sb) from 303.3 m
- SDDSC173: 2.7 m @ 17.1 g/t AuEq (16.3 g/t Au, 0.3% Sb) from 681.8 m, including:
 - 2.5 m @ 18.4 g/t AuEq (17.6 g/t Au, 0.4% Sb) from 681.8 m
- SDDSC173: 2.9 m @ 14.4 g/t AuEq (14.4 g/t Au, 0.0% Sb) from 701.0 m, including:
 - 0.6 m @ 58.0 g/t AuEq (58.0 g/t Au, 0.0% Sb) from 701.0 m

Record Depth Intersections at Christina:

- 1.2 m @ 4.6 g/t AuEq (4.5 g/t Au, 0.0% Sb) from 809.8 m depth (510 m below surface)
- 1.0 m @ 9.5 g/t AuEq (9.4 g/t Au, 0.0% Sb) from 926.2 m depth (580 m below surface)

Geological Continuity and Discovery:

- SDDSC173 intersected four instances of visible gold with four entirely new vein sets
- Results demonstrate westward extension of the most westerly prospect, Christina
- Strike length now extends 1.5 km from Apollo East to Christina West
- All holes confirm consistent mineralization beyond original geological interpretations

Drill Hole Discussion

Results from seven diamond drill holes SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 from the Christina prospect demonstrate the effectiveness of the Company's systematic exploration drilling approach and validate the exceptional vertical continuity of the Sunday Creek system.

Christina Area - Record Depth Achievement

SDDSC173 represents the key result with four instances of visible gold identified in core and the intersection of four entirely new vein sets beyond the original geological interpretations.

Key highlights include:

- 1.3 m @ 1.9 g/t AuEq (1.3 g/t Au, 0.3% Sb) from 502.9 m
- 2.7 m @ 17.1 g/t AuEq (16.3 g/t Au, 0.3% Sb) from 681.8 m, including:
 - 2.5 m @ 18.4 g/t AuEq (17.6 g/t Au, 0.4% Sb) from 681.8 m
- 0.3 m @ 13.0 g/t AuEq (12.3 g/t Au, 0.3% Sb) from 686.9 m

- 2.9 m @ 14.4 g/t AuEq (14.4 g/t Au, 0.0% Sb) from 701.0 m, including:
 - 0.6 m @ 58.0 g/t AuEq (58.0 g/t Au, 0.0% Sb) from 701.0 m
 - 0.4 m @ 17.3 g/t AuEq (17.2 g/t Au, 0.0% Sb) from 703.5 m
- 1.8 m @ 1.6 g/t AuEq (1.5 g/t Au, 0.0% Sb) from 724.8 m

SDDSC160W2 delivered the project's deepest intersections to date at Christina demonstrating the system continues 350 m at depth below the high-grade down-dip extension of drill hole SDDSC137W2 which successfully intersected three high-grade vein sets and significant visible gold including 1.7 m @ 254.0 g/t AuEq (250.8 g/t Au, 1.7% Sb) from 208.2 m.. This represents a significant expansion of the known mineralized envelope and demonstrates the robust nature of the gold-antimony system at depth. SDDSC160W2 intersected multiple mineralized zones down to 926.2 m depth (580 m below surface). Key intersections include:

- 1.1 m @ 3.7 g/t AuEq (1.0 g/t Au, 1.1% Sb) from 719.8 m depth
- 2.7 m @ 1.1 g/t AuEq (0.5 g/t Au, 0.3% Sb) from 738.5 m depth
- 1.2 m @ 4.6 g/t AuEq (4.5 g/t Au, 0.0% Sb) from 809.8 m depth
- 0.5 m @ 5.0 g/t AuEq (5.0 g/t Au, 0.0% Sb) from 870.8 m depth
- 0.4 m @ 6.7 g/t AuEq (6.7 g/t Au, 0.0% Sb) from 908.5 m depth
- 1.0 m @ 9.5 g/t AuEq (9.4 g/t Au, 0.0% Sb) from 926.2 m depth
- 0.3 m @ 8.9 g/t AuEq (8.8 g/t Au, 0.0% Sb) from 958.6 m depth

Results from SDDSC166 and SDDSC172 represent the westernmost intersections within the main Sunday Creek zone, bringing the total strike length of the mineralized corridor to 1.5 km from Apollo East to Christina West. This represents a significant expansion of the known mineralized footprint and validates the geological model's predictive capabilities.

SDDSC166 confirmed the systematic approach with higher grades closer to surface:

- 7.1 m @ 5.2 g/t AuEq (4.9 g/t Au, 0.1% Sb) from 296.7 m, including:
 - 0.1 m @ 76.8 g/t AuEq (74.8 g/t Au, 0.8% Sb) from 296.7 m
 - 0.5 m @ 27.4 g/t AuEq (27.3 g/t Au, 0.1% Sb) from 303.3 m
- 0.5 m @ 6.8 g/t AuEq (6.7 g/t Au, 0.0% Sb) from 470.4 m

SDDSC172 provided valuable geological control and confirmed mineralization continuity:

- 1.6 m @ 2.0 g/t AuEq (1.8 g/t Au, 0.1% Sb) from 248.2 m
- 4.6 m @ 0.8 g/t AuEq (0.4 g/t Au, 0.1% Sb) from 428.5 m

SDDSC165, a shallow 101m hole designed for geological control to define the edges of the host sequence ("rails" of the ladder), as was anticipated, returned low-grade mineralization, helping to define the lateral extent of the main mineralized host.

Pending Results and Program Update

The drilling program continues to advance with 33 holes currently being processed and analyzed. Eight additional holes are actively being drilled.

About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 16,900 hectares ("Ha") of granted exploration tenements. SXGC is also the freehold landholder of 1,054.51 Ha that forms the key portion in and around the main drilled area at the Sunday Creek Project.

Cumulatively, 181 drill holes for 88,400.67 m have been reported from Sunday Creek since late 2020. Five holes for 929 m have been drilled for geotechnical purposes. An additional 14 holes for 2990.95 m from Sunday Creek were abandoned due to deviation or hole conditions. Fourteen drillholes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of sixty-six (66) >100 g/t AuEq x m and seventy-three (73) >50 to 100 g/t AuEq x m drill holes by applying a 2 m @ 1 g/t AuEq lower cut.

Our systematic drill program is strategically targeting these significant high-grade vein formations. Initially these have been defined over 1,500 m strike of the host from Christina to Apollo prospects, of which approximately 620 m have been more intensively drill tested (Rising Sun to Apollo). At least 77 'rungs' have been defined to date, defined by high-grade intercepts (20 g/t to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralized system (Figures 1 to 3).

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralization is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

Further Information

Further discussion and analysis of the Sunday Creek project is available through the interactive Vrifly 3D animations, presentations and videos all available on the SXGC website. These data, along with an interview on these results with Michael Hudson, President & CEO, can be viewed at www.southerncrossgold.com.

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. However, during future Mineral Resource studies, the requirement for assay top cutting will be assessed. The Company notes that due to rounding of assay results to one significant figure, minor variations in calculated composite grades may occur.

Figures 1 to 5 show project location, plan, longitudinal views and analysis of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported is approximately 65% to 75% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width.

Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterville, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6-12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a

2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXG projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

Antimony represents approximately 21% to 24% in situ recoverable value of Sunday Creek at an AuEq of 2.39 ratio.

In August 2024, the Chinese government announced it would place export limits from September 15, 2024 on antimony and antimony products. This puts pressure on Western defence supply chains and negatively affects the supply of the metal and pushes up pricing given China's dominance of the supply of the metal in the global markets. This is positive for SXGC as we are likely to have one of the very few large and high-quality projects of antimony in the western world that can feed western demand into the future.

Antimony Exempt from Executive Order on Reciprocal Tariffs

Southern Cross Gold Consolidated notes that antimony ores and concentrates (HTSUS code 26171000) are exempt from the April 2, 2025 US Executive Order on Reciprocal Tariffs. The exemption covers antimony ores and concentrates as well as unwrought antimony, antimony powders, antimony waste and scrap, and articles of antimony (HTSUS codes 81101000, 81102000, and 81109000).

About Southern Cross Gold Consolidated Ltd. (TSX: SXGC) (ASX: SX2)

Southern Cross Gold Consolidated Ltd. (TSX: SXGC) (ASX: SX2) controls the Sunday Creek Gold-Antimony Project located 60 km north of Melbourne, Australia. Sunday Creek has emerged as one of the Western world's most significant gold and antimony discoveries, with exceptional drilling results including 66 intersections exceeding 100 g/t AuEq x m from just 88 km of drilling. The mineralization follows a "Golden Ladder" structure over 12 km of strike length, with confirmed continuity from surface to 1,100 m depth.

Sunday Creek's strategic value is enhanced by its dual-metal profile, with antimony contributing approximately 20 % of the in-situ value alongside gold. This has gained increased significance following China's export restrictions on antimony, a critical metal for defense and semiconductor applications. Southern Cross' inclusion in the US Defense Industrial Base Consortium (DIBC) and Australia's AUKUS-related legislative changes position it as a potential key Western antimony supplier. Importantly, Sunday Creek can be developed primarily based on gold economics, which reduces antimony-related risks while maintaining strategic supply potential.

Technical fundamentals further strengthen the investment case, with preliminary metallurgical work showing non-refractory mineralization suitable for conventional processing and gold recoveries of 93-98% through gravity and flotation.

With a strong cash position, over 1,000 Ha of strategic freehold land ownership, and a large 200 km drill program planned through Q1 2027, SXGC is well-positioned to advance this globally significant gold-antimony discovery in a tier-one jurisdiction.

NI 43-101 Technical Background and Qualified Person

Michael Hudson, President and CEO and Managing Director of SXGC, and a Fellow of the Australasian Institute of Mining and Metallurgy, and Mr Kenneth Bush, Exploration Manager of SXGC and a RPGeo (10315) of the Australian Institute of Geoscientists, are the Qualified Persons as defined by the NI 43-101. They have prepared, reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which

operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 g charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold and antimony content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

SXGC considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered and sold at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Mandalay Resources Ltd contains two million ounces of equivalent gold (Mandalay Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXGC considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its 2024 End of Year Mineral Reserves and Resources Press Release, dated February 20, 2025. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2024 production costs, using a gold price of US\$2,500 per ounce, an antimony price of US\$19,000 per tonne and 2024 total year metal recoveries of 91% for gold and 92% for antimony, and is as follows:

$$\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXGC considers that a $\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$ is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

JORC Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Kenneth Bush and Mr Michael Hudson. Mr Bush is a Member of Australian Institute of Geoscientists and a Registered Professional Geologist and Member of the Australasian Institute of Mining and Metallurgy and Mr Hudson is a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Bush and Mr Hudson each have sufficient experience relevant to the style of mineralization and type of deposit under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Bush is Exploration Manager and Mr Hudson is President, CEO and Managing Director of Southern Cross Gold Consolidated Ltd. and both consent to the inclusion in the report of the matters based on their information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 11 December 2024 which was issued with the consent of the Competent Person, Mr Steven Tambanis. The report is included in the Company's prospectus dated 11 December 2024 and is available at www.asx.com.au under code "SX2". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not materially modified from the original market announcement.

- Ends -

This announcement has been approved for release by the Board of Southern Cross Gold Consolidated Ltd.

For further information, please contact:

Mariana Bermudez - Corporate Secretary - Canada

mbermudez@chasemgt.com or +1 604 685 9316

Executive Office: 1305 - 1090 West Georgia Street Vancouver, BC, V6E 3V7, Canada

Nicholas Mead - Corporate Development

info@southerncrossgold.com or +61 415 153 122

Justin Mouchacca, Company Secretary - Australia

jm@southerncrossgold.com.au or +61 3 8630 3321

Subsidiary Office: Level 21, 459 Collins Street, Melbourne, VIC, 3000, Australia

Forward-Looking Statement

This news release contains forward-looking statements. Forward-looking statements involve known and unknown risks, uncertainties and assumptions and accordingly, actual results and future events could differ materially from those expressed or implied in such statements. You are hence cautioned not to place undue reliance on forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements. Forward-looking statements include words or expressions such as "proposed", "will", "subject to", "near future", "in the event", "would", "expect", "prepared to" and other similar words or expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive, political, social uncertainties; the state of capital markets, unforeseen events, developments, or factors causing any of the expectations, assumptions, and other factors ultimately being inaccurate or irrelevant; and other risks described in the Company's documents filed with Canadian or Australian (under code SX2) securities regulatory authorities. You can find further information with respect to these and other risks in filings made by the Company with the securities regulatory authorities in Canada or Australia (under code SX2), as applicable, and available for the Company in Canada at www.sedarplus.ca or in Australia at www.asx.com.au (under code SX2). Documents are also available at www.southerncrossgold.com. The Company disclaims any obligation to update or revise these forward-looking statements, except as required by applicable law.

Figure 1: Sunday Creek plan view showing selected results from holes SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 reported here (dark blue highlighted box, black trace), with selected prior reported drill holes.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_001full.jpg

Figure 2: Sunday Creek plan view showing selected drillhole traces from holes SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 reported here (black trace), with prior reported drill holes (grey trace) and currently drilling and assays pending hole traces (dark blue).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_002full.jpg

Figure 3: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/altered sediment

host looking towards the north (striking 236 degrees) showing mineralized veins sets. Showing holes SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 reported here (dark blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_003full.jpg

Figure 4: Sunday Creek regional plan view showing soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_004full.jpg

Figure 5: Location of the Sunday Creek project, along with the 100% owned Redcastle Gold-Antimony Project

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_005full.jpg

Table 1: Drill collar summary table for recent drill holes in progress.

This Release

Hole ID	Depth (m)	Prospect	East		North		Elevation (m)	Azimuth		Dip
			GDA94	Z55	GDA94	Z55		GDA94	Z55	
SDDSC160	725.1	Christina	330753		5867733		307	271.1		-37.8
SDDSC160W1	784.2	Christina	330753		5867733		307	271.1		-37.8
SDDSC160W2	1081.2	Christina	330753		5867733		307	271.1		-37.8
SDDSC165	101.4	Christina	330217		5867668		269	348.5		-40.1
SDDSC166	619.9	Christina	330212		5867665		269	261.6		-31.7
SDDSC172	698.8	Christina	330213		5867665		269	265.1		-44.3
SDDSC173	787.4	Golden Dyke	330752		5867733		307	270		-34.6

Currently being processed and analysed

Hole ID	Depth (m)	Prospect	East		North		Elevation (m)	Azimuth		Dip
			GDA94	Z55	GDA94	Z55		GDA94	Z55	
SDDGT001	149.4	Geotech	331011		5867564		300	80		-25.0
SDDGT002	221.7	Geotech	330608		5867837		308	180		-90.0
SDDGT003	59.2	Geotech	331109		5867564		300	340		-25.0
SDDGT004	165.1	Geotech	330757		5867731		307	130		-35.0
SDDGT005	333.8	Geotech	331052		5867638		312	270		-60.0
SDDSC163	200.4	Apollo	331615		5867952		347	266.2		-48.5
SDDSC167	404.8	Apollo East	331830		5868092		348	216.9		-37.9
SDDSC168	712.2	Golden Dyke	330950		5868006		314	254.2		-46.6
SDDSC168W1	892.9	Golden Dyke	330950		5868006		314	254.2		-46.6
SDDSC169	68.6	Rising Sun	330340		5867861		277	76.3		-54.6
SDDSC170	311.3	Apollo	331615		5867952		347	267.5		-49.8
SDDSC170A	1039.2	Apollo	331616		5867952		347	266.1		-52.7
SDDSC171	632.2	Golden Dyke	330775		5867891		295	256.8		-46.3
SDDSC175	441.7	Christina	330220		5867664		269	67.6		-30.0
SDDSC176	865.8	Golden Dyke	330950		5868006		314	257.3		-53.2
SDDSC177	655.3	Golden Dyke	330775		5867891		295	258.1		-52.2
SDDSC178	353.3	Rising Sun	330341		5867861		277	79.1		-42.6
SDDSC178W1	720.0	Rising Sun	330341		5867861		277	79.1		-42.6
SDDSC179	448.8	Apollo	331465		5867863		333	265.4		-38.6
SDDSC180	In Progress plan 1100 m	Christina	330752		5867733		307	274.2		-45.0

SDDSC181	In Progress plan 1150 m	Apollo	331616	5867952	347	270.4	-52.7
SDDSC182	586.2	Golden Dyke	330220	5867664	269	61.9	-41.6
SDDSC174B	In Progress plan 950 m	Apollo	331596	5867936	345	264.4	-41.5
SDDSC183	343.1	Christina	329716	5867445	300	341.2	-40.0
SDDSC184A	In Progress plan 695 m	Golden Dyke	330775	5867891	297	264.4	-54.7
SDDSC186	420.0	Golden Dyke	330951	5868007	314	263.7	-54.0
SDDSC187	518.0	Rising Sun	330510	5867851	295	76.5	-50.8
SDDSC185	656.5	Regional	329233	5867245	323	26.2	-35.0
SDDSC186W1	In Progress plan 1125 m	Golden Dyke	330951	5868007	314	261.7	-55.1
SDDSC188	In Progress plan 660 m	Christina	330220	5867664	269	58.2	-50.7
SDDSC189	In Progress plan 400 m	Regional	329227	5867222	323	150	-35.0
SDDSC190	In Progress plan 460 m	Rising Sun	330510	5867851	295	80	-40.5

Table 2: Table of mineralized drill hole intersections reported from SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 with two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m. Significant intersections and interval depths are rounded to one decimal place.

Hole ID	From (m)	To (m)	Length (m)	Au g/t	Sb %	AuEq g/t
SDDSC160W1	719.75	720.85	1.1	1.0	1.1	3.7
SDDSC160W1	738.52	741.22	2.7	0.5	0.3	1.1
SDDSC160W2	809.79	810.99	1.2	4.5	0.0	4.6
SDDSC160W2	870.82	871.32	0.5	5.0	0.0	5.0
SDDSC160W2	908.53	908.93	0.4	6.7	0.0	6.7
SDDSC160W2	926.17	927.17	1.0	9.4	0.0	9.5
Including	926.17	927.17	1.0	9.4	0.0	9.5
SDDSC160W2	958.61	958.91	0.3	8.8	0.0	8.9
SDDSC166	296.66	303.76	7.1	4.9	0.1	5.2
Including	296.66	296.76	0.1	74.8	0.8	76.8
Including	303.3	303.8	0.5	27.3	0.1	27.4
SDDSC166	470.4	470.9	0.5	6.7	0.0	6.8
SDDSC172	248.21	249.81	1.6	1.8	0.1	2.0
SDDSC172	428.53	433.13	4.6	0.4	0.1	0.8
SDDSC173	502.85	504.15	1.3	1.3	0.3	1.9
SDDSC173	681.8	684.5	2.7	16.3	0.3	17.1
Including	681.8	684.3	2.5	17.6	0.4	18.4
SDDSC173	686.9	687.2	0.3	12.3	0.3	13.0
SDDSC173	701	703.9	2.9	14.4	0.0	14.4
Including	701	701.6	0.6	58.0	0.0	58.0
Including	703.5	703.9	0.4	17.2	0.0	17.3
SDDSC173	724.83	726.63	1.8	1.5	0.0	1.6

Table 3: All individual assays reported from SDDSC160, SDDSC160W1, SDDSC160W2, SDDSC165, SDDSC166, SDDSC172, and SDDSC173 reported here >0.1g/t AuEq. Individual assay and sample intervals are reported to two decimal places.

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb %	AuEq (g/t)
SDDSC160	686.63	687.22	0.59	0.25	0.00	0.25
SDDSC160	687.22	687.77	0.55	0.46	0.00	0.46
SDDSC160	687.77	687.89	0.12	0.10	0.00	0.11
SDDSC160W1	705.30	706.18	0.88	0.23	0.00	0.24
SDDSC160W1	706.18	706.41	0.23	0.29	0.04	0.37
SDDSC160W1	709.30	709.88	0.58	0.11	0.03	0.18
SDDSC160W1	709.88	710.29	0.41	0.33	0.26	0.95
SDDSC160W1	710.29	710.70	0.41	0.26	0.57	1.62
SDDSC160W1	710.70	711.35	0.65	0.12	0.01	0.14
SDDSC160W1	717.29	717.67	0.38	0.33	0.01	0.34
SDDSC160W1	718.16	718.34	0.18	0.15	0.01	0.17

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC160W1	719.38	719.75	0.37	0.95	0.02	0.99
SDDSC160W1	719.75	720.07	0.32	1.86	0.77	3.70
SDDSC160W1	720.07	720.35	0.28	0.55	0.52	1.79
SDDSC160W1	720.63	720.89	0.26	1.52	3.41	9.67
SDDSC160W1	720.89	721.64	0.75	0.23	0.16	0.61
SDDSC160W1	721.64	722.31	0.67	0.61	0.01	0.64
SDDSC160W1	722.31	722.81	0.50	0.77	0.02	0.82
SDDSC160W1	722.81	723.08	0.27	0.16	0.09	0.38
SDDSC160W1	723.08	723.35	0.27	2.87	0.04	2.96
SDDSC160W1	723.35	724.00	0.65	0.44	0.02	0.49
SDDSC160W1	725.89	726.41	0.52	0.21	0.01	0.23
SDDSC160W1	726.41	727.51	1.10	0.11	0.00	0.12
SDDSC160W1	727.51	728.19	0.68	0.92	0.01	0.94
SDDSC160W1	728.19	728.58	0.39	0.28	0.01	0.29
SDDSC160W1	728.58	729.19	0.61	0.15	0.03	0.22
SDDSC160W1	731.38	731.67	0.29	0.20	0.01	0.23
SDDSC160W1	734.27	734.68	0.41	0.11	0.01	0.13
SDDSC160W1	734.88	736.00	1.12	0.25	0.05	0.36
SDDSC160W1	738.52	739.75	1.23	0.48	0.31	1.22
SDDSC160W1	740.41	741.09	0.68	1.05	0.01	1.08
SDDSC160W1	741.09	741.22	0.13	0.01	2.20	5.27
SDDSC160W1	742.00	743.00	1.00	0.82	0.00	0.83
SDDSC160W1	747.06	747.22	0.16	0.54	0.01	0.57
SDDSC160W1	751.41	751.56	0.15	0.64	0.01	0.65
SDDSC160W1	751.56	752.01	0.45	4.31	0.02	4.36
SDDSC160W1	752.01	752.84	0.83	0.09	0.01	0.10
SDDSC160W1	757.90	758.03	0.13	0.16	0.01	0.17
SDDSC160W1	759.10	759.20	0.10	0.19	0.01	0.20
SDDSC160W1	759.90	760.60	0.70	0.41	0.05	0.54
SDDSC160W1	760.60	760.82	0.22	0.70	0.00	0.71
SDDSC160W1	760.82	761.07	0.25	0.33	0.01	0.34
SDDSC160W1	762.11	763.10	0.99	0.09	0.00	0.10
SDDSC160W2	793.20	793.37	0.17	0.25	0.00	0.26
SDDSC160W2	795.61	796.91	1.30	0.16	0.00	0.16
SDDSC160W2	799.08	799.71	0.63	0.11	0.00	0.12
SDDSC160W2	801.05	802.32	1.27	0.13	0.00	0.14
SDDSC160W2	802.32	802.63	0.31	0.26	0.00	0.27
SDDSC160W2	803.60	804.65	1.05	0.12	0.00	0.12
SDDSC160W2	809.79	810.96	1.17	4.50	0.04	4.59
SDDSC160W2	811.60	812.00	0.40	0.12	0.01	0.14
SDDSC160W2	815.39	815.66	0.27	0.97	0.01	1.00
SDDSC160W2	823.94	824.17	0.23	0.18	0.01	0.19
SDDSC160W2	830.45	830.60	0.15	0.11	0.00	0.12
SDDSC160W2	831.75	832.25	0.50	0.15	0.00	0.15
SDDSC160W2	833.10	833.64	0.54	0.24	0.01	0.25
SDDSC160W2	833.64	834.24	0.60	0.49	0.00	0.50
SDDSC160W2	834.24	834.52	0.28	0.18	0.01	0.20
SDDSC160W2	834.52	834.67	0.15	0.56	0.00	0.57
SDDSC160W2	834.67	835.00	0.33	0.50	0.01	0.51
SDDSC160W2	838.14	838.34	0.20	0.15	0.01	0.17
SDDSC160W2	840.53	840.69	0.16	4.59	0.09	4.81
SDDSC160W2	852.32	852.43	0.11	1.90	0.01	1.92
SDDSC160W2	854.30	855.60	1.30	0.10	0.00	0.11
SDDSC160W2	870.82	871.29	0.47	4.96	0.01	4.98
SDDSC160W2	871.29	872.00	0.71	0.17	0.05	0.28
SDDSC160W2	873.00	874.00	1.00	0.08	0.01	0.10

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC160W2	874.00	874.93	0.93	0.09	0.01	0.11
SDDSC160W2	876.45	876.66	0.21	0.62	0.01	0.64
SDDSC160W2	876.66	877.96	1.30	0.11	0.01	0.12
SDDSC160W2	880.50	881.39	0.89	0.13	0.02	0.18
SDDSC160W2	881.39	881.71	0.32	0.66	0.01	0.68
SDDSC160W2	881.71	882.29	0.58	0.18	0.01	0.20
SDDSC160W2	882.29	882.46	0.17	0.17	0.01	0.19
SDDSC160W2	882.46	883.20	0.74	0.11	0.01	0.14
SDDSC160W2	894.78	895.33	0.55	0.19	0.00	0.20
SDDSC160W2	908.53	908.89	0.36	6.68	0.00	6.69
SDDSC160W2	920.71	921.04	0.33	1.83	0.00	1.83
SDDSC160W2	926.17	926.43	0.26	10.60	0.01	10.62
SDDSC160W2	926.43	926.83	0.40	2.07	0.10	2.31
SDDSC160W2	926.83	927.21	0.38	16.20	0.01	16.23
SDDSC160W2	954.43	954.96	0.53	0.20	0.00	0.21
SDDSC160W2	958.61	958.86	0.25	8.84	0.01	8.86
SDDSC160W2	975.30	976.06	0.76	0.12	0.01	0.14
SDDSC160W2	976.06	976.26	0.20	0.31	0.01	0.32
SDDSC160W2	983.64	983.84	0.20	0.11	0.00	0.12
SDDSC160W2	983.84	984.62	0.78	0.20	0.01	0.22
SDDSC160W2	984.62	984.82	0.20	0.09	0.01	0.11
SDDSC160W2	984.82	985.16	0.34	0.09	0.00	0.10
SDDSC160W2	992.83	993.08	0.25	0.20	0.01	0.21
SDDSC160W2	1000.03	1000.50	0.47	0.15	0.00	0.16
SDDSC160W2	1001.60	1002.50	0.90	0.20	0.00	0.21
SDDSC160W2	1002.88	1003.25	0.37	0.24	0.00	0.25
SDDSC160W2	1014.63	1014.91	0.28	0.16	0.00	0.17
SDDSC160W2	1014.91	1015.60	0.69	0.10	0.00	0.10
SDDSC160W2	1018.13	1018.29	0.16	0.17	0.00	0.17
SDDSC160W2	1018.29	1018.86	0.57	0.12	0.00	0.12
SDDSC165	2.10	3.00	0.90	-0.01	0.00	-0.01
SDDSC165	3.00	4.15	1.15	0.02	0.00	0.02
SDDSC165	4.15	5.20	1.05	-0.01	0.00	-0.01
SDDSC165	5.20	5.81	0.61	-0.01	0.00	-0.01
SDDSC165	5.81	6.39	0.58	0.01	0.00	0.01
SDDSC165	6.39	6.80	0.41	-0.01	0.00	-0.01
SDDSC165	6.80	7.54	0.74	0.04	0.00	0.04
SDDSC165	7.54	8.50	0.96	0.01	0.00	0.01
SDDSC165	8.50	9.70	1.20	0.02	0.00	0.02
SDDSC165	9.70	10.90	1.20	-0.01	0.00	-0.01
SDDSC165	10.90	12.19	1.29	-0.01	0.00	-0.01
SDDSC165	12.19	12.77	0.58	-0.01	0.00	-0.01
SDDSC165	12.77	13.76	0.99	0.01	0.00	0.01
SDDSC165	13.76	14.73	0.97	-0.01	0.00	-0.01
SDDSC165	14.73	15.25	0.52	-0.01	0.00	-0.01
SDDSC165	15.55	15.82	0.27	-0.01	0.01	0.00
SDDSC165	15.82	17.00	1.18	-0.01	0.00	-0.01
SDDSC165	17.00	17.90	0.90	-0.01	0.00	-0.01
SDDSC165	17.90	19.00	1.10	-0.01	0.00	-0.01
SDDSC165	19.00	19.52	0.52	-0.01	0.00	-0.01
SDDSC165	19.52	20.35	0.83	-0.01	0.00	-0.01
SDDSC165	20.35	21.00	0.65	-0.01	0.00	-0.01
SDDSC165	21.00	21.80	0.80	-0.01	0.00	-0.01
SDDSC165	22.00	23.00	1.00	-0.01	0.00	0.00
SDDSC165	23.00	23.56	0.56	0.06	0.00	0.06
SDDSC165	23.56	24.50	0.94	-0.01	0.00	-0.01

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC165	24.50	25.50	1.00	-0.01	0.00	-0.01
SDDSC165	53.20	54.20	1.00	-0.01	0.00	-0.01
SDDSC165	54.20	55.22	1.02	-0.01	0.00	-0.01
SDDSC165	55.22	55.74	0.52	-0.01	0.00	-0.01
SDDSC165	55.74	56.25	0.51	-0.01	0.00	-0.01
SDDSC165	56.25	56.62	0.37	-0.01	0.00	0.00
SDDSC165	56.62	57.00	0.38	-0.01	0.00	-0.01
SDDSC165	57.20	58.15	0.95	-0.01	0.00	-0.01
SDDSC165	58.15	59.00	0.85	-0.01	0.00	-0.01
SDDSC165	59.00	59.75	0.75	-0.01	0.00	-0.01
SDDSC165	59.75	60.14	0.39	-0.01	0.00	-0.01
SDDSC165	60.14	60.81	0.67	-0.01	0.00	-0.01
SDDSC165	60.81	61.30	0.49	-0.01	0.00	-0.01
SDDSC165	61.30	62.44	1.14	-0.01	0.00	-0.01
SDDSC165	62.44	63.15	0.71	-0.01	0.00	-0.01
SDDSC165	63.15	64.15	1.00	-0.01	0.00	-0.01
SDDSC165	64.15	65.15	1.00	-0.01	0.00	-0.01
SDDSC166	209.50	209.84	0.34	0.16	0.00	0.17
SDDSC166	209.84	209.97	0.13	0.08	0.32	0.84
SDDSC166	209.97	210.51	0.54	0.16	0.02	0.22
SDDSC166	211.63	212.52	0.89	0.10	0.00	0.11
SDDSC166	220.02	220.67	0.65	0.34	0.02	0.39
SDDSC166	228.75	228.96	0.21	0.66	0.04	0.74
SDDSC166	230.28	230.41	0.13	0.56	1.26	3.57
SDDSC166	231.74	232.20	0.46	1.00	0.02	1.05
SDDSC166	232.58	232.80	0.22	0.17	0.01	0.19
SDDSC166	232.80	233.05	0.25	0.18	0.00	0.18
SDDSC166	235.51	236.28	0.77	0.11	0.00	0.11
SDDSC166	236.28	236.50	0.22	0.23	0.00	0.23
SDDSC166	237.37	238.03	0.66	0.17	0.00	0.17
SDDSC166	241.71	242.54	0.83	0.10	0.01	0.11
SDDSC166	242.54	243.16	0.62	0.18	0.04	0.26
SDDSC166	243.66	244.25	0.59	0.22	0.00	0.23
SDDSC166	244.82	245.00	0.18	0.43	0.01	0.45
SDDSC166	246.13	246.30	0.17	0.13	0.00	0.13
SDDSC166	246.30	247.08	0.78	0.15	0.01	0.17
SDDSC166	248.47	249.41	0.94	0.26	0.01	0.28
SDDSC166	249.41	250.17	0.76	0.37	0.00	0.38
SDDSC166	250.17	250.30	0.13	0.28	0.28	0.95
SDDSC166	250.30	250.89	0.59	0.14	0.02	0.18
SDDSC166	250.89	251.20	0.31	0.60	0.01	0.63
SDDSC166	251.20	251.61	0.41	0.24	0.00	0.25
SDDSC166	251.61	252.70	1.09	0.21	0.00	0.22
SDDSC166	255.00	255.60	0.60	0.31	0.00	0.32
SDDSC166	256.35	256.49	0.14	0.09	0.05	0.21
SDDSC166	256.49	256.99	0.50	0.36	0.00	0.37
SDDSC166	256.99	258.00	1.01	0.43	0.00	0.44
SDDSC166	259.00	260.05	1.05	0.10	0.00	0.11
SDDSC166	260.05	260.30	0.25	0.25	0.01	0.26
SDDSC166	260.30	260.76	0.46	0.27	0.00	0.28
SDDSC166	260.76	261.87	1.11	0.13	0.00	0.14
SDDSC166	261.87	262.28	0.41	0.23	0.01	0.24
SDDSC166	262.28	262.76	0.48	0.43	0.04	0.52
SDDSC166	262.76	263.23	0.47	0.36	0.06	0.50
SDDSC166	264.00	264.72	0.72	0.10	0.01	0.11
SDDSC166	268.00	268.32	0.32	0.10	0.00	0.11

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC166	277.30	278.17	0.87	0.53	0.01	0.56
SDDSC166	278.17	278.50	0.33	0.15	0.01	0.17
SDDSC166	278.50	278.99	0.49	0.28	0.02	0.33
SDDSC166	278.99	279.09	0.10	3.15	0.06	3.29
SDDSC166	279.09	280.00	0.91	0.21	0.05	0.33
SDDSC166	285.64	286.40	0.76	0.23	0.01	0.25
SDDSC166	289.75	290.65	0.90	0.25	0.01	0.27
SDDSC166	290.65	291.31	0.66	0.21	0.01	0.23
SDDSC166	294.80	295.52	0.72	0.08	0.05	0.20
SDDSC166	296.18	296.66	0.48	0.39	0.12	0.68
SDDSC166	296.66	296.80	0.14	74.80	0.84	76.81
SDDSC166	296.80	297.29	0.49	1.60	0.87	3.68
SDDSC166	298.40	298.71	0.31	7.99	0.13	8.30
SDDSC166	298.71	298.81	0.10	9.57	0.37	10.45
SDDSC166	298.81	299.08	0.27	0.34	0.14	0.67
SDDSC166	299.08	299.83	0.75	0.08	0.05	0.19
SDDSC166	299.83	300.18	0.35	0.15	0.06	0.29
SDDSC166	300.18	300.81	0.63	7.93	0.05	8.04
SDDSC166	300.81	301.57	0.76	1.21	0.11	1.47
SDDSC166	301.57	302.53	0.96	0.40	0.03	0.47
SDDSC166	303.30	303.80	0.50	27.30	0.06	27.43
SDDSC166	304.70	305.50	0.80	0.25	0.18	0.68
SDDSC166	305.50	306.00	0.50	0.12	0.02	0.17
SDDSC166	306.00	306.55	0.55	1.31	0.14	1.64
SDDSC166	306.55	307.10	0.55	0.19	0.01	0.21
SDDSC166	307.10	308.00	0.90	0.04	0.05	0.16
SDDSC166	308.00	309.00	1.00	0.09	0.01	0.10
SDDSC166	309.00	310.00	1.00	0.95	0.04	1.04
SDDSC166	310.00	311.10	1.10	0.11	0.03	0.19
SDDSC166	311.10	312.20	1.10	0.07	0.06	0.21
SDDSC166	320.70	320.85	0.15	5.43	0.12	5.72
SDDSC166	327.50	328.00	0.50	0.21	0.02	0.25
SDDSC166	336.00	337.00	1.00	1.58	0.04	1.67
SDDSC166	337.00	337.50	0.50	0.08	0.01	0.11
SDDSC166	339.70	340.70	1.00	0.13	0.00	0.14
SDDSC166	341.70	342.60	0.90	0.16	0.01	0.18
SDDSC166	343.10	344.00	0.90	0.89	0.01	0.91
SDDSC166	344.00	345.00	1.00	0.16	0.01	0.18
SDDSC166	345.00	345.60	0.60	0.24	0.01	0.26
SDDSC166	345.60	345.90	0.30	0.53	0.01	0.55
SDDSC166	345.90	346.50	0.60	0.29	0.01	0.31
SDDSC166	350.75	351.50	0.75	0.15	0.01	0.17
SDDSC166	351.50	352.50	1.00	0.38	0.00	0.39
SDDSC166	360.75	361.10	0.35	2.25	0.01	2.27
SDDSC166	361.10	362.00	0.90	0.21	0.01	0.23
SDDSC166	374.21	374.33	0.12	0.58	0.05	0.70
SDDSC166	374.92	375.28	0.36	0.23	0.01	0.26
SDDSC166	375.28	376.23	0.95	0.12	0.01	0.13
SDDSC166	377.07	377.38	0.31	0.11	0.01	0.13
SDDSC166	377.38	377.91	0.53	0.09	0.01	0.11
SDDSC166	377.91	378.40	0.49	0.30	0.01	0.32
SDDSC166	416.70	416.80	0.10	0.31	0.00	0.32
SDDSC166	441.22	442.23	1.01	0.12	0.00	0.13
SDDSC166	442.23	442.43	0.20	2.97	0.00	2.98
SDDSC166	445.80	446.10	0.30	0.08	0.04	0.19
SDDSC166	446.90	447.10	0.20	0.13	0.01	0.15

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC166	447.10	448.10	1.00	0.09	0.01	0.11
SDDSC166	448.10	449.00	0.90	0.02	0.05	0.14
SDDSC166	449.80	450.00	0.20	0.08	0.15	0.44
SDDSC166	451.80	452.10	0.30	0.76	0.02	0.81
SDDSC166	452.10	452.60	0.50	0.22	0.01	0.24
SDDSC166	452.60	453.20	0.60	0.15	0.00	0.16
SDDSC166	453.20	453.40	0.20	0.15	0.03	0.22
SDDSC166	453.40	454.40	1.00	0.19	0.02	0.23
SDDSC166	454.40	454.80	0.40	1.33	0.01	1.35
SDDSC166	454.80	455.50	0.70	2.14	0.01	2.15
SDDSC166	455.50	456.50	1.00	0.11	0.00	0.12
SDDSC166	461.50	462.50	1.00	0.14	0.00	0.15
SDDSC166	462.50	463.10	0.60	0.19	0.00	0.20
SDDSC166	463.50	464.50	1.00	0.11	0.00	0.12
SDDSC166	465.50	466.50	1.00	0.21	0.00	0.22
SDDSC166	467.50	468.40	0.90	0.12	0.02	0.16
SDDSC166	470.40	470.70	0.30	5.53	0.01	5.55
SDDSC166	470.70	470.90	0.20	8.52	0.02	8.57
SDDSC166	470.90	471.50	0.60	0.12	0.01	0.13
SDDSC166	471.50	471.90	0.40	0.12	0.01	0.14
SDDSC166	479.40	479.80	0.40	0.10	0.00	0.11
SDDSC166	480.50	481.30	0.80	0.02	0.04	0.10
SDDSC166	481.90	482.40	0.50	0.34	0.01	0.36
SDDSC166	492.15	493.15	1.00	0.12	0.00	0.12
SDDSC166	498.05	499.05	1.00	0.15	0.00	0.15
SDDSC166	533.35	533.75	0.40	0.17	0.00	0.17
SDDSC172	177.23	177.45	0.22	0.25	0.01	0.28
SDDSC172	239.30	239.70	0.40	0.13	0.06	0.27
SDDSC172	239.70	240.30	0.60	0.26	0.41	1.24
SDDSC172	242.00	242.30	0.30	0.70	0.08	0.89
SDDSC172	242.30	242.45	0.15	0.34	0.20	0.82
SDDSC172	242.80	243.60	0.80	0.26	0.38	1.17
SDDSC172	243.60	244.50	0.90	0.05	0.04	0.14
SDDSC172	244.50	244.70	0.20	0.36	0.41	1.34
SDDSC172	245.10	245.30	0.20	0.08	0.05	0.20
SDDSC172	247.10	247.36	0.26	0.26	0.09	0.46
SDDSC172	247.36	248.21	0.85	0.29	0.13	0.60
SDDSC172	248.21	248.49	0.28	4.11	0.02	4.15
SDDSC172	248.49	248.71	0.22	5.36	0.02	5.42
SDDSC172	248.71	249.35	0.64	0.36	0.07	0.53
SDDSC172	249.35	249.50	0.15	0.51	0.18	0.94
SDDSC172	249.50	249.80	0.30	0.56	0.24	1.13
SDDSC172	249.80	250.20	0.40	0.07	0.01	0.10
SDDSC172	256.09	257.02	0.93	0.11	0.00	0.12
SDDSC172	257.74	258.02	0.28	0.16	0.02	0.21
SDDSC172	260.18	260.41	0.23	0.09	0.01	0.11
SDDSC172	267.00	268.00	1.00	0.13	0.01	0.16
SDDSC172	268.00	268.90	0.90	1.07	0.01	1.10
SDDSC172	268.90	270.20	1.30	0.12	0.01	0.14
SDDSC172	276.80	277.30	0.50	0.12	0.01	0.14
SDDSC172	277.30	277.80	0.50	0.14	0.00	0.15
SDDSC172	277.80	278.50	0.70	0.15	0.00	0.16
SDDSC172	278.50	279.60	1.10	0.12	0.00	0.13
SDDSC172	280.60	280.90	0.30	0.52	0.00	0.53
SDDSC172	280.90	281.10	0.20	1.48	0.00	1.49
SDDSC172	281.10	282.00	0.90	0.23	0.00	0.24

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb% AuEq	(g/t)
SDDSC172	313.45	314.30	0.85	0.26	0.04	0.35
SDDSC172	314.30	314.65	0.35	0.56	0.01	0.58
SDDSC172	324.80	325.30	0.50	0.13	0.01	0.15
SDDSC172	325.30	326.00	0.70	0.40	0.01	0.41
SDDSC172	330.60	330.87	0.27	0.74	0.11	1.00
SDDSC172	330.87	331.07	0.20	0.72	0.10	0.96
SDDSC172	331.07	331.55	0.48	1.14	0.02	1.19
SDDSC172	331.55	332.40	0.85	0.09	0.01	0.10
SDDSC172	332.40	332.60	0.20	0.46	0.00	0.47
SDDSC172	332.60	333.20	0.60	0.16	0.00	0.17
SDDSC172	333.80	334.45	0.65	0.14	0.00	0.15
SDDSC172	338.20	338.60	0.40	0.15	0.00	0.16
SDDSC172	339.90	340.55	0.65	0.15	0.00	0.16
SDDSC172	341.75	341.95	0.20	0.11	0.00	0.11
SDDSC172	345.90	347.20	1.30	0.15	0.00	0.16
SDDSC172	353.50	353.77	0.27	0.46	0.00	0.47
SDDSC172	359.75	359.95	0.20	0.13	0.00	0.14
SDDSC172	364.90	365.70	0.80	0.11	0.00	0.12
SDDSC172	369.24	369.67	0.43	0.49	0.00	0.50
SDDSC172	369.67	370.25	0.58	0.10	0.00	0.11
SDDSC172	375.53	376.42	0.89	0.11	0.00	0.12
SDDSC172	378.16	378.63	0.47	0.30	0.00	0.31
SDDSC172	378.63	379.10	0.47	0.09	0.05	0.20
SDDSC172	379.95	380.92	0.97	0.14	0.00	0.15
SDDSC172	381.66	382.11	0.45	0.20	0.00	0.21
SDDSC172	382.11	382.60	0.49	0.12	0.00	0.13
SDDSC172	383.30	384.47	1.17	0.19	0.03	0.26
SDDSC172	384.47	385.47	1.00	0.07	0.01	0.10
SDDSC172	385.47	385.82	0.35	1.82	0.06	1.97
SDDSC172	385.82	386.06	0.24	0.12	0.00	0.13
SDDSC172	389.55	390.05	0.50	0.07	0.04	0.16
SDDSC172	392.05	392.21	0.16	0.20	0.05	0.33
SDDSC172	392.84	393.58	0.74	0.11	0.01	0.12
SDDSC172	394.41	394.74	0.33	0.14	0.00	0.15
SDDSC172	394.74	395.12	0.38	0.10	0.01	0.11
SDDSC172	398.45	399.32	0.87	0.99	0.03	1.06
SDDSC172	400.83	401.21	0.38	0.25	0.61	1.71
SDDSC172	401.76	401.96	0.20	0.17	0.01	0.19
SDDSC172	403.65	403.90	0.25	0.06	0.04	0.15
SDDSC172	413.20	413.32	0.12	0.31	0.01	0.33
SDDSC172	414.27	414.37	0.10	0.85	0.01	0.86
SDDSC172	414.37	414.97	0.60	0.10	0.00	0.11
SDDSC172	414.97	416.00	1.03	0.12	0.00	0.13
SDDSC172	416.00	416.41	0.41	0.14	0.00	0.15
SDDSC172	418.98	419.30	0.32	0.12	0.01	0.13
SDDSC172	422.20	422.53	0.33	0.20	0.06	0.34
SDDSC172	426.19	426.62	0.43	0.21	0.00	0.22
SDDSC172	426.62	427.40	0.78	0.12	0.00	0.13
SDDSC172	427.40	428.17	0.77	0.33	0.01	0.35
SDDSC172	428.17	428.53	0.36	0.13	0.06	0.27
SDDSC172	428.53	428.75	0.22	1.55	1.59	5.35
SDDSC172	428.75	429.31	0.56	0.07	0.02	0.12
SDDSC172	429.31	429.48	0.17	0.87	0.06	1.01
SDDSC172	429.48	430.73	1.25	0.08	0.01	0.10
SDDSC172	430.73	431.17	0.44	0.89	0.48	2.04
SDDSC172	431.17	432.09	0.92	0.06	0.05	0.17

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC172	432.09	432.93	0.84	0.87	0.01	0.89
SDDSC172	432.93	433.17	0.24	0.79	0.17	1.20
SDDSC172	433.17	434.00	0.83	0.68	0.02	0.73
SDDSC172	434.00	435.05	1.05	0.14	0.02	0.18
SDDSC172	435.85	436.11	0.26	0.15	0.01	0.18
SDDSC172	450.45	451.50	1.05	0.13	0.01	0.15
SDDSC172	453.58	454.79	1.21	0.18	0.01	0.20
SDDSC172	454.79	456.08	1.29	0.21	0.01	0.23
SDDSC172	571.10	571.90	0.80	0.10	0.00	0.10
SDDSC172	578.39	578.64	0.25	0.14	0.00	0.15
SDDSC172	579.60	580.28	0.68	0.14	0.00	0.15
SDDSC172	580.55	581.30	0.75	0.16	0.01	0.17
SDDSC172	583.66	584.12	0.46	0.11	0.01	0.12
SDDSC172	595.41	596.02	0.61	0.30	0.01	0.32
SDDSC172	603.60	604.02	0.42	0.35	0.00	0.35
SDDSC172	614.90	615.18	0.28	0.11	0.00	0.12
SDDSC173	371.23	372.30	1.07	0.26	0.01	0.28
SDDSC173	372.30	373.30	1.00	0.15	0.01	0.17
SDDSC173	441.45	442.10	0.65	0.13	0.00	0.14
SDDSC173	455.90	457.20	1.30	0.19	0.01	0.21
SDDSC173	464.80	465.10	0.30	0.11	0.04	0.20
SDDSC173	465.10	465.40	0.30	0.16	0.01	0.18
SDDSC173	465.40	466.00	0.60	0.06	0.03	0.12
SDDSC173	468.00	468.30	0.30	0.08	0.01	0.10
SDDSC173	470.92	471.23	0.31	0.26	0.06	0.40
SDDSC173	471.23	472.35	1.12	0.07	0.06	0.21
SDDSC173	472.73	473.00	0.27	0.08	0.01	0.10
SDDSC173	474.43	475.00	0.57	0.12	0.01	0.15
SDDSC173	482.10	482.63	0.53	0.14	0.00	0.15
SDDSC173	482.63	483.14	0.51	0.24	0.01	0.26
SDDSC173	483.95	484.25	0.30	0.45	0.01	0.47
SDDSC173	491.00	492.00	1.00	0.41	0.01	0.43
SDDSC173	499.00	500.00	1.00	0.09	0.01	0.12
SDDSC173	502.85	503.00	0.15	0.94	0.71	2.64
SDDSC173	503.00	503.52	0.52	0.16	0.03	0.23
SDDSC173	503.52	504.12	0.60	2.29	0.37	3.17
SDDSC173	504.12	505.00	0.88	0.16	0.07	0.32
SDDSC173	516.70	517.70	1.00	0.19	0.00	0.20
SDDSC173	517.70	518.80	1.10	0.15	0.00	0.16
SDDSC173	518.80	519.80	1.00	0.47	0.00	0.48
SDDSC173	519.80	520.45	0.65	0.42	0.00	0.42
SDDSC173	520.45	521.50	1.05	0.13	0.00	0.14
SDDSC173	660.00	660.78	0.78	0.13	0.04	0.24
SDDSC173	660.78	660.89	0.11	1.04	0.02	1.10
SDDSC173	660.89	661.40	0.51	0.43	0.05	0.54
SDDSC173	661.40	661.90	0.50	0.63	0.24	1.20
SDDSC173	661.90	663.00	1.10	0.22	0.03	0.28
SDDSC173	663.00	663.49	0.49	0.46	0.53	1.73
SDDSC173	663.49	664.00	0.51	0.23	0.09	0.44
SDDSC173	666.76	666.96	0.20	0.20	0.01	0.22
SDDSC173	666.96	667.29	0.33	0.98	0.46	2.08
SDDSC173	667.97	668.61	0.64	0.03	0.04	0.13
SDDSC173	670.64	670.75	0.11	3.34	1.60	7.16
SDDSC173	670.75	671.25	0.50	0.01	0.04	0.12
SDDSC173	671.25	672.00	0.75	0.41	0.19	0.86
SDDSC173	672.00	672.50	0.50	0.47	0.25	1.07

Hole number	From (m)	To (m)	Length (m)	Au g/t	Sb%	AuEq (g/t)
SDDSC173	678.00	679.00	1.00	0.25	0.09	0.47
SDDSC173	679.00	680.00	1.00	0.05	0.04	0.14
SDDSC173	681.80	682.05	0.25	49.90	0.06	50.04
SDDSC173	682.05	682.95	0.90	0.25	0.04	0.35
SDDSC173	682.95	683.20	0.25	87.10	2.06	92.02
SDDSC173	683.20	683.40	0.20	5.07	0.56	6.41
SDDSC173	683.40	683.60	0.20	14.60	0.43	15.63
SDDSC173	683.60	684.00	0.40	1.05	0.15	1.41
SDDSC173	684.00	684.25	0.25	16.90	0.18	17.33
SDDSC173	684.25	684.45	0.20	1.13	0.07	1.30
SDDSC173	686.90	687.20	0.30	12.30	0.28	12.97
SDDSC173	687.20	688.00	0.80	0.09	0.02	0.13
SDDSC173	693.82	693.96	0.14	4.41	0.01	4.44
SDDSC173	693.96	695.00	1.04	0.12	0.01	0.15
SDDSC173	701.00	701.60	0.60	58.00	0.00	58.01
SDDSC173	702.60	703.50	0.90	0.09	0.01	0.12
SDDSC173	703.50	703.90	0.40	17.20	0.05	17.31
SDDSC173	703.90	704.80	0.90	0.42	0.03	0.48
SDDSC173	704.80	705.30	0.50	0.04	0.03	0.11
SDDSC173	709.85	710.04	0.19	1.44	0.01	1.46
SDDSC173	711.97	712.53	0.56	0.26	0.01	0.28
SDDSC173	712.80	713.23	0.43	0.24	0.01	0.27
SDDSC173	713.23	713.59	0.36	3.57	0.02	3.61
SDDSC173	713.59	713.90	0.31	0.54	0.01	0.56
SDDSC173	713.90	714.15	0.25	0.71	0.01	0.73
SDDSC173	714.15	715.00	0.85	0.13	0.01	0.15
SDDSC173	719.85	719.97	0.12	0.12	0.00	0.13
SDDSC173	724.13	724.83	0.70	0.41	0.06	0.54
SDDSC173	724.83	725.27	0.44	3.68	0.10	3.91
SDDSC173	725.27	726.25	0.98	0.14	0.01	0.15
SDDSC173	726.25	726.60	0.35	2.66	0.02	2.71
SDDSC173	726.60	727.20	0.60	0.38	0.01	0.40
SDDSC173	727.20	727.51	0.31	0.32	0.01	0.34
SDDSC173	732.13	733.18	1.05	0.20	0.01	0.21
SDDSC173	733.18	733.40	0.22	0.78	0.00	0.79
SDDSC173	737.00	737.92	0.92	0.18	0.00	0.19
SDDSC173	737.92	738.14	0.22	0.13	0.00	0.13
SDDSC173	738.14	738.40	0.26	0.15	0.00	0.16
SDDSC173	738.40	739.00	0.60	0.13	0.01	0.14

JORC Table 1

Section 1 Sampling Techniques and Data

Section 2 Reporting of Exploration Results

Criteria

JORC Code explanation

Mineral tenement and land tenure status

- Type, reference name/number, location and ownership including agreements with parties such as joint ventures, partnerships, overriding royalties, native title interests, wilderness or national park and environmental settings.
- The security of the tenure held at the time of reporting along with any known interests, licences to operate in the area.

Criteria

JORC Code explanation

Exploration done by other parties

- Acknowledgment and appraisal of exploration by other parties.

Geology

- Deposit type, geological setting and style of
- mineralization.

Criteria	JORC Code explanation
Drill hole Information	<ul style="list-style-type: none"> ● A summary of all information material to the understanding of the exploration results of the following ● information for all Material drill holes: <ul style="list-style-type: none"> ● easting and northing of the drill hole collar ● elevation or RL (Reduced Level - elevation above sea level in metres) of the collar ● dip and azimuth of the hole ● down hole length and interception depth ● hole length. ● If the exclusion of this information is justified on the basis that the information is not material, the Competent Authority must be satisfied that the exclusion does not detract from the understanding of the report, the Competent Authority must be satisfied that the Competent Authority must explain why this is the case.
Data aggregation methods	<ul style="list-style-type: none"> ● In reporting Exploration Results, weighting averaging techniques, maximum and minimum values, truncations (e.g. cutting of high-grades) and cut-off grades are usually Material ● Where aggregate intercepts incorporate short lengths of high-grade results and long lengths of low-grade results, the procedure used for such aggregation should be stated and the results of such aggregations should be shown in detail. ● The assumptions used for any reporting of metal equivalent values should be stated.
Relationship between mineralization widths and intercept lengths	<ul style="list-style-type: none"> ● These relationships are particularly important in the reporting of Exploration Results ● If the geometry of the mineralization with respect to the drill hole angle is known, the relationship should be reported. ● If it is not known and only the down hole lengths are reported, there should be a statement of the effect (e.g. 'down hole length, true width not known').
Diagrams	<ul style="list-style-type: none"> ● Appropriate maps and sections (with scales) and tabulations of intercepts should be provided where a significant discovery being reported. These should include, but not be limited to, collar locations and appropriate sectional views.
Balanced reporting	<ul style="list-style-type: none"> ● Where comprehensive reporting of all Exploration Results is not practicable, reporting both low and high-grades and/or widths should be practiced to avoid misleading Reporting of Exploration Results.

Criteria

JORC Code explanation

Other substantive exploration data

- Other exploration data, if meaningful and material, should be reported including geological observations; geophysical survey results; geochemical survey results; method of treatment; metallurgical test results; bulk density, groundwater, geochemical characteristics; potential deleterious or contaminating substances.

Further work

- The nature and scale of planned further work (e.g. tests for lateral extensions or large-scale step-out drilling).
- Diagrams clearly highlighting the areas of possible extensions, including the mineral interpretations and future drilling areas, provided this information is not commercially sensitive.

Notes:

*Samples selected for metallurgical test work

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/259895_bb8286db54839901_007full.jpg

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/259895>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/699746--Southern-Cross-Gold-Extends-Mineralization-to-600-Metres-Depth-with-Multiple-High-Grade-Intersections-at-Chris>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).