Tectonic Metals Announces Virtual Drill Core Shack and Completion of Phase One Drill Program at Flat Gold Project

02.09.2025 | ACCESS Newswire

7,718 Metres Drilled Across 48 Diamond and RC Drill Holes

VANCOUVER, September 2, 2025 - Tectonic Metals Inc. ("Tectonic" or the "Company") (TSXV:TECT)(OTCQB:TETOF) today announced the successful completion of its 2025 Phase One drill program at the Company's flagship Flat Gold Project ("Flat") in southwestern Alaska. Together with the upcoming and fully funded Phase Two drill program, the 2025 drilling campaign represents the largest and most comprehensive ever undertaken at Flat, establishing a new benchmark for exploration activity on the property and far surpassing all previous campaigns in both scope and intensity.

As part of the Phase One drill program, a total of 7,718 metres were drilled across 48 holes using both core and reverse circulation ("RC") drilling methods. Phase One drilling targeted multiple intrusion-related gold systems, including Alpha Bowl, the majority of the drilled metres, as well as Chicken Mountain, Golden Apex, Black Creek and Jam. Complementing the drilling, Tectonic also completed a 2,125 line-kilometre high-resolution drone airborne magnetic survey, providing the first modern coverage of all six priority, district-scale intrusive targets at Flat.

Drill samples are being processed at accredited analytical facilities, with assay results to be reported as they become available.

Tectonic's First-Ever Virtual Drill Core Shack

In response to the interest in the 2025 exploration campaign, Tectonic is pleased to host its inaugural "Virtual Drill Core Shack," an open webcast accessible to all interested parties. The event is designed to replicate the experience of an analyst site visit, offering participants an informal, technical-only discussion of the rocks and drill core observations from the 2025 Phase One drill program at Flat.

During the webcast, Tectonic's Technical Team will showcase photographs of drill core highlights and discuss key geological observations in an interactive format. The presentation materials that will be referenced during the webcast can be accessed in advance HERE.

The webcast will take place on Thursday September 4, 2025, at 07:00 AM Pacific Time, 08:00 AM Mountain Time and 10:00 AM Eastern Time.

To register for access to the Virtual Drill Core Shack, please use this link: https://us06web.zoom.us/meeting/register/O_pelracTliDVW4hgRQhMg

Tony Reda, Co-Founder, President & CEO of Tectonic Metals, commented:

"What began as a \$7 million financing for Phase One drilling in May 2025 quickly expanded into an 85% oversubscribed \$12.7 million raise, giving us the foundation to execute a three-rig, Phase One drill program in record time. While assays are still pending, I am proud to report that every single Phase One objective has been successfully achieved. This disciplined execution not only validates our approach but also sets the stage for Phase Two and introduces a new Company objective - the delivery of Tectonic's first-ever maiden inferred resource. This will be supported by the 2025 and next year's drilling, as we continue to

13.11.2025 Seite 1/7

systematically de-risk Flat on its path toward potential development."

2025 Phase One Drill Program Highlights:

- Tectonic successfully delivers on every objective set out at the start of the 2025 Phase One drill program (see Tectonic News Release June 02, 2025), advancing Alpha Bowl, Chicken Mountain, Golden Apex, and for the first time, testing Black Creek and Jam, two new district-scale intrusion targets.
- Drill plan maps and select core photo can be viewed HERE.

Alpha Bowl

- Drilling tested for scale, grade and continuity
- Oriented drill core collected; structural and alteration controls being defined
- Key drill core observations:
 - Visible gold observed in a number of quartz veins
 - Multiple generations of veining, including sheeted, brecciated and late-stage carbonate veins
 - Clear structural overprinting (cross-cutting veins, brecciation, faulting)
 - Strong sericite (potassic) alteration halos associated with mineralized veins

Chicken Mountain

- Metallurgy: 660 metres, in 4 holes, core drilled for additional heap leach column tests, including 2" crushed material; complements prior heap leach recoveries of 96% and 91% on 3/4"crushed material.
- Key drill core observations:
 - Widespread sheeted quartz and quartz-carbonate-sulfide veining
 - Strong pervasive sericite alteration overprinting the quartz monzonite host
 - Observed structural complexity with multiple vein generations and late-stage faulting
 - Intervals of oxidation with iron-oxide staining
- Oriented drill core collected: Oriented drill core collected for ongoing refinement of the structural model
- Potential starter pits: near surface, higher-grade mineralized corridors drill tested

Golden Apex

- Step-out core drilling completed near historic 2003 drill hole GA03-02
- Stratigraphy logged; oriented core collected for structural analysis
- Portable XRF analysis confirms bi-modal pathfinder associations (Cu+Bi and As+W)

13.11.2025 Seite 2/7

- Key drill core observations:
 - Alteration associated with intense fracturing and abundant veining
 - Observed sulfide mineral assemblages include chalcopyrite, arsenopyrite, pyrrhotite and pyrite.

Geophysics

High resolution drone magnetics survey completed - a proven and critical tool for targeting blind intrusion systems at Flat. Data interpretation ongoing, will be utilised in Phase 2 and 2026 drill programs.

Looking Ahead

- Phase Two drilling will advance Chicken Mountain towards a maiden inferred mineral resource estimate, follow up drilling at Alpha Bowl and potentially unlock other intrusion targets.
- Phase Two drilling has commenced and a dedicated Phase Two program news release will be issued in the coming weeks.

Table 1. Summary of Phase One 2025 drilling by target area and drill type.

Intrusion Target	Drill Type	# Holes	Metres
Alpha Bowl	Diamond	8	2,873
	RC	16	1,749
Chicken Mountain	Diamond	5	1,013
	RC	5	798
Golden Apex	Diamond	1	265
	RC	2	201
Black Creek	RC	9	616
Jam	RC	2	203
Total Drill Holes & Metres		48	7,718

Alpha Bowl Intrusion Target - Phase One Drilling

The Alpha Bowl target, interpreted as a potential large, reduced intrusion-related sheeted quartz vein gold system ("RIRGS"), was the principal focus of Tectonic's 2025 Phase One drill program. Drilling followed up on the Company's 2024 discovery, which identified bedrock gold-bearing zones beneath surficial cover and within areas historically disturbed by placer mining (see Tectonic news release, March 3, 2025).

Phase One drilling at Alpha Bowl totalled approximately 4,600 m across 24 drill holes, utilizing both diamond core and RC drill methods. The program tested an area measuring roughly 600 m by 700 m, with drill fences arranged in parallel lines spaced approximately 100 m apart. Drilling specifically targeted sheeted quartz vein systems developed within granitoid intrusions - a hallmark setting of reduced intrusion-related gold systems. Diamond drill holes were completed to maximum depths of up to 392 m.

13.11.2025 Seite 3/7

Alpha Bowl Rock Types

The rocks at Alpha Bowl are mainly coarse-grained monzonite to syeno-monzonite intrusions, which sometimes contain xenoliths of dark fragments of other rock types. Narrow dikes of varying composition cut through the main intrusive bodies. Tectonic observed multiple generations of mineralized quartz and carbonate veins in all logged rock types, indicating the system was long-lived and repeatedly active.

Vein Types and Potential Mineralization Indicators

Drilling has revealed three main types of potentially gold-related veins:

- Sheeted quartz-sulfide veins closely spaced, consistently oriented veins of quartz with sulfides (chalcopyrite, pyrrhotite, arsenopyrite, molybdenum) and occasionally visible gold
- Quartz-carbonate-arsenopyrite veins larger veins with alteration halos (sericite, carbonate, arsenopyrite) that can appear brecciated (broken and resealed). These veins are chemically distinct, marked by arsenic, antimony, mercury, tungsten and molybdenum. They often align with the finer-grained dikes, suggesting repeated pulses of mineralizing fluids.
- Arsenopyrite stringers zones dominated by arsenopyrite occurring as dense networks of fine- to coarse-grained veins.

Later generations of calcite-rich veins cut across all three of these earlier vein types, occasionally showing oxidation and secondary copper minerals (like chalcocite and copper oxides).

Geological Significance

The presence of multiple cross-cutting vein types in drill core indicates that the Alpha Bowl system displays multiple fluid phases and was active over an extended period, with early high-temperature mineral assemblages subsequently overprinted by later, lower-temperature mineralization. This telescoping of mineralizing events is a recognized feature of intrusion-related gold systems and highlights that Alpha Bowl possesses key attributes of a large, long-lived mineralizing environment. In addition, the observation of repeated "crack-and-seal" textures within quartz-carbonate veins confirms that mineralizing fluids circulated through the system in multiple pulses.

Chicken Mountain Intrusion Target - Phase One Drilling

The Chicken Mountain intrusion is interpreted to be roughly 6.5 km x 6.0 km in size and currently the most advanced target at Flat. Chicken Mountain has been the focus of past drilling on the property. During Phase One 2025, Tectonic completed 1,013 m of core drilling in five holes and 798 m of RC drilling in five holes.

The program was designed to test for potential extensions of known mineralization in the underexplored northern and eastern portions of the target. In addition, 660 m of core drilling in four holes was completed as infill within areas of established quartz monzonite-hosted mineralization as a continuation of Tectonic's metallurgical testwork. Objectives included the collection of oriented PQ core for structural analysis and metallurgical sampling. Of this, 450 m was drilled as PQ-sized core, providing 2-inch diameter material for coarser crush column testing to advance heap leach metallurgical studies.

Drilling intersected variably altered and oxidized quartz monzonite hosting varying densities of planar sheeted quartz, quartz-carbonate, and quartz-carbonate-sulfide veins (arsenopyrite + pyrite, locally with stibnite), together with oxidized vein assemblages. These features are consistent with the previously observed multi-phase intrusion-related gold system documented at Chicken Mountain.

Golden Apex Intrusion Target - Phase One Drilling

The Golden Apex target is interpreted to be a ~2.5 km x 2.5 km blind reduced intrusion-related gold system

13.11.2025 Seite 4/7

(RIRGS) situated some 3000 metres to the northeast of Chicken Mountain, offset between the Alpha Bowl target to the south and the exposed Black Creek stock to the north. Drilling completed at Golden Apex in 2025 totals 470 m, comprising 269 m from one core hole and 201 m from two RC holes. The RC holes were drilled northeast of Alpha Bowl to evaluate a possible eastward offset of the Alpha Bowl intrusion along the right-lateral Golden Apex Fault.

Core hole CMD25-006 was drilled as a 65 m eastward offset from historic hole GA03-02, which intersected multiple gold-bearing intervals within intermediate volcanic rocks (see Tectonic News Release, September 5, 2024). The objectives of CMD25-006 were to refine the geometry of the host volcanic stratigraphy, assess strike and depth extent of mineralization, and collect structural data from oriented core to guide future drilling. The hole intersected predominantly fine-grained, dark massive volcanic rocks characterized by fine plagioclase and altered pyroxene phenocrysts.

Veining is extensive and erratic, occurring as fine carbonate stringers and fracture fill, with localized zones of quartz and quartz-carbonate-sulfide stringers. Bleaching of the volcanic host is commonly associated with zones of increased density of veining. Sulfide minerals identified include chalcopyrite, arsenopyrite, pyrrhotite, and pyrite. Portable handheld XRF analysis of sulfide-bearing vein material indicates a bimodal elemental association, with Cu + Bi and As + W as dominant pairings.

Black Creek Intrusion Target - Phase One Drilling

The Black Creek stock hosts multiple mineralization styles, including monzonite-hosted RIRGS mineralization within the main intrusive body and vein-style mineralization developed along its margins, where gabbro/monzodiorite phases intrude Kuskokwim sediments and associated hornfels.

As part of the 2025 Phase One drill program, Tectonic drilled 616m in nine RC holes along a 300 m fence across the eastern margin of the stock. This drilling was designed to test the hornfels and vein-hosted mineralization adjacent to marginal intrusion phases. The fence was positioned approximately 50 m south of historic hole F79-02 (which intersected 73.76 m grading 0.72 g/t Au) to specifically evaluate hornfels to the east of the historic hole, as well as gabbro/monzodiorite phases to the west.

Drilling in 2025 intersected highly oxidized, hornfelsed Kuskokwim sediments with felsic dykes across the first ~175 m of strike, transitioning into the expected mafic intrusive phases over the final ~125 m of the fence.

Jam Intrusion Target - Phase One Drilling

The Jam target represents one of six RIRGS targets currently being evaluated at Flat. During the 2025 Phase One drill program, two RC holes were drilled from a single pad, totalling 203 metres. The program was designed to test both the northern extension of an historically mined high-grade, narrow quartz vein hosted in augite basalt (previously accessed by shallow shafts and adits), as well as the potential presence of a felsic intrusion interpreted to underlie the Jam area.

The two holes were drilled to vertical depths of up to 95 m, with both intersecting variably oxidized, altered, and veined augite basalt throughout. Within the unoxidized sections, chip logging observed sulfide assemblages comprising arsenopyrite, pyrite and chalcopyrite.

While the targeted felsic intrusion was not intersected, the pervasive veining and alteration observed in drilling is considered highly suggestive of a local intrusive source at depth.

High Resolution Drone Magnetics Survey Completed - Critical Tool for Targeting at Flat

As part of the 2025 Phase One drill program, Tectonic completed a 2,125 line-kilometre high-resolution drone magnetic survey across prospective lithological assemblages of the Flat volcano-plutonic complex. Final processed data magnetic maps have been received, with 3D inversion modelling expected in the coming weeks.

13.11.2025 Seite 5/7

This survey provides the first modern district-scale magnetic coverage of Flat, designed to define intrusions, alteration zones, and structural corridors that may control gold mineralization. The results will refine drill targeting, generate new prospects, and accelerate discovery across the ~99,000-acre project.

To Learn More About Tectonic Metals:

- Visit: TectonicMetals.com/about/
- Subscribe to our email list
- View our Fact Sheet or Corporate Presentation
- Take a virtual tour of our Flat Gold Project with both the CEO of Tectonic and one of Alaska's largest for-profit Native Regional Corporations, Doyon Ltd.

To Be A Part Of "The Shift," Follow Us On Social Media:

X LinkedIn Instagram Facebook YouTube

Qualified Person?

Tectonic Metals' disclosure of technical or scientific information in this press release has been reviewed, verified and approved by Peter Kleespies, M.Sc., P.Geo., Vice President of Exploration, who is a Qualified Person in accordance with Canadian regulatory requirements set out in National Instrument 43-101.

On behalf of Tectonic Metals Inc.,

Tony Reda President and Chief Executive Officer

For further information about Tectonic Metals Inc. or this news release, please visit our website at www.tectonicmetals.com or contact Tectonic Investor Relations, toll-free at 1.888.685.8558 or by email at investorrelations@tectonicmetals.com

Cautionary Note Regarding Forward-Looking Statements, Historical Information and Visual Observations

This news release contains "forward-looking statements" and "forward-looking information" (collectively, "forward-looking statements") within the meaning of applicable Canadian securities laws. All statements herein that are not statements of historical fact may be deemed to be forward-looking statements. Forward-looking statements are often, but not always, identified by words such as "may," "will," "should," "anticipate," "believe," "expect," "intend," "plan," "estimate," "potential," "target," or similar terminology, or that events or conditions "may" or "will" occur.

Forward-looking statements in this release include, but are not limited to, statements regarding: the potential for mineralization at Tectonic's projects; the nature, scope, and timing of future exploration activities; the interpretation of geological observations; the possible size or scale of mineralized systems; the receipt of regulatory approvals,; and the anticipated benefits of current and future exploration programs.

This release also refers to historical information, including results from past exploration activities and placer production figures. Such historical information has not been independently verified by Tectonic, may not be

13.11.2025 Seite 6/7

reliable, and should not be relied upon as current, NI 43-101 compliant data.

In addition, this release contains core photographs, geological notes, and descriptive observations such as alteration styles, mineralogy and presence of visible gold. These observations are preliminary in nature, may not be representative of the entire interval or system, and should not be relied upon as a guarantee of mineralized assay results or as the basis for any investment decision. Investors and readers are cautioned that visual estimates, core photographs, and geological descriptions are not substitutes for accredited laboratory assay results and do not demonstrate the economic viability of any mineral deposit.

Forward-looking statements are not guarantees of future performance. They are based on a number of assumptions made as of the date such statements are provided, including, among others: assumptions regarding future gold and other metal prices; currency exchange and interest rates; favourable operating and political conditions; timely receipt of permits and regulatory approvals; availability of labour, equipment, and services; stability of financial and capital markets; availability of financing on acceptable terms; accuracy of exploration data and geological models; and the ability to successfully advance planned exploration programs. Many of these assumptions are beyond the control of Tectonic and may prove to be incorrect.

Forward-looking statements are subject to known and unknown risks, uncertainties, and other factors that may cause actual results, performance, or achievements to differ materially from those expressed or implied. These risks include, without limitation: risks inherent to mineral exploration and development; volatility of commodity prices; changes in laws, regulations, and policies; delays or inability to obtain required approvals and permits; availability of financing; general economic, political, and market conditions; labour disputes and shortages; equipment and supply risks; environmental and social risks; competition; inaccuracies in exploration results or geological interpretations; and other risks detailed from time to time in the Company's continuous disclosure filings.

Although management believes the expectations expressed in such forward-looking statements are reasonable as of the date made, there can be no assurance they will prove to be correct. Readers are cautioned not to place undue reliance on forward-looking statements, historical information, or preliminary visual geological observations. Actual results and future events may differ materially from those anticipated. All forward-looking statements contained in this news release are expressly qualified by this cautionary statement. Tectonic disclaims any intention or obligation to update or revise forward-looking statements, whether as a result of new information, future events, or otherwise, except as required by applicable securities laws.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE: Tectonic Metals Inc.

View the original press release on ACCESS Newswire

Dieser Artikel stammt von Rohstoff-Welt.de Die URL für diesen Artikel lautet:

https://www.rohstoff-welt.de/news/703625--Tectonic-Metals-Announces-Virtual-Drill-Core-Shack-and-Completion-of-Phase-One-Drill-Program-at-Flat-Gold-Program-

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

13.11.2025 Seite 7/7