

Brixton Metals Drills 38.50m of 4.07 g/t Gold Including 1.85m of 39.61 g/t Gold at the Trapper Gold Target

07.10.2025 | [GlobeNewswire](#)

VANCOUVER, Oct. 07, 2025 - [Brixton Metals Corp.](#) (TSX-V: BBB, OTCQB: BBBXF) (the "Company" or "Brixton") is pleased to announce additional drill results from the Trapper Gold Target from the 2025 season. A total of 6272m was drilled at the Trapper Target from 30 holes this season. Assays are pending for the remaining 17 holes. The zone remains open for expansion.

Highlights

- Hole THN25-344 returned 38.50m of 4.07 g/t gold from 191.00m depth
 - Including 1.85m of 39.61 g/t gold from 220.00m depth
- Hole THN25-344 also returned 6.35m of 1.81 g/t gold from 281.65m depth

Chairman, CEO, Gary R. Thompson stated, "*The high-grade potential is highlighted by this hole at the Trapper Target and further exploration is warranted to expand the main mineralized zone where it remains open to the northeast, southeast and north of the main area and at depth.*"

Figure 1. Trapper Gold Target Plan Map for Hole THN25-344.

Table 1. Select Assay Intervals in Holes THN25-344.

Hole ID	From meter	To meter	Interval meter	Gold g/t
THN25-344	191.00	229.50	38.50	4.07
including	220.00	221.85	1.85	39.61
THN25-344	281.65	288.00	6.35	1.81

Assay values are weighted averages. Reported intervals are drilling length and the true width of the mineralized intervals has not yet been determined.

Discussion

The objective of hole THN25-344 was to infill and delineate a trend for the high-grade gold mineralization from previous drilling that was encounter in hole THN22-205 (64m of 5.74 g/t gold). Hole THN25-344 was collared 88m south from the collar for hole THN22-205. THN25-344 was drilled with an azimuth of 0.0 degrees with a dip of -45 to a depth of 297m (Figure 1).

The gold mineralization in THN25-344 is hosted within Triassic lapilli tuff, intruded by a Cretaceous quartz diorite and a feldspar porphyry dike of unknown age. Gold is associated with vein assemblages of pyrite-sphalerite-galena as seen in Figures 2 and 3. While mineralization is hosted within all three rock types,

higher grade favours the contacts between these units. Low grade gold mineralization occurs between these reported intervals.

Figure 2. Closeup Photograph of HQ Size Core of Mineralization in Hole THN25-344 at 229.20m.

Figure 3. Photograph of HQ Size Core in hole THN25-344 from 202.35m to 221.95m.

Table 2. Collar Information for Hole THN25-344.

Hole ID	Easting (m)	Northing (m)	Elevation (m)	Azimuth	Dip	Depth (m)
THN25-344	630227	6485483	1335	0	-45	297

Quality Assurance & Quality Control

Quality assurance and quality control protocols for drill core sampling was developed by Brixton. Core samples were mostly taken at 1.5m intervals. High-grade intervals were taken at 0.5 to 1m intervals. Blank, duplicate (lab pulp) and certified reference materials were inserted at a combined rate of 15%. Core samples were cut in half, bagged, zip-tied and sent directly to ALS Minerals preparation facility in Whitehorse, Yukon or Langley, British Columbia depending on available lab capacity. ALS Minerals Laboratories is registered to ISO 9001:2008 and ISO 17025 accreditations for laboratory procedures. Samples were analyzed at ALS Laboratory Facilities in North Vancouver, British Columbia for gold by fire assay with an atomic absorption finish, whereas Ag, Pb, Cu and Zn and 48 additional elements were analyzed using four acid digestion with an ICP-MS finish. Over limits for gold were analyzed using fire assay and gravimetric finish. The standards, certified reference materials, were acquired from CDN Resource Laboratories Ltd., of Langley, British Columbia and the standards inserted varied depending on the type and abundance of mineralization visually observed in the primary sample. Blank material used consisted of non-mineralized siliceous landscaping rock. A copy of the QAQC protocols can be viewed at the Company's website.

Qualified Person (QP)

Ms. Madeline Berry, P.Geo., is a Project Geologist for the Company who is a Qualified Person as defined by National Instrument 43-101. Ms. Berry has verified the referenced data and analytical results disclosed in this press release and has approved the technical information presented herein.

About Brixton Metals Corporation

Brixton Metals is a Canadian exploration company focused on the advancement of its mining projects. Brixton wholly owns four exploration projects: Brixton's flagship Thorn copper-gold-silver-molybdenum Project, the Hog Heaven copper-silver-gold Project in NW Montana, USA, which is optioned to [Ivanhoe Electric Inc.](#), the Langis-HudBay silver-cobalt-nickel Project in Ontario and the Atlin Goldfields Project located in northwest BC which is optioned to [Eldorado Gold Corp.](#) Brixton Metals Corporation shares trade on the TSX-V under the ticker symbol BBB, and on the OTCQB under the ticker symbol BBBXF. For more information about Brixton, please visit our website at www.brixtonmetals.com.

On Behalf of the Board of Directors

Mr. Gary R. Thompson, Chairman and CEO
info@brixtonmetals.com

For Investor Relations inquiries, please contact: Mr. Michael Rapsch, Vice President Investor Relations.
email: michael.rapsch@brixtonmetals.com or call Tel: 604-630-9707

Follow us on:

LinkedIn | Twitter/X | Facebook | Instagram

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Information set forth in this news release may involve forward-looking statements under applicable securities laws. Forward-looking statements are statements that relate to future, not past, events. In this context, forward-looking statements often address expected future business and financial performance, and often contain words such as "anticipate", "believe", "plan", "estimate", "expect", and "intend", statements that an action or event "may", "might", "could", "should", or "will" be taken or occur, including statements that address potential quantity and/or grade of minerals, potential size and expansion of a mineralized zone, proposed timing of exploration and development plans, or other similar expressions. All statements, other than statements of historical fact included herein including, without limitation, statements regarding the use of proceeds. By their nature, forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause our actual results, performance or achievements, or other future events, to be materially different from any future results, performance or achievements expressed or implied by such forward-looking statements. Such factors include, among others, the following risks: the need for additional financing; operational risks associated with mineral exploration; fluctuations in commodity prices; title matters; and the additional risks identified in the annual information form of the Company or other reports and filings with the TSXV and applicable Canadian securities regulators. Forward-looking statements are made based on management's beliefs, estimates and opinions on the date that statements are made and the Company undertakes no obligation to update forward-looking statements if these beliefs, estimates and opinions or other circumstances should change, except as required by applicable securities laws. Investors are cautioned against attributing undue certainty to forward-looking statements.

Links:

<https://brixtonmetals.com/wp-content/uploads/2025/10/Figure-1-NR-07Oct2025web-scaled.png>

<https://brixtonmetals.com/wp-content/uploads/2025/10/Figure-2-NR-07Oct2025-scaled.png>

<https://brixtonmetals.com/wp-content/uploads/2025/10/Figure-3-NR-07Oct2025-scaled.png>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/707599--Brixton-Metals-Drills-38.50m-of-4.07-g-t-Gold-Including-1.85m-of-39.61-g-t-Gold-at-the-Trapper-Gold-Target.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).