NexGen Announces New Significant High Grade Assay Results at Patterson Corridor East

12.11.2025 | Newsfile

Vancouver, November 12, 2025 - <u>NexGen Energy Ltd.</u> (TSX: NXE) (NYSE: NXE) (ASX: NXG) ("NexGen" or the "Company") is excited to announce significant geochemical assay results from NexGen's 100%-owned Patterson Corridor East ("PCE") discovery.

- Drillhole RK-25-254 returned 10.5 meters ("m") at 11.3% U₃O₈ including 4.0m at 29.4% U₃O₈ and 0.5m at 56.2% U₃O₈ (Figures 1 and 2, Table 1). Notably, mineralization in RK-25-254 is 55m up dip from hole RK-25-232 which intersected 15.0m at 15.9% U₃O₈ including 3.0m at 47.8% U₃O₈, 1.5m at 29.4% U₃O₈ and an intercept of 0.5m at 68.8% U₃O₈ (see May 27, 2025 news release).
- Drillhole RK-25-244, 19m down dip of RK-25-232, returned equally strong results, 17.0m at 7.6% U₃O₈ including 6.0m at 21.1% U₃O₈ and 0.5m at 58.1% U₃O₈ (Figures 1 and 3, Table 1).

Additional assay results contained in this release, confirm strong continuity of the high-grade subdomain (Figure 1, Table 1) over 330m in vertical extent from RK-25-246 to RK-25-231. Further, RK-25-231 (8.0m at $1.4\%~U_3O_8$) and -241 (8.5m at $1.3\%~U_3O_8$) demonstrate the continuity of the subdomain and add breadth while indicating extended high-grade potential. A secondary high-grade subdomain is currently interpreted from results in RK-25-234, with 0.5m at $8.3\%~U_3O_8$ that lies along a potential new high-grade shoot.

Note, additional assay results from drillhole RK-25-256, which intersected intense high-grade mineralization 128m down dip of RK-25-232 and 179m from RK-25-254, are pending and will be released with further assays as they are received back from the independent lab.

PCE drilling has delivered significant advancements of a discovery that is characteristic of the southwest Athabasca Basin district, of which NexGen holds a 190,000 hectare land package. This setting has an identical technical advantage as the nearby Arrow deposit, 3.5 kilometers ("km") west of PCE, as mineralization is fully hosted in competent basement rock with dimensions that are expanding rapidly since initial discovery in February 2024. The overall mineralized footprint is currently defined as 600m along strike and 600m of vertical extent, with a high-grade subdomain of 210m in strike and 335m in vertical extent.

Leigh Curyer, Chief Executive Officer, commented: "Today's assay results from PCE represent further validation of this new discovery. The PCE discovery and drilling program is the same bold, wide spaced, safe and cost effective approach that defined the world class Arrow deposit and is delivering results of the same calibre. It's so exciting to be in the midst of another significant discovery.

From our world-class Arrow deposit in its final stages of Federal approvals, to PCE growing into an additional project on its own merits 3.5km east of Arrow, the NexGen team continues to deliver unparalleled and increasing leverage to the world uranium market for the coming decades. NexGen is ideally positioned for North America's critical mineral and energy security strategy, while exemplifying elite standards in environmental performance and social engagement."

Jason Craven, Vice President, Exploration, commented: "NexGen has executed with a systematic and impactful approach to advance PCE since discovery in February 2024. Importantly, not only are we seeing world-class uranium grades over significant widths, but also the continuity of that mineralization is incredibly strong. The repeatability of consistent high-grade results at PCE, with so much untested area remaining highlights the significant potential for continued expansion.

After more than 20 years exploring for uranium in the Basin, I never imagined I'd get the chance to work on a project like Arrow - something that was thought to be impossible prior to NexGen. To now find ourselves at the early stages of another discovery with similar characteristics and growing potential is both remarkable

13.11.2025 Seite 1/8

and deeply humbling."

Figure 1: Interpreted PCE long section (as of last release on August 28, 2025) with notable assays collected since discovery and new results outlined in red; view is a long section that looks perpendicular to the primary mineralized plane; total mineralized footprint in orange and the high-grade subdomains in red

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/1745/274113_37a260cec4351a79_002full.jpg

Figure 2: Core photo with assays from RK-25-254, grades are shown as % U₃O₈

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/1745/274113_37a260cec4351a79_003full.jpg

Figure 3: Core photo with assays from RK-25-244, grades are shown as % U₃O₈

To view an enhanced version of this graphic, please visit: https://images.newsfilecorp.com/files/1745/274113_37a260cec4351a79_004full.jpg

Table 1: Assays received since July 29, 2025 news release

Drillhole				Unconformity Depth (m		-	ical Resul	ts
Hole ID				• • •	From (m) To (m) Width (m) U ₃ O ₈ (wt%)			
RK-25-229	350	-70	681.4	, 113.2	Assays Pending*) 0308 (W(70)
RK-25-230	330	-70	598	112.5	Assays Pending*			
RK-25-231	329		5 885	102.7	677	677.5		0.03
					683	685.5		0.07
					686	687	1	0.12
					687.5	688.5		1.16
					689	690.5		0.16
					692.5	700.5		1.42
				incl.	694	699	5	2.12
					701	702	1	0.02
					706.5	710.5	4	0.57
				incl.	706.5	707	0.5	1.24
				incl.	708	709	1	1.53
					712	712.5	0.5	0.02
					713	714	1	0.03
					716	717	1	0.20
					725.5	726	0.5	0.26
					729.5	730.5	1	0.05
					731.5	732.5	1	0.08
					734	734.5	0.5	0.19
					768.5	769	0.5	0.01
					769.5	770	0.5	0.02
					772	772.5	0.5	0.15
					775	776.5	1.5	0.02
					780.5	781.5	1	0.62
				incl.	780.5	781	0.5	1.07
					791	792	1	0.04
					792.5	794.5		0.42
RK-25-233	330	-70	694	109.7	Assays F	_		
RK-25-234	330	-70	747	113	672	673.5	1.5	0.04

13.11.2025 Seite 2/8

RK-25-235	270	-70	858	incl. 105.5	675 677 687 687.5 Assays I	675.5 0.5 678.5 1.5 688.5 1.5 688 0.5 Pending	0.01 0.02 3.02 8.33
RK-25-236	267	-65	541	129	•	Pending*	
RK-25-237	340	-70	816	104.6		ificant Intersection	ns
RK-25-238a	279	-67	165	123.4		ificant Intersection	
RK-25-239	278	-68	594	123.4	•	Pending*	
RK-25-240	270	-70	893	106.1		Pending*	
RK-25-241	320	-71	534	117.2	396	396.5 0.5	0.04
				incl.	413.5 418	419.5 6 418.5 0.5	0.31 1.12
				IIIGI.	424	424.5 0.5	0.13
					425	426 1	0.06
					427.5	428 0.5	0.01
					428.5	429.5 1	0.02
					430.5	431 0.5	0.01
					432	432.5 0.5	0.02
					434	439.5 5.5	0.04
					440 444	440.5 0.5 444.5 0.5	0.06 0.09
					444 448.5	444.5 0.5 457 8.5	1.27
				incl.	449	450.5 1.5	5.79
				incl.	449.0	449.5 0.5	10.2
					462.5	465.5 3	0.07
					466	466.5 0.5	0.02
					467	467.5 0.5	0.04
					468	468.5 0.5	0.01
					469.5 495	470 0.5 495.5 0.5	0.01
					495 496	496.5 0.5	0.01 0.02
					497.5	498.5 1	0.05
					501	501.5 0.5	0.10
					503	503.5 0.5	0.07
RK-25-242	270	-70	555	124.5	No Significant Intersections		
RK-25-243	276	-66	579	126.8	Assays Pending*		
RK-25-244	330	-70	586.6	112.4	410	411 1	0.01
					412	413.5 1.5	0.31
					414 421	415.5 1.5 425 4	0.02 0.06
					428	429 1	0.00
					430	430.5 0.5	0.03
					434	434.5 0.5	0.01
					445.5	446 0.5	0.01
					453.5	456 2.5	0.03
					456.5	460 3.5	0.04
				Sec. al.	462	479 17	7.63
				incl.	472 475 5	478 6 476 0.5	21.1
				incl.	475.5 480	476 0.5 483.5 3.5	58.1 0.76
				incl.	481.5	482 0.5	4.22
				-	489.5	491 1.5	0.05
					492	492.5 0.5	0.01
					497	498 1	0.03
					499	499.5 0.5	0.02
					510 520	511 1	0.12
					528	531.5 3.5	0.64

13.11.2025 Seite 3/8

RK-25-245	330	-70 744.0	incl. 111.5	529 530 1 1.38 693 694 1 0.01 695 696.5 1.5 0.04 707 707.5 0.5 0.09
RK-25-246	270	-70 525.0	124.5	724 724.5 0.5 0.25 725 725.5 0.5 0.03 332 332.5 0.5 0.02 333 334 1 0.02 337 344 7 0.08 367 370 3 0.01
			incl.	375.5 397.5 22 0.38 379.5 385 5.5 1.06 398 401 3 0.09 402 405.5 3.5 0.20 423 426 3 0.03 444.5 447 2.5 0.02
				447.5 448.5 1 0.02 450.5 451 0.5 0.02 451.5 452 0.5 0.01 453 453.5 0.5 0.02 456.5 457 0.5 0.01
RK-25-247	330	-70 738.0	114.4	458 458.5 0.5 0.03 460.5 462 1.5 0.13 479 480 1 0.14 488.5 489.5 1 0.04 Assays Pending*
RK-25-248 RK-25-249 RK-25-250	283 340 308	-69 501.0 -70 681.0 -70 726.0	123.3 106.1 114.8	Assays Pending Assays Pending* Assays Pending*
RK-25-251 RK-25-252 RK-25-253	302 275 340	-69 576.3 -68 663.0 -70 657.0	119.6 120.8 116.8	Assays Pending* Assays Pending* No Significant Intersections
RK-25-253 RK-25-254	275	-65 582.0	128.0	404.5 405.5 1 0.02 406 406.5 0.5 0.02 407 407.5 0.5 0.01 408.5 409 0.5 0.02 409.5 410 0.5 0.02 410.5 411 0.5 0.02 418.5 419.5 1 0.03 430 430.5 0.5 0.02 433 433.5 0.5 0.01 434.5 435 0.5 0.02 435.5 436 0.5 0.01 437 437.5 0.5 0.02 438 440 2 0.02 440.5 441 0.5 0.01 442 443.5 1.5 0.01 444 444.5 0.5 0.02 445.5 446 0.5 0.02 447 447.5 0.5 0.01
			incl. incl.	447 447.5 0.5 0.01 449 459.5 10.5 11.3 454 458 4 29.4 456.5 457 0.5 56.2 462 463 1 0.04 463.5 464 0.5 0.01 475.5 477 1.5 0.01 478.5 479 0.5 0.02 480 481.5 1.5 0.03

13.11.2025 Seite 4/8

			48	3 485	2	0.13
			48	5.5 487	1.5	0.05
			48	8 488.5	0.5	0.09
			48	9 491.5	2.5	0.04
			50	507.5	2.5	0.14
			50	9 509.5	0.5	0.01
			52	2 522.5	0.5	0.14
			53	6.5 538.5	2	0.25
			54	1.5 542	0.5	0.33
RK-25-254c1 275	-65 564.	.0 N/A	As	says Pending) *	
RK-25-254c2275	-65 553.	.5 -	As	says Pending	j *	
RK-25-255 4	-70 950.	.4 112.7	As	says Pending] *	
RK-25-256 292	-65.5696.	.0 116.9	As	says Pending) *	

- All depths and intervals are meters downhole, true thicknesses are yet to be determined.
- Unconformity of 'N/A' denotes a lack of visible contact between Athabasca sandstone and basement rock.
- Maximum internal dilution 2.0 m downhole.
- Minimum thickness of 0.5 m downhole.
- Cutoff grade 0.01% U₃O₈.
- All depths and intervals are metres downhole, true thicknesses are yet to be determined. Resource
 modelling in conjunction with an updated mineral resource estimate is required before true thicknesses
 can be determined.
- * Denotes results that correlate to high-grade levels of radioactivity (>10,000 cps)

About NexGen

NexGen Energy is a Canadian company focused on delivering clean energy fuel for the future. The Company's flagship Rook I Project is being optimally developed into the largest low-cost producing uranium mine globally, incorporating the most elite environmental and social governance standards. The Rook I Project is supported by an N.I. 43-101 compliant Feasibility Study, which outlines the elite environmental performance and industry-leading economics. NexGen is led by a team of experienced uranium and mining industry professionals with expertise across the entire mining life cycle, including exploration, financing, project engineering and construction, operations and closure. NexGen is leveraging its proven experience to deliver a Project that leads the entire mining industry socially, technically and environmentally. The Project and prospective portfolio in northern Saskatchewan will provide generational, long-term economic, environmental, and social benefits for Saskatchewan, Canada, and the world.

NexGen is listed on the Toronto Stock Exchange, the New York Stock Exchange under the ticker symbol "NXE," and on the Australian Securities Exchange under the ticker symbol "NXG," providing access to global investors to participate in NexGen's mission of solving three major global challenges in decarbonization, energy security and access to power. The Company is headquartered in Vancouver, British Columbia, with its primary operations office in Saskatoon, Saskatchewan.

13.11.2025 Seite 5/8

Contact Information

Leigh Curyer Chief Executive Officer NexGen Energy Ltd. +1 604 428 4112 lcuryer@nxe-energy.ca www.nexgenenergy.ca

Travis McPherson Chief Commercial Officer NexGen Energy Ltd. +1 604 428 4112 tmcpherson@nxe-energy.ca www.nexgenenergy.ca

Monica Kras Vice President, Corporate Development NexGen Energy Ltd. +44 7307 191933 mkras@nxe-energy.ca www.nexgenenergy.ca

Technical Disclosure*

All technical information in this news release has been reviewed and approved by Jason Craven, NexGen's Vice President, Exploration, a qualified person under National Instrument 43-101.

Natural gamma radiation in drill core reported in this news release was measured in counts per second (cps) using a Radiation Solutions Inc. RS-125 gamma spectrometer. The reader is cautioned that total count gamma readings may not be directly or uniformly related to uranium grades of the rock sample measured; they should be used only as a preliminary indication of the presence of radioactive minerals.

A technical report in respect of the FS is filed on SEDAR (www.sedar.com) and EDGAR (www.sec.gov/edgar.shtml) and is available for review on NexGen Energy's website (www.nexgenenergy.ca).

Cautionary Note to U.S. Investors

This news release includes Mineral Reserves and Mineral Resources classification terms that comply with reporting standards in Canada and the Mineral Reserves and the Mineral Resources estimates are made in accordance with NI 43-101. NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for all public disclosure an issuer makes of scientific and technical information concerning mineral projects. These standards differ from the requirements of the Securities and Exchange Commission ("SEC") set by the SEC's rules that are applicable to domestic United States reporting companies. Consequently, Mineral Reserves and Mineral Resources information included in this news release is not comparable to similar information that would generally be disclosed by domestic U.S. reporting companies subject to the reporting and disclosure requirements of the SEC Accordingly, information concerning mineral deposits set forth herein may not be comparable with information made public by companies that report in accordance with U.S. standards.

Forward-Looking Information

The information contained herein contains "forward-looking statements" within the meaning of applicable United States securities laws and regulations and "forward-looking information" within the meaning of applicable Canadian securities legislation. "Forward-looking information" includes, but is not limited to, statements with respect to mineral reserve and mineral resource estimates, the 2021 Arrow Deposit, Rook I

13.11.2025 Seite 6/8

Project and estimates of uranium production, grade and long-term average uranium prices, anticipated effects of completed drill results on the Rook I Project, planned work programs, completion of further site investigations and engineering work to support basic engineering of the project and expected outcomes. Generally, but not always, forward-looking information and statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or the negative connotation thereof or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved" or the negative connotation thereof. Statements relating to "mineral resources" are deemed to be forward-looking information, as they involve the implied assessment that, based on certain estimates and assumptions, the mineral resources described can be profitably produced in the future.

Forward-looking information and statements are based on the then current expectations, beliefs, assumptions, estimates and forecasts about NexGen's business and the industry and markets in which it operates. Forward-looking information and statements are made based upon numerous assumptions, including among others, that the mineral reserve and resources estimates and the key assumptions and parameters on which such estimates are based are as set out in this news release and the technical report for the property, the results of planned exploration activities are as anticipated, the price and market supply of uranium, the cost of planned exploration activities, that financing will be available if and when needed and on reasonable terms, that third party contractors, equipment, supplies and governmental and other approvals required to conduct NexGen's planned exploration activities will be available on reasonable terms and in a timely manner and that general business and economic conditions will not change in a material adverse manner. Although the assumptions made by the Company in providing forward looking information or making forward looking statements are considered reasonable by management at the time, there can be no assurance that such assumptions will prove to be accurate in the future.

Forward-looking information and statements also involve known and unknown risks and uncertainties and other factors, which may cause actual results, performances and achievements of NexGen to differ materially from any projections of results, performances and achievements of NexGen expressed or implied by such forward-looking information or statements, including, among others, the existence of negative operating cash flow and dependence on third party financing, uncertainty of the availability of additional financing, the risk that pending assay results will not confirm previously announced preliminary results, conclusions of economic valuations, the risk that actual results of exploration activities will be different than anticipated, the cost of labour, equipment or materials will increase more than expected, that the future price of uranium will decline or otherwise not rise to an economic level, the appeal of alternate sources of energy to uranium-produced energy, that the Canadian dollar will strengthen against the U.S. dollar, that mineral resources and reserves are not as estimated, that actual costs or actual results of reclamation activities are greater than expected, that changes in project parameters and plans continue to be refined and may result in increased costs, of unexpected variations in mineral resources and reserves, grade or recovery rates or other risks generally associated with mining, unanticipated delays in obtaining governmental, regulatory or First Nations approvals, risks related to First Nations title and consultation, reliance upon key management and other personnel, deficiencies in the Company's title to its properties, uninsurable risks, failure to manage conflicts of interest, failure to obtain or maintain required permits and licences, risks related to changes in laws, regulations, policy and public perception, as well as those factors or other risks as more fully described in NexGen's Annual Information Form dated March 6, 2024 filed with the securities commissions of all of the provinces of Canada except Quebec and in NexGen's 40-F filed with the United States Securities and Exchange Commission, which are available on SEDAR at www.sedar.com and Edgar at www.sec.gov.

Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in the forward-looking information or statements or implied by forward-looking information or statements, there may be other factors that cause results not to be as anticipated, estimated or intended. Readers are cautioned not to place undue reliance on forward-looking information or statements due to the inherent uncertainty thereof.

There can be no assurance that forward-looking information and statements will prove to be accurate, as actual results and future events could differ materially from those anticipated, estimated or intended. Accordingly, readers should not place undue reliance on forward-looking statements or information. The Company undertakes no obligation to update or reissue forward-looking information as a result of new information or events except as required by applicable securities laws.

To view the source version of this press release, please visit https://www.newsfilecorp.com/release/274113

13.11.2025 Seite 7/8

Dieser Artikel stammt von Rohstoff-Welt.de
Die URL für diesen Artikel lautet:
https://www.rohstoff-welt.de/news/712001--NexGen-Announces-New-Significant-High-Grade-Assay-Results-at-Patterson-Corridor-East.html

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere AGB/Disclaimer!

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt! Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere <u>AGB</u> und <u>Datenschutzrichtlinen</u>.

13.11.2025 Seite 8/8