

Grid Metals Intersects High-Grade Cesium at the Falcon West Cesium Project including 14.0% Cs₂O over 3.01m

20.11.2025 | [ACCESS Newswire](#)

TORONTO, November 20, 2025 - [Grid Metals Corp.](#) (TSXV:GRDM)(OTCQB:MSMGF) ("Grid" or the "Company") is pleased to announce the first five assays from its 2025 cesium-focused drill program at the 100%-owned Falcon West Cesium property (the "Property"). The Property is located approximately 110 km east of Winnipeg, Manitoba. The drill target at Falcon West is pollucite-hosted cesium mineralization within the Lucy South lithium-cesium-tantalum ("LCT") pegmatite. Lucy South is a highly fractionated, shallow, and flat-lying pegmatite which is located approximately 500 metres off the Trans-Canada highway. Initial 2025 drilling has intersected the Lucy South pegmatite including a strongly fractionated core zone carrying high grades of cesium, lithium and rubidium.

Highlights from the first five drill holes include:

- 1.73 metres with 14.0% Cs₂O, 1.71% Li₂O and 0.36% Rb₂O (LU25-01; from 27.1 metres) including 0.42 metres with 27.4% Cs₂O
- 3.01 metres with 14.0% Cs₂O and 0.50% Rb₂O (LU25-03; from 31.5 metres) including 0.61 metres with 24.2% Cs₂O and 0.50 metres with 24.7% Cs₂O
- 2.90 metres with 9.6% Cs₂O and 1.85% Li₂O (LU25-04; from 25.8 metres) including 0.85 metres with 19.6% Cs₂O

The Company is in the process of completing approximately 70 drill holes, focused on delineating the initial near-surface strike and extent of the Lucy South pegmatite and the distribution of cesium within it. The current drill program is the first concerted effort to define the potential for a cesium resource at the Property. The Company is pleased to note that the cesium mineralization in the first five drill holes appears to be primarily associated with the mineral pollucite, the preferred mineral for cesium chemical processing.

Dr. Dave Peck, P. Geo., Grid's Vice President of Exploration, stated "Our Falcon West cesium drill program is off to a great start with hole LUC25-03 returning the highest cesium grade-thickness intercept ever recorded at the Property and one of the highest grade-thickness cesium intercepts reported in recent years, globally. Cesium grades north of 20% in drill core are exceptionally rare, marking the Lucy South pegmatite and the Falcon West property as a notable geological target."

Robin Dunbar, CEO of Grid Metals, commented, "Cesium is one of the rarest and most sought-after critical metals with a growing number of strategic applications. In the last several months, it has been designated a critical metal by both the U.S. and Canadian governments. The cesium market is facing a global shortfall of feedstock to supply a growing number of applications including defense applications and next-generation solar panels. We are off to a positive start in our efforts to demonstrate that Falcon West has the potential to develop into a globally significant cesium project to support a North American focused cesium supply chain."

Drill Results Discussion

The current area of exploration interest is the near-surface portion of the Lucy South pegmatite where several recent exploration campaigns identified high cesium values. The initial area of interest is an approximate 150x40 m area where the Lucy South pegmatite is within ~35 m of surface. In this initial phase, a substantial portion of the target area will be drilled at closely spaced centres.

To date, drilling has identified a distinct zonation pattern of mineralization within the Lucy South pegmatite.

Zonation consists of a wall zone on the margins of the pegmatite with variably developed internal subzones enriched in cesium (pollucite +/- biotite), lithium (spodumene +/- lepidolite), rubidium (feldspar +/- biotite) and tantalum (presumed to be associated with columbo-tantalite). The discrete nature of the pegmatite and the distinctive mineral assemblage provides a well-defined exploration target for the ongoing and future drill programs.

Figure 1: Map of Lucy South target area with interpreted pierce points into the top of the flat-lying Lucy South LCT pegmatite projected to surface for holes LU25-01 to LU25-05 and previous holes completed in this area.

Figure 2: Drill-defined locations of the Lucy South and Artdon LCT pegmatites overlain on a total field magnetic image based on the Company's fall 2024 fixed-wing magnetic and radiometric survey. The dotted white line identifies the current regional exploration target that follows an extensive magnetic low anomaly that hosts both the Artdon and Lucy South pegmatites. The latter two areas may be part of a single LCT pegmatite - but are separated by several hundred metres where no drilling has yet occurred.

Next Steps

As discussed, the Company is planning to complete approximately 70 drill holes by the end of 2025 with all holes targeting Lucy South within approximately 35 m of surface. Based on the success of the current program, a follow-up program would likely commence in January 2026.

Table 1: Analytical Results for Drill Holes LU25-01 to LU25-05, Lucy South cesium target. See Appendix for hole locations. Note the true thickness for each interval reported is estimated to represent between 90% and 100% of the reported interval lengths.

Hole ID	From (m)	To (m)	Length (m)	Cs2O (%)	Li2O (%)	Rb2O (%)	Ta2O5 (ppm)	Comments
LU25-01	22.80	29.55	6.75	3.70	2.25	0.26	93.4	Li-Cs-Rb Enriched Section
inc.	24.30	28.83	4.53	5.45	3.04	0.16	95.0	Spodumene-rich Section
with	27.10	28.83	1.73	14.0	1.71	0.36	94.6	Pollucite-rich Section
LU25-02	27.07	32.50	5.43	0.16	1.81	0.34	213	Li-Cs-Rb Enriched Section
inc.	27.94	30.53	2.59	0.18	2.89	0.08	345	Spodumene-rich Section
LU25-03	28.64	42.58	13.94	3.10	0.72	0.27	116	Li-Cs-Rb Enriched Section
inc.	29.67	30.43	0.76	0.06	3.28	0.25	50.8	Spodumene-rich Section
and	31.49	34.50	3.01	14.0	0.21	0.50	24.9	Pollucite-rich Section
and	37.95	40.08	2.13	0.19	2.19	0.03	425	Spodumene-rich Section
LU25-04	25.10	28.70	3.60	7.73	1.57	0.25	172	Li-Cs-Rb Enriched Section
inc.	25.80	28.70	2.90	9.57	1.85	0.24	204	Pollucite-rich Section
LU25-05	26.07	35.00	8.93	0.26	0.41	0.97	143	Li-Cs-Rb Enriched Section
inc.	26.07	29.87	3.80	0.26	0.08	1.89	3.92	Rb Enriched Section
and	33.80	34.30	0.50	2.05	0.86	0.84	7.54	Pollucite-rich Section

Quality Assurance and Quality Control

The Company's ongoing exploration program at the Falcon West lithium property is being supervised by Dave Peck, P.Geo. Grid Metals applies best practice quality assurance and quality control ("QAQC") protocols on all of its exploration programs. For the current program all core was logged and sampled at the Company's core facility located on its Makwa nickel property. Generally, 1.0 metre sample lengths were used. Samples were bagged and tagged and then transported by secure carrier to the Activation Laboratories facility in Ancaster, Ontario for sample preparation and analysis for lithium, cesium, rubidium, tantalum and selected major and trace element abundances using a sodium peroxide fusion total digestion method followed by ICP-OES and ICP-MS analysis. The Company is using two rare metal certified reference materials ("CRMs") and an analytical blank for the program to monitor analytical accuracy and check for cross contamination between samples. The blank and CRM results for the reported intervals were determined to fall within the accepted range of deviation from the certified values.

Dr. Dave Peck, P.Geo., the Company's Vice President, Exploration, has reviewed and approved the technical information contained in this release.

About Grid Metals Corp.

Grid Metals is focused on exploration and development in southeastern Manitoba with four key projects in the Bird River area.

1. The Makwa Property (Ni-Cu-PGM-Co), which is subject to an Option and Joint Venture Agreement with [Teck Resources Ltd.](#) ("Teck"). Teck can earn up to a 70% interest in Makwa by incurring a total of CAD\$17.3 million, comprising project expenditures (CAD\$15.7 million) and cash payments or equity participation (CAD\$1.6 million) with Grid. Makwa is located on the south arm of the Bird River Greenstone Belt.
2. The Mayville Property (Cu-Ni) is located on the north arm of the Bird River Greenstone Belt. The property is owned subject to a minority interest.
3. The Falcon West Property (Li-Cs) is located 110 km east of Winnipeg along the Trans-Canada highway and contains highly anomalous cesium values including 3.0 m at 14.0% Cs₂O and 2.2 m at 15.0% Cs₂O.
4. The Donner Property (Li-Cs) is adjacent to the Mayville Property, and Grid owns 75% of the project.

All of the Company's southeastern Manitoba projects are located on the ancestral lands of the Sagkeeng First Nation with whom the Company maintains an Exploration Agreement.

On Behalf of the Board of Grid Metals Corp.

For more information about the Company, please visit our website at www.gridmetalscorp.com or contact:

Robin Dunbar - President, CEO & Director - rd@gridmetalscorp.com
Brandon Smith - Chief Development Officer - bsmith@gridmetalscorp.com
David Black - Investor Relations - info@gridmetalscorp.com

CAUTIONARY NOTE REGARDING FORWARD-LOOKING STATEMENTS

We seek safe harbour. This news release contains forward-looking statements within the meaning of the United States Private Securities Litigation Reform Act of 1995 and forward-looking information within the meaning of the Securities Act (Ontario) (together, "forward-looking statements"). Such forward-looking statements include the Company's intended use of proceeds and receipt of regulatory approvals, the overall economic potential of its properties, the availability of adequate financing and involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements expressed or implied by such forward-looking statements to be materially different. Such factors include, among others, risks and uncertainties relating to potential political risk, uncertainty of production and capital costs estimates and the potential for unexpected costs and expenses, physical risks inherent in mining operations, metallurgical risk, currency fluctuations, fluctuations in the price of nickel, cobalt, copper and

other metals, completion of economic evaluations, changes in project parameters as plans continue to be refined, the inability or failure to obtain adequate financing on a timely basis, and other risks and uncertainties, including those described in the Company's Management Discussion and Analysis for the most recent financial period and Material Change Reports filed with the Canadian Securities Administrators and available at www.sedarplus.ca.

Neither the TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this press release.

Appendix: Drill hole specifications. Collar coordinates are based on the NAD 83 datum and the UTM Zone 15N projection.

Drill Hole	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
LU25-01	321671	5502642	329.2	42.0	0	-90
LU25-02	321671	5502642	329.2	42.0	350	-74
LU25-03	321671	5502642	329.2	51.0	40	-66
LU25-04	321676	5502659	328.5	42.0	0	-90
LU25-05	321676	5502659	328.5	42.0	10	-66

SOURCE: Grid Metals Corp.

[View the original press release on ACCESS Newswire](#)

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/713023--Grid-Metals-Intersects-High-Grade-Cesium-at-the-Falcon-West-Cesium-Project-including-14.0Prozent-Cs2O-over-3>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).