

Max Resource Conducts LiDAR Survey over the Entire Mora Gold Property

14:00 Uhr | [Newsfile](#)

Vancouver, November 21, 2025 - [Max Resource Corp.](#) (TSXV: MAX) (OTC Pink: MXROF) (FSE: M1D2) ("Max" or the "Company") is pleased to report that Max will be conducting an airborne high-resolution LiDAR survey over the entire 700ha Mora mining concession KK6-08031, located within the productive Middle Cauca Gold Belt host to several world class gold deposits, 85-km south of Medellin, Colombia, which the Company has the exclusive right to purchase 100% (refer to Figures 1 and 2).

Highlights

- The LiDAR survey forms part of the initial steps to delineate high priority drill locations within the BQ, BX, NAN targets and identify new targets.
- To date, 33 artisanal underground mines are noted in historic technical reports of which Max has successfully mapped 9 inactive mines. The depth or advance of the artisanal mines varies between 5.0m and 90.5m. LiDAR can identify hidden artisanal mines/works due to tree and plant cover.
- Channel sampling artisanal underground mines is very important, it's almost like having a drillhole, identifying geological characteristics of fresh rock such as lithology, hydrothermal alterations, types of sulfides or mineralization, structures-uplifts-faults-veins and veinlets.
- LiDAR will assist in building an accurate 3D model, the key to maximizing the success of Max's planned drill program, being the first known drilling event on mining concession KK6-08031.

"The LiDAR datasets will be used to delineate drill design on the BX, BQ and NAN targets, providing unprecedented ground details to be observed for the first time," says Max Head Geologist Sergio Cocunubo.

"Sampling of artisanal mines and workings were significant steps conducted at Collective Mining's Guayabales and Continental Gold's Buritica in which we identified geological characteristics and confirmed active galleries in gold and silver production," he concluded.

Figure 1. The LiDAR survey will consist of GSD (ground sampling space) between 2 and 7 cm. Longitudinal overlap 80%, lateral overlap 75%, gimbal tilt angle - camera 90° with additional 60° photographs, flight speed of 8 m/s -maximum 10 m/s, 155.5 line-km with 45-50m line spacing covering approximately 7.16km².

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/3834/275412_max%20figure%201.jpg

Figure 2. Mora Property encompasses over 40 historic workings, 5 active mines, a series of exposed polymetallic structures over 2,500m by 1,000m.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/3834/275412_078ff38bb4c7dbeb_003full.jpg

Surface samples collected from San Juan and NAN by their nature are selective samples and may not be indicative of underlying mineralization.

What is LiDAR?

LiDAR is a relatively new technology whereby surface geomorphology patterns and outcrop patterns suggestive of underlying geology and structure can be identified including subtle aspects and seeing through the surface trees and plant cover that can hide surface details.

LiDAR is a modern remote sensing technique that concurrently takes high-resolution (hi-res) images and builds a detailed digital terrain model (DTM) and detailed digital surface model (DSM) utilizing an extremely sensitive and accurate digital mapping tool. Together, the DTM and Hi-Resolution images provide three-dimensional (3D) model of the terrain, where additional data (geophysics, drilling, surface sampling, etc.) can be incorporated to provide a multi-dimensional model from which multiple data sources can be interpreted accurately, all in 3D high-accuracy system with more precise, efficient, and reliable geospatial data acquisition. It delivers a turnkey solution for 3D data collection and high-accuracy post-processing. In addition, is a particularly powerful tool for drill planning as it significantly reduces the risk of interpreting data in only two dimensions.

LiDAR is the acronym for Light Detection and Ranging. It is a relatively new active remote sensing technology using a laser scanner, Global Positioning System (GPS) RTK with GNSS station, and inertial navigation. In the same way that SONAR uses sound waves and reflection to detect targets and determine distance (think of the ping heard in a submarine scene from a war movie), LiDAR uses laser pulses with their timed reflectance to determine the target distance. This process is illustrated in Figure 3.

The LiDAR survey distinguishes down to the multi-centimeter scale coupled with orthophotography remote sensing images and techniques. This combination of LiDAR and orthophoto combined relies on rigorous, high-quality data collected under strict QA/QC standards and is most useful for delineating linear features such as faults, uplifts, quartz veins or resistant rock types with hydrothermal alteration such as silicification.

Figure 3. Drone LiDAR topography scanning process Illustration

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/3834/275412_078ff38bb4c7dbeb_004full.jpg

Discussion of the Mora Gold-Silver Project

In August 2025, through its wholly owned subsidiary Maximum Company Colombia S.A.S., Max entered into a purchase agreement to acquire 100% of the common shares of Inversiones Villamora S.A.S., a Company in Colombia that owns 100% of mining concession number KK6-0831 ("Mora Property").

Highlights

- The undrilled Mora Property encompasses over 40 historic workings, 5 active mines, a series of exposed polymetallic structures over 2,500m by 1,000m, adjacent to Aris Mining's (TSX: ARIS) (NYSE: AIMN) 9.2Moz Marmato Gold Operation (P&P Reserves: 31.3Mt@3.2 g/t Au for 3.2Mozs, M&I Resources: 61.5Mt@3.0 g/t Au for 6.0Moz, Inferred Resources: 35Mt at 2.4 g/t Au for 2.8Mozs ¹).
- Aris Mining's Marmato Property abuts the 2.8 km eastern boundary, and Collective Mining's (TSX: CNL) (NYSE: CNL) Guayabales Project abuts along 3.7 km north (Apollo Porphyry System), west, south, and vertical east boundaries of the Mora Property.
- Highlight, Mora Property channel sample results include (refer to Table 1)
 - 45.0 g/t gold & 7,110 g/t silver over 1.0m; 32.0 g/t gold & 53 g/t silver over 1.0m.
 - 27.0 g/t gold & 732 g/t silver over 1.0m; 8.9 g/t gold & 75 g/t silver over 1.5m.

Max advises investors that the gold mineralization at the Marmato gold deposit and the Apollo porphyry zone may not necessarily be indicative of similar mineralization at the Mora Property. Max further advises the QP has been unable to verify the information on Marmato and Guayabales and that the information is not necessarily indicative to the mineralization on the Mora Property.

In September 2025, Max reported the appointment of Mr. Sergio Cocunubo as Head Geologist, reuniting with key Technical Advisor Dr. Chris Grainger and Community Relations specialist Mr. John Henao, all key members of the Collective Mining and the Continental Gold team that developed the Buriticá Gold Deposit³ (P&P Reserves: 3.8Mozs at 6.9 g/t Au & 13Mozs at 24g/t Ag in 15.61Mt and M&I Resources: 4.4Mozs at 8.9 g/t Au & 14.6Mozs at 29 g/t in 14.02Mt plus Inferred Resources: 5.1Mozs at 8.9 g/t Au & 18Mozs at 29 g/t Ag in 16.2Mt³), sold to Zijin Mining for US \$1.4 billion in 2019.

The Company's 2025 exploration program is well underway, includes collection of geological and

geophysical data, channel sample all active and historical artisanal mines/workings, outcrops, airborne LiDAR, 3D geological/DTM/topographic modelling and delineation of drill targets. Exploration update is due shortly.

Cannot view this video? Visit:
<https://www.youtube.com/watch?v=Ob-AFDysVwo>

Table 1. Highlight Assay Results for 2012² and 2025 Field Investigations.

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/3834/275412_max%20table%201.jpg

Corporate Update

Under the terms of the Agreement, whereby the Company's wholly owned Colombian subsidiary, Maximum Company Colombia S.A.S. ("Maximum") has the exclusive rights to acquire 100% of Mining Concession No. KK6-08031 through the purchase of Inversiones Villamora S.A.S., to date, Max confirms option payments totaling USD \$250,000.

The Company has entered into a debt settlement agreement with an arm's-length creditor to settle outstanding indebtedness totaling \$60,000 (the "Debt Settlement"). Pursuant to the Debt Settlement, the Company will issue 500,000 common shares at a deemed price of \$0.12 per share. The board of directors has determined that completing the Debt Settlement is in the best interests of the Company as it will preserve cash for working capital purposes and strengthen the Company's balance sheet. The Debt Settlement remains subject to TSX Venture Exchange approval. All shares issued will be subject to a hold period of four months and one day from issuance.

In addition, the Company has granted 11,500,000 Performance Share Units ("PSUs") to certain consultants of the Company pursuant to the Company's Omnibus Equity Incentive Compensation Plan (the "Omnibus Plan"). The PSUs will vest upon the consultants completing one year of service with the Company. All PSUs are subject to a hold period of four months and one day. The PSUs have been granted under and are governed by the terms of the Company's Omnibus Plan.

Quality Assurance

Max adheres to a strict QA/QC program for sample handling, sampling, sample transportation and analyses. All 21 rock samples were taken by the Max consulting geologist, labelled, placed in sealed, securitized bags and shipped to ALS Lab's sample preparation facility in Medellin, Columbia. ALS Medellin is an ISO 9001: 2008 certified facility and is independent of Max. All samples were analyzed using ALS procedure ME-ICP61, a four-acid digestion with inductively coupled plasma finished. Over-limit gold is determined by ALS procedure Au-GRA21 a 30-gram fire assay with a gravimetric finish. Over-limit silver, lead, arsenic and zinc were determined by ALS procedure OG-62, a four-acid digestion with an atomic absorption spectroscopy finish.

At this early stage of exploration, Max has relied on the QA/QC protocol's employed by ALS.

Sierra Azul Copper-Silver Project in Colombia

Max's wholly owned Sierra Azul Copper-Silver Project sits along the Colombian portion of the world's largest producing copper belt (Andean belt). Max has an Earn-In Agreement ("EIA") with Freeport-McMoRan Exploration Corporation ("Freeport"), a wholly owned affiliate of [Freeport-McMoRan Inc.](#) whereby the fully funded USD \$4.8m 2025 exploration program is well underway. Updated exploration results are due shortly.

Florália Property in Brazil

The Florália Iron Property (mineral right 832.022/2018) in Brazil lies within Minas Gerais, Brazil's largest iron ore and steel producing State. The Property has established road access to rail terminal (15 km) linking to steel mills and shipping ports; roads connect to DSO buyers Vale (16 km) and ArcelorMittal (26 km) ensuring efficient logistics and market access. Max's technical team has significantly expanded the Florália Iron Geological Target from 8-12Mt at 58% Fe to 50-70Mt at 55%-61% Fe (refer Figure 4).

Max's majority owned Max Iron Brazil Ltd. has entered into a non-binding letter of intent with Bolt Metals Corp. ("Bolt") whereby Bolt may acquire an option to earn a 100% interest in the Floralia Property mineral right 832.022/2018 in Brazil (the "Property"). Under the proposed terms, Bolt will pay USD\$200,000 to [Jaguar Mining Inc.](#) on behalf of Max Iron Brazil Ltda. ("Max Brazil"), keep the Property in good standing, and issue an aggregate of 26,200,000 common shares to Max Brazil and 6,094,679 common shares to Max Resource Corp. over a 30-month period. Completion of the transaction remains subject to satisfactory due diligence, definitive documentation, and applicable regulatory approvals.

Max cautions investors the potential quantity and grade of the iron ore is conceptual in nature, and further cautions there has been insufficient exploration to define a mineral resource and Max is uncertain if further exploration will result in the geological target being delineated as a mineral resource. Hematite mineralization tonnage potential estimation is based on in situ high-grade outcrops and interpreted and modelled magnetic anomalies. Density value used for the estimate is 2.8t/m³. Hematite sample grades range between 55-61% Fe. The 58 channel samples were collected for chemical analysis from in situ outcrops in previously mined slopes of industrial materials.

Figure 4. Florália Property located nearby infrastructure and markets

To view an enhanced version of this graphic, please visit:
https://images.newsfilecorp.com/files/3834/275412_078ff38bb4c7dbeb_007full.jpg

Qualified Person

The Company's disclosure of a technical or scientific nature in this news release was reviewed and approved by Tim Henneberry, P.Geo (British Columbia), a member of the Max Resource advisory board, who serves as a qualified person under the definition of National Instrument 43-101.

Name	Highlights	Reference
News Release ² Dec 20, 2012	Crown Gold Corp. (TSXV: CWN) Mora Property	Scott Franko, senior consultant the Qualified Person under https://aris-mining.com/open
Marmato Gold Deposit ¹	Aris Mining (TSX: ARIS) (NYSE: AIMN) P&P Reserve: 31.28Mt at 3.16 g/t Au for 3.178Mozs M&I Resources: 61.50Mt at 3.03 g/t Au for 5.997Mozs Inferred Resource: 35.60Mt at 2.43 g/t Au for 2.787Mozs	
Buriticá Gold Deposit ³	Zijin Mining - Continental Gold P&P Reserve: 3.8Mozs at 6.9g/t Au&13Mozs at 24g/t Ag in 15.61Mt M&I Resource: 4.4Mozs at 8.9g/t Au&14.6Mozs at 29g/t in 14.02Mt Inf. Resource: 5.1Mozs at 8.9g/t Au&18Mozs at 29g/t Ag in 16.2Mt	https://www.zijinmining.com/

Table 2. References

For more information, visit on Max Resource: <https://www.maxresource.com/>

For additional information, contact: Tim McNulty E: info@maxresource.com T: (604) 290-8100 Brett Matich T: (604) 484 1230

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Except for statements of historic fact, this news release contains certain "forward-looking information" within

the meaning of applicable securities law.

Forward-looking information is frequently characterized by words such as "plan", "expect", "project", "intend", "believe", "anticipate", "estimate" and other similar words, or statements that certain events or conditions "may" or "will" occur. Forward-looking statements are based on the opinions and estimates at the date the statements are made and are subject to a variety of risks and uncertainties and other factors that could cause actual events or results to differ materially from those anticipated in the forward-looking statements including, but not limited to delays or uncertainties with regulatory approvals, including that of the TSXV. There are uncertainties inherent in forward-looking information, including factors beyond the Company's control. There are no assurances that the commercialization plans for Max Resources Corp. described in this news release will come into effect on the terms or time frame described herein.

The Company undertakes no obligation to update forward-looking information if circumstances or management's estimates or opinions should change except as required by law. The reader is cautioned not to place undue reliance on forward-looking statements. Additional information identifying risks and uncertainties that could affect financial results is contained in the Company's filings with Canadian securities regulators, which filings are available at www.sedarplus.ca.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/275412>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/713169--Max-Resource-Conducts-LiDAR-Survey-over-the-Entire-Mora-Gold-Property.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).