

Fortuna Expands Southern Arc Mineralization with Drill Intercept of 1.7 g/t Au over 29.6 m and a further 2.0 g/t Au over 20.0 m from DSDD574 at the Diamba Sud Gold Project

08.12.2025 | [GlobeNewswire](#)

[Fortuna Mining Corp.](#) (NYSE: FSM | TSX: FVI) is pleased to report additional exploration drilling results from the Southern Arc deposit at its Diamba Sud Gold Project in Senegal. Diamba Sud is a PEA-stage project with robust economics, highlighted by an estimated after-tax NPV_{5%} of US\$563 million and an IRR of 72% at a gold price of US\$2,750 per ounce. The project is currently advancing toward a feasibility study and a construction decision targeted for the second quarter of 2026.

Paul Weedon, Senior Vice President of Exploration, commented "Southern Arc continues to deliver strong results with high grade intersections from both infill and extension drilling. Infill highlights include drillhole DSDD555, which returned 6.8 g/t gold over an estimated true width of 35.5 meters." Mr. Weedon continued, "Importantly, drilling to the southwest of the current optimized pit shell is expanding mineralization, returning broad and consistent gold intervals. This includes drill hole DSDD574, which intersected 1.7 g/t gold over an estimated true width of 29.6 meters, and a further 2.0 g/t over an estimated true width of 20.0 meters." Mr. Weedon concluded, "These results will feed into an updated resource estimate expected in the first quarter of 2026."

The PEA is preliminary in nature and includes inferred mineral resources that are considered too speculative geologically to have the economic considerations applied to them that would enable them to be categorized as mineral reserves; as such, there is no certainty that the PEA results will be realized. Mineral resources that are not mineral reserves do not have demonstrated economic viability¹

Southern Arc Prospect Drilling Highlights

A further 63 reverse-circulation and diamond drill hole, totalling 9,619 meters, have been completed at Southern Arc (see Figure 1) since the Company's previous exploration update (refer to Fortuna news release dated May 27, 2025). Drilling is continuing with five drill rigs, with key objectives including:

- ongoing infill drilling to support increased resource confidence, and
- continued step-out drilling to the southwest, east, and south, where mineralization remains open

6.8 g/t Au over an estimated true width of 35.5 meters from 48.6 meters, including
24.0 g/t Au over an estimated true width of 0.8 meters from 65 meters, and
DSDD555: 13.1 g/t Au over an estimated true width of 0.8 meters from 68.5 meters, and
18.5 g/t Au over an estimated true width of 0.8 meters from 74 meters, and
18.7 g/t Au over an estimated true width of 5.6 meters from 80 meters

1.8 g/t Au over an estimated true width of 12.8 meters from 25 meters
8.8 g/t Au over an estimated true width of 14.4 meters from 96 meters, including
DSDD558: 22.1 g/t Au over an estimated true width of 0.8 meters from 101 meters, and
18.0 g/t Au over an estimated true width of 0.8 meters from 103 meters, and
11.5 g/t Au over an estimated true width of 0.8 meters from 110 meters

4.5 g/t Au over an estimated true width of 5.6 meters from 146 meters
DSDD562: 8.0 g/t Au over an estimated true width of 11.2 meters from 174 meters, including
46.3 g/t Au over an estimated true width of 1.6 meters from 183 meters

- 5.8 g/t Au over an estimated true width of 20.8 meters from 50 meters, including
23.3 g/t Au over an estimated true width of 1.6 meters from 53 meters, and
21.8 g/t Au over an estimated true width of 1.6 meters from 71 meters
12.2 g/t Au over an estimated true width of 5.8 meters from 86 meters, including
DSDD563: 14.7 g/t Au over an estimated true width of 0.8 meters from 87 meters, and
22.1 g/t Au over an estimated true width of 2.2 meters from 90 meters
2.7 g/t Au over an estimated true width of 6.4 meters from 106 meters
7.0 g/t Au over an estimated true width of 4.8 meters from 118 meters, including
15.3 g/t Au over an estimated true width of 1.6 meters from 120 meters
- 4.6 g/t Au over an estimated true width of 26.6 meters from 96.8 meters, including
DSDD567: 15.6 g/t Au over an estimated true width of 0.8 meters from 103 meters, and
13.6 g/t Au over an estimated true width of 1.6 meters from 105 meters, and
18.3 g/t Au over an estimated true width of 1.6 meters from 114 meters
- 1.7 g/t Au over an estimated true width of 29.6 meters from 93 meters
DSDD574: 2.0 g/t Au over an estimated true width of 20.0 meters from 135 meters, including
18.4 g/t Au over an estimated true width of 0.8 meters from 158 meters
- 4.2 g/t Au over an estimated true width of 21.6 meters from 116.2 meters, including
DSDD577: 30.0 g/t Au over an estimated true width of 1.6 meters from 125 meters, and
18.9 g/t Au over an estimated true width of 1.1 meters from 134.3 meters
- DSDD578: 4.9 g/t Au over an estimated true width of 16.8 meters from 15 meters, including
29.5 g/t Au over an estimated true width of 1.6 meters from 15 meters
- 5.5 g/t Au over an estimated true width of 17.0 meters from 32.7 meters, including
20.3 g/t Au over an estimated true width of 0.8 meters from 38 meters, and
DSDD584: 14.3 g/t Au over an estimated true width of 0.8 meters from 50 meters, and
17.8 g/t Au over an estimated true width of 0.8 meters from 53 meters
7.8 g/t Au over an estimated true width of 1.4 meters from 95.7 meters
- DSDD589: 3.5 g/t Au over an estimated true width of 26.8 meters from 16 meters, including
15.8 g/t Au over and estimated true width of 0.8 meters from 34 meters

Mineralization at Southern Arc occurs as variably developed fine stockwork vein arrays to diffuse pyrite-silica flooding, showing strong correlation with several tectonic breccia and carbonate units (see Figures 2 and 3). Alteration commonly includes extensive hematite development, consistent with mineralized systems elsewhere at Diamba Sud.

Overall, the latest drilling reinforces the strong potential for continued resource growth at Diamba Sud. Southern Arc remains open to the south, east, and at depth, with drilling to date testing to only approximately 150 meters below surface.

Figure 1: Location plan showing Diamba Sud drilling and Mineral Resource Deposits

Figure 2: Diamba Sud Gold Project: Southern Arc Prospect, cross section 550NE

Figure 3: Diamba Sud Gold Project: Southern Arc Prospect, cross section 450NE

Refer to Appendix 1 for complete drill hole collars, significant intercepts, and assay results for this drill program.

Quality Assurance & Quality Control (QA - QC)

All drilling data completed by the Company utilized the following procedures and methodologies. All drilling

was carried out under the supervision of the Company's personnel.

All reverse circulation (RC) drilling used a 5.25-inch face sampling pneumatic hammer with samples collected into 60-liter plastic bags. Samples were kept dry by maintaining enough air pressure to exclude groundwater inflow. If water ingress exceeded the air pressure, RC drilling was stopped, and drilling converted to diamond core tails. Once collected, RC samples were riffle split through a three-tier splitter to yield a 12.5 percent representative sample for submission to the analytical laboratory. The residual 87.5 percent samples were stored at the drill site until assay results were received and validated. Coarse reject samples for all mineralized samples corresponding to significant intervals are retained and stored on-site at the Company-controlled core yard.

All diamond drilling (DD) drill holes started with HQ sized diameter, before reducing to NQ diameter diamond drill bits on intersecting fresh rock. The core was logged, marked up for sampling using standard lengths of one meter or to a geological boundary. Samples were then cut into equal halves using a diamond saw. One half of the core was left in the original core box and stored in a secure location at the Company core yard at the project site. The other half was sampled, catalogued, and placed into sealed bags and securely stored at the site until shipment.

All RC and DD samples were transported by Company vehicle or commercial courier to ALS Global's preparation laboratories in Kedougou, Senegal or Bamako, Mali, with prepared sample pulps then transported via commercial courier to ALS Global's analytical facility in Ouagadougou, Burkina Faso. Routine gold analysis using a 50-gram charge and fire assay with an atomic absorption finish was completed for all samples. Samples returning assays >10 parts per million Au were reanalyzed using a 50-gram charge and fire assay with a gravimetric finish. Quality control procedures included the systematic insertion of blanks, duplicates and sample standards into the sample stream. In addition, the ALS Global laboratory inserted its own quality control samples.

Qualified Person

Paul Weedon, Senior Vice President, Exploration for Fortuna Mining Corp., is a Qualified Person as defined by National Instrument 43-101 being a member of the Australian Institute of Geoscientists (Membership #6001). Mr. Weedon has reviewed and approved the scientific and technical information contained in this news release. Mr. Weedon has verified the data disclosed, including the sampling, analytical and test data underlying the information or opinions contained herein by reviewing geochemical and geological databases and reviewing diamond drill core. There were no limitations to the verification process.

About Fortuna Mining Corp.

Fortuna Mining Corp. is a Canadian precious metals mining company with three operating mines and a portfolio of exploration projects in Argentina, Côte d'Ivoire, Mexico, and Peru, as well as the Diamba Sud Gold Project in Senegal. Sustainability is at the core of our operations and stakeholder relationships. We produce gold and silver while creating long-term shared value through efficient production, environmental stewardship, and social responsibility. For more information, please visit our website at www.fortunamining.com

ON BEHALF OF THE BOARD

Jorge A. Ganoza
President, CEO, and Director
Fortuna Mining Corp.

Investor Relations:

Carlos Baca | info@fmcmail.com | fortunamining.com | X | LinkedIn | YouTube

Forward looking Statements

This news release contains forward-looking statements which constitute "forward-looking information" within

the meaning of applicable Canadian securities legislation and "forward-looking statements" within the meaning of the "safe harbor" provisions of the Private Securities Litigation Reform Act of 1995 (collectively, "Forward-looking Statements"). All statements included herein, other than statements of historical fact, are Forward-looking Statements and are subject to a variety of known and unknown risks and uncertainties which could cause actual events or results to differ materially from those reflected in the Forward-looking Statements. The Forward-looking Statements in this news release may include, without limitation, the projected economics of the Diamba Sud Project, including the net present value of the Diamba Sud Project and the internal rate of return of the Diamba Sud Project; the Company's expectation that a construction decision will be targeted for the second quarter of 2026; statements regarding continued resource growth at the Diamba Sud Project and the expected timing of an updated resource estimate; the Company's proposed exploration plans at Diamba Sud statements about the Company's business strategies, plans and outlook; the Company's plans for its mines and mineral properties; changes in general economic conditions and financial markets; the impact of inflationary pressures on the Company's business and operations; the future results of exploration activities; expectations with respect to metal grade estimates and the impact of any variations relative to metals grades experienced; assumed and future metal prices; the merit of the Company's mines and mineral properties; and the future financial or operating performance of the Company. Often, but not always, these Forward-looking Statements can be identified by the use of words such as "estimated", "potential", "open", "future", "assumed", "projected", "proposed", "used", "detailed", "has been", "gain", "planned", "reflecting", "will", "anticipated", "estimated" "containing", "remaining", "to be", or statements that events, "could" or "should" occur or be achieved and similar expressions, including negative variations.

Forward-looking Statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance, or achievements of the Company to be materially different from any results, performance or achievements expressed or implied by the Forward-looking Statements. Such uncertainties and factors include, among others, operational risks associated with mining and mineral processing; uncertainty relating to Mineral Resource and Mineral Reserve estimates; uncertainty relating to capital and operating costs, production schedules and economic returns; risks relating to the Company's ability to replace its Mineral Reserves; risks related to the conversion of Mineral Resources to Mineral Reserves; risks associated with mineral exploration and project development; uncertainty relating to the repatriation of funds as a result of currency controls; environmental matters including obtaining or renewing environmental permits and potential liability claims; uncertainty relating to nature and climate conditions; laws and regulations regarding the protection of the environment (including greenhouse gas emission reduction and other decarbonization requirements and the uncertainty surrounding the interpretation of omnibus Bill C-59 and the related amendments to the Competition Act (Canada); risks associated with political instability and changes to the regulations governing the Company's business operations; changes in national and local government legislation, taxation, controls, regulations and political or economic developments in countries in which the Company does or may carry on business; risks associated with war, hostilities or other conflicts, such as the Ukrainian - Russian, and Israeli - Hamas conflicts, and the impacts they may have on global economic activity; risks relating to the termination of the Company's mining concessions in certain circumstances; developing and maintaining relationships with local communities and stakeholders; risks associated with losing control of public perception as a result of social media and other web-based applications; potential opposition to the Company's exploration, development and operational activities; risks related to the Company's ability to obtain adequate financing for planned exploration and development activities; property title matters; risks related to the ability to retain or extend title to the Company's mineral properties; risks relating to the integration of businesses and assets acquired by the Company; impairments; risks associated with climate change legislation; reliance on key personnel; adequacy of insurance coverage; operational safety and security risks; legal proceedings and potential legal proceedings; uncertainties relating to general economic conditions; risks relating to a global pandemic, which could impact the Company's business, operations, financial condition and share price; competition; fluctuations in metal prices; risks associated with entering into commodity forward and option contracts for base metals production; fluctuations in currency exchange rates and interest rates; tax audits and reassessments; risks related to hedging; uncertainty relating to concentrate treatment charges and transportation costs; sufficiency of monies allotted by the Company for land reclamation; risks associated with dependence upon information technology systems, which are subject to disruption, damage, failure and risks with implementation and integration; labor relations issues; as well as those factors discussed under "Risk Factors" in the Company's Annual Information Form for the fiscal year ended December 31, 2024. Although the Company has attempted to identify important factors that could cause actual actions, events, or results to differ materially from those described in Forward-looking Statements, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended.

Forward-looking Statements contained herein are based on the assumptions, beliefs, expectations and opinions of management, including, but not limited to, the accuracy of the Company's current Mineral Resource and Mineral Reserve estimates; that the Company's activities will be conducted in accordance with

the Company's public statements and stated goals; that there will be no material adverse change affecting the Company, its properties or its production estimates (which assume accuracy of projected ore grade, mining rates, recovery timing, and recovery rate estimates and may be impacted by unscheduled maintenance, labor and contractor availability and other operating or technical difficulties); the duration and effect of global and local inflation; the duration and impacts of geo-political uncertainties on the Company's production, workforce, business, operations and financial condition; the expected trends in mineral prices, inflation and currency exchange rates; that all required approvals and permits will be obtained for the Company's business and operations on acceptable terms; that there will be no significant disruptions affecting the Company's operations and such other assumptions as set out herein. Forward-looking Statements are made as of the date hereof and the Company disclaims any obligation to update any Forward-looking Statements, whether as a result of new information, future events, or results or otherwise, except as required by law. There can be no assurance that these Forward-looking Statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, investors should not place undue reliance on Forward-looking Statements.

Cautionary Note to United States Investors Concerning Estimates of Reserves and Resources

All reserve and resource estimates included in this news release have been prepared in accordance with National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101") and the Canadian Institute of Mining, Metallurgy, and Petroleum Definition Standards on Mineral Resources and Mineral Reserves. NI 43-101 is a rule developed by the Canadian Securities Administrators that establishes standards for public disclosure by a Canadian company of scientific and technical information concerning mineral projects. All Mineral Reserve and Mineral Resource estimates contained in the technical disclosure have been prepared in accordance with NI 43-101 and the Canadian Institute of Mining, Metallurgy and Petroleum Definition Standards on Mineral Resources and Reserves. Canadian standards, including NI 43-101, differ significantly from the requirements of the Securities and Exchange Commission, and mineral reserve and resource information included in this news release may not be comparable to similar information disclosed by U.S. companies.

Appendix 1: Diamba Sud drill program details of the drill holes and assay results for Southern Arc Prospect

HoleID	Easting (WGS84_29N)	Northing (WGS84_29N)	Elev. (m)	EOH ^{1,2} Depth (m)	UTM Azimuth	Dip	Depth ^{2,3} From (m)	Depth ² To (m)	Drilled ² Width (m)	ETW ⁴ (m)	Au (ppm)	H T
DSDD486	232278	1426476	148	249	150	-50	NSI					D
DSDD493	232347	1426501	148	207	150	-50	165.0	174.0	9.0	7.2	2.4	D
							including 168.0	169.0	1.0	0.8	13.2	D
DSDD494	232532	1426112	142	131	150	-50	38.0	49.0	11.0	8.8	1.4	D
DSDD495	232310	1426500	149	186	150	-50	NSI					D
DSDD496	232674	1426074	143	176	150	-50	38.3	50.0	11.7	9.4	2.2	D
							including 44.0	45.0	1.0	0.8	15.5	D
							96.0	102.3	6.3	5.0	2.3	D
							107.0	119.5	12.5	10.0	6.8	D
							including 115.0	116.0	1.0	0.8	19.2	D
							and 117.0	118.0	1.0	0.8	19.8	D
							135.0	167.0	32.0	25.6	0.8	D
DSDD497	232884	1426027	143	129	150	-50	108.8	121.7	12.9	10.3	3.6	D
							including 117.0	118.0	1.0	0.8	17.0	D
DSDD498	232714	1426155	145	132	150	-50	84.3	89.7	5.4	4.3	1.9	D
DSDD555	232868	1426115	144	120	150	-50	48.6	93.0	44.4	35.5	6.8	D
							including 53.2	53.7	0.4	0.4	Core Loss	D
							and 65.0	66.0	1.0	0.8	24.0	D
							and 67.2	67.8	0.6	0.5	Core Loss	D
							and 68.5	69.5	1.0	0.8	13.1	D
							and 70.6	71.2	0.6	0.5	Core Loss	D
							and 74.0	75.0	1.0	0.8	18.5	D
							and 80.0	87.0	7.0	5.6	18.7	D

DSDD556 232738	1426053	144	201	150	-50	105.0	134.0	29.0	23.2	1.5	D
						138.0	153.0	15.0	12.0	2.8	D
DSDD557 232838	1426172	143	165	150	-50	39.0	57.0	18.0	14.4	1.9	D
						67.0	73.0	6.0	4.8	1.2	D
						104.7	127.0	22.3	17.8	3.8	D
						including	108.0	109.0	1.0	0.8	11.8
						and	114.0	115.0	1.0	0.8	30.4
							139.0	141.0	2.0	1.6	3.7
							145.0	161.2	16.2	13.0	3.4
DSDD558 232809	1426139	144	146	150	-50	25.0	41.0	16.0	12.8	1.8	D
						96.0	114.0	18.0	14.4	8.8	D
						including	101.0	102.0	1.0	0.8	22.1
						and	103.0	106.0	3.0	2.4	18.0
						and	110.0	111.0	1.0	0.8	11.5
							118.0	122.0	4.0	3.2	3.0
DSDD559 232753	1426131	145	99	150	-50	NSI					D
DSDD560 232785	1426176	145	170	150	-50	43.0	55.0	12.0	9.6	1.9	D
						63.0	70.0	7.0	5.6	2.7	D
DSDD561 232770	1425988	142	126	150	-50	59.0	68.0	9.0	7.2	0.7	D
						79.0	100.0	21.0	16.8	0.7	D
DSDD562 232717	1426094	144	206	150	-50	146.0	153.0	7.0	5.6	4.5	D
						174.0	188.0	14.0	11.2	8.0	D
						including	183.0	185.0	2.0	1.6	46.3
DSDD563 232727	1426179	145	135	150	-50	50.0	76.0	26.0	20.8	5.8	D
						including	53.0	55.0	2.0	1.6	23.3
						and	71.0	73.0	2.0	1.6	21.8
							86.0	93.3	7.3	5.8	12.2
						including	87.0	88.0	1.0	0.8	14.7
						and	90.0	92.8	2.8	2.2	22.1
							106.0	114.0	8.0	6.4	2.7
							118.0	124.0	6.0	4.8	7.0
						including	120.0	122.0	2.0	1.6	15.3
DSDD564 232774	1426198	145	200	150	-50	12.0	21.0	9.0	7.2	1.2	D
						including	15.0	16.0	1.0	0.8	Core Loss
							30.0	38.3	8.3	6.6	2.9
						including	37.5	38.3	0.8	0.6	11.7
							80.0	93.0	13.0	10.4	1.0
							160.0	163.0	3.0	2.4	3.0
DSDD565 232761	1426008	142	147	150	-50	70.0	79.0	9.0	7.2	0.7	D
						86.0	106.0	20.0	16.0	1.5	D
							121.0	123.0	2.0	1.6	2.6
DSDD566 232780	1426157	145	149	150	-50	5.0	11.0	6.0	4.8	1.4	D
						36.0	42.0	6.0	4.8	1.6	D
						46.0	56.0	10.0	8.0	2.5	D
							121.7	134.0	12.3	9.8	2.0
						including	131.0	132.0	1.0	0.8	14.3
DSDD567 232789	1426137	145	146	150	-50	1.3	8.0	6.7	5.4	1.1	D
						16.0	24.0	8.0	6.4	1.2	D
						34.0	45.0	11.0	8.8	1.6	D
						96.8	130.0	33.2	26.6	4.6	D
						including	103.0	104.0	1.0	0.8	15.6
						and	105.0	107.0	2.0	1.6	13.6

						and	114.0	116.0	2.0	1.6	18.3	D
DSDD568 232685	1426046	143	171	150	-50		80.3	89.5	9.2	7.4	1.0	D
							111.0	117.0	6.0	4.8	1.8	D
							123.0	128.0	5.0	4.0	4.0	D
							144.0	158.0	14.0	11.2	0.9	D
DSDD569 232759	1426223	145	183	150	-50		51.0	58.0	7.0	5.6	1.2	D
DSDD570 232600	1426187	145	231	150	-50		174.0	191.0	17.0	13.6	0.9	D
							198.0	209.0	11.0	8.8	3.6	D
						including	206.0	208.0	2.0	1.6	14.9	D
							214.0	217.0	3.0	2.4	1.8	D
DSDD571 232740	1426245	145	182	150	-50		172.8	178.0	5.2	4.2	1.9	D
DSDD572 232670	1426088	144	201	150	-50		56.0	65.0	9.0	7.2	1.8	D
							118.0	124.0	6.0	4.8	0.9	D
							180.0	190.0	10.0	8.0	0.5	D
DSDD573 232812	1426161	144	185	150	-50		27.0	40.0	13.0	10.4	3.0	D
							49.0	53.0	4.0	3.2	2.8	D
							57.0	82.0	25.0	20.0	3.2	D
						Including	60.0	61.0	1.0	0.8	13.4	D
							158.0	161.0	3.0	2.4	1.9	D
DSDD574 232702	1426060	143	183	150	-50		93.0	130.0	37.0	29.6	1.7	D
							135.0	160.0	25.0	20.0	2.0	D
						Including	158.0	159.0	1.0	0.8	18.4	D
DSDD575 232319	1426368	147	129	150	-50		NSI					D
DSDD576 232908	1426032	143	95	150	-50		NSI					D
DSDD577 232317	1426415	148	222	150	-50		77.0	82.0	5.0	4.0	1.0	D
							116.2	143.2	27.0	21.6	4.2	D
						Including	125.0	127.0	2.0	1.6	30.0	D
						And	134.3	135.7	1.3	1.1	18.9	D
							147.2	154.2	7.0	5.6	1.1	D
DSDD578 232358	1426340	146	101.3	150	-50		0.0	9.0	9.0	7.2	1.1	D
							3.0	4.0	1.0	0.8	Core Loss	D
							15.0	36.0	21.0	16.8	4.9	D
						Including	15.0	17.0	2.0	1.6	29.5	D
							49.0	53.0	4.0	3.2	1.6	D
DSDD579 232706	1426011	142	141	150	-50		57.0	66.0	9.0	7.2	1.5	D
							99.0	100.0	1.0	0.8	16.3	D
DSDD580 232899	1426068	143	92	150	-50		22.8	27.2	4.5	3.6	2.1	D
							61.0	70.0	9.0	7.2	5.0	D
						Including	65.0	66.0	1.0	0.8	20.2	D
DSDD581 232738	1426016	142	143	150	-50		72.0	87.0	15.0	12.0	1.6	D
							93.0	101.0	8.0	6.4	2.8	D
							118.2	131.1	12.9	10.3	1.7	D
DSDD582 232393	1426371	147	98	150	-50		1.0	11.6	10.6	8.5	0.9	D
							2.0	3.0	1.0	0.8	Core Loss	D
							25.0	31.2	6.2	5.0	0.8	D
DSDD583 232909	1426094	143	98	150	-50		3.0	9.0	6.0	4.8	1.1	D
							14.0	33.0	19.0	15.2	1.3	D
							52.0	58.0	6.0	4.8	2.5	D
							64.0	73.0	9.0	7.2	3.0	D
DSDD584 232347	1426395	147	192	150	-50		32.7	54.0	21.3	17.0	5.5	D
						Including	38.0	39.0	1.0	0.8	20.3	D
						And	50.0	51.0	1.0	0.8	14.3	D

					And	53.0	54.0	1.0	0.8	17.8	D
						95.7	97.5	1.8	1.4	7.8	D
					Including	96.5	97.5	1.0	0.8	10.6	D
DSDD585 232419	1426371	147	80	150	-50	48.8	50.8	2.0	1.6	3.1	D
DSDD586 232533	1426235	145	200	150	-50	NSI					D
DSDD587 232693	1426288	146	187	150	-50	NSI					D
DSDD588 232951	1426129	143	104	150	-50	NSI					D
DSDD589 232926	1426064	143	80	150	-50	5.0	8.0	3.0	2.4	2.7	D
						16.0	49.5	33.5	26.8	3.5	D
					Including	34.0	35.0	1.0	0.8	15.8	D
DSDD590 232575	1426215	145	243	150	-50	177.0	198.0	21.0	16.8	0.6	D
						203.0	210.0	7.0	5.6	1.6	D
						214.2	237.0	22.8	18.2	1.4	D
DSDD591 232934	1426163	143	140	150	-50	NSI					D
DSDD592 232943	1426082	143	80	150	-50	9	15	6	4.8	1.9	D
						22	30.4	8.4	6.7	1.7	D
						49.2	56.1	6.9	5.6	1.2	D
DSDD593 232486	1426282	146	222	150	-50	NSI					D
DSDD594 232561	1426182	144	155	150	-50	NSI					D
DSDD595 232922	1426011	143	92	150	-50	NSI					D
DSDD596 232976	1426087	143	80	150	-50	NSI					D
DSDD597 232648	1426163	145	249	150	-50	148	153	5	4.0	2.1	D
DSDD598 232936	1426045	143	98	150	-50	NSI					D
DSDD599 232957	1426058	143	81	150	-50	NSI					D
DSDD600 232741	1426188	145	145	150	-50	49	53.6	4.7	3.7	2.8	D
						128.15	130.6	2.5	2.0	9.2	D
					including	129.3	130.6	1.4	1.1	16.0	D
DSR1002 232291	1426455	148	204	150	-50	157	158	1	0.8	8.1	R
						184	198	14	11.2	1.4	R
DSR1003 232618	1426171	145	162	150	-50	NSI					R
DSR1004 232587	1426169	145	162	150	-50	129	133	4	3.2	3.5	R
					including	129	130	1	0.8	11.3	R
						149	155	6	4.8	1.3	R
DSR1005 232704	1426216	146	168	150	-50	80	86	6	4.8	3.8	R
					including	84	85	1	0.8	14.6	R
DSR1006 232777	1426087	144	144	150	-50	NSI					R
DSR1007 232616	1426126	144	160	150	-50	NSI					R
DSR1008 232740	1426153	145	132	150	-50	NSI					R
DSR1009 232825	1426115	144	144	150	-50	103	106	3	2.4	2.9	R
DSR1010 232419	1426343	147	120	150	-50	NSI					R
DSR1011 232726	1426247	145	120	150	-50	NSI					R

Notes:

1. EOH: End of hole
2. Depths and widths reported to nearest significant decimal place
3. NSI: No significant intercepts
4. ETW: Estimated true width
5. RC: reverse circulation drilling | DD: diamond drilling tail | RCD: reverse circulation drilling with diamond tail

Appendix 2 - PEA Key Highlights

Metrics	Units	Results
---------	-------	---------

Gold price	\$/oz	2,750
Life of mine	years	8.1
Processing Duration	years	7.9
Total mineralized material mined ¹	kt	17.8
Contained gold in mineralized material mined ¹	koz	932
Strip ratio	Waste: mineralized material	5.5:1
Throughput initial 3 years (primarily oxide)	Mtpa	2.5
Throughput after 3 years (primarily fresh)	Mtpa	2.0
LOM grade	g/t	1.63
Recoveries	%	90
Gold production		
Total Production over LOM	koz	840
Average annual production over LOM	koz	106
Average annual production over first 3 years	koz	146
Per unit costs LOM		
Mining	\$/t, mined	4.82
Processing	\$/t, processed	13.9
G&A	\$/t, processed	6.7
Cash costs ¹		
Average operating cash costs ² over LOM	\$/oz	1,081
Average operating cash costs ² over first 3 years	\$/oz	759
AISC ¹		
Average AISC ² over LOM	\$/oz	1,238
Average AISC ² over first 3 years	\$/oz	904
Capital costs		
Initial capital expenditure	\$ M	283
Sustaining capital expenditure + Infrastructure (<i>includes closure costs</i>)	\$ M	48
Returns		
NPV5%, pre-tax (<i>100% Project basis</i>)	\$M	772
Pre-tax IRR	%	86
NPV5%, after-tax (<i>100% Project basis</i>)	\$M	563
After-tax IRR	%	72
After Tax Payback Period	years	0.8
Annual EBITDA ²		
Average EBITDA ² over LOM	\$ M	167
Average EBITDA ² over first 3 years	\$ M	277

Notes:

1. The pit optimization shells used for the mine plan were generated using a gold price of \$2,300 per ounce.
2. This is a non-IFRS financial measure. The definition and purpose of this non-IFRS financial measure is included in the Company's management's discussion and analysis for the three and nine months ended September 30, 2025, under the heading "Non-IFRS Measures". Non-IFRS financial measures have no standardized meaning under IFRS and therefore, may not be comparable to similar measures presented by other issuers.
3. Average operating cash costs and average AISC represent costs for projected production for the LOM at the time of gold sales.
4. The PEA is presented on a 100 percent project basis. However, upon the granting of the exploitation permit, the Senegalese Government is entitled to a 10 percent free-carried interest in Boya, with the right for the State to acquire an additional contributory interest of up to 25 percent.
5. The economic analysis was carried out using a discounted cash flow approach on a pre-tax and after-tax basis, based on the gold price of \$2,750/oz.
6. The IRR on total investment that is presented in the economic analysis was calculated assuming a 100% ownership in Diamba Sud.

7. The NPV was calculated from the after-tax cash flow generated by the Project, based on a discounted rate of 5% and an effective date of October 10, 2025.
8. The PEA assumes that the percentage of certain royalties and taxes payable to the State, the percentage of the investment tax credit available to the company and the percentage payable to the social development fund will be in accordance with the provisions of the Mining Convention between Boya S.A. and the State of Senegal dated April 8, 2015. It should be noted, however, that the State retains the sovereign prerogative to review or revisit certain fiscal terms during the exploitation permit approval process, and as such, the current framework may be subject to amendment.
9. The PEA is preliminary in nature, and it includes inferred mineral resources that are considered too speculative geologically to have the economic considerations applied to them that would enable them to be categorized as mineral reserves, and, as such, there is no certainty that the PEA results will be realized. Mineral resources that are not mineral reserves do not have demonstrated economic viability.
10. Further information regarding the PEA, including details on key assumptions, parameters, opportunities, risks and other factors are contained in the Technical Report prepared for the Company entitled "Diamba Sud Gold Project, Kedougou Region, Senegal" with an effective date of October 15, 2025, which has been filed on SEDAR+ and on EDGAR under the Company's profile.

PDF available: <http://ml.globenewswire.com/Resource/Download/5b31b53c-28e4-4f9f-878d-ac43f2974f4c>

Figures accompanying this announcement are available at:

<https://www.globenewswire.com/NewsRoom/AttachmentNg/65e9cc3a-6c58-4000-b072-6d0bffca780b>

<https://www.globenewswire.com/NewsRoom/AttachmentNg/6f5654b1-fda3-4dcb-ac32-106b267f1aed>

<https://www.globenewswire.com/NewsRoom/AttachmentNg/2e29ea91-4813-4b97-8015-a5772e4b9112>

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/714744--Fortuna-Expands-Southern-Arc-Mineralization-with-Drill-Intercept-of-1.7-g-t-Au-over-29.6-m-and-a-further-2.0-g-t->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).