

# Southern Cross Gold Expands Apollo to Depth and Along Strike

17.12.2025 | [Newsfile](#)

Results Include 3.6 m @ 14.6 g/t Gold in Deepest Hole at Apollo

Vancouver, December 17, 2025 - [Southern Cross Gold Consolidated Ltd.](#) (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSE: MV3) ("SXGC", "SX2" or the "Company") announces results from 12 drillholes from at the 100%-owned Sunday Creek Gold-Antimony Project in Victoria (Figures 1 to 6). Best results included 3.6 m @ 14.7 g/t AuEq from 708.6 m in drillhole SDDSC192, the deepest east-west oriented hole drilled into the Apollo prospect to date.

Five High Level Takeaways:

1. Exceptional high-grade gold hit - SDDSC192 returned 3.6 m @ 14.7 g/t AuEq (14.6 g/t Au, 0.0% Sb) from 708.6 m, including 0.21 m @ 236 g/t Au, a high-grade hit that confirms the system continues to deliver exceptional gold values in the deepest holes into the system, stepping down 60 m at Apollo East and 80 m at Apollo Deeps, demonstrating the system remains robust and open at depth.
2. Discovery of a new mineralized zone - SDDSC174B identified previously unrecognized mineralization between the Gladys and Golden Orb Faults, returning 0.3 m @ 45.9 g/t AuEq (34.6 g/t Au, 4.7% Sb) from 856.2 m and opening up 70 m of untested ground to the south - a significant new exploration target.
3. Other broader intersections - 2.3 m @ 17.1 g/t AuEq (11.3 g/t Au, 2.4% Sb) from 810.0 m in SDDSC174BW1 and 3.6 m @ 14.7 g/t AuEq (14.6 g/t Au) from 708.6 m in SDDSC192.
4. Strong antimony and gold grades - SDDSC174BW1 returned 0.1 m @ 109.7 g/t AuEq (49.7 g/t Au, 25.1% Sb) from 811.3 m and 0.1 m @ 83.9 g/t AuEq (42.3 g/t Au, 17.4% Sb) from 800.68 m, highlighting the exceptional critical mineral endowment alongside high-grade gold values.
5. Apollo East continues to grow - SDDSC181 extended the mineralized corridor to approximately 150 m of east-west strike, while SDDSC179 pushed the prospective host 30 m further east, demonstrating the system is expanding in multiple directions.

Michael Hudson, President & CEO states: "SDDSC192 is our deepest east-west hole into Apollo and delivered 3.6 m @ 14.7 g/t AuEq, including a high-grade hit of 0.21 m @ 236 g/t Au, proving the system remains robust and open at depth. Stepping down 80 m at Apollo Deeps, we intersected 11 vein sets across Apollo East and Apollo Deeps, demonstrating exceptional continuity of this large-scale, high-grade gold-antimony system. We've also uncovered a new mineralized zone between the Gladys and Golden Orb Faults that returned 0.3 m @ 45.9 g/t AuEq, opening up 70 m of untested ground to the south.

"Individual samples returned exceptional antimony grades of 25.1% and 17.4% Sb alongside high-grade gold values, reinforcing Sunday Creek's significance as a critical antimony project. Apollo continues to grow in every direction we drill, and with mineralization open at depth and along strike, we're only starting to see system's potential to the east."

For Those Who Like the Details - Highlights:

Drill holes returned significant gold-antimony mineralization across Apollo and Apollo East, highlighted by the deepest east-west hole to date and discovery of a new mineralized zone.

SDDSC174B

- Confirmed five distinct vein sets at Apollo East
- Discovered a new mineralized zone between Gladys and Golden Orb Faults, opening 70 m of untested exploration potential to the south
- New zone returned 0.3 m @ 45.9 g/t AuEq (34.6 g/t Au, 4.7% Sb) from 856.2 m
- Upper zone returned 0.4 m @ 25.6 g/t AuEq (24.0 g/t Au, 0.7% Sb) from 510.7 m

#### SDDSC174BW1

- Intersected seven vein sets including one newly identified vein set
- Extended A139 and A141 vein sets 40 m vertically down-dip, demonstrating robust continuity at depth
- Exceptional antimony grades with high-grade intercepts of 0.1 m @ 109.7 g/t AuEq (49.7 g/t Au, 25.1% Sb) from 811.3 m and 0.1 m @ 83.9 g/t AuEq (42.3 g/t Au, 17.4% Sb) from 800.68 m
- Broader intercept of 2.3 m @ 17.1 g/t AuEq (11.3 g/t Au, 2.4% Sb) from 810.0 m

#### SDDSC174BW2

- Tested offset system south of SDDSC174BW1 within newly identified fault-bound zone
- Identified additional unrecognized vein set
- Returned 2.3 m @ 17.4 g/t AuEq (12.2 g/t Au, 2.2% Sb) from 866.45 m including 0.7 m @ 58.9 g/t AuEq (41.3 g/t Au, 7.4% Sb)

#### SDDSC179

- Intersected three known vein sets 40 m up-dip from last known mineralized position
- Extended prospective dyke and altered sediment corridor 30 m to the east
- Returned 0.6 m @ 13.5 g/t AuEq (9.0 g/t Au, 1.9% Sb) from 276.22 m

#### SDDSC181

- Intersected five vein sets, extending Apollo East approximately 30 m further east
- Apollo East now demonstrates approximately 150 m of east-west strike continuity
- Best intercept of 15.7 m @ 2.5 g/t AuEq (1.7 g/t Au, 0.3% Sb) from 602.2 m - widest mineralized interval in this release
- Peripheral hanging wall mineralization indicates potential for additional positions within the broader system

#### SDDSC192

- Deepest east-west oriented hole into Apollo to date
- Intersected five vein sets at Apollo East (60 m step-down) and six vein sets at Apollo Deepes (80 m step-down), confirming mineralization remains open at depth

- High-grade intercept of 3.6 m @ 14.7 g/t AuEq (14.6 g/t Au) from 708.6 m including 0.21 m @ 236 g/t Au
- Deep mineralization at Apollo Deeps returned 7.8 m @ 2.6 g/t AuEq (0.6 g/t Au, 0.8% Sb) from 921.5 m

#### Regional Drilling

- Confirms favourable structural architecture extending 450 m east and 700 m west of the main zone

#### Drill Hole Discussion

##### Apollo and Apollo East Drilling

Eight drill holes are reported here that targeted the Apollo prospect from east to west orientations.

SDDSC174B successfully intersected the Apollo East zone, confirming five distinct vein sets. Critically, this hole identified an additional mineralized zone at Apollo situated between the Gladys Fault and Golden Orb Fault, representing previously unrecognized mineralization that offsets the system to the south in an untested area with up to 70 m of untested significant exploration potential. Highlights included:

- 0.4 m @ 25.6 g/t AuEq (24.0 g/t Au, 0.7% Sb) from 510.7 m
- 4.0 m @ 2.1 g/t AuEq (1.6 g/t Au, 0.2% Sb) from 520.6 m
- 6.5 m @ 1.8 g/t AuEq (1.3 g/t Au, 0.2% Sb) from 534.5 m
- 0.3 m @ 45.9 g/t AuEq (34.6 g/t Au, 4.7% Sb) from 856.2 m

SDDSC174BW1 & SDDSC174BW2 tested a 100 m wide strike of the host within the Apollo system. SDDSC174BW1 intersected seven vein sets, including one newly identified vein set, and returned three high-grade cores with exceptional antimony grades of 25.1% and 17.4% Sb in individual samples. The drilling expanded known vein sets 15 m to 20 m along strike from previously reported holes and importantly confirmed the down-dip extension of the A139 and A141 vein sets by 40 m vertically, demonstrating robust continuity of high-grade mineralization at depth. Highlights included:

- 8.7 m @ 1.4 g/t AuEq (0.8 g/t Au, 0.2% Sb) from 765.3 m
- 6.4 m @ 4.3 g/t AuEq (1.7 g/t Au, 1.1% Sb) from 782.4 m
- 2.3 m @ 17.1 g/t AuEq (11.3 g/t Au, 2.4% Sb) from 810.0 m
- 1.4 m @ 8.1 g/t AuEq (0.9 g/t Au, 3.0% Sb) from 823.85 m

SDDSC174BW2 was designed south of SDDSC174BW1 and tested the previously unrecognized offset system between the Gladys Fault and Golden Orb Fault and identified an additional unrecognized vein set. Highlights included:

- 2.9 m @ 1.3 g/t AuEq (0.6 g/t Au, 0.3% Sb) from 818.0 m
- 3.4 m @ 4.2 g/t AuEq (1.8 g/t Au, 1.0% Sb) from 825.0 m
- 3.5 m @ 4.0 g/t AuEq (1.0 g/t Au, 1.2% Sb) from 830.77 m
- 2.3 m @ 17.4 g/t AuEq (12.2 g/t Au, 2.2% Sb) from 866.45 m

The primary (parent) holes SDDSC174 and SDDSC174A were abandoned due to excessive deviation,

prompting a wedge and directional drilling strategy focused on high grade core confirmation and strike expansion.

#### SDDSC179

SDDSC179 intersected three known vein sets approximately 40 m up-dip from the last previously known mineralized position, confirming strong continuity of the mineralized system in Apollo East. The hole also has extended the prospective dyke and altered sediment corridor 30 m to the east, demonstrating strike expansion in Apollo East. Highlights included:

- 0.6 m @ 13.5 g/t AuEq (9.0 g/t Au, 1.9% Sb) from 276.22 m
- 0.4 m @ 14.0 g/t AuEq (12.4 g/t Au, 0.7% Sb) from 368.28 m

#### SDDSC181

SDDSC181 intersected five vein sets in Apollo East and extending this zone approximately 30 m further east. Apollo East now demonstrates approximately 150 m of east-west strike continuity of the mineralized host, significantly expanding the footprint of this emerging corridor. The hole also intersected peripheral mineralization in the hanging wall of the main corridor at Apollo Deeps, indicating potential for additional mineralized positions within the broader structural system. Highlights included:

- 15.7 m @ 2.5 g/t AuEq (1.7 g/t Au, 0.3% Sb) from 602.2 m
- 2.7 m @ 4.2 g/t AuEq (2.4 g/t Au, 0.8% Sb) from 676.98 m
- 0.5 m @ 13.9 g/t AuEq (13.6 g/t Au, 0.1% Sb) from 688.33 m
- 0.5 m @ 15.3 g/t AuEq (8.6 g/t Au, 2.8% Sb) from 698.68 m

#### SDDSC192

SDDSC192 represents the deepest east-west oriented hole into the Apollo system to date and intersected five vein sets in Apollo East with a 60 m step-down from previous drilling, and six vein sets at Apollo Deeps with an 80 m vertical step-down, demonstrating robust continuity at depth. Individual assay result includes a standout intercept of 0.21 m @ 236 g/t Au, 0.69% Sb from 711.54 m further highlighting the high-grade nature of the system and confirming that mineralization remains open at depth.

- 8.1 m @ 2.0 g/t AuEq (1.6 g/t Au, 0.1% Sb) from 662.3 m
- 3.6 m @ 14.7 g/t AuEq (14.6 g/t Au, 0.0% Sb) from 708.55 m
- 7.8 m @ 2.6 g/t AuEq (0.6 g/t Au, 0.8% Sb) from 921.5 m
- 5.6 m @ 2.4 g/t AuEq (2.0 g/t Au, 0.2% Sb) from 934.55 m

#### Along Strike Drilling

Drilling at Sunday Creek has confirmed continuous structural architecture extending both east and west along strike (Figure 4). SDDSC167, drilled 450 m east of Apollo, intersected seven dyke intervals over a 240 m window before encountering a major fault structure. To the west, SDDSC183 (250 m west of Christina) and SDDSC185 (700 m west of Christina) both returned arsenic and sulphur anomalism indicating proximity to mineralization. SDDSC189 tested a southern parallel trend and intersected a large-scale fault containing dyke and altered sediment clasts, confirming continuity of this secondary target with offset. Together, these holes demonstrate the favourable structural framework across the broader system and highlight potential at depth as regional drilling now commences.

## Pending Results and Update

Nine drill rigs are currently operational on the Sunday Creek project with one additional drill rig dedicated to regional exploration. Results are pending from 42 holes currently being processed and analyzed including ten holes that are actively being drilled and two abandoned holes (Figure 2). The Company continues its 200,000 m drill program through Q1 2027.

## About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 16,900 hectares ("Ha") of granted exploration tenements. SXGC is also the freehold landholder of 1,392 Ha that forms the key portion in and around the main drilled area at the Sunday Creek Project.

Gold and antimony form in a relay of vein sets that cut across a steeply dipping zone of intensely altered rocks (the "host"). These vein sets are like a "Golden Ladder" structure where the main host extends between the side rails deep into the earth, with multiple cross-cutting vein sets that host the gold forming the rungs. At Apollo and Rising Sun these individual 'rungs' have been defined over 600 m depth extent from surface to over 1,100 m below surface, are 2.5 m to 3.5 m wide (median widths) (and up to 10 m), and 20 m to 100 m in strike.

Cumulatively, 231 drill holes for 105,091.11 m have been reported from Sunday Creek since late 2020. This amount includes five holes for 929 m that have been drilled for geotechnical purposes and 22 holes for 2,973.77 m that were abandoned due to deviation or hole conditions. Fourteen drillholes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of Seventy-two (72) >100 g/t AuEq x m and eighty (80) >50 to 100 g/t AuEq x m drill holes by applying a 2 m @ 1 g/t AuEq lower cut.

Our systematic drill program is strategically targeting these significant vein formations, which are currently defined over 1,350 m strike of the host dyke/sediment ("rails of the ladder") from Christina to Apollo prospects, of which approximately 620 m has been more intensively drill tested (Rising Sun to Apollo). At least 94 'rungs' have been defined to date, defined by high-grade intercepts (20 g/t Au to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralized system (Figure 5).

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralization is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

## Further Information

Further discussion and analysis of the Sunday Creek project is available through the interactive Vrifly 3D animations, presentations and videos all available on the SXGC website. These data, along with an interview on these results with President & CEO/Managing Director Michael Hudson can be viewed at [www.southerncrossgold.com](http://www.southerncrossgold.com).

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. However, during future Mineral Resource studies, the requirement for assay top cutting will be assessed. The Company notes that due to rounding of assay results to one significant figure, minor variations in calculated composite grades may occur.

Figures 1 to 6 show project location, plan and longitudinal views of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported individually as estimated true widths ("ETW"), otherwise they are interpreted to be approximately 65% to 90% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width

unless specified unless otherwise\* specified to demonstrate higher grade assays.

### Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek (Figure 6) is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterfield, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6 km to 12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a 2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXGC projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

In August 2024, the Chinese government announced it will place export limits from September 15, 2024, on antimony and antimony products. This puts pressure on Western defence supply chains and negatively affect the supply of the metal and push up pricing given China's dominance of the supply of the metal in the global markets. This is positive for SXGC as we are likely to have one of the very few large and high-quality projects of antimony in the western world that can feed western demand into the future.

Antimony represents approximately 21% to 24% in situ recoverable value of Sunday Creek at an AuEq of 2.39 ratio.

About Southern Cross Gold Consolidated Limited (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSE: MV3)

Southern Cross Gold Consolidated Ltd. (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF), controls the Sunday Creek Gold-Antimony Project located 60 km north of Melbourne, Australia. Sunday Creek has emerged as one of the Western world's most significant gold and antimony discoveries, with exceptional drilling results including 72 intersections exceeding 100 g/t AuEq x m from 105,091 km of drilling. The mineralization follows a "Golden Ladder" structure over 12 km of strike length, with confirmed continuity from surface to 1,100 m depth.

Sunday Creek's strategic value is enhanced by its dual-metal profile, with antimony contributing approximately 20% of the in-situ value alongside gold, meaning Importantly, Sunday Creek can be developed primarily based on gold economics, which reduces antimony-related risks while maintaining strategic supply potential. This has gained increased significance following China's export restrictions on antimony, a critical metal for defense and semiconductor applications. Southern Cross' inclusion in the US Defense Industrial Base Consortium (DIBC) and Australia's AUKUS-related legislative changes position it as a potential key Western antimony supplier.

Technical fundamentals further strengthen the investment case, with preliminary metallurgical work showing non-refractory mineralization suitable for conventional processing and gold recoveries of 93% to 98% through gravity and flotation.

With a strong cash position, 1,392 Ha of strategic freehold land ownership, and a large 200 km drill program planned through Q1 2027, SXGC is well-positioned to advance this globally significant gold-antimony discovery in a tier-one jurisdiction.

- Ends -

This announcement has been approved for release by the Board of Southern Cross Gold Consolidated Ltd.

For further information, please contact:

Mariana Bermudez - Corporate Secretary

mbermudez@chasemgt.com or +1 604 685 9316

Executive Office

1305 - 1090 West Georgia Street Vancouver, BC, V6E 3V7, Canada

Nicholas Mead - Corporate Development

info@southerncrossgold.com.au or +61 415 153 122

Justin Mouchacca, Assistant Company Secretary,

jm@southerncrossgold.com.au or +61 3 8630 3321

Subsidiary Office

Level 21, 459 Collins Street, Melbourne, VIC, 3000, Australia

NI 43-101 Technical Background and Qualified Person

Michael Hudson, President, CEO and Managing Director of SXGC, and a Fellow of the Australasian Institute of Mining and Metallurgy, and Mr Kenneth Bush, Exploration Manager of SXGC and a RPGeo (10315) of the Australian Institute of Geoscientists, are the Qualified Persons as defined by the NI 43-101. They have prepared, reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

SXGC considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered and sold at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Alkane Resources (previously Mandalay Resources), contains two million ounces of equivalent gold (Mandalay Resources Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXGC considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its 2024 End of Year Mineral Reserves and Resources Press Release, dated February 20, 2025. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2024 production costs, using a gold price of US\$2,500 per ounce, an antimony price of US\$19,000 per tonne and 2024 total year metal recoveries of 91% for gold and 92% for antimony, and is as follows:

$$\frac{(\text{Costerfield} \times 2.39 + \text{Sunday Creek})}{\text{Costerfield} + \text{Sunday Creek}} = \text{Costerfield} \times 2.39 + \text{Sunday Creek}$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXGC considers that a 
$$\frac{(\text{Costerfield} \times 2.39 + \text{Sunday Creek})}{\text{Costerfield} + \text{Sunday Creek}}$$
 is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

#### JORC Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Kenneth Bush and Mr Michael Hudson. Mr Bush is a Member of Australian Institute of Geoscientists and a Registered Professional Geologist in the field of Mining (#10315) and Mr Hudson is a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Bush and Mr Hudson each have sufficient experience relevant to the style of mineralization and type of deposit under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Bush is Exploration Manager and Mr Hudson is President, CEO and Managing Director of Southern Cross Gold Consolidated Limited and both consent to the inclusion in the report of the matters based on their information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 11 December 2024 which was issued with the consent of the Competent Person, Mr Steven Tambanis. The report is included the Company's prospectus dated 11 December 2024 and is available at [www.asx.com.au](http://www.asx.com.au) under code "SX2". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

Certain information in this announcement also relates to prior drill hole exploration results, are extracted from the following announcements, which are available to view on [www.southerncrossgold.com](http://www.southerncrossgold.com):

- 4 October, 2022 SDDSC046, 20 October, 2022 SDDSC049, 5 September, 2023 SDDSC077B, 12 October, 2023 SDDL003 & 4, 23 October, 2023 SDDSC082, 9 November, 2023 SDDSC091, 14 December, 2023 SDDSC092, 5 March, 2024 SDDSC107, 30 May, 2024 SDDSC117, 13 June, 2024 SDDSC118, 5 September, 2024 SDDSC130, 28 October, 2024 SDDSC137W2, 28 November, 2024 SDDSC141, 9 December, 2024 SDDSC145, 18 December, 2024 SDDSC129 & 144, 28 May, 2025 SDDSC161, 16 June, 2025 SDDSC162, 26 August, 2025 SDDSC171, 8 September, 2025 SDDSC170A.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not materially modified from the original market announcement.

#### Forward-Looking Statement

This news release contains forward-looking statements. Forward-looking statements involve known and unknown risks, uncertainties and assumptions and accordingly, actual results and future events could differ materially from those expressed or implied in such statements. You are hence cautioned not to place undue reliance on forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements. Forward-looking statements include words or expressions such as "proposed", "will", "subject to", "near future", "in the event", "would", "expect", "prepared to" and other similar words or expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive,



political, social uncertainties; the state of capital markets, unforeseen events, developments, or factors causing any of the expectations, assumptions, and other factors ultimately being inaccurate or irrelevant; and other risks described in the Company's documents filed with Canadian or Australian (under code SX2) securities regulatory authorities. You can find further information with respect to these and other risks in filings made by the Company with the securities regulatory authorities in Canada or Australia (under code SX2), as applicable, and available for the Company in Canada at [www.sedarplus.ca](http://www.sedarplus.ca) or in Australia at [www.asx.com.au](http://www.asx.com.au) (under code SX2). Documents are also available at [www.southerncrossgold.com](http://www.southerncrossgold.com). The Company disclaims any obligation to update or revise these forward-looking statements, except as required by applicable law.

Figure 1: Sunday Creek plan view showing selected results from holes SDDSC167, SDDSC174, SDDSC174A, SDDSC174B, SDDSC174BW1, SDDSC174BW2, SDDSC179, SDDSC181, SDDSC183, SDDSC185, SDDSC189 and SDDSC192 reported here (dark blue highlighted box, black trace), with selected prior reported drill holes.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_003full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_003full.jpg)

Figure 2: Sunday Creek plan view showing selected drillhole traces from holes SDDSC167, SDDSC174, SDDSC174A, SDDSC174B, SDDSC174BW1, SDDSC174BW2, SDDSC179, SDDSC181, SDDSC183, SDDSC185, SDDSC189 and SDDSC192 reported here (black trace), with prior reported drill holes (grey trace) and currently drilling and assays pending hole traces (dark blue).

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_004full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_004full.jpg)

Figure 3: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/altered sediment host looking towards the north (striking 236 degrees) showing mineralized vein sets. Showing holes SDDSC167, SDDSC174, SDDSC174A, SDDSC174B, SDDSC174BW1, SDDSC174BW2, SDDSC179, SDDSC181, SDDSC183, SDDSC185, SDDSC189 and SDDSC192 reported here (dark blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_005full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_005full.jpg)

Figure 4: Sunday Creek regional Geology map showing surface trend of dyke

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_006full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_006full.jpg)

Figure 5: Sunday Creek regional plan view showing soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo. Map in GDA94/ MGA Zone 55.

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_007full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_007full.jpg)

Figure 6: Location of the Sunday Creek project, along with the 100% owned Redcastle Gold-Antimony Project

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11541/278279\\_039dbda984823b89\\_008full.jpg](https://images.newsfilecorp.com/files/11541/278279_039dbda984823b89_008full.jpg)

Table 1: Drill collar summary table for recent drill holes in progress.

## This Release

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC167	404.8	Apollo East	331830.3	5868092	347.9	-37.9	216.9
SDDSC174 (Abandoned)	469.3	Apollo	331595.7	5867936	345.4	-42.1	264.8
SDDSC174A (Abandoned)	306.7	Apollo	331595.5	5867936	345.5	-41.5	263.2
SDDSC174B	912.5	Apollo	331596.2	5867936	345.5	-41.6	263
SDDSC174BW1	935.04	Apollo	331596.2	5867936	345.5	-41.6	261.3
SDDSC174BW2	935	Apollo	331596.2	5867936	345.5	-43.1	268.7
SDDSC179	448.8	Apollo	331465	5867863	333.2	-38.6	265.4
SDDSC181	1142.5	Apollo	331614.8	5867952	346.9	-52.7	269.2
SDDSC183	343.1	Christina	329713.9	5867445	300.1	-40	340.2
SDDSC185	651.85	Regional	329233.2	5867242	323.9	-35	25
SDDSC189	707	Regional	329232.5	5867217	324.3	-35	150.1
SDDSC192	1141.2	Apollo	331615.2	5867952	347	-56.2	268.8

## Currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC176	865.8	Golden Dyke	330950.2	5868006.1	313.7	-53.2	257.3
SDDSC180	1159.77	Christina	330753.2	5867732.9	306.8	-45	273.1
SDDSC186	791.5	Golden Dyke	330950.5	5868006.3	313.8	-54	262.6
SDDSC186W1	774.1	Golden Dyke	330950.5	5868006.3	313.8	-54	262.6
SDDSC186W2	1100.2	Golden Dyke	330950.5	5868006.3	313.8	-54	262.6
SDDSC187	518.3	Rising Sun	330510.7	5867852.7	295.4	-50.5	75.4
SDDSC188	702.8	Christina	330218.3	5867664	268.9	-50.5	57.9
SDDSC190	451.8	Rising Sun	330511.4	5867852.5	295.5	-40.8	80.1
SDDSC191W1	1132.9	Christina	330753.5	5867733	306.8	-46.3	275.2
SDDSC193	668.1	Golden Dyke	330775.4	5867891	295.5	-58.6	262.2
SDDSC194	929	Golden Dyke	330811.4	5867596.4	295.1	-64.4	310
SDDSC194W1	In Progress plan 1650 m	Golden Dyke	330811.4	5867596.4	295.1	-64.4	311.2
SDDSC195	152.15	Apollo	330989.7	5867715.6	318	-53.3	60.5
SDDSC196	1082.53	Rising Sun	330484.2	5867893.4	289.5	-64.4	74.8
SDDSC197	791.5	Golden Dyke	330217.8	5867664.2	268.9	-58.7	50.8
SDDSC198	273.6	Apollo	331180.4	5867849.1	306.1	-31.5	248.6
SDDSC199	503.43	Apollo	330887.5	5867704.5	312.7	-42.8	52.2
SDDSC200	320.54	Apollo	330887.2	5867704.3	312.7	-47.8	53
SDDSC201	321.4	Rising Sun	330948.3	5868003.4	313.3	-28.9	231.3
SDDSC202	In Progress plan 950 m	Apollo	331596.2	5867936.2	345.5	-42.6	266.6
SDDSC203	547	Golden Dyke	330775.3	5867888.9	295.5	-47.5	253.4
SDDSC204	1208.3	Apollo	331615.6	5867952.4	346.5	-58.2	270.4
SDDSC205	In Progress plan 1320 m	Rising Sun	330339.5	5867860.7	276.9	-64.4	75.5
SDDSC206	286.2	Golden Dyke	330752.7	5867734.4	306.9	-33	301
SDDSC207	584.25	Christina	330094.8	5867459.3	278.3	-48.8	20.7
SDDSC208	929.3	Christina	330753.5	5867733	306.7	-47.1	281
SDDSC209	271.58	Apollo East	331463.3	5867746.4	341.2	-30.5	34

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC210	512	Golden Dyke	330813.6	5867847.5	301.1	-43.6	264.3
SDDSC211	380	Golden Dyke	330700.3	5867880.2	299.4	-40.1	250.4
SDDSC212	438.7	Apollo East	331465.1	5867867.5	332.9	-33	261
SDDSC213	941.4	Golden Dyke	330094.2	5867458.6	278.3	-62.6	14.6
SDDSC214	In Progress plan 1150 m	Apollo	331615.5	5867952.7	346.8	-55.2	269
SDDSC215	476.7	Regional	331602.8	5867185.2	305.1	-38	15
SDDSC216A	572.2	Golden Dyke	330700.3	5867880.2	299.4	46.2	250.8
SDDSC217	In Progress plan 400 m	Apollo East	331481	5867842	336.2	-24.7	262.3
SDDSC218	In Progress plan 600 m	Golden Dyke	330813.6	5867847.5	301.1	-47.6	265.5
SDDSC219	In Progress plan 540 m	Golden Dyke	330700.3	5867880.2	299.4	-49.5	247.6
SDDSC220	In Progress plan 520 m	Christina	329780.9	5867551.9	286.5	-26	70.8
SDDSC221	In Progress plan 1050 m	Golden Dyke	330753.5	5867733	306.7	-50.6	284.1
Regional holes currently being processed and analyzed							

Hole ID	Press Release Depth	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDRE016	In Progress plan 360 m	Redcastle	302732	5927292	194.61	-50	68
Abandoned Drillholes currently being processed and analyzed							

Hole ID	Press Release Depth	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC191	864.4	Christina	330753.5	5867733	306.8	-46.1	275.2
SDDSC216	131.2	Golden Dyke	330700.3	5867880.2	299.4	-46.5	252.3

Table 2: Table of mineralized drill hole intersections reported from SDDSC167, SDDSC174, SDDSC174A, SDDSC174B, SDDSC174BW1, SDDSC174BW2, SDDSC179, SDDSC181, SDDSC183, SDDSC185, SDDSC189 and SDDSC192 with two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m. Significant intersections and interval depths are rounded to one decimal place.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174B	510.70	511.10	0.40	24.0	0.7	25.6
SDDSC174B	520.60	524.60	4.00	1.6	0.2	2.1
SDDSC174B	534.50	541.00	6.50	1.3	0.2	1.8
SDDSC174B	856.20	856.50	0.30	34.6	4.7	45.9
SDDSC174B	863.28	863.38	0.10	17.5	9.0	38.9
SDDSC174B	866.35	866.55	0.20	11.4	0.3	12.0
SDDSC174B	872.15	873.95	1.80	0.8	0.2	1.3
SDDSC174BW1	746.32	749.52	3.20	0.5	0.3	1.2
SDDSC174BW1	755.83	761.13	5.30	0.7	0.3	1.5
SDDSC174BW1	765.30	774.00	8.70	0.8	0.2	1.4
Including	769.05	769.45	0.40	12.4	1.3	15.4
SDDSC174BW1	778.70	779.00	0.30	10.9	2.1	15.9
SDDSC174BW1	782.40	788.80	6.40	1.7	1.1	4.3
Including	784.85	786.55	1.70	4.8	2.0	9.7
SDDSC174BW1	792.00	794.20	2.20	0.8	0.2	1.3
SDDSC174BW1	796.55	796.75	0.20	5.9	8.3	25.7
SDDSC174BW1	800.68	800.78	0.10	42.3	17.4	83.9
SDDSC174BW1	810.00	812.30	2.30	11.3	2.4	17.1
Including	810.00	810.30	0.30	77.0	7.2	94.2
Including	811.30	811.40	0.10	49.7	25.1	109.7
SDDSC174BW1	820.65	821.75	1.10	1.4	0.4	2.3
SDDSC174BW1	823.85	825.25	1.40	0.9	3.0	8.1
Including	823.85	824.05	0.20	3.1	10.9	29.2
SDDSC174BW1	829.50	829.70	0.20	15.7	0.7	17.4
SDDSC174BW1	832.00	836.00	4.00	1.6	0.2	2.0
SDDSC174BW2	734.42	736.22	1.80	0.8	0.4	1.8
SDDSC174BW2	797.90	800.00	2.10	1.0	0.2	1.5
SDDSC174BW2	811.33	813.83	2.50	0.3	0.4	1.1

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174BW2	818.00	820.90	2.90	0.6	0.3	1.3
SDDSC174BW2	825.00	828.40	3.40	1.8	1.0	4.2
Including	826.09	827.99	1.90	3.0	1.7	7.0
SDDSC174BW2	830.77	834.27	3.50	1.0	1.2	4.0
Including	831.48	832.18	0.70	3.5	4.8	15.0
SDDSC174BW2	853.84	855.74	1.90	1.0	0.1	1.3
SDDSC174BW2	866.45	868.75	2.30	12.2	2.2	17.4
Including	867.28	867.98	0.70	41.3	7.4	58.9
SDDSC179	276.22	276.82	0.60	9.0	1.9	13.5
SDDSC179	368.28	368.68	0.40	12.4	0.7	14.0
Including	368.28	368.48	0.20	28.4	1.6	32.2
SDDSC181	602.20	617.90	15.70	1.7	0.3	2.5
Including	609.85	610.45	0.60	20.4	0.1	20.7
SDDSC181	647.17	649.67	2.50	1.5	0.0	1.6
SDDSC181	676.98	679.68	2.70	2.4	0.8	4.2
Including	677.78	678.68	0.90	3.2	1.4	6.5
SDDSC181	688.33	688.83	0.50	13.6	0.1	13.9
SDDSC181	698.68	699.18	0.50	8.6	2.8	15.3
SDDSC181	866.40	867.30	0.90	3.3	0.8	5.3
SDDSC192	604.12	604.42	0.30	19.6	1.0	21.9
SDDSC192	621.36	623.26	1.90	2.6	0.0	2.6
SDDSC192	655.11	656.31	1.20	3.5	0.0	3.6
SDDSC192	662.30	670.40	8.10	1.6	0.1	2.0
SDDSC192	690.60	691.20	0.60	6.9	0.0	6.9
SDDSC192	708.55	712.15	3.60	14.6	0.0	14.7
Including	711.54	712.14	0.60	82.0	0.2	82.6
SDDSC192	731.26	731.36	0.10	19.0	1.3	22.1
SDDSC192	734.91	736.11	1.20	6.2	0.0	6.2
Including	735.24	736.14	0.90	7.4	0.0	7.4
SDDSC192	916.94	919.14	2.20	1.2	0.2	1.7
SDDSC192	921.50	929.30	7.80	0.6	0.8	2.6
Including	921.50	923.50	2.00	0.6	1.8	4.9
SDDSC192	934.55	940.15	5.60	2.0	0.2	2.4
Including	934.55	935.55	1.00	6.3	0.4	7.2
SDDSC192	1032.00	1034.60	2.60	1.9	0.0	1.9
SDDSC192	1037.31	1038.31	1.00	5.6	0.0	5.6
SDDSC192	1077.60	1081.30	3.70	1.4	0.0	1.4

Table 3: All individual assays reported from SDDSC167, SDDSC174, SDDSC174A, SDDSC174B, SDDSC174BW1, SDDSC174BW2, SDDSC179, SDDSC181, SDDSC183, SDDSC185, SDDSC189 and SDDSC192 reported here >0.1g/t AuEq. Individual assay and sample intervals are reported to two decimal places.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC167	20.06	20.35	0.29	0.1	0.00	0.11
SDDSC174	223.13	223.94	0.81	0.11	0.01	0.14
SDDSC174A	254	254.8	0.80	0.11	0.00	0.11
SDDSC174A	256.02	256.97	0.95	0.29	0.01	0.30
SDDSC174A	256.97	257.15	0.18	0.38	0.00	0.39
SDDSC174A	257.15	257.46	0.31	0.2	0.01	0.23
SDDSC174A	257.46	258.21	0.75	0.18	0.00	0.19
SDDSC174A	258.21	259.19	0.98	0.17	0.00	0.18
SDDSC174B	271.46	272.56	1.10	0.26	0.00	0.26
SDDSC174B	272.56	273.5	0.94	0.13	0.00	0.13
SDDSC174B	491.2	492.4	1.20	0.34	0.06	0.49
SDDSC174B	492.4	493	0.60	0.05	0.25	0.65
SDDSC174B	499	500	1.00	0.14	0.01	0.15
SDDSC174B	500	501	1.00	0.88	0.17	1.29

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174B	501	502	1.00	0.14	0.01	0.16
SDDSC174B	509.9	510.7	0.80	0.48	0.03	0.55
SDDSC174B	510.7	511.14	0.44	24	0.67	25.60
SDDSC174B	511.14	511.5	0.36	0.3	0.05	0.42
SDDSC174B	511.5	511.7	0.20	0.48	0.17	0.89
SDDSC174B	511.7	512.75	1.05	0.14	0.01	0.17
SDDSC174B	514.8	515.6	0.80	0.1	0.01	0.12
SDDSC174B	516.9	517.3	0.40	0.12	0.01	0.13
SDDSC174B	520	520.6	0.60	0.31	0.04	0.41
SDDSC174B	520.6	520.9	0.30	14.1	0.67	15.70
SDDSC174B	520.9	521.6	0.70	0.33	0.58	1.72
SDDSC174B	521.6	522.6	1.00	0.21	0.13	0.52
SDDSC174B	522.6	523.6	1.00	0.87	0.06	1.01
SDDSC174B	523.6	524.4	0.80	0.82	0.05	0.94
SDDSC174B	524.4	524.6	0.20	1.17	0.05	1.28
SDDSC174B	524.6	525.7	1.10	0.35	0.04	0.45
SDDSC174B	525.7	526.1	0.40	0.6	0.01	0.63
SDDSC174B	526.1	527.1	1.00	0.21	0.01	0.22
SDDSC174B	527.1	528	0.90	0.1	0.01	0.12
SDDSC174B	528.9	529.5	0.60	0.1	0.00	0.11
SDDSC174B	530.4	531.4	1.00	0.28	0.01	0.31
SDDSC174B	531.4	532.2	0.80	1.24	0.03	1.32
SDDSC174B	532.2	532.4	0.20	0.07	0.08	0.26
SDDSC174B	532.4	533.5	1.10	0.17	0.04	0.27
SDDSC174B	533.5	534.5	1.00	0.13	0.01	0.15
SDDSC174B	534.5	535.1	0.60	4.84	0.31	5.58
SDDSC174B	535.1	536	0.90	0.29	0.01	0.31
SDDSC174B	536	537	1.00	1	0.08	1.18
SDDSC174B	537	538	1.00	0.8	0.24	1.37
SDDSC174B	538	538.6	0.60	0.4	0.04	0.49
SDDSC174B	538.6	539.15	0.55	4.17	0.94	6.42
SDDSC174B	539.15	540	0.85	0.53	0.03	0.61
SDDSC174B	540	541	1.00	0.82	0.25	1.42
SDDSC174B	541	542	1.00	0.67	0.02	0.72
SDDSC174B	542	543	1.00	0.18	0.01	0.21
SDDSC174B	543	544	1.00	0.16	0.01	0.18
SDDSC174B	544	545	1.00	0.18	0.01	0.20
SDDSC174B	545	546	1.00	0.2	0.01	0.22
SDDSC174B	546	547	1.00	0.2	0.01	0.21
SDDSC174B	547	547.8	0.80	0.44	0.12	0.73
SDDSC174B	547.8	548.6	0.80	1.06	0.07	1.22
SDDSC174B	548.6	549.4	0.80	0.78	0.03	0.84
SDDSC174B	549.4	550.5	1.10	0.26	0.01	0.29
SDDSC174B	552.8	553.8	1.00	0.3	0.01	0.31
SDDSC174B	558.1	559.1	1.00	0.16	0.01	0.18
SDDSC174B	559.1	560	0.90	0.38	0.01	0.39
SDDSC174B	560	561	1.00	0.33	0.00	0.34
SDDSC174B	561	562	1.00	0.5	0.00	0.51
SDDSC174B	562	563	1.00	0.21	0.01	0.22
SDDSC174B	563	564	1.00	0.4	0.01	0.41
SDDSC174B	564	565	1.00	0.64	0.00	0.65
SDDSC174B	565	566	1.00	0.2	0.00	0.21
SDDSC174B	566	567	1.00	0.12	0.00	0.13
SDDSC174B	567	568	1.00	0.26	0.00	0.27
SDDSC174B	568	569	1.00	0.15	0.00	0.16
SDDSC174B	569	570	1.00	0.24	0.00	0.25
SDDSC174B	573	573.6	0.60	0.15	0.00	0.16

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174B	573.6	574	0.40	0.34	0.00	0.35
SDDSC174B	577.3	578.3	1.00	0.73	0.00	0.74
SDDSC174B	578.3	579.3	1.00	0.56	0.00	0.57
SDDSC174B	852	853	1.00	0.11	0.03	0.18
SDDSC174B	853	853.7	0.70	0.1	0.02	0.15
SDDSC174B	854.7	855.7	1.00	0.11	0.07	0.27
SDDSC174B	856.2	856.45	0.25	34.6	4.72	45.88
SDDSC174B	860	861	1.00	-0.01	0.13	0.30
SDDSC174B	861	862	1.00	0.13	0.01	0.14
SDDSC174B	863.28	863.42	0.14	17.5	8.97	38.94
SDDSC174B	866.1	866.35	0.25	0.43	0.02	0.48
SDDSC174B	866.35	866.5	0.15	11.4	0.25	12.00
SDDSC174B	866.5	867	0.50	0.47	0.03	0.54
SDDSC174B	869.4	870	0.60	0.14	0.04	0.23
SDDSC174B	870	870.65	0.65	0.39	0.12	0.68
SDDSC174B	871	872.15	1.15	0.4	0.18	0.83
SDDSC174B	872.15	872.3	0.15	2.2	0.27	2.85
SDDSC174B	872.3	873	0.70	0.78	0.14	1.11
SDDSC174B	873	873.9	0.90	0.53	0.25	1.13
SDDSC174B	873.9	874.8	0.90	0.23	0.04	0.33
SDDSC174B	874.8	875.4	0.60	0.41	0.04	0.49
SDDSC174B	875.4	876.15	0.75	0.19	0.05	0.31
SDDSC174B	876.15	877	0.85	0.52	0.02	0.57
SDDSC174B	877	878	1.00	0.1	0.05	0.21
SDDSC174B	878	879	1.00	0.73	0.05	0.86
SDDSC174B	890	891	1.00	0.54	0.01	0.56
SDDSC174B	891	892	1.00	0.11	0.01	0.13
SDDSC174B	892	893	1.00	0.09	0.01	0.11
SDDSC174BW1	738.82	739.21	0.39	0.45	0.30	1.17
SDDSC174BW1	739.21	739.67	0.46	0.41	0.02	0.47
SDDSC174BW1	739.67	740.8	1.13	0.1	0.01	0.12
SDDSC174BW1	745.8	746.32	0.52	0.26	0.04	0.36
SDDSC174BW1	746.32	747.19	0.87	0.8	0.32	1.56
SDDSC174BW1	748.34	749	0.66	0.54	0.42	1.54
SDDSC174BW1	749	749.17	0.17	1.42	0.57	2.78
SDDSC174BW1	749.17	749.54	0.37	0.91	0.56	2.25
SDDSC174BW1	752.54	752.82	0.28	0.11	0.00	0.12
SDDSC174BW1	752.82	753.31	0.49	0.2	0.00	0.21
SDDSC174BW1	753.68	753.98	0.30	0.23	0.04	0.33
SDDSC174BW1	754.9	755.48	0.58	0.11	0.19	0.56
SDDSC174BW1	755.83	755.94	0.11	3.46	0.01	3.48
SDDSC174BW1	755.94	756.56	0.62	1.16	0.03	1.24
SDDSC174BW1	756.56	757.44	0.88	0.1	0.02	0.14
SDDSC174BW1	757.44	758.2	0.76	0.46	0.54	1.75
SDDSC174BW1	758.2	758.74	0.54	0.94	0.82	2.90
SDDSC174BW1	758.74	759.34	0.60	0.11	0.03	0.18
SDDSC174BW1	759.34	759.49	0.15	3.52	1.58	7.30
SDDSC174BW1	759.49	760	0.51	0.21	0.01	0.24
SDDSC174BW1	760	760.39	0.39	0.55	0.37	1.43
SDDSC174BW1	760.39	760.8	0.41	0.63	0.29	1.32
SDDSC174BW1	760.8	761.1	0.30	1.32	0.99	3.69
SDDSC174BW1	761.1	762	0.90	0.54	0.05	0.65
SDDSC174BW1	765.3	766.45	1.15	0.42	0.32	1.18
SDDSC174BW1	766.45	767.35	0.90	0.54	0.23	1.09
SDDSC174BW1	769.05	769.41	0.36	12.4	1.27	15.44
SDDSC174BW1	769.41	770	0.59	0.2	0.06	0.33
SDDSC174BW1	770	771.05	1.05	0.07	0.02	0.11

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174BW1 771.05	771.05	771.25	0.20	0.55	0.81	2.49
SDDSC174BW1 772	772	773	1.00	0.27	0.32	1.03
SDDSC174BW1 773	773	774	1.00	1.34	0.29	2.03
SDDSC174BW1 775	775	776	1.00	0.07	0.04	0.17
SDDSC174BW1 777	777	778	1.00	0.18	0.06	0.33
SDDSC174BW1 778.7	778.7	779.02	0.32	10.9	2.09	15.90
SDDSC174BW1 779.02	779.02	780	0.98	0.21	0.18	0.64
SDDSC174BW1 780	780	781.2	1.20	0.27	0.20	0.75
SDDSC174BW1 781.2	781.2	782.4	1.20	0.25	0.05	0.37
SDDSC174BW1 782.4	782.4	783	0.60	0.72	0.63	2.23
SDDSC174BW1 783	783	784	1.00	0.14	1.11	2.79
SDDSC174BW1 784	784	784.85	0.85	0.6	0.49	1.77
SDDSC174BW1 784.85	784.85	785.3	0.45	0.86	2.63	7.15
SDDSC174BW1 785.3	785.3	786.2	0.90	0.09	0.05	0.20
SDDSC174BW1 786.2	786.2	786.58	0.38	20.8	6.09	35.36
SDDSC174BW1 786.58	786.58	787.78	1.20	0.06	0.02	0.11
SDDSC174BW1 787.78	787.78	787.92	0.14	7.5	8.38	27.53
SDDSC174BW1 787.92	787.92	788.8	0.88	0.35	0.31	1.09
SDDSC174BW1 788.8	788.8	790	1.20	0.08	0.04	0.18
SDDSC174BW1 792	792	793	1.00	0.71	0.25	1.31
SDDSC174BW1 793.6	793.6	794.2	0.60	1.8	0.28	2.47
SDDSC174BW1 794.2	794.2	795	0.80	0.15	0.02	0.19
SDDSC174BW1 795	795	795.7	0.70	0.12	0.02	0.16
SDDSC174BW1 796.55	796.55	796.75	0.20	5.88	8.29	25.69
SDDSC174BW1 800.68	800.68	800.8	0.12	42.3	17.40	83.89
SDDSC174BW1 803.2	803.2	804	0.80	0.06	0.05	0.18
SDDSC174BW1 805	805	806	1.00	0.75	0.05	0.87
SDDSC174BW1 810	810	810.25	0.25	77	7.19	94.18
SDDSC174BW1 810.25	810.25	811.3	1.05	0.44	0.60	1.87
SDDSC174BW1 811.3	811.3	811.4	0.10	49.7	25.10	109.69
SDDSC174BW1 811.4	811.4	812.25	0.85	0.83	0.61	2.29
SDDSC174BW1 815.5	815.5	815.65	0.15	0.32	3.73	9.23
SDDSC174BW1 820.65	820.65	821.7	1.05	1.35	0.40	2.31
SDDSC174BW1 822.8	822.8	823.85	1.05	0.11	0.04	0.19
SDDSC174BW1 823.85	823.85	824.05	0.20	3.12	10.90	29.17
SDDSC174BW1 824.05	824.05	825.1	1.05	0.43	0.97	2.75
SDDSC174BW1 825.1	825.1	825.2	0.10	1.19	8.91	22.48
SDDSC174BW1 825.2	825.2	826	0.80	0.32	0.01	0.34
SDDSC174BW1 826	826	827	1.00	0.07	0.02	0.11
SDDSC174BW1 828	828	828.55	0.55	0.34	0.03	0.41
SDDSC174BW1 828.55	828.55	829.5	0.95	0.22	0.07	0.38
SDDSC174BW1 829.5	829.5	829.7	0.20	15.7	0.73	17.44
SDDSC174BW1 829.7	829.7	830.9	1.20	0.71	0.09	0.92
SDDSC174BW1 830.9	830.9	832	1.10	0.35	0.02	0.39
SDDSC174BW1 832	832	832.5	0.50	1.64	0.04	1.74
SDDSC174BW1 832.5	832.5	832.95	0.45	4.85	0.45	5.93
SDDSC174BW1 832.95	832.95	833.7	0.75	2.51	0.13	2.82
SDDSC174BW1 833.7	833.7	834.4	0.70	1	0.30	1.72
SDDSC174BW1 834.4	834.4	835.2	0.80	0.11	0.01	0.14
SDDSC174BW1 835.2	835.2	836	0.80	0.81	0.11	1.07
SDDSC174BW1 836	836	837	1.00	0.31	0.03	0.37
SDDSC174BW1 839	839	839.9	0.90	0.63	0.01	0.65
SDDSC174BW1 839.9	839.9	840.63	0.73	0.3	0.00	0.31
SDDSC174BW1 841.96	841.96	842.2	0.24	0.01	0.06	0.16
SDDSC174BW1 899.49	899.49	899.65	0.16	1.64	0.17	2.05
SDDSC174BW1 899.65	899.65	899.94	0.29	0.13	0.01	0.14
SDDSC174BW1 908.25	908.25	908.97	0.72	0.18	0.01	0.19

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174BW1908.97	908.97	909.15	0.18	0.53	0.01	0.54
SDDSC174BW1909.91	909.91	910.26	0.35	0.1	0.01	0.12
SDDSC174BW1910.26	910.26	910.48	0.22	0.33	0.01	0.35
SDDSC174BW1911	911	912	1.00	0.17	0.01	0.18
SDDSC174BW2730.6	730.6	731.29	0.69	0.27	0.00	0.28
SDDSC174BW2731.29	731.29	732.32	1.03	0.11	0.00	0.12
SDDSC174BW2732.32	732.32	733.2	0.88	0.25	0.01	0.28
SDDSC174BW2733.2	733.2	734.42	1.22	0.26	0.01	0.29
SDDSC174BW2734.42	734.42	734.85	0.43	0.81	1.44	4.25
SDDSC174BW2734.85	734.85	735.2	0.35	0.64	0.06	0.79
SDDSC174BW2735.2	735.2	735.42	0.22	0.81	0.26	1.43
SDDSC174BW2735.42	735.42	736.15	0.73	0.73	0.07	0.89
SDDSC174BW2736.15	736.15	736.25	0.10	1.29	0.31	2.03
SDDSC174BW2737	737	738.3	1.30	0.12	0.02	0.16
SDDSC174BW2738.3	738.3	738.8	0.50	0.88	0.66	2.46
SDDSC174BW2738.8	738.8	739.36	0.56	0.14	0.00	0.15
SDDSC174BW2743	743	743.15	0.15	0.24	0.00	0.25
SDDSC174BW2750.6	750.6	751.1	0.50	0.47	0.58	1.86
SDDSC174BW2751.1	751.1	751.49	0.39	0.71	0.71	2.41
SDDSC174BW2751.49	751.49	752.22	0.73	0.09	0.01	0.11
SDDSC174BW2762.6	762.6	763.28	0.68	0.1	0.02	0.15
SDDSC174BW2763.28	763.28	763.65	0.37	1.66	0.75	3.45
SDDSC174BW2763.65	763.65	764.9	1.25	0.14	0.01	0.16
SDDSC174BW2764.9	764.9	766.2	1.30	0.11	0.00	0.12
SDDSC174BW2794	794	794.3	0.30	0.09	0.01	0.11
SDDSC174BW2797	797	797.9	0.90	0.55	0.09	0.77
SDDSC174BW2797.9	797.9	798.28	0.38	1.2	0.89	3.33
SDDSC174BW2798.28	798.28	798.43	0.15	0.09	0.03	0.15
SDDSC174BW2799.18	799.18	799.52	0.34	0.49	0.03	0.55
SDDSC174BW2799.52	799.52	799.69	0.17	1.52	0.04	1.62
SDDSC174BW2799.69	799.69	800	0.31	3.51	0.25	4.11
SDDSC174BW2800	800	801.05	1.05	0.07	0.02	0.11
SDDSC174BW2802	802	802.26	0.26	0.25	0.19	0.70
SDDSC174BW2810.3	810.3	811.33	1.03	0.06	0.03	0.13
SDDSC174BW2811.33	811.33	811.74	0.41	0.33	0.69	1.98
SDDSC174BW2811.74	811.74	812.11	0.37	0.1	0.16	0.48
SDDSC174BW2812.11	812.11	812.8	0.69	0.41	0.41	1.39
SDDSC174BW2813.57	813.57	813.86	0.29	0.78	0.90	2.93
SDDSC174BW2818	818	818.3	0.30	0.63	0.60	2.06
SDDSC174BW2818.3	818.3	818.41	0.11	0.9	6.05	15.36
SDDSC174BW2819.2	819.2	819.8	0.60	0.29	0.04	0.38
SDDSC174BW2819.8	819.8	820.29	0.49	0.16	0.02	0.20
SDDSC174BW2820.29	820.29	820.89	0.60	1.7	0.01	1.72
SDDSC174BW2820.89	820.89	821.12	0.23	0.12	0.01	0.14
SDDSC174BW2821.87	821.87	822	0.13	0.32	0.27	0.97
SDDSC174BW2822	822	822.7	0.70	0.07	0.03	0.13
SDDSC174BW2822.7	822.7	823	0.30	0.56	1.53	4.22
SDDSC174BW2825	825	825.37	0.37	0.39	0.32	1.15
SDDSC174BW2826.09	826.09	826.2	0.11	12.6	3.10	20.01
SDDSC174BW2826.2	826.2	826.76	0.56	0.43	0.88	2.53
SDDSC174BW2826.76	826.76	826.94	0.18	0.85	1.86	5.30
SDDSC174BW2826.94	826.94	827.14	0.20	7.13	3.28	14.97
SDDSC174BW2827.14	827.14	827.4	0.26	1.35	4.64	12.44
SDDSC174BW2827.4	827.4	827.83	0.43	0.04	0.12	0.33
SDDSC174BW2827.83	827.83	828	0.17	13	0.52	14.24
SDDSC174BW2828	828	828.4	0.40	0.27	0.44	1.32
SDDSC174BW2828.4	828.4	829	0.60	0.11	0.02	0.16



Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC174BW2829	829.46	829.46	0.46	0.1	0.12	0.39
SDDSC174BW2829.46	830.22	830.22	0.76	0.08	0.01	0.10
SDDSC174BW2830.77	831.48	831.48	0.71	0.69	0.25	1.29
SDDSC174BW2831.48	831.6	831.6	0.12	5.55	1.31	8.68
SDDSC174BW2831.6	831.91	831.91	0.31	0.08	0.02	0.13
SDDSC174BW2831.91	832.2	832.2	0.29	6.35	11.40	33.60
SDDSC174BW2832.2	832.34	832.34	0.14	0.03	0.20	0.51
SDDSC174BW2834.18	834.28	834.28	0.10	3.98	6.71	20.02
SDDSC174BW2840.25	840.75	840.75	0.50	0.16	0.21	0.66
SDDSC174BW2840.75	840.96	840.96	0.21	3.52	2.35	9.14
SDDSC174BW2840.96	842.08	842.08	1.12	0.07	0.03	0.14
SDDSC174BW2848	848.97	848.97	0.97	0.45	0.02	0.49
SDDSC174BW2853.84	854.08	854.08	0.24	0.52	0.28	1.19
SDDSC174BW2854.08	854.26	854.26	0.18	6.96	0.07	7.12
SDDSC174BW2854.26	855.44	855.44	1.18	0.26	0.07	0.43
SDDSC174BW2855.44	855.75	855.75	0.31	0.85	0.31	1.59
SDDSC174BW2855.75	857	857	1.25	0.09	0.01	0.12
SDDSC174BW2861.5	862.6	862.6	1.10	0.11	0.01	0.13
SDDSC174BW2863.9	864.57	864.57	0.67	0.17	0.01	0.20
SDDSC174BW2866.45	867.28	867.28	0.83	1.26	0.20	1.74
SDDSC174BW2867.28	867.67	867.67	0.39	64.7	8.74	85.59
SDDSC174BW2867.67	867.77	867.77	0.10	2.28	1.62	6.15
SDDSC174BW2867.77	867.93	867.93	0.16	8.56	7.68	26.92
SDDSC174BW2867.93	868.62	868.62	0.69	0.33	0.04	0.42
SDDSC174BW2868.62	868.77	868.77	0.15	0.7	0.54	1.99
SDDSC174BW2868.77	869.39	869.39	0.62	0.31	0.04	0.39
SDDSC174BW2882.46	882.65	882.65	0.19	0.68	0.04	0.78
SDDSC174BW2903.8	904.79	904.79	0.99	1.07	0.01	1.09
SDDSC174BW2906.96	907.28	907.28	0.32	0.14	0.01	0.15
SDDSC174BW2907.28	908.13	908.13	0.85	0.45	0.01	0.48
SDDSC174BW2908.13	908.75	908.75	0.62	1.27	0.01	1.28
SDDSC174BW2908.75	909.74	909.74	0.99	0.09	0.01	0.11
SDDSC174BW2909.74	911.04	911.04	1.30	0.13	0.01	0.15
SDDSC179	253.7	255	1.30	0.09	0.01	0.11
SDDSC179	255.65	256.56	0.91	0.23	0.00	0.24
SDDSC179	256.56	257.37	0.81	0.31	0.00	0.32
SDDSC179	257.85	258.67	0.82	0.18	0.01	0.20
SDDSC179	259.7	260.32	0.62	0.19	0.00	0.20
SDDSC179	260.32	261.27	0.95	0.12	0.00	0.13
SDDSC179	272.9	273.87	0.97	0.14	0.00	0.15
SDDSC179	273.87	274.55	0.68	0.26	0.00	0.27
SDDSC179	276.22	276.45	0.23	12.3	2.36	17.94
SDDSC179	276.45	276.63	0.18	7.4	0.34	8.21
SDDSC179	276.63	276.78	0.15	5.75	3.10	13.16
SDDSC179	276.78	277.15	0.37	0.14	0.04	0.23
SDDSC179	277.15	277.75	0.60	0.35	0.04	0.44
SDDSC179	278.5	279.22	0.72	0.31	0.00	0.32
SDDSC179	280.22	280.37	0.15	0.69	0.00	0.70
SDDSC179	281.08	281.45	0.37	0.14	0.00	0.15
SDDSC179	281.45	282.06	0.61	0.26	0.01	0.28
SDDSC179	287.65	288.29	0.64	0.22	0.01	0.23
SDDSC179	288.29	288.48	0.19	0.47	0.01	0.49
SDDSC179	288.48	288.81	0.33	1.37	0.01	1.39
SDDSC179	288.81	289.27	0.46	0.37	0.00	0.38
SDDSC179	291.87	291.97	0.10	0.47	0.00	0.48
SDDSC179	309.3	310.05	0.75	0.14	0.00	0.15
SDDSC179	312.18	313	0.82	0.11	0.00	0.12

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC179	317.87	318.02	0.15	0.18	0.00	0.19
SDDSC179	346.44	346.94	0.50	0.33	0.00	0.34
SDDSC179	346.94	347.75	0.81	0.61	0.00	0.62
SDDSC179	348.31	348.67	0.36	0.12	0.00	0.13
SDDSC179	349.02	349.73	0.71	0.11	0.00	0.12
SDDSC179	368.05	368.28	0.23	0.11	0.00	0.12
SDDSC179	368.28	368.45	0.17	28.4	1.60	32.22
SDDSC179	368.45	368.69	0.24	1.04	0.01	1.07
SDDSC179	368.69	369.33	0.64	0.16	0.00	0.17
SDDSC179	369.33	369.44	0.11	0.14	0.01	0.17
SDDSC179	372.44	372.86	0.42	0.23	0.01	0.25
SDDSC179	400.7	401.03	0.33	1.47	0.00	1.48
SDDSC179	401.03	402.16	1.13	0.13	0.00	0.14
SDDSC179	402.16	402.69	0.53	0.1	0.00	0.11
SDDSC179	406.55	407.28	0.73	0.17	0.00	0.18
SDDSC179	407.28	407.49	0.21	0.53	0.01	0.55
SDDSC179	407.49	407.76	0.27	0.1	0.01	0.12
SDDSC179	407.76	408.14	0.38	0.43	0.01	0.44
SDDSC179	408.14	409.37	1.23	0.17	0.00	0.18
SDDSC179	409.37	410.16	0.79	0.19	0.00	0.20
SDDSC179	414.54	415.35	0.81	0.17	0.00	0.17
SDDSC179	415.35	415.74	0.39	0.55	0.00	0.56
SDDSC181	557.58	558.31	0.73	0.09	0.01	0.11
SDDSC181	584.23	584.47	0.24	1	0.00	1.01
SDDSC181	584.47	585.16	0.69	1.11	0.00	1.12
SDDSC181	585.16	585.72	0.56	0.48	0.00	0.49
SDDSC181	599.4	600.1	0.70	0.12	0.01	0.13
SDDSC181	600.1	600.64	0.54	0.34	0.04	0.44
SDDSC181	600.64	601.4	0.76	0.3	0.01	0.31
SDDSC181	601.4	601.55	0.15	0.97	0.00	0.98
SDDSC181	601.55	602.2	0.65	0.36	0.11	0.62
SDDSC181	602.2	603.05	0.85	0.82	0.92	3.02
SDDSC181	603.05	603.65	0.60	1.06	0.52	2.30
SDDSC181	603.65	604	0.35	0.8	2.46	6.68
SDDSC181	604	605	1.00	0.34	0.24	0.91
SDDSC181	605	605.7	0.70	0.45	0.16	0.83
SDDSC181	605.7	606.65	0.95	0.58	0.87	2.66
SDDSC181	606.65	607.1	0.45	0.36	0.02	0.40
SDDSC181	607.1	607.87	0.77	2.19	1.39	5.51
SDDSC181	607.87	608.3	0.43	0.64	0.33	1.43
SDDSC181	608.3	609.08	0.78	0.54	0.29	1.23
SDDSC181	609.08	609.85	0.77	0.87	0.12	1.16
SDDSC181	609.85	610.4	0.55	20.4	0.14	20.73
SDDSC181	610.4	611.2	0.80	0.6	0.01	0.63
SDDSC181	611.2	611.35	0.15	0.18	0.01	0.19
SDDSC181	611.35	612.1	0.75	0.81	0.01	0.84
SDDSC181	612.1	612.3	0.20	21.3	0.15	21.66
SDDSC181	612.3	613.24	0.94	0.34	0.04	0.44
SDDSC181	613.24	614	0.76	0.65	0.07	0.82
SDDSC181	614	614.45	0.45	1.15	0.55	2.46
SDDSC181	614.45	615.25	0.80	0.82	0.03	0.90
SDDSC181	615.25	616.15	0.90	0.83	0.01	0.86
SDDSC181	616.15	616.6	0.45	1.81	0.02	1.85
SDDSC181	616.6	617.85	1.25	0.83	0.08	1.01
SDDSC181	617.85	618.5	0.65	0.32	0.11	0.58
SDDSC181	618.5	619	0.50	0.16	0.07	0.33
SDDSC181	619	619.62	0.62	0.17	0.03	0.23

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC181	619.62	620.6	0.98	0.21	0.09	0.41
SDDSC181	620.6	621.9	1.30	0.17	0.01	0.20
SDDSC181	624.5	625.8	1.30	0.1	0.01	0.11
SDDSC181	625.8	625.9	0.10	0.43	0.00	0.44
SDDSC181	627.1	628.4	1.30	0.06	0.04	0.17
SDDSC181	628.4	629.7	1.30	0.06	0.02	0.11
SDDSC181	629.7	631	1.30	0.16	0.01	0.17
SDDSC181	638.35	638.87	0.52	0.29	0.01	0.30
SDDSC181	638.87	639.68	0.81	0.17	0.01	0.19
SDDSC181	647.17	648.34	1.17	2.12	0.02	2.17
SDDSC181	648.34	649.64	1.30	1.02	0.01	1.05
SDDSC181	649.64	650.48	0.84	0.25	0.01	0.27
SDDSC181	653	653.27	0.27	0.72	0.01	0.74
SDDSC181	662.5	663.8	1.30	0.3	0.01	0.32
SDDSC181	663.8	664.44	0.64	0.32	0.01	0.34
SDDSC181	664.44	664.86	0.42	0.56	0.01	0.58
SDDSC181	664.86	665.62	0.76	0.64	0.02	0.68
SDDSC181	665.62	666.72	1.10	0.74	0.00	0.75
SDDSC181	666.72	667.68	0.96	0.86	0.00	0.87
SDDSC181	667.68	668.81	1.13	0.37	0.01	0.38
SDDSC181	668.81	669.68	0.87	0.42	0.00	0.43
SDDSC181	669.68	670.07	0.39	0.53	0.01	0.54
SDDSC181	670.07	670.95	0.88	0.44	0.01	0.45
SDDSC181	670.95	671.5	0.55	0.63	0.00	0.64
SDDSC181	671.5	672.25	0.75	0.47	0.01	0.48
SDDSC181	672.25	673.32	1.07	0.09	0.00	0.10
SDDSC181	673.32	673.7	0.38	0.2	0.00	0.21
SDDSC181	673.7	674.78	1.08	0.32	0.01	0.34
SDDSC181	676.08	676.98	0.90	0.56	0.01	0.58
SDDSC181	676.98	677.12	0.14	1.2	0.01	1.22
SDDSC181	677.12	677.78	0.66	0.64	0.07	0.81
SDDSC181	677.78	678.7	0.92	3.2	1.37	6.47
SDDSC181	678.7	679.66	0.96	3.04	0.74	4.81
SDDSC181	679.66	680.32	0.66	0.4	0.07	0.58
SDDSC181	680.32	681.2	0.88	0.73	0.02	0.78
SDDSC181	681.2	681.78	0.58	0.34	0.05	0.47
SDDSC181	681.78	682.4	0.62	0.22	0.02	0.26
SDDSC181	682.4	683.22	0.82	0.89	0.04	0.99
SDDSC181	683.22	683.65	0.43	0.73	0.49	1.90
SDDSC181	683.65	684.25	0.60	0.85	0.13	1.16
SDDSC181	684.25	685.54	1.29	0.12	0.01	0.15
SDDSC181	685.54	686.35	0.81	0.72	0.03	0.80
SDDSC181	686.35	687.1	0.75	0.14	0.01	0.17
SDDSC181	687.1	687.75	0.65	0.31	0.02	0.35
SDDSC181	687.75	688.33	0.58	0.65	0.02	0.70
SDDSC181	688.33	688.74	0.41	15.6	0.08	15.79
SDDSC181	688.74	688.84	0.10	5.4	0.23	5.95
SDDSC181	688.84	689.84	1.00	0.18	0.02	0.23
SDDSC181	693.08	693.61	0.53	0.23	0.00	0.24
SDDSC181	693.61	693.96	0.35	1.21	0.25	1.81
SDDSC181	693.96	694.37	0.41	0.59	0.01	0.61
SDDSC181	694.37	694.64	0.27	2.24	0.17	2.65
SDDSC181	694.64	695.14	0.50	0.51	0.01	0.54
SDDSC181	695.14	695.91	0.77	0.74	0.02	0.78
SDDSC181	697.91	698.68	0.77	0.12	0.01	0.14
SDDSC181	698.68	699.2	0.52	8.64	2.79	15.31
SDDSC181	699.2	699.44	0.24	0.4	0.02	0.45

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC181	699.44	700.16	0.72	0.65	0.14	0.98
SDDSC181	700.16	701.2	1.04	0.15	0.01	0.17
SDDSC181	702.1	702.54	0.44	0.87	0.16	1.25
SDDSC181	702.54	703.23	0.69	0.06	0.02	0.11
SDDSC181	703.23	703.73	0.50	0.27	0.03	0.34
SDDSC181	704.54	705	0.46	0.92	0.01	0.95
SDDSC181	705	706	1.00	0.45	0.04	0.53
SDDSC181	706	706.92	0.92	0.16	0.00	0.17
SDDSC181	706.92	707.69	0.77	0.17	0.00	0.18
SDDSC181	707.69	708.29	0.60	0.22	0.00	0.23
SDDSC181	708.29	709.4	1.11	0.44	0.00	0.45
SDDSC181	709.6	710.2	0.60	0.13	0.00	0.14
SDDSC181	710.2	710.68	0.48	0.1	0.00	0.11
SDDSC181	710.68	711.06	0.38	0.55	0.01	0.57
SDDSC181	711.06	711.4	0.34	0.19	0.01	0.20
SDDSC181	711.7	712.2	0.50	0.36	0.01	0.38
SDDSC181	712.2	713.1	0.90	1.65	0.01	1.67
SDDSC181	713.7	714	0.30	0.33	0.00	0.34
SDDSC181	714.4	715.3	0.90	0.1	0.00	0.11
SDDSC181	716.3	716.61	0.31	0.14	0.00	0.15
SDDSC181	724.47	724.7	0.23	0.43	0.01	0.44
SDDSC181	801.74	803.04	1.30	0.07	0.05	0.20
SDDSC181	812.85	813.89	1.04	0.14	0.00	0.15
SDDSC181	836.59	837.12	0.53	0.09	0.01	0.10
SDDSC181	864	865.2	1.20	0.16	0.00	0.17
SDDSC181	866.4	867.3	0.90	3.3	0.84	5.31
SDDSC181	867.3	868.3	1.00	0.09	0.01	0.10
SDDSC181	887	888	1.00	0.15	0.01	0.18
SDDSC181	892	893	1.00	0.13	0.01	0.14
SDDSC181	903	904	1.00	0.2	0.01	0.21
SDDSC181	911	912	1.00	0.36	0.01	0.38
SDDSC181	914	915	1.00	0.36	0.01	0.37
SDDSC181	915	916	1.00	0.85	0.01	0.86
SDDSC181	916	917	1.00	0.18	0.01	0.20
SDDSC181	917	918	1.00	0.11	0.01	0.12
SDDSC181	918	919	1.00	0.09	0.01	0.11
SDDSC181	919.5	920.6	1.10	0.19	0.01	0.20
SDDSC181	955	956	1.00	0.27	0.00	0.27
SDDSC181	956	956.35	0.35	2.62	0.00	2.62
SDDSC181	956.35	956.55	0.20	1.96	0.00	1.97
SDDSC181	956.55	956.8	0.25	0.4	0.00	0.41
SDDSC181	958	959	1.00	0.12	0.00	0.13
SDDSC181	959	960	1.00	0.34	0.00	0.35
SDDSC181	960	961	1.00	0.23	0.01	0.24
SDDSC181	961	961.85	0.85	0.28	0.00	0.29
SDDSC181	963	963.8	0.80	0.11	0.00	0.12
SDDSC181	968	969	1.00	0.1	0.00	0.11
SDDSC181	971.84	972.8	0.96	0.23	0.00	0.24
SDDSC181	983.66	984.53	0.87	0.12	0.00	0.13
SDDSC181	984.53	985.2	0.67	0.14	0.00	0.15
SDDSC181	985.2	985.6	0.40	0.1	0.00	0.11
SDDSC181	985.6	986	0.40	0.11	0.00	0.12
SDDSC181	990.89	991.57	0.68	0.27	0.00	0.28
SDDSC181	991.57	991.91	0.34	0.3	0.00	0.31
SDDSC181	996	996.49	0.49	0.1	0.00	0.11
SDDSC181	996.49	996.59	0.10	0.34	0.01	0.35
SDDSC181	996.59	997.1	0.51	0.22	0.00	0.23

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC181	997.1	997.61	0.51	0.14	0.00	0.15
SDDSC181	998.33	998.55	0.22	1.08	0.19	1.53
SDDSC181	998.55	998.87	0.32	0.18	0.01	0.19
SDDSC181	998.87	999.31	0.44	0.38	0.12	0.67
SDDSC181	999.31	999.7	0.39	0.07	0.07	0.24
SDDSC181	1001.16	1001.83	0.67	0.16	0.00	0.17
SDDSC181	1001.83	1002.42	0.59	0.23	0.12	0.52
SDDSC181	1002.42	1003	0.58	0.14	0.01	0.15
SDDSC181	1003	1003.3	0.30	0.19	0.01	0.20
SDDSC181	1003.3	1003.4	0.10	0.83	0.01	0.84
SDDSC181	1003.4	1003.62	0.22	2.34	0.01	2.35
SDDSC181	1003.62	1003.76	0.14	0.6	0.01	0.61
SDDSC181	1003.76	1004	0.24	0.25	0.01	0.27
SDDSC181	1009.07	1009.55	0.48	0.24	0.01	0.26
SDDSC181	1009.88	1010.44	0.56	0.16	0.00	0.17
SDDSC181	1010.44	1011.74	1.30	0.13	0.00	0.14
SDDSC181	1011.74	1012.54	0.80	0.17	0.00	0.18
SDDSC181	1013.68	1014.72	1.04	0.2	0.00	0.21
SDDSC181	1014.72	1015.78	1.06	0.21	0.01	0.22
SDDSC181	1015.78	1016.61	0.83	0.13	0.00	0.14
SDDSC181	1016.61	1017.44	0.83	0.1	0.01	0.13
SDDSC181	1017.44	1017.68	0.24	2.93	0.02	2.99
SDDSC181	1017.68	1018.19	0.51	1.18	0.02	1.22
SDDSC181	1018.19	1019.25	1.06	0.2	0.01	0.21
SDDSC181	1019.25	1019.54	0.29	0.69	0.17	1.10
SDDSC181	1020.3	1021.44	1.14	0.18	0.01	0.20
SDDSC181	1021.44	1021.65	0.21	0.13	0.01	0.15
SDDSC181	1021.65	1022.73	1.08	0.1	0.01	0.11
SDDSC181	1024.34	1025.64	1.30	0.38	0.01	0.40
SDDSC181	1032.81	1033.24	0.43	1.38	0.11	1.64
SDDSC181	1033.24	1034.25	1.01	0.17	0.01	0.19
SDDSC181	1034.63	1035.22	0.59	1.63	0.01	1.65
SDDSC181	1035.22	1035.77	0.55	0.18	0.01	0.20
SDDSC181	1051.51	1051.71	0.20	1.27	0.01	1.29
SDDSC181	1051.71	1052.72	1.01	0.32	0.01	0.34
SDDSC181	1052.72	1053.85	1.13	0.35	0.01	0.37
SDDSC185	144.9	146.2	1.30	0.2	0.00	0.20
SDDSC189	341.3	342.2	0.90	0.12	0.00	0.12

JORC Table 1

## Section 1 Sampling Techniques and Data

Criteria

JORC Code explanation

Sampling techniques

- Nature and quality of sampling (e.g. cut channels, random ch standard measurement tools appropriate to the minerals und sondes, or handheld XRF instruments, etc.). These examples meaning of sampling.
- Include reference to measures taken to ensure sample repre any measurement tools or systems used.
- Aspects of the determination of mineralization that are Mater
- In cases where 'industry standard' work has been done this v circulation drilling was used to obtain 1 m samples from which charge for fire assay'). In other cases more explanation may gold that has inherent sampling problems. Unusual commodi nodules) may warrant disclosure of detailed information.

Drilling techniques

- Drill type (e.g. core, reverse circulation, open-hole hammer, r and details (e.g. core diameter, triple or standard tube, depth type, whether core is oriented and if so, by what method, etc

Drill sample recovery

- Method of recording and assessing core and chip sample rec
- Measures taken to maximise sample recovery and ensure re
- Whether a relationship exists between sample recovery and occurred due to preferential loss/gain of fine/coarse material.

Logging

- Whether core and chip samples have been geologically and support appropriate Mineral Resource estimation, mining stu
- Whether logging is qualitative or quantitative in nature. Core
- The total length and percentage of the relevant intersections

Criteria

JORC Code explanation

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all core
- If non-core, whether riffled, tube sampled, rotary split, etc. and
- For all sample types, the nature, quality and appropriateness of
- Quality control procedures adopted for all sub-sampling stages
- Measures taken to ensure that the sampling is representative of the
- Whether sample sizes are appropriate to the grain size of the material

Quality of assay data and laboratory tests

- The nature, quality and appropriateness of the assaying and the technique is considered partial or total.
- For geophysical tools, spectrometers, handheld XRF instruments, determining the analysis including instrument make and model, applied and their derivation, etc.
- Nature of quality control procedures adopted (e.g. standards, checks) and whether acceptable levels of accuracy (i.e. lack of bias) established.

## Criteria

## JORC Code explanation

Verification of sampling and assaying

- The verification of significant intersections by either independent or qualified persons.
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data verification (including but not limited to electronic) protocols.
- Discuss any adjustment to assay data.

Location of data points

- Accuracy and quality of surveys used to locate drill holes (core and surface), old workings and other locations used in Mineral Resource estimation.
- Specification of the grid system used.
- Quality and adequacy of topographic control.

Data spacing and distribution

- Data spacing for reporting of Exploration Results.
- Whether the data spacing and distribution is sufficient to establish the degree of geological continuity appropriate for the Mineral Resource and Ore Resource classification applied.
- Whether sample compositing has been applied.

Orientation of data in relation to geological structure

- Whether the orientation of sampling achieves unbiased sampling results where this is known, considering the deposit type.
- If the relationship between the drilling orientation and the orientation of the mineralisation has been considered to have introduced a sampling bias, this should be discussed.

Sample security

- The measures taken to ensure sample security.

Audits or reviews

- The results of any audits or reviews of sampling techniques and data.

Section 2 Reporting of Exploration Results



Criteria	JORC Code explanation
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>● Type, reference name/number, location and ownership including agreements with parties such as joint ventures, partnerships, overriding royalties, native title interests, wilderness or national park and environmental settings.</li> <li>● The security of the tenure held at the time of reporting along with any known interests, licences to operate in the area.</li> </ul>
Exploration done by other parties	<ul style="list-style-type: none"> <li>● Acknowledgment and appraisal of exploration by other parties.</li> </ul>
Geology	<ul style="list-style-type: none"> <li>● Deposit type, geological setting and style of mineralization.</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>● A summary of all information material to the understanding of the exploration results of the following</li> <li>● information for all Material drill holes: <ul style="list-style-type: none"> <li>● easting and northing of the drill hole collar</li> <li>● elevation or RL (Reduced Level - elevation above sea level in metres) of collar</li> <li>● dip and azimuth of the hole</li> <li>● down hole length and interception depth</li> <li>● hole length.</li> </ul> </li> <li>● If the exclusion of this information is justified on the basis that the information is immaterial to the understanding of the report, the Competent Person must explain why this is the case.</li> </ul>

Criteria	JORC Code explanation
Data aggregation methods	<ul style="list-style-type: none"> <li>● In reporting Exploration Results, weighting averaging techniques, maximum and minimum values, and truncations (e.g. cutting of high-grades) and cut-off grades are usually Materialized.</li> <li>● Where aggregate intercepts incorporate short lengths of high-grade results and long lengths of low-grade results, the procedure used for such aggregation should be stated and the results of such aggregations should be shown in detail.</li> <li>● The assumptions used for any reporting of metal equivalent values should be stated.</li> </ul>
Relationship between mineralization widths and intercept lengths	<ul style="list-style-type: none"> <li>● These relationships are particularly important in the reporting of Exploration Results.</li> <li>● If the geometry of the mineralization with respect to the drill hole angle is known, it should be reported.</li> <li>● If it is not known and only the down hole lengths are reported, there should be no indication of effect (e.g. 'down hole length, true width not known').</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li>● Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, plan, section, and collar locations and appropriate sectional views.</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li>● Where comprehensive reporting of all Exploration Results is not practicable, reporting of both low and high-grades and/or widths should be practiced to avoid misleading impression of Exploration Results.</li> </ul>
Other substantive exploration data	<ul style="list-style-type: none"> <li>● Other exploration data, if meaningful and material, should be reported including but not limited to: geological observations; geophysical survey results; geochemical survey results; rock sample analysis; method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and other engineering data; and other characteristics; potential deleterious or contaminating substances.</li> </ul>

Criteria

JORC Code explanation

Further work

- The nature and scale of planned further work (e.g. tests for lateral extensions and large-scale step-out drilling).
- Diagrams clearly highlighting the areas of possible extensions, including the mineral interpretations and future drilling areas, provided this information is not commercially sensitive.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/278279>

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/715965--Southern-Cross-Gold-Expands-Apollo-to-Depth-and-Along-Strike.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2025. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).