

CopperCorp Intersects High-Grade Cu-Au Mineralization at Jukes Prospect

18.12.2025 | [Newsfile](#)

Vancouver, December 18, 2025 - [CopperCorp Resources Inc.](#) (TSXV: CPER) (OTCQB: CPCPF) ("CopperCorp" or the "Company") is pleased to announce first assay results from its Phase 2 drilling^{1,2} campaign at the Jukes Cu-Au prospect in western Tasmania, Australia.

Example of core showing high-grade chalcopyrite-pyrite-chalcocite mineralization, JDD004, 93.0m (1.0m @ 6.95% Cu, 0.53g/t Au, 23.4g/t Ag (7.48% CuEq) from 92.6m).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_002full.jpg

Highlights

- Initial Phase 2 drilling results confirm the northern extension of high-grade Cu-Au-Ag mineralization at Jukes, with new drillholes intersecting mineralization approximately 300 m along strike from CopperCorp's previous drilling. Key drill intercepts include:
 - JDD003:
 - 9.0m @ 0.81% Cu, 0.21g/t Au, 6.2g/t Ag (1.0% CuEq) from 167.0m, including 2.0m @ 2.0% Cu, 0.56g/t Au, 15.8g/t Ag (2.5% CuEq) from 169
 - JDD004:
 - 5.2m @ 1.32% Cu, 0.12g/t Au, 7.42g/t Ag (1.46% CuEq) from 70.0m, including
 - 3.4m @ 1.75% Cu, 0.17g/t Au, 9.33g/t Ag (1.93% CuEq) from 71.8m
 - 1.0m @ 6.95% Cu, 0.53g/t Au, 23.4g/t Ag (7.48% CuEq) from 92.6m
 - 12.6m @ 0.78% Cu, 0.15g/t Au, 3.43g/t Ag (0.91% CuEq) from 109.9m, including:
 - 1.1m @ 2.05% Cu, 0.72g/t Au, 9.55g/t Ag (2.62% CuEq) from 109.9m; and
 - 1.0m @ 5.75% Cu, 0.52g/t Au, 17.25g/t Ag (6.23% CuEq) from 121.5
 - 10.0m @ 0.73% Cu, 0.43g/t Au, 4.11g/t Ag (1.06% CuEq) from 204m, including:
 - 1.0m @ 2.5% Cu, 0.56g/t Au, 9.64g/t Ag (2.96% CuEq) from 206.0m
 - 2.0m @ 1.39% Cu, 1.11g/t Au, 10.07g/t Ag (2.24% CuEq) from 212.0m
 - High-grade Cu-Au-Ag mineralization is also confirmed at surface, with channel sampling returning:
 - 5.0m @ 3.62% Cu, 0.62g/t Au, 32.6g/t Ag (4.28% CuEq), including
 - 1.0m @ 7.5% Cu, 2.18g/t Au, 46.7g/t Ag (9.35% CuEq)
 - Mineralization remains open in all directions, with further strike and depth extensions supported by strong IP chargeability corridors and anomalous surface geochemistry.

Stephen Swatton, President and CEO of CopperCorp, commented

"I am extremely encouraged with the progress at Jukes; these latest results continue to improve our understanding of the style and scale of mineralization. Importantly, drilling has now confirmed that high-grade Cu-Au-Ag mineralization occurs repeatedly over significant strike lengths and to significant depths, consistent with our evolving interpretation of a structurally controlled system, with steeply oriented high-grade shoots and veins developed in a broader mineralized enveloped. This style of mineralization shares important characteristics with the nearby 3 million tonne Cu / 3 million ounce Mt Lyell copper-gold mining camp which hosts 22 distinct orebodies, most of which are oriented in vertical pipe-like structures.

Drilling at Jukes remains widely spaced, with only a small portion of the extensive target area tested to date. The repetition of high-grade mineralization within this limited drill density is particularly encouraging and highlights the potential for additional high-grade zones to be identified with ongoing systematic drilling.

As results continue to come in from Jukes, we will continue to refine our understanding of the system and

assess optimal drill spacing to work towards the design of a NI 43-101-compliant mineral resource. The discovery of a high-grade, mid-sized copper-gold deposit at this location would be welcomed by both the local mining community and the Tasmanian government which has indicated a strong desire to see mining revenues continue to underpin the State's economy."

Jukes Phase 2 Drilling Update

Initial assays have been received for the first 2 holes (JDD003 and JDD004) of the Jukes Phase 2 diamond drilling program. Significant intercepts are shown in Table 1, see also Figures 3 and 4. The objective of the Phase 2 drill program is to test extensions of mineralization intersected in CopperCorp's 2024 Phase 1 drilling^{3,4}.

As of reporting, the Company has now completed 4 diamond drill holes at Jukes that have tested approximately 300m of strike and to depths over 500m from surface. All holes completed by CopperCorp at Jukes so far have successfully intersected zones of high-grade copper-gold-silver mineralization.

Drilling remains in progress on holes JDD005 and JDD006 with two rigs currently onsite.

Full results have been received for hole JDD003 while only partial (0-240m) results are available for hole JDD004.

JDD003

JDD003 was drilled to test for mineralization associated with the western IP chargeability zone below the historical King Jukes No.1 mine adit and 300m north along strike from Phase 1 hole JDD002W1³. JDD003 successfully intercepted disseminated, vein and stringer chalcopyrite-pyrite mineralization from 150m down hole with the mineralization then faulted out at 177.2m. Mineralized intercepts are listed in Table 1.

JDD004

JDD004 was drilled to test for strike extensions of structurally controlled mineralization observed outcropping along the Mt Jukes paved road. Results for channel sampling of the outcropping mineralization by CopperCorp are summarized below (Table 2). JDD004 successfully intercepted multiple zones of structurally controlled high-grade copper-gold-silver mineralization (see significant mineralized intercepts in Table 1). Copper mineralization in JDD004 comprises stringer-vein to breccia-fill and semi-massive style chalcopyrite-pyrite-magnetite, with bornite, cuprite and malachite also noted in some zones.

Hole Number	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq* (%)
JDD003	150	177.2	27.2	0.34	0.14	2.6	0.46
Including	166	175	9.0	0.81	0.21	6.2	1.00
Including	169	171	2.0	2.0	0.56	15.8	2.50
JDD004	70	75.2	5.2	1.32	0.12	7.42	1.46
including	71.8	75.2	3.4	1.75	0.17	9.33	19.3
JDD004	92	130	38.0	0.52	0.1	2.53	0.61
Including	92.6	93.6	1.0	6.95	0.53	23.4	7.48
and	109.9	122.5	12.6	0.75	0.15	3.43	0.88
Including	109.9	111	1.1	2.05	0.72	9.55	2.62
and	121.5	122.5	1.0	5.75	0.52	17.25	6.23
JDD004	200	225	25.0	0.35	0.21	1.92	0.51
Including	204	214	10.0	0.73	0.43	4.11	1.06
Including	206	207	1.0	2.5	0.56	9.64	2.96
and	212	214	2.0	1.39	1.11	10.07	2.24

Table 1: Jukes prospect significant drillhole mineralized intercepts for CopperCorp Phase 2 drilling (new results - this announcement). Reported grades are calculated as down-hole length weighted averages. Intercepts are downhole intervals.

Jukes Road Outcrop Channel Sampling Results

Anomalous assay results have also been returned for surface outcrop channel sampling at Jukes following completion of a 362m-long continuous channel sample taken from exposed outcrop along the Jukes access road. Significant mineralized intervals are listed in Table 2, see also Figures 3 and 4.

Channel Number	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq* (%)
MJCS001	18	23	5	0.3	2.87	2.53	2.33
including	18	19	1	0.93	11.15	7.46	8.81
MJCS001	34	40	6	0.58	0.11	6.09	0.70
including	35	37	2	1.22	0.14	13.05	1.41
MJCS001	169.7	177.7	8	0.2	1.16	1.79	1.03
MJCS001	219.7	221.7	2	0.84	0.05	7.9	0.93
MJCS001	230.5	231.5	5	3.62	0.62	32.62	4.28
Including	234.5	235.5	1	7.5	2.18	46.7	9.35
MJCS001	252	277.7	26	0.3	0.03	1.02	0.33
Including	256	261	5	0.78	0.01	0.72	0.79

Table 2. Jukes prospect significant mineralized intercepts for CopperCorp outcrop channel sampling (new results - this announcement). Reported grades are calculated as along-channel length weighted averages. Intercepts are along-channel intervals.

Jukes Prospect Overview

The Jukes prospect is located approximately 10 km south of the Sibanye-Stillwater owned Mt Lyell copper-gold mining camp (historical production of ~3 Mt contained copper and ~3 Moz contained gold). Jukes is interpreted to host a large, structurally controlled hydrothermal Cu-Au-Ag system with hybrid porphyry-IOCG style mineralization developed within the same volcanic host rock package and in a similar structural setting to the Mt Lyell system.

The prospect is characterized by strong, coincident IP chargeability, magnetic, and geochemical anomalies that define a prospective footprint of at least 700 m in strike length (open) and approximately 400 m in width. Drilling to date has confirmed Cu-Au-Ag mineralization over a drilled strike length of at least 300 m and from near surface to depths exceeding 500 m vertically. Importantly, mineralization remains open in all directions, drilling remains widely spaced, and large portions of the interpreted geophysical footprint remain untested.

Prior to the Phase 2 drilling campaign, exploration drilling - including CopperCorp's successful 2024 Phase 1 program - had tested only the southern margin of this extensive target area. Drilling intersected multiple zones of Cu-Au-Ag mineralization, including broad mineralized envelopes containing discrete high-grade structural intervals (see Tables 3, 4, 5 and 6). These results provided strong validation of the exploration model and formed the basis for the expanded Phase 2 program now underway. Significant mineralized intercepts from previous drilling^{3,4} at Jukes includes:

JDD001:

- 9.0m @ 0.81% Cu, 0.76g/t Au, 1.6g/t Ag (1.35% CuEq) from 85.0m, including
 - 3.0m @ 1.4% Cu, 0.96g/t Au, 2.38g/t Ag (2.09% CuEq) from 85.0m
- 10.1m @ 0.94% Cu, 0.69g/t Au, 4.27g/t Ag (1.45% CuEq) from 128.5m, including
 - 3.1m @ 2.17% Cu, 2.1g/t Au, 9.25g/t Ag (3.71% CuEq) from 135.5m
- 10.0m @ 0.67% Cu, 0.29g/t Au, 4.43g/t Ag (0.90% CuEq) from 194.0m, including
 - 2.0m @ 1.31% Cu, 1.08g/t Au, 8.13g/t Ag (2.12% CuEq) from 202.0m

JDD002W1:

- 20.0m @ 0.76% Cu, 0.17g/t Au, 3.32g/t Ag (0.90% CuEq) from 498.0m, including
 - 1.0m @ 3.68% Cu, 0.35g/t Au, 19.35g/t Ag (4.06% CuEq) from 502.0m

- 19.0m @ 0.86% Cu, 0.48g/t Au, 5.58g/t Ag (1.24% CuEq) from 529.0m, including
 - 2.05m @ 4.2% Cu, 1.66g/t Au, 29.16g/t Ag (5.57% CuEq) from 545.4m

JP2:

- 13.4m @ 1.6% Cu, 1.6g/t Au, 5.3g/t Ag (2.76% CuEq) from 61.6m

Channel sampling of historical underground mine workings⁵ has also previously yielded high-grade intercepts including (see Tables 7 and 8):

Jukes No.3 Main Adit:

- 31.0m @ 1.48% Cu, 0.83g/t Au, 5.21g/t Ag (2.10% CuEq), including
 - 9.0m @ 2.92% Cu, 1.79g/t Au, 10.17g/t Ag (4.25% CuEq)

Jukes No.3 West Crosscut:

- 11.0m @ 1.28% Cu, 0.73g/t Au, 3.94g/t Ag (1.82% CuEq), including
 - 4.0m @ 1.84% Cu, 1.26g/t Au, 6.39g/t Ag (2.77% CuEq)

Jukes No.1 Main Adit:

- 9.0m @ 1.84% Cu, 0.80g/t Au, 3.3g/t Ag (2.42% CuEq)

Jukes No.2 Main:

- 12.0m @ 0.63% Cu, 0.30g/t Au, 0.60g/t Ag (0.84% CuEq), including
 - 2.0m @ 2.4% Cu, 1.7g/t Au, 35g/t Ag (3.84% CuEq)
- 6.0m @ 0.58% Cu, 1.6g/t Au, 7.3g/t Ag (1.75% CuEq), including
 - 2.0m @ 1.0% Cu, 3.4g/t Au, 12g/t Ag (3.47% CuEq)

Jukes No.2 SE Crosscut:

- 20.0m @ 0.98% Cu, 0.43g/t Au, 8.7g/t Ag (1.34% CuEq), including
 - 4.0m @ 3.60% Cu, 1.65g/t Au, 33.5g/t Ag (4.99% CuEq)

King Jukes No.1 Main Adit:

- 18.0m @ 1.34% Cu, 1.09g/t Au, 11.4g/t Ag (2.18% CuEq)

Exploration Significance of High-Grade Structural Mineralization

Drilling and sampling completed to date at the Jukes prospect consistently demonstrates that the system is mineralized and capable of generating high-grade copper-gold-silver mineralization. Every drillhole completed by CopperCorp at Jukes to date has intersected Cu-Au-Ag mineralization, a highly encouraging outcome given the very limited amount of drilling completed across a large target area.

The combined drilling and channel sampling results indicate that favourable structural conditions capable of focusing higher-grade mineralization are developed at multiple positions within the broader Jukes system. In all holes drilled to date, higher-grade mineralization occurs within discrete, structurally controlled zones over-printing broader envelopes of alteration and disseminated sulphides - a pattern typical of large hydrothermal Cu-Au systems where structures act as conduits for mineralizing fluids.

High-grade structurally-controlled mineralization has now been intersected over several hundred meters of strike length and is closely associated with strong IP chargeability anomalies. This spatial relationship provides confidence that the extensive IP-defined corridors at Jukes are directly linked to mineralization and

represent high-priority targets for ongoing drilling. The potential repetition of high-grade zones over this distance significantly upgrades the exploration potential of the Jukes system at this early stage.

Next Steps

Phase 2 drilling at the Jukes prospect will continue into 2026, with ongoing work focused on systematically testing the extensive IP-defined chargeability corridors now interpreted across the prospect. Drilling will prioritize step-outs along strike and at depth from existing mineralized intercepts, as well as structural intersections and chargeability highs considered prospective for the development of additional high-grade mineralized zones.

With only four drillholes completed by CopperCorp to date across a large and well-defined geophysical footprint, the majority of the Jukes system remains untested. Results from ongoing drilling will be used to further refine geological and structural targeting as the Company continues to evaluate the scale and continuity of mineralization at the prospect.

In parallel, exploration activities are also advancing at the Hydes and Linda target areas, and the Company looks forward to providing further updates as work progresses.

Jukes Prospect Drill Hole Location Data (CopperCorp Phase 1 and Phase 2 Drilling)

Drillhole ID	Easting GDA94	Northing GDA94	Elevation mRL	Length (m)	Dip	Azimuth	Notes
JDD001	383670	5331179	622	214.0	-50	258	Phase 1
JDD002	383670	5331179	622	310.0	-75	254	Phase 1
JDD002W1	383670	5331179	622	530.0	-75	254	Wedge hole off JDD002 at 67.5m d
JDD003	383491	5331426	562	254.9	-70	280	Phase 2
JDD004	383484	5331422	562	356.0	-50	119	Phase 2
JDD005	383379	5331441	545	450.0*	-65	45	Phase 2 *In-Progress
JDD006	383484	5331422	562	205.0*	-50	82	Phase 2 *In-Progress

Table 3. Jukes prospect CopperCorp Phase 1 (2024) and Phase 2 (2025) drill hole location and summary data.

Jukes Prospect Significant Drill Hole Cu-Au Mineralized Intervals (CopperCorp Phase 1 Drilling)

Hole Number	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq* (%)
JDD001	72	204	132	0.35	0.19	1.5	0.49
including	72	97	25	0.75	0.4	1.62	1.04
including	85	94	9	0.81	0.76	1.6	1.35
and	128.5	138.6	10.1	0.94	0.69	4.27	1.45
including	135.5	138.6	3.1	2.17	2.1	9.25	3.71
and	194	204	10	0.67	0.29	4.43	0.90
JDD002	122.2	137	14.8	0.18	0.01	0.93	0.19
JDD002W1	498	548	50	0.66	0.27	3.57	0.87
including	498	518	20	0.76	0.17	3.32	0.90
and	529	548	19	0.86	0.48	5.58	1.24
including	545.4	547.45	2.05	4.2	1.66	29.16	5.57
JDD002W1	121	140	19	0.11	0.02	0.49	0.13
JDD002W1	214	220	6	0.17	0.06	0.48	0.22
JDD002W1	400	424	24	0.17	0.08	1.1	0.23
JDD002W1	463	468	5	0.35	0.08	5.64	0.45
JDD002W1	489	492	3	0.34	0.09	1.67	0.41

Table 4: Jukes prospect significant drillhole mineralized intercepts for CopperCorp Phase 1 drilling (previously reported^{3,4} but without CuEq calculations). Reported grades are calculated as down-hole length weighted averages. Intercepts are downhole intervals.

Jukes Prospect Historical Drill Hole Location Data

Drillhole ID	Easting GDA94	Northing GDA94	Elevation mRL	Length (m)	Dip	Azimuth	Notes
Z142003	383730	5331123.5	620	224.5	-60	312	1974 - BHP
JP1	383720	5331230	605	141.5	-72	292	1982 - Mt Lyell MRC
JP2	383631	5331105	660	158.3	-49.5	296	1982 - Mt Lyell MRC
JP3	383628	5330962	700	351	-57	304	1984 - RGC
JP4	383707	5331036	650	225.5	-50	306	1987 - RGC

Table 5. Jukes prospect historical drill hole location and summary data.

Jukes Prospect Significant Drill Hole Cu-Au Mineralized Intervals (Historical Drilling)

Drillhole ID	From (m)	To (m)	Interval (m)*	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (%)
JP1	100	104	4	0.41	0.005	1	0.42
JP2	61.6	75	13.4	1.6	1.6	5.3	2.76
JP2	140	158.3	18.3 (to EOH)	0.18	NA	NA	NA
JP3	214	234	20	0.52	0.06	2	0.58
including	215	228	13	0.67	0.08	2.38	0.74
JP3	252	253	1	2.45	0.01	10	2.53
JP3	266	268	1	2.33	0.005	3	2.35
JP3	273	305	32	0.28	0.06	1	0.33
JP4	191.5	216.5	25	0.28	0.06	0.7	0.33
Z142003	139.2	145.2	6	0.59	0.005	2.7	0.61

Table 6. Jukes prospect significant drillhole mineralized intercepts historical drilling (previously reported but without CuEq calculations). Reported grades are calculated as down-hole length weighted averages. Intercepts are downhole intervals.

Jukes Prospect Underground Workings Channel Sampling Mineralized Intervals (CopperCorp Sampling)

Mineralized Zone / Section	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (%)
Jukes No. 3 Main Adit	8	51	43	1.1	0.62	3.98	1
Including	8	39	31	1.48	0.83	5.21	2
including	8	17	9	2.92	1.79	10.17	4
Jukes No. 3 West Crosscut	2	13	11	1.28	0.73	3.94	1
including	9	13	4	1.84	1.26	6.39	2
Jukes No. 3 Hanging wall Drive (unmineralized hanging wall side)	17	20	3	0.5	0.52	3.03	0
Jukes No. 3 Main Adit	72	98	26	0.65	0.67	2.6	1

Table 7. Significant mineralized intervals, channel sampling - Jukes No. 3 Adit (CopperCorp sampling - previously reported⁵ but without CuEq calculations). Reported grades are calculated as along-channel length weighted averages. Intercepts are along-channel intervals.

Jukes Prospect Underground Workings Channel Sampling Mineralized Intervals (Historical Sampling)

Mineralized Zone / Section	From (m)	To (m)	Interval (m)*	Cu (%)	Au (g/t)	Ag (g/t)	CuEq (%)
Jukes No. 1 Main Adit	0	9	9	1.84	0.8	3.3	2.42
Jukes No. 2 Main Adit	152	164	12	0.63	0.3	0.6	0.84
including	158	160	2	2.4	1.7	35	3.84
Jukes No. 2 Main Adit	172	178	6	0.58	1.6	7.3	1.75
including	172	174	2	1	3.4	12	3.47
Jukes No. 2 SE Crosscut	2	22	20	0.98	0.43	8.7	1.34
Including	2	6	4	3.6	1.65	33.5	4.99
Jukes No.3 HW Drive (mineralized footwall side)	2	25.4	23.4	1.39	1.03	3.5	2.14
King Jukes No.1 Main Adit	0	58	58	0.74	0.39	6.8	1.06
including	16	34	18	1.34	1.09	11.4	2.18
King Jukes No.1 E Crosscut	0	4	4	0.33	0.2	3	0.49
King Jukes No.1 W Crosscut	2	12	10	0.6	0.05	2.8	0.65
King Jukes No.2 Adit	0	10	10	0.12	0.1	0.4	0.19

Table 8. Significant mineralized intervals, channel sampling - Jukes prospect underground workings (historical sampling - previously reported⁵ but without CuEq calculations). Reported grades are calculated as along-channel length weighted averages. Intercepts are along-channel intervals.

*Copper Equivalent Calculations

Copper equivalent (CuEq) values used throughout this announcement have been calculated using the formula $CuEq (\%) = Cu(\%) + Au(g/t) \times 0.702 + Ag(g/t) \times 0.00695$, based on metal prices of US\$4.20/lb copper, US\$2,600/oz gold and US\$30/oz silver. Metallurgical recoveries of 90% for copper, 70% for gold and 60% for silver have been assumed.

Recovery assumptions are based on historical metallurgical performance from the nearby Mt Lyell copper-gold mining operations, which exploited mineralization of similar style and broadly comparable mineralogy to that observed at the Jukes prospect. No metallurgical test work has been completed on mineralization from the Jukes prospect, and actual recoveries may differ from those assumed.

Copper equivalent values are expressed as percentages and are calculated by converting gold and silver grades to copper equivalent using the stated metal prices and recoveries and summing these with the copper grade. CuEq values are provided for exploration comparison purposes only and should not be interpreted as an estimate of economic value.

Other News

Hydes

The drilling at Hydes is incomplete with the target horizon untested due to drilling complications. The company is currently mobilizing a field crew to undertake more sampling and mapping at surface with a view to possibly continuing the drill program supported by helicopter in Q1/2 2026.

Figure 1. Southern Skyline Project properties and exploration target areas with magnetics TMI RTP image.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_003full.jpg

Figure 2. Location of the Razorback property and the Jukes Zone target area relative to the Mt Lyell copper-gold mine. Blue outlines are CopperCorp's 100% owned licenses.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_004full.jpg

Figure 3. Jukes prospect results summary plan with satellite view image underlay. See tables attached to this announcement for full intercept details.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_005full.jpg

Figure 4. Oblique plan view of the Jukes prospect showing gradient array IP survey chargeability (pseudocolour image underlay) with recent pole-dipole (P-D) IP 2D chargeability model sections, with summary drill hole and adit channel sampling mineralized intercepts summary. See tables attached to this announcement for full intercept details.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_006full.jpg

Figure 5. Photograph showing high-grade chalcopyrite-pyrite-chalcocite mineralization, JDD004, 93.0m (1.0m @ 6.95% Cu, 0.53g/t Au, 23.4g/t Ag (7.48% CuEq) from 92.6m).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_007full.jpg

Figure 6. Photograph showing high-grade chalcopyrite-pyrite mineralization, JDD004, 122.0m (1.0m @ 5.75% Cu, 0.52g/t Au, 17.25g/t Ag (6.23% CuEq) from 121.5).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/8950/278491_da0f5e7524a54ae4_008full.jpg

Personnel

The Company also announces that Sean Westbrook has stepped down as Vice President of Exploration but will continue to be actively involved with the Company as a Director and a key member of the CopperCorp Technical Committee. Geological supervision and oversight will be lead by Stephen Swatton.

About CopperCorp

CopperCorp is a TSX.V listed (TSXV: CPER) exploration company focused on the exploration and development of its Skyline, and AMC copper-gold-REE projects in western Tasmania. Refer to the CopperCorp website at www.coppercorpinc.com for further information.

Qualified Person & National Instrument 43-101 Disclosure

The technical and scientific information in this news release has been reviewed and approved by Sean Westbrook, Director of CopperCorp, who is a Qualified Person as defined by National Instrument 43-101 - Standards of Disclosure for Mineral Projects.

Information on historical and recent prospecting, mining, and exploration activities at the Jukes prospect contained within this news release has been reviewed and verified by the Qualified Person. In the opinion of the Qualified Person, sufficient verification of historical and new data has been undertaken to provide sufficient confidence that past exploration programs were performed to adequate industry standards and the data reported is fit for substantiating the prospectivity of the project in general, supporting the geological model/s proposed, planning exploration programs, and identifying targets for further investigation.

This news release may contain information about adjacent properties on which the Company does not have an interest. The Qualified Person has not verified the information, and it is not necessarily indicative of the mineralization on the Company's properties.

Sampling, QAQC and Analytical Procedures

The Jukes diamond core drill holes are drilled at HQ and NQ core diameters using triple tube to maximize recovery. Core recovery was generally good in mineralized zones (95-100%). Sample collection was supervised by CopperCorp geological staff. Mineralized zones are marked up for sampling by an experienced geologist. Half core is split by diamond saw on nominal 1.0m sample lengths while respecting geological contacts. Samples are bagged and ticketed prior to delivery by Company personnel to the ALS commercial laboratories in Burnie, Tasmania, for sample preparation. The half core samples are crushed to 80% passing 3.1mm, rotary split to 750g and then pulverized to pass 75um. Duplicate sampling is conducted every 20 samples to assess variability of the assay pulp. Cu and multi-element assay is by 4-acid digest followed by ICP-MS at ALS laboratories by method ME-ICP61r. Over-range (high-grade) Cu samples are further assayed by method Cu-OG62. Au assay is by 30g fire assay at ALS laboratories by method Au-AA25. Certified reference materials (CRMs), blank and duplicate QAQC samples are included in sample

submissions at 20 sample intervals. All QAQC samples were within acceptable limits (2 standard deviations for CRMs, duplicates <5%).

Channel sampling comprised continuous channel sampling of outcrop on 1m sample intervals. The sampling utilized a portable mechanized hammer drill which enabled large, continuous and representative samples to be collected. Sample interval locations were surveyed by the chain and compass using a hand-held GPS to survey waypoints. Outcrop channel samples were collected and logged by a qualified geologist. The samples were bagged and ticketed prior to delivery by Company personnel to the ALS commercial laboratories in Burnie, Tasmania, for sample preparation. The rock samples are crushed to 80% passing 3.1mm, rotary split to 750g and then pulverized to pass 75um. Coarse duplicate sampling is conducted every 20 samples to assess variability of the coarse crush. Cu and multi-element assay is by 4-acid digest followed by ICP-MS at ALS laboratories by method ME-MS61r. Over-range (high-grade) Cu samples are further assayed by method Cu-OG62. Au assay is by 30g fire assay at ALS laboratories by method Au-AA25. Certified reference materials (CRMs), blank and duplicate QAQC samples are included in sample submissions at 20 sample intervals. All QAQC samples were within acceptable limits.

Information on historical and recent prospecting, mining, and exploration activities at the Jukes prospect contained within this news release has been reviewed and verified by the Qualified Person. Historical and recent data is considered sufficiently consistent between generations of past explorers, and sufficiently consistent with recent results, to provide confidence that compiled and reviewed assay results are indicative of the tenor of the samples. In the opinion of the Qualified Person, sufficient verification of historical and new data has been undertaken to provide sufficient confidence that past exploration programs were performed to adequate industry standards and the data reported is fit for substantiating the prospectivity of the project in general, supporting the geological model/s proposed, planning exploration programs, and identifying targets for further investigation. The Company has undertaken resampling and analysis of accessible historical exploration adits in order to independently verify historical results.

Mineralized Interval Calculations

Reported Cu-Au-Ag significant mineralized intervals in this news release are calculated as down-hole or along-channel length-weighted intercepts using a lower cut-off grades of 0.1% Cu for low-grade bulk intervals and 0.3% Cu for higher-grade intervals. A maximum internal dilution of 5m and 2m is included in the low-grade and high-grade intervals respectively. No top-cut grade was applied. Drilling data to date is insufficient to determine true width of mineralization.

Copper Equivalent Calculations

Copper equivalent (CuEq) values used throughout this announcement have been calculated using the formula $CuEq (\%) = Cu(\%) + Au(g/t) \times 0.702 + Ag(g/t) \times 0.00695$, based on metal prices of US\$4.20/lb copper, US\$2,600/oz gold and US\$30/oz silver. Metallurgical recoveries of 90% for copper, 70% for gold and 60% for silver have been assumed.

Recovery assumptions are based on historical metallurgical performance from the nearby Mt Lyell copper-gold mining operations, which exploited mineralization of similar style and broadly comparable mineralogy to that observed at the Jukes prospect. No metallurgical test work has been completed on mineralization from the Jukes prospect, and actual recoveries may differ from those assumed.

Copper equivalent values are expressed as percentages and are calculated by converting gold and silver grades to copper equivalent using the stated metal prices and recoveries and summing these with the copper grade. CuEq values are provided for exploration comparison purposes only and should not be interpreted as an estimate of economic value.

References

¹CPER: TSXV News Release 11th November 2025 - CopperCorp Mobilizes Second Rig to Jukes Prospect

²CPER: TSXV News Release 14th October 2025 - CopperCorp Adds Second Drill Rig at Razorback - Commences Phase 2 Drilling at Jukes Prospect

³CPER: TSXV News Release 19th December 2024 - CopperCorp Intersects Broad Cu-Au Mineralized

System at Jukes

⁴CPER: TSXV News Release 15th October 2024 - CopperCorp Intersects 132m @ 0.35% Cu and 0.19g/t Au in First Drill Hole at the Jukes Prospect

⁵CPER: TSXV News Release 13th May 2024 - CopperCorp Samples 31.0m @ 1.48% Cu & 0.83g/t Au at Jukes Prospect, Significant Scale Potential Identified

Adjacent Property (Mt Lyell) Information Sources:

Sibanye-Stillwater company website information as of May 12th 2024

New Century Resources: ASX Announcement 23rd January 2023

New Century Resources: ASX Announcement 27th October 2021

Seymour, D.B., Green, G.R., and Calver, C.R. 2007. The Geology and Mineral Resource of Tasmania: a summary. Geological Survey Bulletin 72. Mineral Resources Tasmania, Department of Infrastructure, Energy and Resources Tasmania

Contact:

Stephen Swatton

President, CEO & Director

stephen@coppercorpinc.com

Additional information about CopperCorp can be found on its website: www.coppercorpinc.com and at www.sedarplus.ca.

CAUTIONARY STATEMENT REGARDING FORWARD-LOOKING INFORMATION: This news release includes certain "forward-looking statements" under applicable Canadian securities legislation relating to the Company's expectations and plans regarding the Skyline Project, Razorback property and the Jukes and Hydes prospects in Tasmania; plans for future exploration and drilling at the Jukes and Hydes prospects and the timing of same; the merits of the Company's mineral projects and other plans of the Company. Forward-looking statements are statements that are not historical facts; they are generally, but not always, identified by the words "encouraging", "expects", "plans", "anticipates", "believes", "interpret", "intends", "estimates", "projects", "aims", "suggests", "often", "target", "future", "likely", "pending", "potential", "goal", "objective", "prospective", "possibly", "preliminary" and similar expressions, or that events or conditions "will", "would", "may", "can", "could" or "should" occur, or other statements, which, by their nature, refer to future events. The Company cautions that forward-looking statements are based on the beliefs, estimates and opinions of the Company's management on the date the statements are made, and that such statements are subject to risks and uncertainties that may cause actual results, performance or developments to differ materially from those contained in the statements. Consequently, there can be no assurances that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements.

Factors that could cause future results to differ materially from those anticipated in forward-looking statements include risks associated with the timing and outcome of the approval process for planned drill programs; that the Company may experience difficulties in exploration and drilling and carrying out related work; the timing and content of upcoming work programs; geological interpretations based on geophysical and drilling data that may change with more detailed information; possible accidents; the possibility that the Company may not be able to secure permitting and other governmental approvals necessary to carry out the Company's plans; the risk that the Company will not be able to raise sufficient funds to carry out its business plans; the possibility that future exploration results will not be consistent with the Company's expectations; increases in costs; environmental compliance and changes in environmental and other local legislation and regulation; interest rates and other risks associated with mineral exploration operations, the risk that the Company will encounter unanticipated geological factors and exchange rate fluctuations; changes in economic and political conditions; and other risks involved in the mineral exploration industry. The reader is urged to refer to the Company's Management's Discussion and Analysis, publicly available through the Canadian Securities Administrators' System for Electronic Document Analysis and Retrieval (SEDAR+) at www.sedarplus.ca for a more complete discussion of risk factors and their potential effects.

Forward-looking statements are based on a number of assumptions, including management's assumptions about the following: the availability of financing for the Company's exploration activities; operating and exploration costs; the Company's ability to attract and retain skilled staff; timing of the receipt of necessary regulatory and governmental approvals; market competition; and general business and economic conditions. The Company disclaims any intention or obligation to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required by law.

Neither TSX Venture Exchange nor its Regulation Service Provider (as that term is defined in policies of the

TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/278491>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/716181--CopperCorp-Intersects-High-Grade-Cu-Au-Mineralization-at-Jukes-Prospect.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).