

# Tsodilo Resources Ltd. Detects Critical Minerals and Rare Earth Elements Within Its Skarn Metals Project

13.01.2026 | [Newsfile](#)

[Tsodilo Resources Ltd.](#) (TSXV: TSD) (OTCQB: TSDRF) (FSE: TZO) ("Tsodilo" or the "Company") is pleased to announce the verification of significant critical minerals and rare earth element ("REE") mineralization from its 100%-owned Gcwihaba Metals Project ("Gcwihaba" or the "Project"), located in northwest Botswana. The C26 and C27 targets were initially identified as geophysical anomalies through ground magnetic and gravity surveys. Diamond core drilling of these anomalies confirmed skarn-hosted REE mineralization 20-50 meters below surface. The skarns and other project area proximate targets contain a polymetallic assemblage including fifteen rare earth elements and critical minerals such as copper, cobalt, nickel, vanadium, and silver.

## MAJOR HIGHLIGHTS

- C26 and C27 Skarn features contains 15 of the 15 REE elements listed on the U.S. Department of Interior, U.S. Geological Survey's 2025 list of Critical Minerals and 5 other critical minerals as well.
- C26 and C27 skarn Neodymium-praseodymium (NdPr) content represents approximately 15% of Total Rare Earth Oxides (TREO) comparable to MP Materials' Mountain Pass mine (15.7%). NdPr is essential for high-performance permanent magnet applications in electric vehicles, wind turbines, and defense systems.
- 15,000m drill program will commence in 2026 to obtain a compliant NI43-101 resource statement.

Based on integrated geophysical modelling, drilling results, and geological modelling of the confirmed skarn deposits, the Company has defined a conceptual exploration target ranging from 81 to 97 million tonnes at grades between 0.05% and 1.49% TREO. The REE exploration target measures four kilometers in length.

Figure 1a - Total REE concentrations map across Gcwihaba Metals Project and Figure 1b - Location Map - C26 & C27 Skarn

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/11216/280123\\_figure1.jpg](https://images.newsfilecorp.com/files/11216/280123_figure1.jpg)

Tsodilo's Chairman and CEO, James M. Bruchs, comments:

"The 1.49% TREO intercept at C27 represents the highest grade recorded so far for Gcwihaba," stated James M. Bruchs, Chairman and CEO. "These results validate our systematic exploration approach and demonstrate evidence of a polymetallic REE skarn system with both vertical extent and grade. Our conceptual exploration target of 81 to 97 million tonnes was generated through integrated magnetic and gravity geophysical modelling using a ground magnetism inversion model, constrained by drilling results and geological interpretation. This modelling was completed in-house using Paradigm GOCAD software. Beyond rare earth elements, the skarn system has returned encouraging base and precious metal values, including copper up to 0.41% in the C26 skarn, cobalt up to 320 ppm, and silver up to 5.1 g/t in the C27 skarn. The 2026 drilling program will focus on defining high-grade REE zones while further evaluating the polymetallic potential of the system to support preparation of an initial mineral resource estimate."

Rare earth elements are used in permanent magnets for electric vehicles, wind turbines, and defense technologies. Global supply is concentrated in China, with demand projected to grow at 9.2% annually through 2030. Rare earth elements and cobalt are included in the US Department of the Interior Critical Minerals List ("CML"). The C26 and C27 skarns mineralization contain all fifteen rare earth elements on the

2025 US Department of the Interior Critical Minerals List ("CML"), including neodymium and praseodymium, plus five additional CML minerals including cobalt, copper, nickel, vanadium, and silver. In total, 20 of 60 CML minerals have been identified.

Figure 2: Gcwihaba Skarn Metals Project Critical Minerals & Rare Earth Elements

To view an enhanced version of this graphic, please visit:

[https://images.newsfilecorp.com/files/11216/280123\\_f7c6ad0b24ca3954\\_011full.jpg](https://images.newsfilecorp.com/files/11216/280123_f7c6ad0b24ca3954_011full.jpg)

This represents the first systematic assessment of REE potential at the Gcwihaba Metals Project. The Company has completed twelve NQ-size exploration drill holes (totaling 3,303 meters) to date across the C26 and C27 skarn targets. A total of 1,612 diamond core samples from nine drill holes were analyzed for multi-element geochemistry, with 1,224 samples (76%) returning detectable REE mineralization. Four drill holes returned high-grade REE intercepts up to 1.49% TREO at the C27 skarn anomaly.

### Drill Results

#### C27 Skarn Anomaly:

- 1.49% TREO over 2m (159.5-161.5m) in Hole 1822C27\_6
- 1.23% TREO over 1m (146.4-147.4m) in Hole 1822C27\_2
- 45m @ &GreaterEqual;0.1% TREO (74.4-243.4m) in Hole 1822C27\_2

#### C26 Skarn Anomaly:

- 18m @ &GreaterEqual;0.1% TREO (77.6-190.6m) in Hole 1822C26\_1
- 4m @ &GreaterEqual;0.1% TREO (103.4-111.4m) in Hole 1822C26\_3

C27 Skarn deposit returned 1.49% TREO over 2m (159.5-161.5m) including 984 ppm Nd, 388 ppm Pr, 92 ppm Cu, 36 ppm Co, and 1.1 g/t Ag in Hole 1822C27\_6. 1.23% TREO over 1m (146.4-147.4m) including 1,195 ppm Nd, 438 ppm Pr, 430 ppm Cu, 71 ppm Co, and 0.2 g/t Ag in Hole 1822C27\_2. 45m @ &GreaterEqual;0.1% TREO (74.4-243.4m) averaging 0.29% TREO, 330 ppm Nd, 123 ppm Pr, 517 ppm Cu, 75 ppm Co, and 0.7 g/t Ag in Hole 1822C27\_2.

C26 Skarn deposit returned 18m @ &GreaterEqual;0.1% TREO (77.6-190.6m) averaging 0.16% TREO, 214 ppm Nd, 63 ppm Pr, 733 ppm Cu, and 1.0 g/t Ag in Hole 1822C26\_1. 0.46% TREO over 1m (172.6-173.6m) including 473 ppm Nd, 154 ppm Pr, 927 ppm Cu, and 1.0 g/t Ag in Hole 1822C26\_1. 4m @ &GreaterEqual;0.1% TREO (103.4-111.4m) averaging 0.23% TREO, 258 ppm Nd, 82 ppm Pr, 288 ppm Cu, and 1.0 g/t Ag in Hole 1822C26\_3. The Company plans to commence further diamond core drilling on the C27 and C26 skarn deposits in 2026.

Table 1: Rare Earth Elements, Copper, Cobalt & Silver Drill Results Summary - Gcwihaba Project

Target	Peak Grade	Peak Nd (ppm)	Peak Pr (ppm)	Peak Ce (ppm)	Peak La (ppm)	Width &GreaterEqual;1% TREO	Width &GreaterEqual;0.1% TREO	Peak Cu (ppm)	Peak Co (ppm)	Peak Ag (g/t)
C27 Skarn	1.49% TREO	1,195	438	5,850	4,870	2m	45m	2600	320	5.1
C26 Skarn	0.46% TREO	473	154	1,777	1,270	-	18m	4073	-	1.0

TREO = Total Rare Earth Oxide; Nd = Neodymium; Pr = Praseodymium

Note: All reported intervals are downhole lengths; true widths have not yet been determined. TREO values are reported as oxide equivalents. Peak Nd and Pr values are from the highest-grade TREO intercepts within each anomaly. All values from certified laboratory analysis (ALS/Actlabs ME-MS81, ME-ICP61). Peak values represent maximum single-meter assay results. All rare earth elements, cobalt, copper, and silver are US DOI Critical Minerals (2025). Assay data is located on the Company's website at Tsodilo Resources Ltd. - Metals.

## Geological Setting

The skarn deposits occur within carbonate-rich lithologies (marbles) and schists beneath 20 - 50 meters of Kalahari sediments cover. The REE mineralization is developed within endo-skarn formed along carbonate-rich marble lithologies, with bulk skarn mineralogy comprising pyroxene skarn (hedenbergite) and garnet skarn (andradite). REE minerals identified include carbonates (bastnäsite, ancylite), silicates (allanite, britholite), and phosphates (monazite, xenotime). This mineralogical assemblage is characteristic of skarn-hosted REE deposits globally and represents well-established REE mineral types with proven extraction methods.

The intercept grades at Gcwihaba fall within the range of reported grades for skarn-hosted REE deposits, which typically range from 0.02% to 3% TREO (Paulick and Machacek, 2017). The 1.49% TREO intercept at C27 represents the highest grade recorded at the project to date.

## Exploration Implications

The high-grade intersections at C27 and broad mineralized intervals at C26 validate the Company's geophysical exploration approach using integrated magnetic and gravity surveys beneath Kalahari cover. The results support the conceptual exploration target of 81 to 97 million tonnes, which was generated through ground magnetics data inversion modeling, constrained by drilling results and geological interpretation. This approach provides a framework for systematic resource definition drilling campaign.

The 2026 drilling program will focus on defining high-grade zones exceeding 1% TREO, improving geological confidence, and collecting samples for metallurgical testwork. The planned 2026 drilling campaign comprises approximately 50 NQ-size drill holes totaling 15,000 meters, designed to support preparation of an initial mineral resource statement.

## Quality Assurance / Quality Control (QAQC)

All diamond drill core from the Gcwihaba Metals Project was logged, photographed, and sawn in half using a diamond blade core saw. One half of the core was submitted for geochemical analysis, while the other half was retained in secure storage for reference. Sampling intervals were determined based on geological boundaries and typically ranged one meter. Control samples comprised approximately 10% of all samples submitted, including certified reference standards, analytical blanks, field duplicates, and preparation duplicates. QA/QC results were reviewed in real time, and all data have been verified as meeting acceptable thresholds for accuracy, precision, and contamination before inclusion in this release.

Diamond drill core samples were submitted for multi-element geochemical analysis at ALS Minerals Division, South Africa. Sample preparation comprised fine crushing to 70% passing 2mm (CRU-31), riffle splitting (SPL-21), and pulverizing to 85% passing 75 µm (PUL-31). Samples were analyzed using 38-element fusion inductively coupled plasma mass spectrometry (ICP-MS; method ME-MS81) for rare earth elements and yttrium, and 33-element four-acid digestion inductively coupled plasma atomic emission spectroscopy (ICP-AES; method ME-ICP61) for base and trace metals. Selected samples were also analyzed for precious metals using fire assay fusion ICP (method PGM-ICP23).

## About Rare Earth Elements

The rare earths are an abundant group of seventeen elements composed of scandium, yttrium, and the lanthanides. The elements range in crustal abundance from cerium, the 25<sup>th</sup> most abundant element of the seventy-eight common elements in the earth's crust at 60 parts per million, to thulium and lutetium, the least abundant rare-earth elements at about 0.5 part per million. The elemental forms of rare earths are iron gray to silvery lustrous metals that are typically soft, malleable, and ductile and usually reactive, especially at elevated temperatures or when finely divided.

The rare earths' unique properties are used in a wide variety of applications. (Source: USGS National Minerals Information Center). NdFeB magnets are the most widely used, driving demand for four key REEs:

Neodymium and Praseodymium as core inputs, and Dysprosium and Terbium" as essential additives for thermal stability. (Source: African Development Bank, Critical Mineral Insights 9 - Rare Earth Elements, November 24, 2025). In 2024, the U.S. imported 80% of the rare earth elements it used." (Source: USGS News Release, Interior Department releases final 2025 List of Critical Minerals, November 14, 2025)

#### Cautionary Note

The conceptual exploration target of 81 to 97 million tonnes for the C26 and C27 skarn anomalies was generated through magnetic and gravity geophysical modelling techniques using a ground magnetics inversion model, constrained by drilling results and geological interpretation. This modelling was completed in-house using Paradigm GOCAD software. The potential quantity and grade of this exploration target is conceptual in nature. There has been insufficient exploration to define a Mineral Resource in accordance with National Instrument 43-101 Standards of Disclosure for Mineral Projects ("NI 43-101"), and it is uncertain if further exploration will result in the exploration target being delineated as a Mineral Resource. The exploration target should not be misconstrued as or considered equivalent to a Mineral Resource or Mineral Reserve.

#### QP Disclosure

Overall supervision of the Company's exploration program is the responsibility of Asele Maboshe, "Qualified Person" as such term is defined in National Instrument 43-101 ("NI 43-101"), who has reviewed and approved the technical information in this news release, and is not independent of the Company.

#### About Tsodilo Resources Limited

Tsodilo Resources Limited is an international mineral resource exploration company engaged in the search for economic metal deposits at its Gcwihaba Resources (Pty) Limited ("Gcwihaba") projects in Botswana. The Company has a 100% stake in its Gcwihaba project area consisting of five metal (base, precious, platinum group, and rare earth) prospecting licenses all located in the North-West district of Botswana.

#### FOR FURTHER INFORMATION PLEASE CONTACT:

James M. Bruchs Chairman and Chief Executive Officer [JBruchs@TsodiloResources.com](mailto:JBruchs@TsodiloResources.com)  
Head Office Telephone +1 416 800-4214 Facsimile +1 416 987-4369  
Website [www.TsodiloResources.com](http://www.TsodiloResources.com)

This press release may contain forward-looking statements. All statements, other than statements of historical fact, which address activities, events or developments that the Company believes, expects or anticipates will or may occur in the future (including, without limitation, statements pertaining to the use of proceeds, the impact of strategic partnerships and statements that describe the Company's future plans, objectives or goals) are forward-looking statements. These forward-looking statements reflect the current expectations or beliefs of the Company based on information currently available to the Company. Forward-looking statements are subject to a number of risks and uncertainties that may cause the actual results of the Company to differ materially from those discussed in the forward- looking statements, and even if such actual results are realized or substantially realized, there can be no assurance that they will have the expected consequences to, or effects on the Company. Factors that could cause actual results or events to differ materially from current expectations include, among other things, changes in equity markets, changes in general economic conditions, market volatility, political developments in Botswana and surrounding countries, changes to regulations affecting the Company's activities, uncertainties relating to the availability and costs of financing needed in the future, exploration and development risks, the uncertainties involved in interpreting exploration results and the other risks involved in the mineral exploration business. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise. Although the Company believes that the assumptions inherent in the forward-looking statements are reasonable, forward-looking statements are not a guarantee of future performance and accordingly undue reliance should not be put on such statements due to the inherent uncertainty therein.

Forward-looking statements are subject to a number of risks and uncertainties that may cause the actual

results of the Company to differ materially from those discussed in the forward-looking statements and, even if such actual results are realized or substantially realized, there can be no assurance that they will have the expected consequences to, or effects on, the Company. Factors that could cause actual results or events to differ materially from current expectations include, among other things, uncertainties relating to availability and cost of funds, timing and content of work programs, results of exploration activities, interpretation of drilling results and other geological data, risks relating to variations in the diamond grade and kimberlite lithologies; variations in rates of recovery and breakage; estimates of grade and quality of diamonds, variations in diamond valuations and future diamond prices; the state of world diamond markets, reliability of mineral property titles, changes to regulations affecting the Company's activities, delays in obtaining or failure to obtain required project approvals, operational and infrastructure risk and other risks involved in the diamond exploration and development business. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement, whether as a result of new information, future events or results or otherwise. Although the Company believes that the assumptions inherent in the forward-looking statements are reasonable, forward-looking statements are not a guarantee of future performance and accordingly undue reliance should not be put on such statements due to their inherent uncertainty. Neither the TSX Venture Exchange ("TSXV") nor its Regulation Services Provider (as that term is defined in the policies of the TSXV) accepts responsibility for the adequacy or accuracy of this news release. This news release may contain assumptions, estimates, and other forward-looking statements regarding future events. Such forward-looking statements involve inherent risks and uncertainties and are subject to factors, many of which are beyond the Company's control, which may cause actual results or performance to differ materially from those currently anticipated in such statements.

---

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/718050--Tsodilo-Resources-Ltd.-Detects-Critical-Minerals-and-Rare-Earth-Elements-Within-Its-Skarn-Metals-Project.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).