

Canterra Minerals Intersects High-Grade Gold at Wilding in Central Newfoundland, Including 10.89 g/t Au over 31.5 m

20.01.2026 | [GlobeNewswire](#)

VANCOUVER, Jan. 20, 2026 - [Canterra Minerals Corp.](#) (TSXV: CTM) (OTCQB: CTMCF) (FSE: DXZB) ("Canterra" or the "Company") is pleased to report results of high-grade gold mineralization, including 31.5 metres (core length) averaging 10.89 g/t Au, from its fall 2025 diamond drilling at its 100%-owned Wilding Gold Project adjoining Equinox Gold's Valentine Mine in central Newfoundland.

"These results demonstrate that Wilding has the potential to host a high-grade, district-scale gold system in one of Canada's most attractive mining jurisdictions," said Chris Pennimpede, President and CEO of Canterra. "As global uncertainty continues to drive interest in secure North American gold assets, we believe Canterra is well positioned to create long-term value through disciplined exploration next door to Atlantic Canada's largest gold producer."

Drilling Highlights

A total of 1,243 metres (m) of large diameter (HQ) core drilling were completed across 18 drill holes in fall 2025 at the Elm and Alder Zones as well as at Aspen, a new target:

- Exceptional high-grade intercept of 10.89 g/t Au over 31.5 metres core length, including 41.0 g/t Au over 5.4 m, from 59.0 metres depth in hole WL-25-100 (Elm Zone).
- Shallow high-grade intercepts including 6.16 g/t Au over 4.1 metres from 5.1 metres depth, including 20.96 g/t Au over 1 metre, highlighting near-surface gold mineralization in hole WL-25-95 (Alder Zone).
- Elm Zone prospect now interpreted as an approximately 300 metres along-strike by 100 metres down-dip mineralized gold corridor, demonstrating meaningful scale and resource potential.
- Drilling confirms continuity of high-grade quartz-sulphide gold veins, with alteration halos suggesting a larger hydrothermal system.
- Successful first-pass drill test at new Aspen Target returned anomalous gold values up to 0.57 g/t Au in hole WL-25-99, expanding the known extent of mineralized veining.

Wilding Gold Project Fall 2025 Drill Highlights* (Table 1)

| Drill Hole | From (m) | To (m) | Length (m)* | Au (g/t) |
|------------|----------|--------|-------------|----------|
| WL-25-100 | 59.0 | 90.5 | 31.5 | 10.89 |
| including | 61.35 | 66.75 | 5.4 | 41.00 |
| including | 75.9 | 87.95 | 12.05 | 5.66 |
| WL-25-101 | 14.2 | 20.8 | 6.6 | 8.22 |
| Including | 15.35 | 17.5 | 2.15 | 24.74 |
| WL-25-95 | 5.1 | 9.2 | 4.1 | 6.16 |
| including | 6.2 | 7.2 | 1 | 20.96 |
| WL-25-90 | 58.3 | 60.3 | 2 | 8.41 |
| including | 59.3 | 60.3 | 1 | 13.74 |
| WL-25-93 | 7.4 | 11.65 | 4.25 | 2.59 |

*All reported intervals are downhole lengths. True widths have not yet been determined. Based on current structural interpretations, mineralized intervals in holes WL-25-90, WL-25-100, and WL-25-101 are interpreted to represent shallow-angle intersections of quartz-sulphide veins. As a result, reported downhole lengths may be significantly greater than true vein widths, however, additional drilling is required to make an accurate interpretation of true widths.

Drill Result Analysis

The fall 2025 drill program was designed to test for stacked extensional quartz-gold-tourmaline-pyrite vein packages along the known shear zones, testing geometries not previously drilled and new targets stemming from 2025 fieldwork and prospecting results (see September 8 and November 3, 2025 news releases). A key objective of the program was to test the "extensional vein set" concept and evaluate whether multiple vein orientations and stacked vein packages contribute to grade and continuity within the Wilding system. A total of 1,243.5 m of HQ core drilling was completed across 18 drill holes at the Elm and Alder zones and at a new target, Aspen.

In addition to confirming high-grade gold mineralization, the Fall 2025 drill program substantially expanded the interpreted alteration footprint at both the Elm and Alder zones. Widespread quartz-tourmaline-pyrite alteration was intersected beyond previously defined vein corridors, indicating a larger and more continuous hydrothermal system than previously recognized. At Elm, alteration envelopes extend laterally and vertically beyond high-grade intercepts in WL-25-100 and WL-25-101, while at Alder, multiple holes intersected consistent alteration even where vein thickness or grade was reduced. These results suggest that alteration mapping provides an effective vector toward mineralized structures and materially increases the prospective footprint of both systems.

Figure 1. Quartz-Tourmaline-Sulphide Vein with sheared altered Rogerson Lake conglomerate at Elm Zone in hole WL-25-101.

Hole WL-25-100 was designed to test the extensional veins in the immediate hanging wall of the known Elm vein system; however, the hole intersected the vein. The 31.5 m downhole interval (10.89 g/t Au) is interpreted to represent a low-angle intersection of the Elm vein system, which can result in an apparent thickness significantly greater than true vein width. True widths will be refined with additional drilling and structural measurements.

Hole WL-25-99 tested a new geophysical IP target area interpreted to be the potential northeast extension of the Alder Zone named the Aspen Target. This hole intersected vein material and associated hydrothermal alteration consistent with that observed at the established Elm and Alder Zones, further supporting the interpretation that alteration halos may extend beyond currently defined gold intercepts. Initial results reported anomalous gold grades up to 0.57 g/t Au and represent a successful first test of Aspen.

Results from WL-25-100 and WL-25-101 provide additional support for continuity of the Elm Zone vein system, as gold grades are consistently elevated where quartz-sulphide vein material and associated alteration are present. Together, these holes demonstrate repeatability of mineralization style and grade association within the Elm corridor and will be used to refine targeting for follow-up drilling.

Figure 2. Plan view of Wilding Project 2025 Drill Program

Figure 3. Cross Section of Elm Zone.

Table 2. Drill Collar details from this press release. Coordinates are given in UTM NAD 83 Zone 21 N.

| Hole number | Azimuth (°) | Dip (°) | Length (m) | Northing | Easting | Prospect |
|-------------|-------------|---------|------------|----------|---------|----------|
| WL-25-102 | 325 | -45 | 41 | 5367977 | 517368 | Alder |
| WL-25-101 | 180 | -61 | 38 | 5368220 | 518353 | Elm |
| WL-25-100 | 180 | -44 | 96.5 | 5368220 | 518353 | Elm |
| WL-25-99 | 136 | -45 | 107 | 5368460 | 518225 | Aspen |
| WL-25-98 | 164.5 | -45 | 53 | 5368001 | 517356 | Alder |

| | | | | |
|----------|-----|-------|-----|----------------------|
| WL-25-97 | 308 | -45 | 47 | 5368033 517376 Alder |
| WL-25-96 | 42 | -45 | 83 | 5367970 517338 Alder |
| WL-25-95 | 343 | -45 | 53 | 5367963 517352 Alder |
| WL-25-94 | 329 | -60 | 59 | 5368011 517378 Alder |
| WL-25-93 | 300 | -44 | 74 | 5367991 517366 Alder |
| WL-25-92 | 190 | -45 | 71 | 5367991 517358 Alder |
| WL-25-91 | 10 | -45 | 86 | 5367991 517358 Alder |
| WL-25-90 | 188 | -45 | 107 | 5368212 518341 Elm |
| WL-25-89 | 191 | -43 | 71 | 5368226 518344 Elm |
| WL-25-88 | 188 | -45 | 65 | 5368259 518418 Elm |
| WL-25-87 | 122 | -44 | 50 | 5368268 518437 Elm |
| WL-25-86 | 202 | -44 | 62 | 5368267 518436 Elm |
| WL-25-85 | 188 | -43.5 | 80 | 5368223 518335 Elm |

Table 3. Summary Gold Assay Results

| Drill Hole | From (m) | To (m) | Length (m)* | Au (g/t) | Prospect |
|------------|-----------------------|--------|-------------|----------|----------|
| WL-25-86 | No Significant Values | | | | Elm |
| WL-25-87 | No Significant Values | | | | Elm |
| WL-25-88 | No Significant Values | | | | Elm |
| WL-25-89 | 48.4 | 49.6 | 1.2 | 3.09 | Elm |
| WL-25-90 | 52.7 | 53.7 | 1 | 2.54 | Elm |
| and | 58.3 | 60.3 | 2 | 8.41 | Elm |
| including | 59.3 | 60.3 | 1 | 13.74 | Elm |
| WL-25-91 | 16.7 | 17.7 | 1 | 1.90 | Alder |
| WL-25-92 | No Significant Values | | | | Alder |
| WL-25-93 | 7.4 | 11.65 | 4.25 | 2.59 | Alder |
| and | 19.2 | 20.2 | 1 | 1.23 | Alder |
| WL-25-94 | 14.9 | 15.9 | 1 | 1.11 | Alder |
| WL-25-95 | 5.1 | 9.2 | 4.1 | 6.16 | Alder |
| including | 6.2 | 7.2 | 1 | 20.96 | Alder |
| and | 18.4 | 20.85 | 2.45 | 1.90 | Alder |
| WL-25-96 | 18.8 | 20.8 | 2 | 1.48 | Alder |
| WL-25-97 | 14.4 | 15.5 | 1.1 | 0.98 | Alder |
| WL-25-98 | No Significant Values | | | | Alder |
| WL-25-99 | 95.4 | 96.9 | 1.5 | 0.57 | Aspen |
| WL-25-100 | 59.0 | 90.5 | 31.5 | 10.89 | Elm |
| including | 61.35 | 66.75 | 5.4 | 41.00 | Elm |
| including | 62.35 | 65.7 | 3.35 | 46.50 | Elm |
| including | 75.9 | 87.95 | 12.05 | 5.66 | Elm |
| WL-25-101 | 14.2 | 20.8 | 6.6 | 8.22 | Elm |
| Including | 15.35 | 17.5 | 2.15 | 24.74 | Elm |
| WL-25-102 | 10.85 | 15.2 | 4.35 | 1.18 | Alder |
| including | 11.95 | 12.95 | 1 | 3.75 | Alder |

* All reported intersections are downhole lengths. True widths have not yet been determined. At the Elm Prospect, mineralized intervals are interpreted to represent low-angle intersections of the primary vein system, with multiple secondary vein orientations locally observed in drill core. This geometry may result in apparent interval thicknesses that exceed true vein widths.

Structural interpretations suggest that reported intervals in holes WL-25-90, WL-25-100, and WL-25-101 reflect shallow-angle intersections of high-grade veins, supporting vertical continuity and the potential for stacked mineralized structures. Estimated true widths are interpreted to be approximately 5-30% (WL-25-90, WL-25-100) and 20-45% (WL-25-101) of the reported downhole lengths.

Next Steps

Based on the encouraging results, the Company is planning follow-up drilling; both diamond drilling top of bedrock/base of till drilling to better constrain vein orientation, true width, and continuity. Follow-up holes are expected to:

- map the potential extent of this hydrothermal system between Alder, Elm and Aspen zones and beyond
- Intersect the interpreted vein(s) at a higher angle to better define true thickness.
- Test down-plunge and along-strike continuity suggested by the low-angle intersection.
- Test new vein concepts and follow up of the encouraging Aspen Zone discovery
- Systematically vectoring follow-up drilling using the expanded alteration footprint at Elm, Alder, and Aspen to test for higher-grade vein development within a larger mineralized system.

This planned follow-up drilling program is designed to rapidly advance the Wilding by improving confidence in vein geometry, continuity, and scale. These efforts are expected to support future resource delineation and enhance the project's strategic value within the central Newfoundland gold district.

Figure 4. Map of Canterra Newfoundland Central Mining District Projects

Sampling and Analytical Methods

HQ drill core (63.5 mm diameter) was logged, photographed, and sampled at the Company's secure core facility in Newfoundland. Core for sampling was selected by Canterra geologists with respect to lithological boundaries and mineralization and sawn in half, with one half retained for reference. Samples were delivered by Canterra personnel to Eastern Analytical Ltd. laboratory in Springdale, Newfoundland for preparation and analysis. Eastern Analytical is an independent accredited assay lab that conforms to the requirements of ISO/IEC 17025. Samples were analyzed using Eastern's gold fire assay (Au-FAA30) method with atomic absorption finish. Samples returning elevated gold values >1g/t were re-analyzed with gravimetric finish. All reported assays are uncut. The Company maintains a quality assurance/quality control program that includes the insertion of certified reference materials, blanks, and duplicates. QAQC samples account for a minimum of 5% of the samples in addition to the laboratory's internal quality assurance programs.

Qualified Person

The technical information contained in this news release has been reviewed and approved by Christopher Pennimpede, P.Geo., President and CEO of [Canterra Minerals Corporation](#), who is a Qualified Person as defined under National Instrument 43-101.

Newfoundland and Labrador Junior Exploration Assistance & 2025 Exploration Program

Canterra would like to acknowledge the financial support it may receive from the Junior Exploration Assistance Program from the government of Newfoundland and Labrador related to the completion of its 2025 exploration programs.

About Canterra Minerals

Canterra is a diversified minerals exploration company focused on critical minerals and gold in central Newfoundland. The Company's projects include six mineral deposits located in close proximity to the world-renowned, past producing Buchans Mine and Teck Resources' Duck Pond Mine, which collectively produced copper, zinc, lead, silver and gold. Several of Canterra's deposits support current and historical Mineral Resource Estimates prepared in accordance with National Instrument 43-101 and the Canadian Institute of Mining, Metallurgy, and Petroleum Definition Standards for Mineral Resources and Mineral Reserves. Canterra's gold projects are located on-trend of Equinox Gold's producing Valentine Mine and cover a ~55 km extension of the same interpreted structural corridor that hosts mineralization within Equinox Gold's mine project. Drilling within the Wilding gold projects intersected multiple occurrences of orogenic-style gold mineralization within a large land position that remains underexplored.

ON BEHALF OF THE BOARD OF CANTERRA MINERALS CORPORATION

Chris Pennimpede
President & CEO

Additional information about the Company is available at www.canterraminerals.com
For further information, please contact: +1 (604) 687-6644

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Cautionary Note Regarding Forward-Looking Information *This press release contains statements that constitute "forward-looking information" (collectively, "forward-looking statements") within the meaning of the applicable Canadian securities legislation, including statements with respect to estimated mineral resources, the opening of avenues for substantial discoveries within the belt, the Buchans Project being ripe for a modern approach with significant exploration potential for high grade VMS mineralization, the Company anticipating being strongly positioned to unveil the next mineral discovery in central Newfoundland. All statements, other than statements of historical fact, are forward-looking statements and are based on expectations, estimates and projections as at the date of this news release. Any statement that discusses predictions, expectations, beliefs, plans, projections, objectives, assumptions, future events or performance (often but not always using phrases such as "expects", or "does not expect", "is expected", "anticipates" or "does not anticipate", "plans", "budget", "scheduled", "forecasts", "estimates", "believes" or "intends" or variations of such words and phrases or stating that certain actions, events or results "may" or "could", "would", "might" or "will" be taken to occur or be achieved) are not statements of historical fact and may be forward-looking statements. Consequently, there can be no assurances that such statements will prove to be accurate and actual results and future events could differ materially from those anticipated in such statements. Except to the extent required by applicable securities laws and the policies of the TSX Venture Exchange, the Company undertakes no obligation to update these forward-looking statements if management's beliefs, estimates or opinions, or other factors, should change. Factors that could cause future results to differ materially from those anticipated in these forward-looking statements include risks associated possible accidents and other risks associated with mineral exploration operations, the risk that the Company will encounter unanticipated geological factors, the possibility that the Company may not be able to secure permitting and other governmental clearances necessary to carry out the Company's exploration plans, the risk that the Company will not be able to raise sufficient funds to carry out its business plans, and the risk of political uncertainties and regulatory or legal changes that might interfere with the Company's business and prospects.; as well as those risks and uncertainties identified and reported in the Company's public filings under its SEDAR+ profile at www.sedarplus.ca. Accordingly, readers should not place undue reliance on the forward-looking statements and information contained in this press release. Except as required by law, the Company disclaims any intention and assumes no obligation to update or revise any forward-looking statements to reflect actual results, whether as a result of new information, future events, changes in assumptions, changes in factors affecting such forward-looking statements or otherwise.*

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/719059--Canterra-Minerals-Intersects-High-Grade-Gold-at-Wilding-in-Central-Newfoundland-Including-10.89-g-t-Au-over-31>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).