

# Inventus Continues Expanding Flat Surface Gold Mineralization at the Pardo "River of Gold" Project

22.01.2026 | [ACCESS Newswire](#)

TORONTO, January 22, 2026 - [Inventus Mining Corp.](#) (TSXV:IVS) ("Inventus" or the "Company") is pleased to provide recent drilling results at its 100%-owned Pardo "River of Gold" Project, located 65 km northeast of Sudbury, Ontario.

## Highlights

- Phase 2 drilling expands flat surface gold mineralization with highlights of:
  - 6.1 gpt gold over 1.58 m
  - 4.6 gpt gold over 1.50 m
  - 4.4 gpt gold over 1.81 m
- Grade-control drilling defines additional bulk sample site with highlights of:
  - 5.6 gpt gold over 1.47 m
  - 4.7 gpt gold over 1.60 m
  - 4.3 gpt gold over 1.72 m
- Drilling is ongoing with results pending from 40 holes:
  - 26 holes completed in 2026
  - 14 holes completed at the end of 2025
- 10,128-tonne Trench 1 bulk sampling processing scheduled to begin January 27<sup>th</sup>, 2026
- 10,000-tonne Trench 1 North bulk sample extraction underway

## Why this matters for Investors

Drilling and bulk sampling at Pardo are advancing multiple value-creation milestones in parallel. These programs are focused on delivering an initial resource estimate, with drilling confirming continuity of gold mineralization and bulk sampling validating grades, providing a glimpse at mine feasibility, and generating operational cash flow to further de-risk the project. Near-term catalysts include additional drill results, bulk

sample processing results, and technical studies including heap-leach processing and ore-sorting.

### Drilling Update

Phase 2 drilling continues to expand the flat and shallow gold mineralization to the West and North at depths of 4 to 30 metres with intersections of 6.1 gpt gold over 1.58 metres, 4.6 gpt gold over 1.5 metres and 4.4 gpt gold over 1.81 metres (Figure 1). A total of 68 drill holes are reported for 1,401 metres of drilling with result highlights provided in Table 1 and drill hole details in Table 2. Drilling is now focused on the southeast to continue testing the lateral continuity of gold mineralization (Figure 1).

Phase 2 drilling is conducted at 30- to 60-metre step-outs to identify and confirm gold mineralization within the target layer. Subsequent infill drilling at 15-metre spacing will be used to better define the gold grade, and lastly, grade-control drilling is completed at 7.5-metre centres prior to extraction. This staged drilling approach is directly tied to the ongoing bulk sampling program, and the target range of grade for the unit remains at 2.5 to 3.5 gpt gold.

### Bulk Sampling Update

Bulk sample operations at the Trench 1 North pit are underway. Waste material, which is a few metres thick and overlies the gold mineralization, is currently being removed. Once exposed, the mineralized material will be extracted, crushed on site, and hauled to McEwen's Stock mill for processing.

The Trench 1 bulk sample, comprising 10,128 tonnes and currently stockpiled at the mill, is scheduled for processing on January 27, 2026.

In addition, 13 grade-control drill holes were completed on the West side of the Trench 1 bulk sample site to define an additional bulk sample area (Figure 1). These holes returned strong near-surface intercepts within 10 metres of surface, including 5.6 g/t gold over 1.47 metres, 4.7 g/t gold over 1.60 metres, and 4.3 g/t gold over 1.72 metres. Additional details of this bulk sample site and its extraction will be provided when available.

Wesley Whymark, President and Head of Exploration, comments: "Bulk sampling and resource drilling are off to a strong start in 2026, and we are delivering on all fronts. Drilling to expand and define the extents of gold mineralization is progressing steadily in advance of our initial resource estimate and an additional bulk sample is advancing in parallel to validate grade assumptions, provide a glimpse at mine feasibility, and generate operational cash flow. With multiple catalysts unfolding, we look forward to reporting our upcoming results."

For further information visit [www.inventusmining.com](http://www.inventusmining.com), or contact:

Mr. Wesley Whymark  
President, Head of Exploration and Director  
Inventus Mining Corp.  
E-mail: [wesley@inventusmining.com](mailto:wesley@inventusmining.com)  
Phone: 705-822-3005

Mr. Ed Baer  
Investor Relations  
Inventus Mining  
Phone: 416-804-0512

### Social Media Accounts

X

LinkedIn

## YouTube

Figure 1. Plan map illustrating the gold grade (gpt Au) of the approximately 2-metre-thick gold-bearing reef at the Pardo project with Lidar background. Holes with reported assays illustrated in red and pending results green.

Table 1. Phase 2 and Grade-Control Drilling Assay Highlights.

Drill Hole	From (Metres)	To (Metres)	Interval <sup>1</sup>	
			(Metres)	Gold Grade (gpt)
PD-25-91	27.30	29.64	2.34	1.6
PD-25-92	30.90	32.40	1.50	4.6
Including	31.90	32.40	0.50	13.1
PD-25-93	30.04	33.00	2.96	0.4
PD-25-119	11.64	13.22	1.58	6.1
Including	12.02	12.46	0.44	20.0
PD-25-120	9.69	11.23	1.54	2.1
Including	10.74	11.23	0.49	6.1
PD-25-121	6.90	8.45	1.55	2.3
Including	6.90	7.40	0.50	3.6
PD-25-122	6.66	10.41	3.75	0.6
PD-25-124	7.49	9.30	1.81	4.4
Including	8.40	8.75	0.35	21.0
PD-25-127	7.37	9.43	2.06	1.4
Including	8.37	8.75	0.38	3.8
PD-25-128	7.50	9.45	1.95	2.4
Including	8.00	8.50	0.50	4.3
PD-25-130	5.30	6.75	1.45	2.2
Including	6.30	6.75	0.45	6.2
PD-25-133	6.06	7.73	1.67	1.1
PD-25-137	4.15	5.40	1.25	2.1
Including	5.00	5.40	0.40	6.2

PD-25-142	16.47	18.88	2.41	1.0
Including	18.42	18.88	0.46	2.7
PD-25-143	10.12	11.60	1.48	1.2
PD-25-148	10.10	11.68	1.58	1.7
Including	11.10	11.68	0.58	4.4
PD-25-147	15.72	17.22	1.50	1.5
Including	16.72	17.22	0.50	3.0
PD-25-150	15.80	17.51	1.71	1.2
Including	17.17	17.51	0.34	2.9
PD-25-152	8.69	9.91	1.22	2.1
Including	9.45	9.91	0.46	5.1
PD-25-155	10.45	11.98	1.53	2.2
Including	10.95	11.47	0.52	4.2
TR1-25-126	8.00	9.33	1.33	3.0
Including	8.83	9.33	0.50	6.4
TR1-25-127	8.49	10.07	1.58	2.4
Including	9.37	9.75	0.38	9.1
TR1-25-128	8.78	10.75	1.97	1.3
Including	10.21	10.75	0.54	3.4
TR1-25-129	8.53	10.18	1.65	1.1
Including	9.73	10.18	0.45	2.6
TR1-25-130	9.02	10.45	1.43	2.1
Including	9.94	10.45	0.51	3.2
TR1-25-131	8.96	10.43	1.47	5.6
Including	9.83	10.43	0.60	13.4
TR1-25-132	9.45	11.17	1.72	4.3
Including	9.80	10.17	0.37	12.7
TR1-25-133	9.02	10.39	1.37	1.1
Including	9.52	10.03	0.51	2.5
TR1-25-134				

9.30

10.72







Including	9.80	10.20	0.40	5.6
TR1-25-135	9.47	11.00	1.53	3.8
Including	9.80	10.54	0.74	7.5
Including	10.15	10.54	0.39	11.6
TR1-25-136	9.41	11.01	1.60	4.7
Including	10.06	10.56	0.50	14.1
TR1-25-137	7.90	9.20	1.30	1.0
Including	8.70	9.20	0.50	2.1
TR1-25-138	9.73	11.41	1.68	1.2

<sup>1</sup>Interval width is approximate true thickness. Mineralization has a flat to 5-degree dip, and all holes were drilled vertically with an inclination of -90 degrees.

Table 2. Details of phase 2 and grade-control drill hole locations reported.

Drill Hole	Inclination (Degrees)	Length (Metres)	Easting (UTM)	Northing (UTM)
PD-25-91	-90	34.00	555989	5183560
PD-25-92	-90	40.00	556021	5183563
PD-25-93	-90	36.50	556049	5183559
PD-25-94	-90	28.00	555987	5183587
PD-25-95	-90	25.30	556006	5183583
PD-25-96	-90	19.50	555991	5183642
PD-25-97	-90	28.00	556051	5183590
PD-25-98	-90	46.00	555931	5183522
PD-25-99	-90	61.50	555873	5183527
PD-25-100	-90	35.00	555792	5183563
PD-25-101	-90	35.50	555798	5183504
PD-25-102	-90	35.50	555800	5183471
PD-25-103	-90	38.50	555803	5183444
PD-25-104	-90	43.00	555832	5183501
PD-25-105	-90	46.00	555831	5183476
PD-25-106	-90	49.00	555833	5183444
PD-25-107				



55.00

555868

5183415



PD-25-108	-90	36.00	555955	5183555
PD-25-109	-90	19.00	556123	5183598
PD-25-110	-90	17.50	556155	5183602
PD-25-111	-90	16.00	556174	5183570
PD-25-112	-90	22.00	556144	5183571
PD-25-113	-90	20.50	556141	5183543
PD-25-114	-90	16.00	556175	5183545
PD-25-115	-90	16.00	556172	5183513
PD-25-116	-90	16.00	556153	5183479
PD-25-117	-90	19.00	556148	5183454
PD-25-118	-90	13.00	556181	5183455
PD-25-119	-90	17.50	556149	5183425
PD-25-120	-90	16.00	556150	5183394
PD-25-121	-90	11.50	556112	5183267
PD-25-122	-90	13.00	556090	5183271
PD-25-123	-90	10.00	556087	5183234
PD-25-124	-90	10.5.0	556117	5183211
PD-25-125	-90	10.00	556089	5183214
PD-25-126	-90	13.00	556065	5183210
PD-25-127	-90	8.50	556066	5183191
PD-25-128	-90	11.50	556115	5183190
PD-25-129	-90	11.50	556110	5183166
PD-25-130	-90	9.30	556088	5183166
PD-25-131	-90	10.00	556047	5183163
PD-25-132	-90	13.00	556049	5183143
PD-25-133	-90	8.60	556086	5183143
PD-25-134	-90	13.66	556134	5183137
PD-25-135	-90	14.50	556136	5183111
PD-25-136	-90	10.00	556109	5183125
PD-25-137				



7.00

556076

5183113



PD-25-138 -90	10.00	556053	5183105
PD-25-139 -90	16.00	556025	5183106
PD-25-140 -90	13.00	556018	5183075
PD-25-141 -90	8.55	556049	5183076
PD-25-142 -90	22.00	556243	5183364
PD-25-143 -90	14.50	556295	5183357
PD-25-144 -90	13.00	556320	5183356
PD-25-145 -90	13.00	556288	5183381
PD-25-146 -90	14.50	556311	5183398
PD-25-147 -90	20.50	556253	5183389
PD-25-148 -90	13.00	556300	5183430
PD-25-149 -90	13.00	556277	5183429
PD-25-150 -90	19.00	556250	5183415
PD-25-151 -90	19.00	556244	5183435
PD-25-152 -90	11.50	556277	5183460
PD-25-153 -90	17.50	556311	5183318
PD-25-154 -90	14.50	556315	5183299
PD-25-155 -90	17.50	556290	5183317
PD-25-156 -90	14.50	556293	5183297
PD-25-157 -90	16.00	556294	5183271
PD-25-158 -90	14.50	556264	5183296
TR1-25-126 -90	12.30	556352	5183334
TR1-25-127 -90	11.50	556345	5183337
TR1-25-128 -90	13.00	556344	5183345
TR1-25-129 -90	11.50	556350	5183349
TR1-25-130 -90	13.00	556349	5183361
TR1-25-131 -90	13.00	556344	5183354
TR1-25-132 -90	13.00	556343	5183363
TR1-25-133 -90	13.00	556349	5183368
TR1-25-134			



11.50

556343

5183371



TR1-25-135 -90	13.00	556349	5183375
TR1-25-136 -90	14.00	556349	5183382
TR1-25-137 -90	11.50	556356	5183385
TR1-25-138 -90	13.00	556343	5183378

#### About Inventus Mining Corp.

Inventus is a mineral exploration and development company focused on the world-class mining district of Sudbury, Ontario. We have a 100% interest in our principal assets the Pardo Paleoplacer Gold Project and the Sudbury 2.0 Critical Mineral Project, located northeast of Sudbury. The Pardo Gold Project is the first important paleoplacer gold discovery in North America. Inventus has approximately 207.8 million common shares outstanding.

#### Qualified Person

The Qualified Person responsible for the technical content of this news release is Inventus' President and Head of Exploration, Wesley Whymark, P.Geo., who has reviewed and approved the technical disclosure in this news release on behalf of the Company.

#### Technical Information

Drill core samples collected by Inventus and described in this news release were subject to robust QA/QC protocols. PQ Size drill core was placed in core boxes by the contracted drill crew and then transported by Inventus personnel to a secure processing facility in Sudbury, Ontario. The core was then reviewed with core metreage blocks checked to verify core integrity, recovery and geologically logged with samples marked. Whole core samples were then photographed and inserted into a clean plastic bag with a sample tag. Certified reference materials were inserted into the sample stream at a rate of no less than 10%. Samples were then transported in secure sealed bags with security tags for preparation and assay by MSA Labs in Val d'Or, Quebec. All samples reported were crushed in their entirety to 80% passing 2 mm. A subsample comprising 2 kg was riffle split and pulverized to 85% passing 75 microns (-200 mesh). The 2kg pulverized subsample is then riffle split into one 300- to 500-g jar for gold analysis by PhotonAssay. MSA Labs is an ISO 17025:2017 accredited geochemical testing laboratory.

#### Forward-Looking Statements

This News Release includes certain "forward-looking statements" which are not comprised of historical facts. Forward-looking statements include estimates and statements that describe the Company's future plans, objectives or goals, including words to the effect that the Company or management expects a stated condition or result to occur. Forward-looking statements may be identified by such terms as "believes", "anticipates", "expects", "estimates", "may", "could", "would", "if", "yet", "potential", "undetermined", "objective", or "plan". Since forward-looking statements are based on assumptions and address future events and conditions, by their very nature they involve inherent risks and uncertainties. Although these statements are based on information currently available to the Company, the Company provides no assurance that actual results will meet management's expectations. Risks, uncertainties and other factors involved with forward-looking information could cause actual events, results, performance, prospects and opportunities to differ materially from those expressed or implied by such forward-looking information. Forward-looking information in this news release includes, but is not limited to, the Company's objectives, goals or future plans, statements, exploration results, potential mineralization, the estimation of mineral resources, exploration and mine development plans, timing of the commencement of operations and estimates of market conditions. Factors that could cause actual results to differ materially from such forward-looking information include, but are not limited to the failure to identify mineral resources, failure to convert estimated mineral resources to reserves, the inability to complete a feasibility study which recommends a production decision, the preliminary nature of metallurgical test results, delays in obtaining or failures to obtain required governmental, environmental or other project approvals, political risks, inability to fulfill the duty to accommodate First Nations and other indigenous peoples, uncertainties relating to the availability and costs

of financing needed in the future, changes in equity markets, inflation, changes in exchange rates, fluctuations in commodity prices, delays in the development of projects, capital and operating costs varying significantly from estimates and the other risks involved in the mineral exploration and development industry, and those risks set out in the Company's public documents filed on SEDAR+. Although the Company believes that the assumptions and factors used in preparing the forward-looking information in this news release are reasonable, undue reliance should not be placed on such information, which only applies as of the date of this news release, and no assurance can be given that such events will occur in the disclosed time frames or at all. The Company disclaims any intention or obligation to update or revise any forward-looking information, whether as a result of new information, future events or otherwise, other than as required by law.

Neither TSX venture exchange nor its regulation services provider (as that term is defined in the policies of the TSX venture exchange) accepts responsibility for the adequacy or accuracy of this release.

SOURCE: Inventus Mining Corp.

View the original press release on ACCESS Newswire

---

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/719483--Inventus-Continues-Expanding-Flat-Surface-Gold-Mineralization-at-the-Pardo-River-of-Gold-Project.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).