

# Verde AgriTech Reports New Best Intercept: 13.0 m at 0.83% TREO including 8.0 m at 1.01% TREO; 25% of Drilled Metres ?0.40% TREO

26.01.2026 | [GlobeNewswire](#)

BELO HORIZONTE Brazil and SINGAPORE, Jan. 26, 2026 - [Verde AgriTech Ltd.](#) (TSX: NPK | OTCQX: VNPKE) ("Verde" or the "Company") is pleased to report additional assay results from its ongoing drilling program at the Minas Americas Global Alliance Project (the "Project") in Minas Gerais, Brazil.

"Our first drilling target (PT-34) is already delivering the combination that matters in rare earth discoveries: shallow thickness, repeated high grades, and a magnet-rich rare earth basket," said Cristiano Veloso, Founder and CEO of Verde. "With significant intercepts now extending across PT-34 and multiple holes finishing in mineralization, we are prioritizing scale capture. Given the strength of results so far, the Board has approved expanding the resource definition footprint and drilling additional metres to better outline the district-scale potential of the Project. Our objective is to define more tonnes of higher-quality, magnet-rich mineralization before finalizing scoping-level economics."

"In parallel, the Board has directed the Company to prepare the Project's technical disclosure under Canadian NI 43-101 and to develop U.S. SEC Regulation S-K Subpart 1300 (S-K 1300) aligned disclosure, including a Technical Report Summary as applicable," added Mr. Veloso. "This dual-track approach enhances comparability for global investors and preserves strategic flexibility as we advance the Project."

This release reports assays from 24 additional holes totaling 244.7 m at the priority PT-34 target, bringing drilling results reported to date to 27 holes totaling 279.8 m (280 assayed intervals).

## Drill Highlights

- New best intercept to date returned 13.0 m (2.0-15.0 m) averaging 8,257 ppm (0.83%) TREO and 2,004 ppm (0.20%) MREO, including 8.0 m (3.0-11.0 m) averaging 10,113 ppm (1.01%) TREO and 2,495 ppm (0.25%) MREO.
- Best 5 m composite to date averaged 10,941 ppm (1.09%) TREO and 2,732 ppm (0.27%) MREO.
- Peak grade + magnet basket: (9.0-10.0 m) returned 13,453 ppm (1.35%) TREO and 3,836 ppm (0.38%) MREO (MREO/TREO = 28.5%; NdPr = 27.8% of TREO).
- Meaningful high-grade distribution: of 279.8 m drilled at PT-34 to date, 71.2 m (25.4%) returned ?0.40% TREO, 46.0 m (16.4%) returned ?0.60% TREO, 23.0 m (8.2%) returned ?0.80% TREO and 8.0 m (2.9%) returned ?1.00% TREO.
- Magnet basket strengthens with grade: in intervals ?0.40% TREO, MREO (Nd+Pr+Dy+Tb) averages ~23% of TREO, rising to ~26% of TREO in intervals ?1.00% TREO.
- Heavy magnet REEs present: Dy-O? up to 86 ppm and Tb-O? up to 18 ppm.
- Open at depth: 11 of 27 holes ended in ?0.20% TREO mineralization, including 6 holes ending ?0.40% TREO, 4 holes ending ?0.80% TREO and 2 holes ending ?1.00% TREO.
- Significant intercepts now span ~1.7 km across PT-34 (based on maximum collar-to-collar distance among holes returning continuous ?0.40% TREO mineralization over ?3 m).

Definitions: TREO = total rare earth oxides. MREO = magnetic rare earth oxides (Nd-O? + Pr-O?? + Dy-O? + Tb-O?). 10,000 ppm = 1.0%. Assays are head grades; metallurgical recoveries are determined by separate testwork.

## Metallurgy Context (Previously Reported) and Next Steps

Verde has previously reported ionic adsorption behavior at the Project using mild ammonium-sulfate leach

screening, including the following process indicators in the best trench samples:

- magnet rare earths comprising >40% of dissolved REO in primary leach solutions;
- thorium and uranium reported at or below detection in the best intervals; and
- cerium reporting at low levels in solution relative to head grade - a favorable selectivity signature for downstream upgrading.

Ongoing work includes:

- deeper follow-up drilling to test below current auger depths where mineralization remains open;
- drill-based composite metallurgical testing across principal mineralization domains; and
- continued reporting of drill assays and metallurgical results as they become available.

#### Preliminary Economic Assessment ("PEA")

With multiple high-grade centres emerging across PT-34 and mineralization remaining open at depth, Verde is sequencing its technical work to ensure the first economic study incorporates a broader drill dataset and updated composite metallurgy.

The Company continues to target a maiden NI 43-101 Mineral Resource Estimate in H1 2026, and now targets completion of a PEA (PEA-level) in H2 2026, supported by S-K 1300-aligned technical disclosure work as applicable.

Table 1: Selected Significant Intercepts - PT-34 (Head Grades)

Hole ID	Note	From (m)	To (m)	Length (m)	TREO (ppm)	TREO (%)	MREO (ppm)	MREO (%)	MREO/TF
MAV_AD_0027	from surface	0.0	15.5	15.5	7,265	0.73	1,749	0.17	24.1
MAV_AD_0027		2.0	15.0	13.0	8,257	0.83	2,004	0.20	24.3
MAV_AD_0027	incl.	3.0	11.0	8.0	10,113	1.01	2,495	0.25	24.7
MAV_AD_0027	5 m comp.	5.0	10.0	5.0	10,941	1.09	2,732	0.27	25.0
MAV_AD_0013		4.0	10.0	6.0	9,484	0.95	2,231	0.22	23.5
MAV_AD_0013	incl.	8.0	10.0	2.0	12,740	1.27	3,551	0.36	27.9
MAV_AD_0013	incl. peak	9.0	10.0	1.0	13,453	1.35	3,836	0.38	28.5
MAV_AD_0012		10.0	14.0	4.0	10,143	1.01	2,475	0.25	24.4
MAV_AD_0035		6.0	11.0	5.0	8,273	0.83	2,013	0.20	24.3
MAV_AD_0002	from surface	0.0	14.2	14.2	6,801	0.68	1,659	0.17	24.4
MAV_AD_0002	incl.	4.0	10.0	6.0	8,013	0.80	1,941	0.19	24.2
MAV_AD_0025		4.0	8.0	4.0	7,826	0.78	1,619	0.16	20.7

Notes: Intervals are downhole. Drillholes are vertical; based on the current geological model of a gently undulating mineralized horizon, downhole lengths are interpreted to represent approximate true thickness. Weighted averages are calculated by length. Rounding may result in minor differences.

Table 2: PT-34 Grade Distribution Scoreboard (Assayed Metres Above TREO Cutoffs)

TREO cutoff	Cutoff (ppm)	Metres ? cutoff	Metres drilled
?0.40% TREO	4,000	71.2 m	<del>25</del> / <del>27</del> %
?0.60% TREO	6,000	46.0 m	<del>16</del> / <del>27</del> %
?0.80% TREO	8,000	23.0 m	<del>8</del> / <del>27</del> %
?1.00% TREO	10,000	8.0 m	<del>2</del> / <del>27</del> %

Notes: Metres are the summed lengths of assayed drill intervals meeting each cutoff (mostly ~1 m). This table does not represent a mineral resource or reserve estimate and is not a statement of continuity.

Figure 1: Drill hole plan map showing completed and pending drill hole assays in the resource potential area.

Figure 2: Cross section showing significant drill holes results

#### Qualified Person and QA/QC

The scientific and technical information contained in this news release has been reviewed and approved by Leonardo Deringer Fraga, P.Geol, Vice President of Exploration, who is a Qualified Person as defined by NI 43101 - Standards of Disclosure for Mineral Projects. EGBC License No. 61611.

Drill samples were collected at nominal one metre intervals. Sample preparation and analysis were carried out by SGS Geosol, an independent, ISO-accredited laboratory in Vespasiano, Minas Gerais, Brazil. Samples were analyzed for major oxides and a full rare earth element suite using industry-standard analytical methods

The Company maintains a quality assurance and quality control (QA/QC) program that includes the insertion of certified reference materials, blanks, and duplicates at regular intervals. QA/QC results were reviewed by the Qualified Person and were found to be within acceptable limits. No material QA/QC issues were identified that would affect the reliability of the reported assay results.

#### About Verde AgriTech

Verde AgriTech is a Brazil-focused specialty fertilizer company listed on the TSX and OTCQX. The Company is advancing the Minas Americas Global Alliance rare earth project in Minas Gerais, Brazil, leveraging its operational platform and regional experience to accelerate exploration and technical de-risking. For more information, visit our website: <https://verde.ag/en/home>.

#### Cautionary Language and Forward-Looking Statements

This news release contains "forward-looking information" within the meaning of applicable Canadian securities legislation, including, but not limited to, statements with respect to: the significance of exploration results; the potential for economic extraction of rare earth elements; future exploration and development plans; the outcome of the Board of Directors' review; potential partnerships, strategic alternatives, or value-maximizing structures; the advancement of the Project; and the expected timing of further updates. Forward-looking information is based on management's current expectations, assumptions, estimates, projections and interpretations and involves known and unknown risks, uncertainties and other factors that may cause actual results or events to differ materially from those expressed or implied.

These factors include, without limitation: risks related to exploration-stage projects; the possibility that future exploration results may not support mineral resource or reserve delineation; uncertainties relating to assay and metallurgical results; operational risks inherent in mining; risks associated with maintaining licenses, permits and mineral rights; changes in laws, regulations and government policies; risks related to capital and operating costs; commodity price volatility; financing risks; and other risks described in the Company's most recent annual information form and other continuous disclosure filings available under the Company's profile at [www.sedarplus.ca](http://www.sedarplus.ca).

Readers are cautioned not to place undue reliance on forward-looking information. The Company does not undertake to update or revise any forward-looking statements, whether as a result of new information, future events or otherwise, except as required under applicable securities laws.

This news release reports exploration results which are preliminary in nature and do not represent mineral resources or mineral reserves as defined under NI 43101. There is no certainty that further exploration will result in the delineation of mineral resources or mineral reserves, or that any development decision will be

made. Mineralization identified to date is not necessarily indicative of future results.

For additional information please contact:

Cristiano Veloso, Chief Executive Officer and Founder

Tel: +55 (31) 3245 0205; Email: investor@verde.ag

www.verde.ag | www.investor.verde.ag

## APPENDIX

### Minas Americas Global Alliance Project (PT-34) - Drill Hole Collar Information and Full Assay Results

Notes: Assays are reported as head grades in parts per million ("ppm"). MREO includes Nd, Pr, Dy and Tb oxides. TREO includes all rare earth oxides. All holes are vertical (90°). Based on current interpretation of a gently undulating mineralized horizon, the reported intervals are interpreted to represent approximate true thickness. Coordinates are reported in SIRGAS 2000 / UTM Zone 23S.

Table 3: Drill hole collar information (PT-34 auger drilling reported to date)

Hole ID	Easting (UTM)	Northing (UTM)	Elevation m	Depth EOH m	Status
MAV_AD_0001	384,454	7,841,206	1044.00	8.70	CONCLUDED
MAV_AD_0002	384,282	7,841,027	1149.00	14.20	CONCLUDED
MAV_AD_0003	384,092	7,840,847	1172.00	12.20	CONCLUDED
MAV_AD_0004	383,855	7,840,627	1195.00	7.00	CONCLUDED
MAV_AD_0005	383,909	7,840,741	1181.00	15.00	CONCLUDED
MAV_AD_0006	383,736	7,840,835	1192.00	11.00	CONCLUDED
MAV_AD_0007	383,611	7,840,764	1193.00	10.40	CONCLUDED
MAV_AD_0008	383,505	7,840,694	1182.00	11.00	CONCLUDED
MAV_AD_0009	383,356	7,840,530	1162.00	9.00	CONCLUDED
MAV_AD_0010	383,207	7,840,421	1142.00	9.00	CONCLUDED
MAV_AD_0011	383,911	7,840,309	1133.00	7.00	CONCLUDED
MAV_AD_0012	383,362	7,840,528	1164.29	14.00	CONCLUDED
MAV_AD_0013	383,429	7,840,463	1163.00	10.00	CONCLUDED
MAV_AD_0014	383,168	7,841,831	1167.00	6.00	CONCLUDED
MAV_AD_0015	382,960	7,841,892	1148.00	7.00	CONCLUDED
MAV_AD_0016	383,140	7,841,980	1164.00	12.00	CONCLUDED
MAV_AD_0017	383,366	7,842,092	1130.00	12.00	CONCLUDED
MAV_AD_0022	383,559	7,839,941	1179.00	12.00	CONCLUDED
MAV_AD_0023	383,445	7,839,886	1174.66	6.00	CONCLUDED
MAV_AD_0024	383,062	7,841,600	1149.00	10.00	CONCLUDED
MAV_AD_0025	383,141	7,841,509	1144.00	8.00	CONCLUDED
MAV_AD_0026	383,068	7,841,948	1169.00	6.00	CONCLUDED
MAV_AD_0027	383,245	7,842,037	1139.00	15.50	CONCLUDED
MAV_AD_0031	383,855	7,840,068	1190.00	11.00	CONCLUDED
MAV_AD_0033	383,348	7,841,789	1175.00	12.80	CONCLUDED
MAV_AD_0034	382,991	7,841,735	1150.00	12.00	CONCLUDED
MAV_AD_0035	383,059	7,842,157	1150.00	11.00	CONCLUDED

\*EOH = end of hole.

Table 4: Full drilling results for PT-34 auger holes (all assayed intervals)

Hole ID	From (m)	To (m)	Length (m)	CeO2 (ppm)	Dy2O3 (ppm)	Er2O3 (ppm)	Eu2O3 (ppm)	Gd2O3 (ppm)	Ho2O3 (ppm)	La2O3 (ppm)	Lu2O3 (ppm)	Nd2O3 (ppm)	Pr6O11 (ppm)	Sm2O3 (ppm)
MAV_AD_0001	0.0	1.0	1.0	2968	34	9	33	77	4	1331	1	1039	299	139
MAV_AD_0001	1.0	2.0	1.0	3857	49	13	51	117	6	2042	1	1617	490	210
MAV_AD_0001	2.0	3.0	1.0	3132	44	13	42	101	6	1663	1	1299	394	172
MAV_AD_0001	3.0	4.0	1.0	2730	40	11	37	90	6	1326	1	1098	311	151
MAV_AD_0001	4.0	5.0	1.0	2580	31	8	32	73	4	1191	0	977	281	131
MAV_AD_0001	5.0	6.0	1.0	2455	29	7	30	69	4	1151	0	912	265	124
MAV_AD_0001	6.0	7.0	1.0	2341	30	9	29	70	4	1086	1	872	250	119
MAV_AD_0001	7.0	8.0	1.0	2347	29	8	28	66	4	1108	0	873	250	117
MAV_AD_0001	8.0	8.7	0.7	1828	23	6	22	52	3	880	0	690	199	92
MAV_AD_0002	0.0	1.0	1.0	3484	43	12	44	103	6	1748	1	1381	417	184
MAV_AD_0002	1.0	2.0	1.0	3102	52	14	47	115	7	1751	1	1356	406	187
MAV_AD_0002	2.0	3.0	1.0	3181	58	15	52	130	8	1854	1	1491	446	209
MAV_AD_0002	3.0	4.0	1.0	2740	35	10	36	83	4	1351	1	1109	325	148
MAV_AD_0002	4.0	5.0	1.0	3055	39	11	39	91	5	1484	1	1210	353	164
MAV_AD_0002	5.0	6.0	1.0	3334	42	12	42	96	6	1642	1	1293	394	172
MAV_AD_0002	6.0	7.0	1.0	3716	43	12	44	101	6	1767	1	1403	430	184
MAV_AD_0002	7.0	8.0	1.0	4523	47	11	53	116	6	2128	1	1742	522	221
MAV_AD_0002	8.0	9.0	1.0	4241	59	17	58	136	8	2047	1	1720	513	234
MAV_AD_0002	9.0	10.0	1.0	3219	86	40	50	147	16	1546	4	1319	364	188
MAV_AD_0002	10.0	11.0	1.0	3105	54	23	42	110	9	1503	2	1229	361	167
MAV_AD_0002	11.0	12.0	1.0	2916	37	11	36	85	5	1367	1	1100	321	149
MAV_AD_0002	12.0	13.0	1.0	1712	21	6	20	49	3	817	0	637	183	85
MAV_AD_0002	13.0	14.2	1.2	1308	16	4	16	36	2	625	0	484	141	65
MAV_AD_0003	0.0	1.0	1.0	221	3	2	1	4	1	86	0	46	14	7
MAV_AD_0003	1.0	2.0	1.0	134	3	2	1	3	1	74	0	24	9	3
MAV_AD_0003	2.0	3.0	1.0	163	5	3	1	5	1	87	1	43	14	6
MAV_AD_0003	3.0	4.0	1.0	200	3	2	1	3	0	93	0	38	13	5
MAV_AD_0003	4.0	5.0	1.0	443	4	2	2	6	1	235	0	75	26	9
MAV_AD_0003	5.0	6.0	1.0	638	7	3	5	12	1	304	0	164	52	22
MAV_AD_0003	6.0	7.0	1.0	1898	23	11	15	37	4	903	1	439	136	64
MAV_AD_0003	7.0	8.0	1.0	2108	21	11	11	30	4	582	1	295	92	43
MAV_AD_0003	8.0	9.0	1.0	2588	18	6	14	33	3	555	1	400	120	58
MAV_AD_0003	9.0	10.0	1.0	3498	36	10	34	78	5	1214	1	1043	303	152
MAV_AD_0003	10.0	11.0	1.0	2381	41	14	32	82	6	1247	1	912	263	131
MAV_AD_0003	11.0	12.2	1.2	2132	42	14	30	80	6	1035	1	811	227	121
MAV_AD_0004	0.0	1.0	1.0	260	7	4	2	7	1	112	1	78	24	11
MAV_AD_0004	1.0	2.0	1.0	324	7	4	2	7	1	108	1	73	22	10
MAV_AD_0004	2.0	3.0	1.0	355	7	4	3	8	1	174	1	127	38	17
MAV_AD_0004	3.0	4.0	1.0	255	6	4	1	5	1	63	1	40	12	6
MAV_AD_0004	4.0	5.0	1.0	236	6	4	1	5	1	65	1	42	13	6
MAV_AD_0004	5.0	6.0	1.0	251	7	4	2	7	1	92	1	63	19	9
MAV_AD_0004	6.0	7.0	1.0	218	6	4	2	6	1	97	1	63	19	9
MAV_AD_0005	0.0	1.0	1.0	383	7	4	4	9	1	201	1	151	44	19
MAV_AD_0005	1.0	2.0	1.0	340	6	4	3	8	1	193	1	143	43	18
MAV_AD_0005	2.0	3.0	1.0	330	6	4	3	8	1	207	1	152	45	19
MAV_AD_0005	3.0	4.0	1.0	329	6	3	3	7	1	209	1	151	46	18
MAV_AD_0005	4.0	5.0	1.0	295	5	3	3	7	1	196	1	138	43	16

---

MAV_AD_0005	5.0	6.0	1.0	253	4	3	3	6	1	171	1	119	36	14
MAV_AD_0005	6.0	7.0	1.0	257	4	2	2	5	1	154	0	99	32	11
MAV_AD_0005	7.0	8.0	1.0	175	3	2	1	3	1	100	0	60	20	7
MAV_AD_0005	8.0	9.0	1.0	156	3	2	1	3	1	90	0	54	17	6
MAV_AD_0005	9.0	10.0	1.0	183	3	2	1	3	1	101	0	57	19	6
MAV_AD_0005	10.0	11.0	1.0	258	3	2	2	4	1	140	0	70	24	8
MAV_AD_0005	11.0	12.0	1.0	301	3	2	1	4	1	165	0	66	24	7
MAV_AD_0005	12.0	13.0	1.0	329	4	2	2	5	1	200	0	67	25	8
MAV_AD_0005	13.0	14.0	1.0	304	4	3	1	4	1	174	0	47	18	5
MAV_AD_0005	14.0	15.0	1.0	325	5	3	1	5	1	186	1	50	19	6
MAV_AD_0006	0.0	1.0	1.0	279	6	4	2	6	1	93	1	65	20	9
MAV_AD_0006	1.0	2.0	1.0	291	6	4	2	6	1	96	1	66	20	9
MAV_AD_0006	2.0	3.0	1.0	280	6	4	2	6	1	91	1	61	19	9
MAV_AD_0006	3.0	4.0	1.0	352	7	4	2	6	1	101	1	67	21	9
MAV_AD_0006	4.0	5.0	1.0	356	6	4	2	6	1	107	1	74	22	10
MAV_AD_0006	5.0	6.0	1.0	363	7	4	3	8	1	141	1	96	30	13
MAV_AD_0006	6.0	7.0	1.0	372	7	4	3	9	1	162	1	116	35	16
MAV_AD_0006	7.0	8.0	1.0	413	7	4	4	10	1	194	1	141	43	19
MAV_AD_0006	8.0	9.0	1.0	431	8	4	4	11	1	210	1	158	47	22
MAV_AD_0006	9.0	10.0	1.0	427	8	4	4	11	1	214	1	166	49	23
MAV_AD_0006	10.0	11.0	1.0	410	7	4	4	10	1	203	1	159	47	22
MAV_AD_0007	0.0	1.0	1.0	298	6	4	2	6	1	103	1	71	22	10
MAV_AD_0007	1.0	2.0	1.0	536	7	4	3	8	1	194	1	107	36	14
MAV_AD_0007	2.0	3.0	1.0	326	7	5	2	7	1	104	1	68	21	10
MAV_AD_0007	3.0	4.0	1.0	338	6	4	2	6	1	99	1	67	21	9
MAV_AD_0007	4.0	5.0	1.0	333	6	4	2	7	1	119	1	83	25	12
MAV_AD_0007	5.0	6.0	1.0	351	7	4	2	8	1	140	1	96	29	12
MAV_AD_0007	6.0	7.0	1.0	341	7	4	3	8	1	147	1	103	32	14
MAV_AD_0007	7.0	8.0	1.0	335	6	4	3	8	1	156	1	110	33	15
MAV_AD_0007	8.0	9.0	1.0	353	7	4	3	9	1	171	1	124	37	16
MAV_AD_0007	9.0	10.4	1.4	358	7	4	3	9	1	178	1	130	39	18
MAV_AD_0008	0.0	1.0	1.0	310	6	4	2	7	1	122	1	86	26	12
MAV_AD_0008	1.0	2.0	1.0	286	6	4	2	6	1	114	1	80	24	11
MAV_AD_0008	2.0	3.0	1.0	334	6	4	2	7	1	119	1	82	25	12
MAV_AD_0008	3.0	4.0	1.0	371	6	4	3	7	1	133	1	93	28	13
MAV_AD_0008	4.0	5.0	1.0	376	7	4	3	8	1	153	1	106	32	14
MAV_AD_0008	5.0	6.0	1.0	378	6	4	3	8	1	165	1	120	36	16
MAV_AD_0008	6.0	7.0	1.0	356	6	4	3	8	1	169	1	123	37	17
MAV_AD_0008	7.0	8.0	1.0	189	3	2	2	4	1	106	0	75	23	10
MAV_AD_0008	8.0	9.0	1.0	213	3	2	2	5	1	112	0	77	24	10
MAV_AD_0008	9.0	10.0	1.0	256	3	2	2	5	1	128	0	80	26	10
MAV_AD_0008	10.0	11.0	1.0	289	4	2	2	5	1	140	0	88	28	10
MAV_AD_0009	0.0	1.0	1.0	736	7	3	3	10	1	192	1	109	35	15
MAV_AD_0009	1.0	2.0	1.0	1089	8	4	4	11	1	255	1	136	46	18
MAV_AD_0009	2.0	3.0	1.0	961	8	4	4	11	1	263	1	137	46	19
MAV_AD_0009	3.0	4.0	1.0	550	6	3	3	8	1	195	0	96	31	13
MAV_AD_0009	4.0	5.0	1.0	577	6	3	3	8	1	206	0	98	33	13
MAV_AD_0009	5.0	6.0	1.0	566	6	3	3	8	1	204	0	100	34	13
MAV_AD_0009	6.0	7.0	1.0	753	6	3	3	8	1	214	1	111	37	14
MAV_AD_0009	7.0	8.0	1.0	747	6	3	3	8	1	212	0	108	36	14
MAV_AD_0009	8.0	9.0	1.0	658	7	4	3	8	1	193	1	100	33	13
MAV_AD_0010	0.0	1.0	1.0	321	6	4	2	7	1	129	1	76	24	11

---

---

MAV_AD_0010	1.0	2.0	1.0	654	7	4	3	8	1	180	1	95	32	12
MAV_AD_0010	2.0	3.0	1.0	1057	8	4	3	9	1	243	1	121	42	15
MAV_AD_0010	3.0	4.0	1.0	617	7	3	4	11	1	265	0	142	46	18
MAV_AD_0010	4.0	5.0	1.0	578	8	4	4	10	1	252	1	151	48	19
MAV_AD_0010	5.0	6.0	1.0	429	8	5	3	8	2	183	1	124	39	15
MAV_AD_0010	6.0	7.0	1.0	358	7	5	3	7	1	156	1	112	33	14
MAV_AD_0010	7.0	8.0	1.0	349	7	4	3	8	1	151	1	119	35	15
MAV_AD_0010	8.0	9.0	1.0	301	8	5	3	8	2	142	1	115	33	15
MAV_AD_0011	0.0	1.0	1.0	193	6	4	1	5	1	67	1	43	13	7
MAV_AD_0011	1.0	2.0	1.0	193	7	4	1	5	1	67	1	42	13	7
MAV_AD_0011	2.0	3.0	1.0	222	7	5	1	5	1	63	1	39	12	6
MAV_AD_0011	3.0	4.0	1.0	244	7	4	1	5	1	66	1	41	13	6
MAV_AD_0011	4.0	5.0	1.0	205	6	4	1	5	1	64	1	40	12	6
MAV_AD_0011	5.0	6.0	1.0	200	6	4	1	5	1	72	1	46	14	7
MAV_AD_0011	6.0	7.0	1.0	193	6	4	2	5	1	80	1	52	16	8
MAV_AD_0012	0.0	1.0	1.0	432	7	4	2	7	1	140	1	69	23	9
MAV_AD_0012	1.0	2.0	1.0	505	7	4	3	8	1	167	1	82	27	12
MAV_AD_0012	2.0	3.0	1.0	562	7	4	3	8	1	183	1	88	29	12
MAV_AD_0012	3.0	4.0	1.0	920	11	5	7	17	2	355	1	199	64	26
MAV_AD_0012	4.0	5.0	1.0	1494	15	5	10	26	2	611	1	279	94	37
MAV_AD_0012	5.0	6.0	1.0	2303	14	5	9	23	2	696	0	276	97	36
MAV_AD_0012	6.0	7.0	1.0	5014	14	5	9	24	2	760	1	286	101	37
MAV_AD_0012	7.0	8.0	1.0	3057	30	9	23	63	4	1147	1	670	201	91
MAV_AD_0012	8.0	9.0	1.0	2448	16	5	13	33	2	625	0	377	116	54
MAV_AD_0012	9.0	10.0	1.0	3065	54	22	34	95	9	1684	2	930	289	129
MAV_AD_0012	10.0	11.0	1.0	4890	50	14	49	110	7	1835	1	1513	465	208
MAV_AD_0012	11.0	12.0	1.0	4715	52	14	56	121	7	2096	1	1747	537	235
MAV_AD_0012	12.0	13.0	1.0	4879	69	22	64	149	10	2347	2	1973	590	264
MAV_AD_0012	13.0	14.0	1.0	4762	72	21	71	162	9	2417	1	2151	625	290
MAV_AD_0013	0.0	1.0	1.0	664	7	4	4	10	1	207	0	117	37	16
MAV_AD_0013	1.0	2.0	1.0	903	6	3	3	9	1	206	0	98	33	13
MAV_AD_0013	2.0	3.0	1.0	1107	7	3	4	10	1	260	0	111	38	14
MAV_AD_0013	3.0	4.0	1.0	2623	9	4	5	15	1	379	0	156	52	21
MAV_AD_0013	4.0	5.0	1.0	4381	20	6	14	38	3	835	1	420	133	56
MAV_AD_0013	5.0	6.0	1.0	4772	37	10	34	80	5	1601	1	1023	312	137
MAV_AD_0013	6.0	7.0	1.0	4334	60	17	59	137	8	2249	1	1856	571	249
MAV_AD_0013	7.0	8.0	1.0	3463	43	12	43	100	6	1771	1	1349	422	180
MAV_AD_0013	8.0	9.0	1.0	4831	52	13	67	138	6	3261	1	2431	770	295
MAV_AD_0013	9.0	10.0	1.0	5510	78	23	86	180	10	3132	2	2882	858	372
MAV_AD_0014	0.0	1.0	1.0	330	7	4	2	7	1	109	1	74	23	10
MAV_AD_0014	1.0	2.0	1.0	359	7	5	2	8	1	117	1	79	25	11
MAV_AD_0014	2.0	3.0	1.0	315	7	5	2	6	1	102	1	66	21	9
MAV_AD_0014	3.0	4.0	1.0	413	8	5	3	8	2	127	1	87	27	12
MAV_AD_0014	4.0	5.0	1.0	371	7	4	2	6	1	106	1	68	21	9
MAV_AD_0014	5.0	6.0	1.0	375	7	5	2	7	1	115	1	78	24	11
MAV_AD_0015	0.0	1.0	1.0	511	7	4	2	8	1	154	1	80	26	11
MAV_AD_0015	1.0	2.0	1.0	519	7	4	3	8	1	156	1	78	26	11
MAV_AD_0015	2.0	3.0	1.0	531	7	4	3	7	1	170	1	82	27	11
MAV_AD_0015	3.0	4.0	1.0	595	7	4	3	9	1	195	1	99	32	14
MAV_AD_0015	4.0	5.0	1.0	602	7	4	3	8	1	194	1	90	30	12
MAV_AD_0015	5.0	6.0	1.0	655	7	3	3	8	1	241	0	94	33	12
MAV_AD_0015	6.0	7.0	1.0	682	7	4	3	8	1	239	1	96	34	13

---

---

MAV_AD_0016	0.0	1.0	1.0	440	7	4	3	8	1	171	1	116	36	16
MAV_AD_0016	1.0	2.0	1.0	428	7	4	3	8	1	163	1	108	33	14
MAV_AD_0016	2.0	3.0	1.0	455	7	4	3	9	1	182	1	122	38	16
MAV_AD_0016	3.0	4.0	1.0	391	7	4	3	9	1	193	1	140	43	18
MAV_AD_0016	4.0	5.0	1.0	407	7	4	4	10	1	219	1	157	47	19
MAV_AD_0016	5.0	6.0	1.0	427	7	4	4	10	1	214	1	153	47	19
MAV_AD_0016	6.0	7.0	1.0	356	6	3	3	9	1	198	1	146	44	18
MAV_AD_0016	7.0	8.0	1.0	336	5	3	3	8	1	193	1	138	43	16
MAV_AD_0016	8.0	9.0	1.0	317	5	3	3	8	1	179	0	127	39	15
MAV_AD_0016	9.0	10.0	1.0	187	3	2	1	4	1	101	0	65	21	7
MAV_AD_0016	10.0	11.0	1.0	192	3	2	1	3	0	101	0	64	21	7
MAV_AD_0016	11.0	12.0	1.0	144	2	1	1	3	0	79	0	53	16	6
MAV_AD_0017	0.0	1.0	1.0	2134	28	9	25	60	4	981	1	757	220	105
MAV_AD_0017	1.0	2.0	1.0	2873	41	12	38	92	6	1332	1	1087	311	151
MAV_AD_0017	2.0	3.0	1.0	2105	40	12	35	87	6	1192	1	996	277	138
MAV_AD_0017	3.0	4.0	1.0	2408	37	13	31	73	5	1090	1	871	249	121
MAV_AD_0017	4.0	5.0	1.0	1938	28	9	26	60	4	889	1	709	203	98
MAV_AD_0017	5.0	6.0	1.0	2069	28	9	27	62	4	968	1	765	219	106
MAV_AD_0017	6.0	7.0	1.0	2102	27	8	27	64	4	995	1	785	225	109
MAV_AD_0017	7.0	8.0	1.0	2240	27	7	27	64	4	1022	0	808	232	111
MAV_AD_0017	8.0	9.0	1.0	2011	25	7	25	59	3	939	0	739	212	101
MAV_AD_0017	9.0	10.0	1.0	1978	24	7	25	56	3	914	0	721	208	99
MAV_AD_0017	10.0	11.0	1.0	1813	23	6	23	52	3	840	0	663	190	91
MAV_AD_0017	11.0	12.0	1.0	1760	22	6	22	51	3	805	0	638	182	88
MAV_AD_0022	0.0	1.0	1.0	247	4	3	1	4	1	84	0	52	17	7
MAV_AD_0022	1.0	2.0	1.0	291	4	3	2	4	1	99	0	58	19	8
MAV_AD_0022	2.0	3.0	1.0	303	4	3	2	5	1	103	0	62	20	8
MAV_AD_0022	3.0	4.0	1.0	344	4	3	2	5	1	120	0	73	23	9
MAV_AD_0022	4.0	5.0	1.0	286	4	2	2	4	1	116	0	67	22	8
MAV_AD_0022	5.0	6.0	1.0	224	3	2	1	3	1	107	0	58	19	6
MAV_AD_0022	6.0	7.0	1.0	231	3	2	1	4	1	106	0	60	20	7
MAV_AD_0022	7.0	8.0	1.0	284	4	2	2	4	1	130	0	68	23	8
MAV_AD_0022	8.0	9.0	1.0	251	4	2	1	4	1	129	0	67	22	8
MAV_AD_0022	9.0	10.0	1.0	206	3	2	1	3	1	123	0	49	16	6
MAV_AD_0022	10.0	11.0	1.0	185	4	3	1	3	1	94	0	38	13	5
MAV_AD_0022	11.0	12.0	1.0	209	4	3	1	4	1	128	0	54	18	7
MAV_AD_0023	0.0	1.0	1.0	232	4	2	1	4	1	79	0	48	15	6
MAV_AD_0023	1.0	2.0	1.0	249	4	3	1	4	1	81	0	47	15	6
MAV_AD_0023	2.0	3.0	1.0	284	4	3	1	4	1	86	0	50	16	6
MAV_AD_0023	3.0	4.0	1.0	349	4	2	1	4	1	91	0	52	17	6
MAV_AD_0023	4.0	5.0	1.0	329	4	2	1	4	1	88	0	51	16	6
MAV_AD_0023	5.0	6.0	1.0	272	3	2	1	3	1	83	0	47	15	6
MAV_AD_0024	0.0	1.0	1.0	582	9	5	4	10	2	186	1	107	35	15
MAV_AD_0024	1.0	2.0	1.0	595	8	4	4	10	1	178	1	109	35	15
MAV_AD_0024	2.0	3.0	1.0	626	8	4	3	10	1	170	1	111	34	15
MAV_AD_0024	3.0	4.0	1.0	376	5	3	2	6	1	112	0	62	20	9
MAV_AD_0024	4.0	5.0	1.0	479	7	4	3	8	1	143	1	77	26	11
MAV_AD_0024	5.0	6.0	1.0	277	6	4	2	6	1	110	1	52	18	7
MAV_AD_0024	6.0	7.0	1.0	482	10	6	3	9	2	225	1	84	32	10
MAV_AD_0024	7.0	8.0	1.0	3163	37	14	27	70	6	1608	1	836	271	107
MAV_AD_0024	8.0	9.0	1.0	1831	24	8	14	38	3	915	1	424	144	55
MAV_AD_0024	9.0	10.0	1.0	1302	18	7	11	30	3	575	1	315	102	43

---

---

MAV_AD_0025	0.0	1.0	1.0	863	7	4	3	9	1	224	1	105	36	13
MAV_AD_0025	1.0	2.0	1.0	932	7	4	3	9	1	228	0	110	37	14
MAV_AD_0025	2.0	3.0	1.0	1113	7	4	3	10	1	272	0	120	41	14
MAV_AD_0025	3.0	4.0	1.0	1736	9	4	6	16	2	474	0	198	68	24
MAV_AD_0025	4.0	5.0	1.0	3662	31	9	25	64	4	1279	1	805	249	104
MAV_AD_0025	5.0	6.0	1.0	4739	34	9	33	78	4	1579	1	1106	350	140
MAV_AD_0025	6.0	7.0	1.0	3596	35	9	32	77	5	1557	1	1070	333	132
MAV_AD_0025	7.0	8.0	1.0	4251	58	14	53	138	7	2508	1	1823	546	224
MAV_AD_0026	0.0	1.0	1.0	343	7	4	2	7	1	118	1	73	23	10
MAV_AD_0026	1.0	2.0	1.0	335	6	4	2	6	1	111	1	69	22	9
MAV_AD_0026	2.0	3.0	1.0	365	6	4	2	6	1	113	1	70	22	10
MAV_AD_0026	3.0	4.0	1.0	381	6	4	2	6	1	115	1	71	22	10
MAV_AD_0026	4.0	5.0	1.0	405	6	4	2	6	1	117	1	72	23	10
MAV_AD_0026	5.0	6.0	1.0	435	7	4	2	7	1	143	1	93	30	12
MAV_AD_0027	0.0	1.0	1.0	991	9	5	6	15	2	333	1	201	64	28
MAV_AD_0027	1.0	2.0	1.0	812	10	4	7	17	2	376	1	232	74	32
MAV_AD_0027	2.0	3.0	1.0	2337	27	8	26	57	3	1011	1	772	229	110
MAV_AD_0027	3.0	4.0	1.0	3981	53	16	52	116	7	1849	1	1465	443	211
MAV_AD_0027	4.0	5.0	1.0	4470	54	14	61	129	7	2184	1	1770	542	256
MAV_AD_0027	5.0	6.0	1.0	5276	59	13	72	149	7	2657	1	2204	665	301
MAV_AD_0027	6.0	7.0	1.0	4543	47	11	59	122	6	2153	1	1740	539	248
MAV_AD_0027	7.0	8.0	1.0	5366	75	17	81	185	9	2598	1	2295	662	330
MAV_AD_0027	8.0	9.0	1.0	5485	78	20	79	182	10	2565	1	2215	642	316
MAV_AD_0027	9.0	10.0	1.0	4642	65	17	63	146	9	2195	1	1761	536	253
MAV_AD_0027	10.0	11.0	1.0	3800	51	14	52	116	7	1817	1	1449	441	210
MAV_AD_0027	11.0	12.0	1.0	2483	36	11	32	76	5	1236	1	900	265	132
MAV_AD_0027	12.0	13.0	1.0	3059	40	11	41	93	5	1469	1	1154	337	169
MAV_AD_0027	13.0	14.0	1.0	2548	36	10	35	80	5	1207	1	944	274	140
MAV_AD_0027	14.0	15.0	1.0	2118	29	9	28	64	4	1029	1	785	229	115
MAV_AD_0027	15.0	15.5	0.5	1820	27	8	25	56	4	894	1	686	198	100
MAV_AD_0031	0.0	1.0	1.0	571	8	4	4	11	2	210	1	144	44	19
MAV_AD_0031	1.0	2.0	1.0	510	7	4	3	9	1	178	1	117	36	15
MAV_AD_0031	2.0	3.0	1.0	447	6	4	2	7	1	141	1	90	28	12
MAV_AD_0031	3.0	4.0	1.0	479	6	4	3	7	1	156	1	101	32	13
MAV_AD_0031	4.0	5.0	1.0	453	6	4	3	8	1	172	1	120	36	15
MAV_AD_0031	5.0	6.0	1.0	453	7	4	3	9	1	188	1	136	41	17
MAV_AD_0031	6.0	7.0	1.0	428	7	4	4	9	1	203	1	148	45	19
MAV_AD_0031	7.0	8.0	1.0	372	6	3	3	9	1	214	1	159	49	19
MAV_AD_0031	8.0	9.0	1.0	416	7	4	3	9	1	229	1	164	50	19
MAV_AD_0031	9.0	10.0	1.0	375	6	3	3	8	1	213	1	149	47	18
MAV_AD_0031	10.0	11.0	1.0	237	6	4	3	7	1	125	1	94	29	13
MAV_AD_0033	0.0	1.0	1.0	228	6	4	2	6	1	79	1	49	16	7
MAV_AD_0033	1.0	2.0	1.0	241	6	4	2	6	1	88	1	57	17	8
MAV_AD_0033	2.0	3.0	1.0	250	6	4	2	6	1	79	1	49	15	7
MAV_AD_0033	3.0	4.0	1.0	263	6	4	2	5	1	79	1	48	15	7
MAV_AD_0033	4.0	5.0	1.0	266	6	4	2	6	1	78	1	49	15	7
MAV_AD_0033	5.0	6.0	1.0	277	6	4	2	6	1	107	1	72	22	10
MAV_AD_0033	6.0	7.0	1.0	295	6	4	3	7	1	142	1	97	30	13
MAV_AD_0033	7.0	8.0	1.0	292	6	4	3	7	1	147	1	102	31	13
MAV_AD_0033	8.0	9.0	1.0	300	6	4	3	8	1	154	1	107	33	15
MAV_AD_0033	9.0	10.0	1.0	305	6	4	3	8	1	160	1	111	34	15
MAV_AD_0033	10.0	11.0	1.0	319	7	4	3	8	1	176	1	124	38	17

---

MAV_AD_0033	11.0	12.0	1.0	320	7	4	3	9	1	177	1	124	39	16
MAV_AD_0033	12.0	12.8	0.8	327	7	4	3	9	1	182	1	130	40	17
MAV_AD_0034	0.0	1.0	1.0	489	8	4	3	8	1	165	1	82	27	11
MAV_AD_0034	1.0	2.0	1.0	521	7	4	3	8	1	169	1	87	28	12
MAV_AD_0034	2.0	3.0	1.0	545	7	4	3	9	1	183	1	95	31	13
MAV_AD_0034	3.0	4.0	1.0	897	12	6	5	16	2	352	1	162	54	22
MAV_AD_0034	4.0	5.0	1.0	824	12	5	5	15	2	351	1	154	51	21
MAV_AD_0034	5.0	6.0	1.0	699	10	5	4	12	2	292	1	118	40	16
MAV_AD_0034	6.0	7.0	1.0	665	10	5	5	13	2	323	1	127	43	17
MAV_AD_0034	7.0	8.0	1.0	726	9	4	5	12	2	398	1	129	46	17
MAV_AD_0034	8.0	9.0	1.0	755	6	3	4	10	1	321	0	129	43	17
MAV_AD_0034	9.0	10.0	1.0	3162	10	3	10	22	1	475	0	305	94	42
MAV_AD_0034	10.0	11.0	1.0	2482	11	4	10	21	2	443	0	291	90	40
MAV_AD_0034	11.0	12.0	1.0	2355	22	6	24	51	3	862	0	743	219	102
MAV_AD_0035	0.0	1.0	1.0	879	9	4	5	13	1	314	1	162	53	21
MAV_AD_0035	1.0	2.0	1.0	882	9	4	6	14	2	317	1	177	57	23
MAV_AD_0035	2.0	3.0	1.0	860	8	4	5	13	1	472	0	187	65	23
MAV_AD_0035	3.0	4.0	1.0	606	6	3	4	9	1	326	0	125	44	15
MAV_AD_0035	4.0	5.0	1.0	756	6	3	4	10	1	379	0	131	47	16
MAV_AD_0035	5.0	6.0	1.0	1611	19	7	13	32	3	759	1	366	118	49
MAV_AD_0035	6.0	7.0	1.0	2984	41	13	34	81	6	1290	1	980	292	138
MAV_AD_0035	7.0	8.0	1.0	3088	55	16	47	117	7	1780	1	1320	400	183
MAV_AD_0035	8.0	9.0	1.0	3611	46	13	46	106	6	1797	1	1372	427	188
MAV_AD_0035	9.0	10.0	1.0	4955	64	16	68	155	8	2554	1	2127	627	274

Photo accompanying this announcement are available at:

<https://www.globenewswire.com/NewsRoom/AttachmentNg/36a38d5b-044b-4fd4-89e8-e3b533e123b3>

<https://www.globenewswire.com/NewsRoom/AttachmentNg/2c127fe3-c809-4ea9-b3fe-b8a4efdd6097>

Dieser Artikel stammt von [Rohstoff-Welt.de](https://www.rohstoff-welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/719948--Verde-AgriTech-Reports-New-Best-Intercept--13.0-m-at-0.83Prozent-TREO-including-8.0-m-at-1.01Prozent-TREO>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).