

# Military Metals Drills 10.2 m of 1.49% Antimony Including 2.0 m of 9.33% Antimony Within 3.2 m of 3.78% Antimony at Flagship Trojarova Project

26.02.2026 | [Newsfile](#)

[Military Metals Corp.](#) (CSE: MILI) (OTCQB: MILIF) (FSE: QN90) (the "Company" or "MILI") is pleased to report the additional analytical results of the Company's definition drilling campaign at the 100% owned flagship Trojárová Antimony-Gold Project (the "Project") in Slovakia as announced on November 4, 2025. The 2025 drilling campaign was designed to confirm historical drilling results and to support SLR Consulting's work towards establishing a current mineral resource estimate on the Project, which the company anticipates delivery of by the end of Q1, 2026, further discussed in the Company's January 9, 2025, announcement.

These priority assay results represent the main mineralized zone from the fifth hole of the program, 25-TVA-005.

Highlights of the Results from hole 25-TVA-005 Include:

- 10.2 drilled (m) of 1.49 % Antimony over a true width of 9.0m from 150.8m to 161m
  - Including 2.0m of 9.33% Antimony over a true width of 0.9m from 153m to 154m
  - Within 3.2m of 3.78 % Antimony over a true width of 2.8m from 150.8m to 154m

Full results from hole 25-TVA-005 are included below. There are no known factors that could materially affect the accuracy or reliability of these results.

Scott Eldridge, Chief Executive Officer of the Company, commented, "The high-grade <sup>1</sup> intersections we're seeing at Trojárová, including 2 meters at 9.33% antimony, confirm the strong continuity of this deposit. We eagerly await the final analytical results to continue our work towards establishing a current mineral resource estimate on the property, strengthening Trojárová's position as Europe's premier antimony project".

Figure 1. Antimony mineralized drill core from hole 25-TVA-005 - 148.62m - 154.4. Interval 150.8m to 154m yielded a composite grade of 3.78 % Antimony.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/10818/285425\\_572d69aeb47cf97b\\_001full.jpg](https://images.newsfilecorp.com/files/10818/285425_572d69aeb47cf97b_001full.jpg)

Table 1. Complete table of analytical results discussed in this release.

Hole ID	From (m)	To (m)	Drilled length (m)	True Width (m)	Sample ID	Antimony %
---------	----------	--------	--------------------	----------------	-----------	------------

	127.8	128.8	1	0.88	373639	0.007		
	128.8	129.8	1	0.88	373641	0.004		
	129.8	130.4	0.6	0.53	373642	0.01		
	130.4	131	0.6	0.53	373643	0.015		
	131	131.5	0.5	0.44	373644	0.009		
	131.5	132.3	0.8	0.70	373645	0.013		
	132.3	133	0.7	0.62	373646	0.021		
	133	134	1	0.88	373647	0.025		
	134	135	1	0.88	373648	0.151		
	135	136	1	0.88	373649	0.101		
	136	137	1	0.88	373650	0.052		
	137	137.8	0.8	0.70	373651	0.151		
	137.8	138.8	1	0.88	373652	0.072		
	138.8	139.8	1	0.88	373653	0.49		
	139.8	140.8	1	0.88	373654	0.105		
	140.8	141.8	1	0.88	373655	0.19		
	141.8	142.8	1	0.88	373656	0.285		
	142.8	143.8	1	0.88	373657	0.235		
	143.8	144.8	1	0.88	373658	0.12		
	144.8	145.8	1	0.88	373659	0.063		
	145.8	146.8	1	0.88	373661	0.057		
	146.8	147.8	1	0.88	373662	0.135		
	147.8	148.8	1	0.88	373663	0.059		
	148.8	149.8	1	0.88	373664	0.162		
	149.8	150.8	1	0.88	373666	0.191		
25-TVA-005	150.8	151.7	0.9	0.79	373667	1.335		
	151.7	152.5	0.8	0.70	373668	1.38		
	152.5	153	0.5	0.44	373669	0.933	2.8m @ 3.78%	
	153	153.5	0.5	0.44	373671	11	True Width	
	153.5	154	0.5	0.44	373672	7.65		0.9m @ 9.33%
	154	155	1	0.88	373673	0.737	9.0m @ 1.49%	
	155	156	1	0.88	373674	0.505	True Width	
	156	157	1	0.88	373675	0.129		
	157	158	1	0.88	373676	0.137		
	158	159	1	0.88	373677	0.328		
	159	160	1	0.88	373678	0.284		
	160	161	1	0.88	373679	0.953		
	161	162	1	0.88	373681	0.174		
	162	162.7	0.7	0.62	373682	0.193		
	162.7	163.7	1	0.88	373683	0.003		
	163.7	164.7	1	0.88	373684	0.025		
	164.7	165.7	1	0.88	373685	0.058		
	165.7	166.7	1	0.88	373686	0.013		
	166.7	167.5	0.8	0.70	373687	0.007		
	167.5	168.5	1	0.88	373688	0.004		
	168.5	169.5	1	0.88	373689	0.001		
	169.5	170.5	1	0.88	373691	0.001		
	170.5	171	0.5	0.44	373692	0.001		
	171	172	1	0.88	373693	0.0005		
	172	173	1	0.88	373694	0.0005		
	173	174	1	0.88	373696	0.001		

Figure 2. Map of 2025 and Soviet era diamond drillholes in the north-central portion of Military Metals Trojárová Project.

To view an enhanced version of this graphic, please visit:  
[https://images.newsfilecorp.com/files/10818/285425\\_572d69aeb47cf97b\\_002full.jpg](https://images.newsfilecorp.com/files/10818/285425_572d69aeb47cf97b_002full.jpg)

Table 2. Drillhole collar information for the Company's 2025 diamond drilling campaign at Trojárová. Locations presented are final and determined by a professional and qualified surveyor.

WGS 84 / UTM Zone 33N					
Drillhole	Easting	Northing	Elevation (m)	Length (m)	Dip Azimuth
25-TVA-001	662696	5358601	640	292.2	-65 220
25-TVA-002	662685	5358668	655	289.7	-75 220
25-TVA-003	662551	5358701	634	200.2	-65 225
25-TVA-004	662475	5358809	604	256.5	-55 225
25-TVA-005	662394	5358812	580	196	-60 230
25-TVA-006	662211	5358795	569	62.4	-57 220
25-TVA-007	662170	5358852	559	86.5	-60 210

#### Analytical and QA/QC Procedures

The program was completed using PQ and HQ sized drill core. Sampled intervals were identified by logging geologists and assigned a unique sample identification number. Samples were split in two halves using a diamond bladed saw with one half remaining in the core box as a permanent record and the half placed in a plastic sample bag, both marked with a waterproof tag bearing the unique sample number which was also written on the sample bag in permanent marker. Samples were transported from the Company's secure facility by private courier to ALS Laboratories in Romania for geochemical analysis. ALS Laboratories is an independent ISO/IEC 17025:2017 and ISO 9001:2015 certified commercial laboratory with no relationship to the Company. The samples were analyzed using multi-element package ME\_ICP41a and for gold using fire assay package Au-AA25. ME\_ICP41a is an ore grade package involving digestion of a 0.4g sample by aqua regia with an Inductively coupled plasma - atomic emission spectrometry (ICP-AES) finish. The Au-AA25 fire assay method is an ore grade analysis using a 30g aliquot. The aliquot is mixed with flux composed of PbO and SiO<sub>2</sub> with variable amounts of borax, soda ash and other reagents. The flux and sample are mixed, then heated at high temperature (>1,000°C) to decompose rock lattices and allow gold within the sample to be collected into a lead button. The button is placed in a porous cupel and heated again in an oxidizing environment to convert lead to lead oxide that is absorbed into the cupel, leaving the precious metals behind as a doré bead or prill. The gold content of the prill is then determined by atomic adsorption spectrometry. Package ME\_ICP41 is limited by an upper detection limit of 5% for Antimony. Overlimit samples are reanalyzed using Package Sb-CRF15c whereby 0.25g of the original pulp are analyzed by X-Ray Fluorescence (XRF) Spectrometry following a lithium borate fusion with the addition of strong oxidizing agents to decompose sulfide concentrates.

Both analyses are preceded by the preparation package Prep-31Y whereby the entire sample is crushed to 70% passing 2mm, a 250g split is collected by rotary splitter and pulverized to 85% passing 75 microns. Laboratory over-limits analysis methods were applied as required for both Sb and Au. A systematic QAQC protocol was employed that includes systematic insertion in the sample stream of certified reference materials and blank samples at a frequency of 1 in 10, plus analysis of duplicate pulp splits at a frequency of 1 in 30.

David Murray, P.Geo, VP-Exploration for Military Metals and a qualified person as defined by National Instrument 43-101 has personally verified the results reported herein against original analytical certificates and drillhole logs. Furthermore Mr. Murray personally inspected the drilling program on two occasions, personally verifying field procedures relating to sample collection, preparation, chain of custody, documentation and the insertion of certified reference materials.

#### About the Project and Historical Resource

Discovered in the late 1970s, Trojárová was the focus of extensive surface and underground exploration over a 2km strike length from 1983 to 1995, with 63 core holes for a total of 14,330m, and 1.7km of underground workings completed. Efforts continued over the years as additional trenches were dug, and holes were drilled. Starting in 1990, underground development work began ultimately comprising a 300-meter-long adit connected to a 700-plus meter-long drive in the footwall of the mineralized zone with seven crosscuts into the mineralized zone for sampling purposes.

These efforts culminated in a comprehensive study comprising drill logs, analyses, drill plans, maps and sections, deposit model studies, petrographic studies, metallurgical studies and more, now detailed in a

multi-volume compendium of reports produced by the Slovak Geological Institute published in 1992, including a historical mineral resource estimate (see "Historical Resource Estimates" below). The historical estimate, reports, at a cut-off grade of 1.0% antimony, 2.46 million tonnes at a grade of 2.47% antimony and 0.635 grams per tonne gold in a mineralized zone averaging 3.32 meters in width. A qualified person has not done sufficient work to classify the historical estimate as current, and the Company is not treating the historical estimate as current.

The historical estimate related to the Trojárová Property was taken from a compendium produced by the Slovak Geological Survey, completed in March 1992 based on exploration work undertaken in the 1980s and 1990s. It is entitled (English translation): "FINAL JOB REPORT, PEZINOK-TROJAROVA, Geological Survey State Enterprise", report compendium number 78406 (Michel et al, 1992).

The Slovak Geological Institute, the state agency that carried out all exploration and underground development work at Trojárová, classified the historical resources as "P1" and "C2" in the Slovak version of the Russian classification system. In this Soviet system C2 resources are characterized as having a low level of certainty and described as inferred based on widely spaced samples or geological extrapolation. P1 resources in the soviet classification are characterized as speculative and described as prognostic resources, theoretical and based on regional geology. These are closest within the Canadian Institute of Mining, Metallurgy & Petroleum's ("CIM") classification system to "inferred mineral resources," which is defined by the CIM as that part of a mineral resource for which quantity and grade or quality are estimated on the basis of limited geological evidence gathered through appropriate sampling techniques from locations such as outcrops, trenches, pits, workings and drill holes.

The historical work carried out appears comprehensive, detailed and at a professional standard. The Company considers this historical data to be relevant as the Company will use these data as a guide to plan future exploration programs. The Company also considers the data to be reliable for these purposes.

The Company notes that the 2025 drilling campaign, the results of which are being reported herein and in prior news releases, constitutes more recent data available to the Company than the historical estimate being discussed. SLR Consulting is currently conducting work toward a current mineral resource estimate under NI 43-101, which the Company anticipates being completed by the end of March 2026. In addition to the 2025 drill program, this work has involved already completed efforts required to verify or upgrade the historical estimate as a current mineral resource under NI 43-101. including translation and digitization of historical reports, surveying of historical drillhole collars, mapping and 3d rendering of underground workings, sampling of underground workings and historical dumps, and constructing a comprehensive 3d deposit model

#### Qualified Person

The technical contents of this release were reviewed and approved by David Murray, P.Geo, VP-Exploration for Military Metals and a qualified person as defined by National Instrument 43-101.

For more information about Military Metals Corp. and its critical minerals initiatives, please visit: <https://www.militarymetalscorp.com>.

LinkedIn:

<https://www.linkedin.com/company/military-metals/>

X: <https://x.com/militarymetals>

Facebook: <https://www.facebook.com/profile.php?id=61564717587797>

#### About Military Metals Corp.

The Company is a British Columbia-based mineral exploration company that is primarily engaged in the acquisition, exploration and development of mineral properties with a focus on antimony.

ON BEHALF OF THE BOARD OF DIRECTORS

For more information, please contact:

Scott Eldridge  
CEO and Director

scott@militarymetalscorp.com or info@militarymetalscorp.com

For enquiries, please call 604-537-7556

#### Forward-Looking Statements

This news release contains "forward-looking information". Often, but not always, forward-looking statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or variations (including negative variations) of such words and phrases, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved. Forward-looking information in this news release includes the timing of the mineral resource estimate being currently conducted, and its completion at all, future drilling and exploration work at Trojárová, the continuation of the value of antimony, and the future needs of Europe and the E.U. specifically. A variety of factors, including known and unknown risks, many of which are beyond our control, could cause actual results to differ materially from the forward-looking information in this news release. These include geopolitical developments related to the supply and value of antimony, the continued use of antimony and availability of alternatives, availability of capital and labour in respect of the property that is the subject of this news release, the results of any future exploration activities, which cannot be guaranteed, and any other future activities in respect of the property held by the Target. Additional risk factors can also be found in the Company's public filings under the Company's SEDAR+ profile at [www.sedarplus.ca](http://www.sedarplus.ca). Forward-looking statements contained herein are made as of the date of this news release and the Company disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results or otherwise. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. The Company undertakes no obligation to update forward looking statements if circumstances, management's estimates or opinions should change, except as required by securities legislation. Accordingly, the reader is cautioned not to place undue reliance on forward-looking statements.

The Canadian Securities Exchange has neither approved nor disapproved the information contained herein and does not accept responsibility for the adequacy or accuracy of this news release.

---

<sup>1</sup> The Company defines analytical results exceeding 5% antimony from representative sampling methods such as drill core and channel sampling to be "high grade"

---

Dieser Artikel stammt von [Rohstoff-Welt.de](http://Rohstoff-Welt.de)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/724026--Military-Metals-Drills-10.2-m-of-1.49Prozent-Antimony-Including-2.0-m-of-9.33Prozent-Antimony-Within-3.2-m-of-3.>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

---

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!  
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).