

Southern Cross Gold Drills Record High-Grade in Shallow Apollo: 17.3 Metres at 15.3 g/t Gold & 3.2% Antimony

16.03.2026 | [Newsfile](#)

Vancouver, March 16, 2026 - [Southern Cross Gold Consolidated Ltd.](#) (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSSE: MV3) ("SXGC", "SX2" or the "Company") announces results from four drill holes from the 100%-owned Sunday Creek Gold-Antimony Project in Victoria (Figures 1 to 6). Best results included 17.3 m @ 22.9 g/t AuEq (15.3 g/t Au, 3.2% Sb) from 251.1 m in drill hole SDDSC200.

The true thickness of the mineralized intervals is interpreted to be approximately 60% to 80% of the sampled thickness for all reported holes.

Four High Level Takeaways:

1. Record grade in shallow Apollo - Highest-grade composite intersection recorded in the top 220 vertical metres of Apollo: 17.3 m at 22.9 g/t gold equivalent, including 6.3 m at 32.3 g/t gold and 7.0% antimony.
2. Apollo delivering in every direction - Four holes drilled both east-to-west and west-to-east all hit mineralization. The system is continuous, consistent, and responds predictably to the drill bit across the upper Apollo area.
3. Antimony tenor is very high near surface - Multiple intervals in these holes exceeded 20% antimony, consistent with the zonation model that predicts the richest antimony grades in the upper 700 m of the system. That is strategically important given current antimony prices and global supply constraints.
4. New vein sets appearing - SDDSC200 identified a previously unrecognised vein set, a reminder that the system is still expanding with every hole drilled. We are not filling in a known box - we are still finding new parts of it.

Michael Hudson, President & CEO, states: "These four holes do something important - they demonstrate that the upper Apollo system, within 220 vertical metres of surface, is capable of hosting extremely high gold-antimony grades across broad widths. The 17.3 m at 22.9 g/t gold equivalent in SDDSC200 is the best composite we've ever recorded in the top portion of Apollo and is in an area we had not previously drilled. That's not infill - that's discovery.

"What strikes us about this set of results is the consistency. Four holes, drilled in alternating directions across the upper Apollo, all hit mineralization. The vein sets are continuous, they're predictable, and the high-grade cores keep appearing exactly where the geology says they should. SDDSC200 also intersected a vein set we hadn't seen before, which is a reminder that Apollo is still expanding with further drilling.

"The antimony story here is equally compelling. Multiple intervals exceeded 20% antimony - very high concentrations that reflect the epizonal character of Sunday Creek and the natural enrichment of antimony in the upper portions of the system. At a time when the Western world is urgently reassessing its antimony supply chain, these grades matter.

"With 46 holes pending results and ten rigs turning, the pipeline of news from Sunday Creek remains as strong as it has ever been."

For Those Who Like the Details - Highlights:

Four diamond drill holes (SDDSC195, SDDSC198, SDDSC199, SDDSC200) were completed in the upper Apollo prospect, testing both infill positions within known vein sets and gaps within 220 vertical metres of surface that had never previously been drilled. Holes were drilled in alternating east-to-west and west-to-east orientations to optimise intersection angles across the steeply dipping vein architecture. True widths are estimated at approximately 60% to 80% of reported downhole thicknesses.

SDDSC195 (west to east, 152 m total depth downhole): Five vein sets intersected, new high-grade core identified in A50 vein set:

- 4.0 m @ 4.8 g/t AuEq (4.0 g/t Au, 0.3% Sb) from 128.6 m
 - including 0.4 m @ 31.4 g/t AuEq (26.6 g/t Au, 2.0% Sb) from 129.6 m
- 10.3 m @ 8.9 g/t AuEq (7.9 g/t Au, 0.4% Sb) from 136.9 m
 - including 1.3 m @ 21.3 g/t AuEq (16.6 g/t Au, 2.0% Sb) from 139.3 m
 - including 0.3 m @ 35.7 g/t AuEq (35.5 g/t Au, 0.1% Sb) from 144.0 m
 - including 0.4 m @ 113.5 g/t AuEq (105.0 g/t Au, 3.6% Sb) from 145.8 m

SDDSC198 (east to west, 274 m total depth downhole): Three vein sets intersected, infilling known upper Apollo structures:

- 4.7 m @ 2.6 g/t AuEq (2.3 g/t Au, 0.2% Sb) from 172.6 m
- 2.6 m @ 10.1 g/t AuEq (9.8 g/t Au, 0.1% Sb) from 206.1 m
 - including 0.1 m @ 182.6 g/t AuEq (179.0 g/t Au, 1.5% Sb) from 207.7 m

SDDSC199 (west to east, 503 m total depth downhole): Eight vein sets intersected, high-grade core delineated in A30 vein set, targeting a gap 24 vertical metres below previously reported SDDSC164:

- 17.9 m @ 8.3 g/t AuEq (5.0 g/t Au, 1.4% Sb) from 210.4 m
 - including 4.4 m @ 30.8 g/t AuEq (18.2 g/t Au, 5.3% Sb) from 213.2 m
- 4.4 m @ 3.4 g/t AuEq (2.8 g/t Au, 0.2% Sb) from 240.6 m
 - including 0.2 m @ 67.9 g/t AuEq (60.8 g/t Au, 3.0% Sb) from 242.9 m
- 4.4 m @ 3.1 g/t AuEq (2.1 g/t Au, 0.4% Sb) from 248.1 m
- 3.6 m @ 12.8 g/t AuEq (7.1 g/t Au, 2.4% Sb) from 258.6 m
 - including 2.0 m @ 21.6 g/t AuEq (11.8 g/t Au, 4.1% Sb) from 260.3 m
- 0.1 m @ 88.7 g/t AuEq (78.0 g/t Au, 4.5% Sb) from 267.5 m
- Individual assays exceeding 20% antimony:
 - 0.52 m @ 34.8 g/t Au, 29.8% Sb from 214.5 m
 - 0.26 m @ 19.3 g/t Au, 21.4% Sb from 261.8 m

- These elevated antimony tenors are consistent with the epizonal zonation model predicting antimony enrichment in the upper 700 m of the system

SDDSC200 (west to east, 321 m total depth): Four vein sets intersected including one previously unrecognised structure, multiple high-grade cores in A30 vein set, stepping 40 vertical metres below SDDSC199's A30 core:

- 6.6 m @ 6.3 g/t AuEq (5.7 g/t Au, 0.3% Sb) from 228.0 m
 - including 0.9 m @ 31.3 g/t AuEq (29.5 g/t Au, 0.7% Sb) from 233.7 m
- 4.3 m @ 5.2 g/t AuEq (3.3 g/t Au, 0.8% Sb) from 244.6 m
 - including 0.2 m @ 105.0 g/t AuEq (61.0 g/t Au, 18.4% Sb) from 248.2 m
- 17.3 m @ 22.9 g/t AuEq (15.3 g/t Au, 3.2% Sb) from 251.1 m: the highest-grade composite intersection recorded in the top 220 vertical metres of Apollo to date
 - including 0.6 m @ 30.6 g/t AuEq (30.6 g/t Au, 0.0% Sb) from 251.1 m
 - including 6.3 m @ 48.9 g/t AuEq (32.3 g/t Au, 7.0% Sb) from 256.9 m
 - including 0.3 m @ 64.5 g/t AuEq (54.7 g/t Au, 4.1% Sb) from 264.5 m
 - including 0.6 m @ 48.0 g/t AuEq (21.3 g/t Au, 11.2% Sb) from 267.1 m
- Individual exceptional assays:
 - 0.91 m @ 131 g/t Au, 8.45% Sb from 257.5 m
 - 0.40 m @ 33.0 g/t Au, 28.1% Sb from 259.5 m

Project Totals to Date

- 247 drill holes for 114,806 m reported from Sunday Creek since late 2020
- 81 composite intersections exceeding 100 g/t Au by applying a 1 m (down hole length) @ 5 g/t AuEq lower cut.
- 101 composite intersections exceeding 10% Sb by applying a 1 m (down hole length) @ 5 g/t AuEq lower cut.
- 46 holes pending results, including 10 actively drilling, with nine rigs operational and one dedicated to regional exploration
- 200,000 m drill program continuing through to Q1 2027

Drill Hole Discussion

Four drill holes are reported here targeting the upper Apollo prospect, drilled in alternating east-to-west and west-to-east orientations to optimise high intersection angles across the steeply dipping vein architecture. The program had two clear objectives:

- to test previously undrilled gaps within 220 vertical metres of surface (SDDSC199 and SDDSC200); and
- to infill the boundaries of known vein sets within the upper Apollo system (SDDSC195 and SDDSC198).

All four holes delivered high-grade gold-antimony mineralization, demonstrating the continuity and predictability of the upper Apollo system. Importantly, both gap-testing holes identified new high-grade cores within the A30 vein set, with SDDSC200 - stepping a further 40 vertical metres below SDDSC199 - returning the highest-grade composite intersection ever recorded within the top 220 vertical metres of Apollo. SDDSC200 also intersected a previously unrecognised vein set, confirming that the system continues to expand with each successive hole.

The elevated antimony tenor observed across multiple intervals in both SDDSC199 and SDDSC200 - with several individual assays exceeding 20% Sb - is consistent with the zonation pattern characteristic of epizonal systems, where antimony enrichment is strongest in the upper 700 m of the mineralized column. This pattern has now been confirmed repeatedly across Apollo and reinforces the interpreted epizonal model for Sunday Creek.

Taken together, these results demonstrate that the upper Apollo system hosts very high grade gold-antimony grades from near surface, that the vein architecture is spatially coherent across a range of drill orientations, and that significant discovery potential remains with continued infill and step-out drilling.

SDDSC195

SDDSC195 was drilled west to east and intersected five vein sets and identified one new HG core within the A50 vein set. The A50 vein set and HG core returned a broad mineralized zone of 10.3 m @ 8.9 g/t AuEq (7.9 g/t Au, 0.4% Sb) from 136.9 m, including 0.4 m @ 113.5 g/t AuEq (105.0 g/t Au, 3.6% Sb) from 145.8 m.

Selected highlights include:

- 4.0 m @ 4.8 g/t AuEq (4.0 g/t Au, 0.3% Sb) from 128.6 m, including;
 - 0.4 m @ 31.4 g/t AuEq (26.6 g/t Au, 2.0% Sb) from 129.6 m
- 10.3 m @ 8.9 g/t AuEq (7.9 g/t Au, 0.4% Sb) from 136.9 m, including;
 - 1.3 m @ 21.3 g/t AuEq (16.6 g/t Au, 2.0% Sb) from 139.3 m
 - 0.3 m @ 35.7 g/t AuEq (35.5 g/t Au, 0.1% Sb) from 144.0 m
 - 0.4 m @ 113.5 g/t AuEq (105.0 g/t Au, 3.6% Sb) from 145.8 m

SDDSC198

SDDSC198 was drilled east to west and targeted infill of known vein sets within the upper area of Apollo system. Three vein sets were intersected, returning one individual gold assay exceeding 100 g/t Au; 0.1 m @ 182.6 g/t AuEq (179.0 g/t Au, 1.5% Sb) from 207.7 m.

Selected highlights include:

- 4.7 m @ 2.6 g/t AuEq (2.3 g/t Au, 0.2% Sb) from 172.6 m
- 2.6 m @ 10.1 g/t AuEq (9.8 g/t Au, 0.1% Sb) from 206.1 m, including;
 - 0.1 m @ 182.6 g/t AuEq (179.0 g/t Au, 1.5% Sb) from 207.7 m

SDDSC199

SDDSC199 was drilled west to east and targeted a gap in drilling approximately 24 vertical metres below the

HG core reported in previously reported hole SDDSC164 (1.9 m @ 16.5 g/t AuEq (14.4 g/t Au, 0.9% Sb) from 198.0 m). Eight vein sets were identified, and one HG core was delineated within the A30 vein set (Figure 4).

Two individual assays exceeded 20% antimony:

- 29.80% Sb & 34.8 g/t Au over 0.52 m from 214.5 m
- 21.40% Sb & 19.3 g/t Au over 0.26 m from 261.8 m.

The elevated antimony tenor observed in these intervals is consistent with the zonation pattern identified in upper portions of the Apollo system and supports the interpreted epizonal model of increased antimony in the upper 700 m of the system.

Selected highlights include:

- 17.9 m @ 8.3 g/t AuEq (5.0 g/t Au, 1.4% Sb) from 210.4 m (A30 vein set), including;
 - 4.4 m @ 30.8 g/t AuEq (18.2 g/t Au, 5.3% Sb) from 213.2 m (A30 HG core)
- 4.4 m @ 3.4 g/t AuEq (2.8 g/t Au, 0.2% Sb) from 240.6 m, including;
 - 0.2 m @ 67.9 g/t AuEq (60.8 g/t Au, 3.0% Sb) from 242.9 m
- 4.4 m @ 3.1 g/t AuEq (2.1 g/t Au, 0.4% Sb) from 248.1 m
- 3.6 m @ 12.8 g/t AuEq (7.1 g/t Au, 2.4% Sb) from 258.6 m, including;
 - 2.0 m @ 21.6 g/t AuEq (11.8 g/t Au, 4.1% Sb) from 260.3 m
- 0.1 m @ 88.7 g/t AuEq (78.0 g/t Au, 4.5% Sb) from 267.5 m

SDDSC200

SDDSC200 was drilled west to east and targeted a further 40 vertical metre step-down below the A30 HG core intersected in SDDSC199 (Figure 4). Four vein sets were intersected, of which one was previously unrecognised, and multiple HG cores were identified within the A30 vein set. The hole returned one individual gold assay exceeding 100 g/t Au and one individual antimony assay exceeding 20% Sb:

- 131 g/t Au & 8.45% Sb over 0.91 m from 257.5 m
- 28.10% Sb & 33.0 g/t Au over 0.40 m from 259.5 m

The A30 vein set and HG core returned a broad mineralized zone of 17.3 m @ 22.9 g/t AuEq (15.3 g/t Au, 3.2% Sb) from 251.1 m, representing the highest-grade composite intersection recorded within the top 220 vertical metres of the Apollo system to date, and highlights the high-grade potential of the system even in the upper areas.

Selected highlights include:

- 6.6 m @ 6.3 g/t AuEq (5.7 g/t Au, 0.3% Sb) from 228.0 m, including;
 - 0.9 m @ 31.3 g/t AuEq (29.5 g/t Au, 0.7% Sb) from 233.7 m

- 4.3 m @ 5.2 g/t AuEq (3.3 g/t Au, 0.8% Sb) from 244.6 m, including;
 - 0.2 m @ 105.0 g/t AuEq (61.0 g/t Au, 18.4% Sb) from 248.2 m
- 17.3 m @ 22.9 g/t AuEq (15.3 g/t Au, 3.2% Sb) from 251.1 m, including;
 - 0.6 m @ 30.6 g/t AuEq (30.6 g/t Au, 0.0% Sb) from 251.1 m
 - 6.3 m @ 48.9 g/t AuEq (32.3 g/t Au, 7.0% Sb) from 256.9 m
 - 0.3 m @ 64.5 g/t AuEq (54.7 g/t Au, 4.1% Sb) from 264.5 m
 - 0.6 m @ 48.0 g/t AuEq (21.3 g/t Au, 11.2% Sb) from 267.1 m

Pending Results and Update

Nine drill rigs are currently operational on the Sunday Creek project with one additional drill rig dedicated to regional exploration. Results are pending from 46 holes currently being processed and analyzed including ten holes that are actively being drilled and one abandoned hole (Figure 2). The Company continues its ongoing 200,000 m drill program through to Q1 2027.

About Sunday Creek

The Sunday Creek epizonal-style gold project is located 60 km north of Melbourne within 16,900 hectares ("Ha") of granted exploration tenements. SXGC is also the freehold landholder of 1,392 Ha that forms the key portion in and around the main drilled area at the Sunday Creek Project.

Gold and antimony form in a relay of vein sets that cut across a steeply dipping zone of intensely altered rocks (the "host"). These vein sets are like a "Golden Ladder" structure where the main host extends between the side rails deep into the earth, with multiple cross-cutting vein sets that host the gold forming the rungs. At Apollo and Rising Sun these individual 'rungs' have been defined over 600 m depth extent from surface to over 1,100 m below surface, are 2.5 m to 3.5 m wide (median widths) (and up to 10 m), and 20 m to 100 m in strike.

Cumulatively, 247 drill holes for 114,806.33 m have been reported from Sunday Creek since late 2020. This amount includes five holes for 929 m that have been drilled for geotechnical purposes and 22 holes for 2,973.77 m that were abandoned due to deviation or hole conditions. Fourteen drill holes for 2,383 m have been reported regionally outside of the main Sunday Creek drill area with three additional regional holes currently being processed. A total of 64 historic drill holes for 5,599 m were completed from the late 1960s to 2008. The project now contains a total of eighty-one (81) composite intersections exceeding 100 g/t Au and seventy-two (72) composite intersections between 50 g/t and 100 g/t Au, and one-hundred and one (101) composite intersections exceeding 10% Sb by applying a 1 m (down hole length) @ 5 g/t AuEq lower cut.

Southern Cross Gold's systematic drill program is strategically targeting these significant vein formations, which are currently defined over 1,550 m strike of the host dyke/sediment ("rails of the ladder") from Christina to Apollo prospects, of which approximately 650 m has been more intensively drill tested (Golden Dyke to Apollo). At least 115 'rungs' have been defined to date, defined by high-grade intercepts (20 g/t Au to >7,330 g/t Au) along with lower grade edges. Ongoing step-out drilling is aiming to uncover the potential extent of this mineralized system (Figure 2).

Geologically, the project is located within the Melbourne Structural Zone in the Lachlan Fold Belt. The regional host to the Sunday Creek mineralization is an interbedded turbidite sequence of siltstones and minor sandstones metamorphosed to sub-greenschist facies and folded into a set of open north-west trending folds.

Further Information

Further discussion and analysis of the Sunday Creek project is available through the interactive Vriify 3D animations, presentations and videos all available on the SXGC website. These data, along with an interview on these results with President & CEO/Managing Director Michael Hudson can be viewed at www.southerncrossgold.com.

No upper gold grade cut is applied in the averaging and intervals are reported as drill thickness. However, during future Mineral Resource studies, the requirement for assay top cutting will be assessed. The Company notes that due to rounding of assay results to one significant figure, minor variations in calculated composite grades may occur.

Figures 1 to 6 show project location, plan and longitudinal views of drill results reported here and Tables 1 to 3 provide collar and assay data. The true thickness of the mineralized intervals reported individually as estimated true widths ("ETW"), otherwise they are interpreted to be approximately 60% to 80% of the sampled thickness for other reported holes. Lower grades were cut at 1.0 g/t AuEq lower cutoff over a maximum width of 2 m with higher grades cut at 5.0 g/t AuEq lower cutoff over a maximum of 1 m width.

Critical Metal Epizonal Gold-Antimony Deposits

Sunday Creek (Figure 6) is an epizonal gold-antimony deposit formed in the late Devonian (like Fosterville, Costerfield and Redcastle), 60 million years later than mesozonal gold systems formed in Victoria (for example Ballarat and Bendigo). Epizonal deposits are a form of orogenic gold deposit classified according to their depth of formation: epizonal (<6 km), mesozonal (6 km to 12 km) and hypozonal (>12 km).

Epizonal deposits in Victoria often have associated high levels of the critical metal, antimony, and Sunday Creek is no exception. China claims a 56 per cent share of global mined supplies of antimony, according to a 2023 European Union study. Antimony features highly on the critical minerals lists of many countries including Australia, the United States of America, Canada, Japan and the European Union. Australia ranks seventh for antimony production despite all production coming from a single mine at Costerfield in Victoria, located nearby to all SXGC projects. Antimony alloys with lead and tin which results in improved properties for solders, munitions, bearings and batteries. Antimony is a prominent additive for halogen-containing flame retardants. Adequate supplies of antimony are critical to the world's energy transition, and to the high-tech industry, especially the semi-conductor and defence sectors where it is a critical additive to primers in munitions.

Antimony represents approximately 21% to 24% in situ recoverable value of Sunday Creek at an AuEq of 2.39 ratio.

About Southern Cross Gold Consolidated Limited (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF) (FSE: MV3)

Southern Cross Gold Consolidated Ltd. (TSX: SXGC) (ASX: SX2) (OTCQX: SXGCF), is defining a leading gold-antimony project at the Sunday Creek Gold-Antimony Project, located 60 km north of Melbourne. Sunday Creek is a significant gold and antimony drill discovery in a Tier 1 location, with high-grade drill results including 81 composite intersections exceeding 100 g/t Au from 114.8 km of drilling. The mineralization follows a "Golden Ladder" structure over 12 km of strike length, with structures tested from surface to 1,100 m depth.

Sunday Creek's strategic value is enhanced by its dual-metal profile. The Company has a critical mineral the Western world needs. This has gained increased significance following China's export restrictions on antimony, a critical metal for defence and semiconductor applications. Southern Cross' inclusion in the US Defense Industrial Base Consortium (DIBC) and Australia's AUKUS-related legislative changes position it as a potential key Western antimony supplier.

Technical fundamentals further strengthen the investment case, with preliminary metallurgical work showing non-refractory mineralization suitable for conventional processing and gold recoveries of 93% to 98% through gravity and flotation.

With a strong cash position, 1,392 Ha of strategic freehold land ownership, and a large 200 km drill program

planned through Q1 2027, SXGC is well-positioned to advance this globally significant gold-antimony discovery in a tier-one jurisdiction, delivering milestone by milestone.

- Ends -

For ASX Compliance: This announcement has been approved for release by the Board of Southern Cross Gold Consolidated Ltd.

For further information, please contact:

Mariana Bermudez - Corporate Secretary

mb@southerncrossgold.com or +1 604 685 9316

Executive Office

1305 - 1090 West Georgia Street Vancouver, BC, V6E 3V7, Canada

Nicholas Mead - Corporate Development

info@southerncrossgold.com.au or +61 415 153 122

Justin Mouchacca, Assistant Company Secretary,

jm@southerncrossgold.com.au or +61 3 8630 3321

Subsidiary Office

Level 21, 459 Collins Street, Melbourne, VIC, 3000, Australia

NI 43-101 Technical Background and Qualified Person

Michael Hudson, President, CEO and Managing Director of SXGC, and a Fellow of the Australasian Institute of Mining and Metallurgy, is the Qualified Person as defined by the NI 43-101. They have prepared, reviewed, verified and approved the technical contents of this release.

Analytical samples are transported to the Bendigo facility of On Site Laboratory Services ("On Site") which operates under both an ISO 9001 and NATA quality systems. Samples were prepared and analyzed for gold using the fire assay technique (PE01S method; 25 gram charge), followed by measuring the gold in solution with flame AAS equipment. Samples for multi-element analysis (BM011 and over-range methods as required) use aqua regia digestion and ICP-MS analysis. The QA/QC program of Southern Cross Gold consists of the systematic insertion of certified standards of known gold content, blanks within interpreted mineralized rock and quarter core duplicates. In addition, On Site inserts blanks and standards into the analytical process.

SXGC considers that both gold and antimony that are included in the gold equivalent calculation ("AuEq") have reasonable potential to be recovered and sold at Sunday Creek, given current geochemical understanding, historic production statistics and geologically analogous mining operations. Historically, ore from Sunday Creek was treated onsite or shipped to the Costerfield mine, located 54 km to the northwest of the project, for processing during WW1. The Costerfield mine corridor, now owned by Alkane Resources (previously Mandalay Resources) contains two million ounces of equivalent gold (Mandalay Resources Q3 2021 Results), and in 2020 was the sixth highest-grade global underground mine and a top 5 global producer of antimony.

SXGC considers that it is appropriate to adopt the same gold equivalent variables as Mandalay Resources Ltd in its 2024 End of Year Mineral Reserves and Resources Press Release, dated February 20, 2025. The gold equivalence formula used by Mandalay Resources was calculated using Costerfield's 2024 production costs, using a gold price of US\$2,500 per ounce, an antimony price of US\$19,000 per tonne and 2024 total year metal recoveries of 91% for gold and 92% for antimony, and is as follows:

$$\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$$

Based on the latest Costerfield calculation and given the similar geological styles and historic toll treatment of Sunday Creek mineralization at Costerfield, SXGC considers that a $\text{AuEq} = \text{Au (g/t)} + 2.39 \times \text{Sb (\%)}$ is appropriate to use for the initial exploration targeting of gold-antimony mineralization at Sunday Creek.

JORC Competent Person Statement

Information in this announcement that relates to new exploration results contained in this report is based on information compiled by Mr Kenneth Bush and Mr Michael Hudson. Mr Bush is a Member of Australian Institute of Geoscientists and a Registered Professional Geologist in the field of Mining (#10315) and Mr Hudson is a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Bush and Mr Hudson each have sufficient experience relevant to the style of mineralization and type of deposit under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Bush is Head of Exploration and Mr Hudson is President, CEO and Managing Director of Southern Cross Gold Consolidated Limited and both consent to the inclusion in the report of the matters based on their information in the form and context in which it appears.

Certain information in this announcement that relates to prior exploration results is extracted from the Independent Geologist's Report dated 11 December 2024 which was issued with the consent of the Competent Person, Mr Steven Tambanis. The report is included in the Company's prospectus dated 11 December 2024 and is available at www.asx.com.au under code "SX2". The Company confirms that it is not aware of any new information or data that materially affects the information related to exploration results included in the original market announcement. The Company confirms that the form and context of the Competent Persons' findings in relation to the report have not been materially modified from the original market announcement.

Certain information in this announcement also relates to prior drill hole exploration results, extracted from the following announcements, which are available to view on www.southerncrossgold.com:

- 4 October, 2022 SDDSC046, 20 October, 2022 SDDSC049, 5 September, 2023 SDDSC077B, 12 October, 2023 SDDL003 & 4, 23 October, 2023 SDDSC082, 9 November, 2023 SDDSC091, 14 December, 2023 SDDSC092, 5 March, 2024 SDDSC107, 30 May, 2024 SDDSC117, 13 June, 2024 SDDSC118, 5 September, 2024 SDDSC130, 28 October, 2024 SDDSC137W2, 28 November, 2024 SDDSC141, 9 December, 2024 SDDSC145, 18 December, 2024 SDDSC129 & 144, 28 May, 2025 SDDSC161, 16 June, 2025 SDDSC162, 26 August, 2025 SDDSC171, 8 September, 2025 SDDSC170A,

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original document/announcement and the Company confirms that the form and context in which the Competent Person's findings are presented have not materially modified from the original market announcement.

Forward-Looking Statement

This news release contains forward-looking statements. Forward-looking statements involve known and unknown risks, uncertainties and assumptions and accordingly, actual results and future events could differ materially from those expressed or implied in such statements. You are hence cautioned not to place undue reliance on forward-looking statements. All statements other than statements of present or historical fact are forward-looking statements. Forward-looking statements include words or expressions such as "proposed", "will", "subject to", "near future", "in the event", "would", "expect", "prepared to" and other similar words or

expressions. Factors that could cause future results or events to differ materially from current expectations expressed or implied by the forward-looking statements include general business, economic, competitive, political, social uncertainties; the state of capital markets, unforeseen events, developments, or factors causing any of the expectations, assumptions, and other factors ultimately being inaccurate or irrelevant; and other risks described in the Company's documents filed with Canadian or Australian (under code SX2) securities regulatory authorities. You can find further information with respect to these and other risks in filings made by the Company with the securities regulatory authorities in Canada or Australia (under code SX2), as applicable, and available for the Company in Canada at www.sedarplus.ca or in Australia at www.asx.com.au (under code SX2). Documents are also available at www.southerncrossgold.com. The Company disclaims any obligation to update or revise these forward-looking statements, except as required by applicable law.

Figure 1: Sunday Creek plan view showing selected results from holes SDDSC195, SDDSC198, SDDSC199 and SDDSC200 reported here (dark blue highlighted box, black trace), with selected prior reported drill holes.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_002full.jpg

Figure 2: Sunday Creek plan view showing selected drill hole traces from holes SDDSC195, SDDSC198, SDDSC199 and SDDSC200 reported here (black trace), with prior reported drill holes (grey trace) and currently drilling and assays pending hole traces (dark blue).

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_003full.jpg

Figure 3: Sunday Creek longitudinal section across A-B in the plane of the dyke breccia/altered sediment host looking towards the NW (striking 56 degrees) indicating mineralized vein sets. Showing holes SDDSC195, SDDSC198, SDDSC199 and SDDSC200 reported here (dark blue highlighted box, black trace), with selected intersections and prior reported drill holes. The vertical extents of the vein sets are limited by proximity to drill hole pierce points.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_004full.jpg

Figure 4: Sunday Creek longitudinal section across C-D in the plane of the dyke breccia/altered sediment host looking towards the East (striking 346 degrees) indicating mineralized vein set A30, hashed area represents untested mineralization potential along the A30 vein set.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_005full.jpg

Figure 5: Sunday Creek regional plan view showing soil sampling, structural framework, regional historic epizonal gold mining areas and broad regional areas tested by 12 holes for 2,383 m drill program. The regional drill areas are at Tonstal, Consols and Leviathan located 4,000-7,500 m along strike from the main drill area at Golden Dyke- Apollo. Map in GDA94/ MGA Zone 55.

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_006full.jpg

Figure 6: Location of the Sunday Creek project, along with the 100% owned Redcastle Gold-Antimony Project

To view an enhanced version of this graphic, please visit:

https://images.newsfilecorp.com/files/11541/288606_828f99e7c48dbb79_007full.jpg

Table 1: Drill collar summary table for recent drill holes in progress.

This Release

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC195	152.15	Apollo	330989.7	5867715.6	318	-53.3	60.5
SDDSC198	273.6	Apollo	331180.4	5867849.1	306.1	-31.5	248.6
SDDSC199	503.43	Apollo	330887.5	5867704.5	312.7	-42.8	52.2
SDDSC200	320.54	Apollo	330887.2	5867704.3	312.7	-47.8	53

Currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC193	668.1	Golden Dyke	330775.4	5867891	295.5	-58.6	262.2
SDDSC194	929	Golden Dyke	330811.4	5867596.4	295.1	-64.4	310
SDDSC194W1	1438.86	Golden Dyke	330811.4	5867596.4	295.1	-64.4	311.2
SDDSC197	791.5	Golden Dyke	330217.8	5867664.2	268.9	-58.7	50.8
SDDSC201	321.4	Rising Sun	330948.3	5868003.4	313.3	-28.9	231.3
SDDSC202	947.76	Apollo	331596.2	5867936.6	345.6	-43.4	266.9
SDDSC203	547	Golden Dyke	330775.3	5867888.9	295.5	-47.5	253.4
SDDSC204	1208.3	Apollo	331615.6	5867952.4	346.5	-58.2	270.4
SDDSC205	1211.4	Rising Sun	330339.8	5867858.5	276.8	-64.6	75.8
SDDSC205W1	In Progress plan 1250 m	Rising Sun	330339.8	5867858.5	276.8	-64.6	75.8
SDDSC206	286.2	Golden Dyke	330752.7	5867734.4	306.9	-33	301
SDDSC207	584.25	Christina	330094.8	5867459.3	278.3	-48.8	20.7
SDDSC209	271.58	Apollo East	331463.3	5867746.4	341.2	-30.5	34
SDDSC210	512	Golden Dyke	330813.6	5867847.5	301.1	-43.6	264.3
SDDSC211	380.02	Golden Dyke	330700.3	5867880.2	299.4	-40.1	250.4
SDDSC212	438.7	Apollo East	331464.9	5867866.4	333.2	-33.2	261.3
SDDSC213	941.4	Golden Dyke	330094.2	5867458.6	278.3	-62.6	14.6
SDDSC214	431.6	Apollo	331615.6	5867951.1	346.94	-55.2	268.9
SDDSC214W1	In Progress plan 1150 m	Apollo	331615.6	5867951.1	346.94	-55.2	268.9
SDDSC215	476.39	Regional	331603.6	5867183.7	304.9	-38.2	15.4
SDDSC216A	572.36	Golden Dyke	330701.2	5867880.5	299.6	-46.1	250.6
SDDSC217	490.7	Apollo East	331481.2	5867839.5	335.4	-25	261.9
SDDSC218	900	Golden Dyke	330813.6	5867847.5	301.1	-47.6	265.5
SDDSC219	392.2	Golden Dyke	330701.5	5867880.3	299.6	-49.2	247.8
SDDSC220	716.7	Christina	329779.1	5867552.6	286.59	-26.5	70.5
SDDSC221	926.54	Golden Dyke	330754.1	5867733	307	-50.6	285.3
SDDSC222	In Progress plan 770 m	Apollo	331596.1	5867936.9	345.43	-51.5	267.7
SDDSC223	435.25	Apollo East	331483	5867839.8	335.72	-33.9	262.2
SDDSC224	496.9	Golden Dyke	330700.6	5867879.9	299.62	-36.8	246.6
SDDSC225	992.8	Golden Dyke	330754.5	5867733	306.93	-52.8	284.8
SDDSC226	In Progress plan 1900 m	Rising Sun	331276.9	5867121.1	289.09	-56.4	336.5
SDDSC227	414.09	Apollo East	331483.8	5867840.3	335.83	-36.6	266.5
SDDSC228	447.5	Golden Dyke	330700.9	5867880.2	299.48	-47.1	245.2
SDDSC229	In Progress plan 610 m	Golden Dyke	330813.6	5867847.5	301.1	-48.5	266.9
SDDSC230	In Progress plan 1420 m	Rising Sun	330357.5	5867862.3	277.3	-65.2	76.9
SDDSC232	In Progress plan 516.5 m	Christina	329777.6	5867552.2	286.76	-34.1	65.7
SDDSC233	445.9	Golden Dyke	330700.8	5867880.1	299.55	-40.7	245
SDDSC234	449	Apollo East	331484.5	5867840.3	335.75	-46.1	266.1
SDDSC237	In Progress plan 420 m	Golden Dyke	330700.4	5867880.1	299.67	-43.2	245.7
SDDSC239	In Progress plan 800 m	Golden Dyke	330754.1	5867733	306.9	-30.9	270.1

Regional holes currently being processed and analyzed

Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDRE016	410.45	Redcastle	302735	5927298	217	-50.3	67.7
SDDRE017	359.8	Beautiful Venus	305388.6	5926618	206.62	-50.9	68.9
SDDTS009	506	Tonstal	336992	5870553	524.6	-28.3	285
SDDTS008	700	Tonstal	336992	5870553	524.6	-35	30.2

SDDTS010	In Progress plan 500 m	Tonstal	336992	5870553	524.6	-37	44.4
Abandoned drill holes currently being processed and analyzed							
Hole ID	Depth (m)	Prospect	East GDA94 Z55	North GDA94 Z55	Elevation (m)	Dip	Azimuth GDA94 Z55
SDDSC216	131.2	Golden Dyke	330701	5867880.5	299.42	-46.3	252.5

Table 2: Table of mineralized drill hole intersections reported from SDDSC195, SDDSC198, SDDSC199 and SDDSC200 with two cutoff criteria. Lower grades cut at 1.0 g/t AuEq lower cutoff over a maximum of 2 m with higher grades cut at 5.0 g/t AuEq cutoff over a maximum of 1 m. Significant intersections and interval depths are rounded to one decimal place.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC195	90.01	91.95	1.94	2.7	0.1	2.9
SDDSC195	94.42	97.03	2.61	1.1	0.5	2.3
SDDSC195	115.33	115.52	0.19	14.6	6.3	29.5
SDDSC195	122.84	126.35	3.51	0.6	0.3	1.4
SDDSC195	128.58	132.60	4.02	4.0	0.3	4.8
Including	129.56	129.95	0.39	26.6	2.0	31.4
SDDSC195	136.90	147.17	10.27	7.9	0.4	8.9
Including	139.32	140.64	1.32	16.6	2.0	21.3
Including	143.96	144.25	0.29	35.5	0.1	35.7
Including	145.76	146.15	0.39	105.0	3.6	113.5
SDDSC198	172.61	177.34	4.73	2.3	0.2	2.6
Including	174.26	174.96	0.70	7.2	0.4	8.1
SDDSC198	185.63	185.73	0.10	47.1	16.2	85.8
SDDSC198	206.05	208.69	2.64	9.8	0.1	10.1
Including	207.70	207.83	0.13	179.0	1.5	182.6
SDDSC198	216.06	218.33	2.27	0.3	0.2	0.9
SDDSC198	221.51	222.99	1.48	1.5	0.0	1.5
SDDSC198	230.32	231.02	0.70	4.5	0.0	4.5
SDDSC198	234.10	235.76	1.66	3.6	0.0	3.7
SDDSC199	181.50	186.06	4.56	2.0	0.0	2.1
SDDSC199	210.44	228.35	17.91	5.0	1.4	8.3
Including	213.16	217.52	4.36	18.2	5.3	30.8
SDDSC199	240.64	245.01	4.37	2.8	0.2	3.4
Including	242.88	243.03	0.15	60.8	3.0	67.9
SDDSC199	248.09	252.48	4.39	2.1	0.4	3.1
Including	250.40	250.51	0.11	26.5	13.4	58.5
SDDSC199	258.63	262.28	3.65	7.1	2.4	12.8
Including	260.32	262.28	1.96	11.8	4.1	21.6
SDDSC199	267.49	267.64	0.15	78.0	4.5	88.7
SDDSC199	270.27	273.95	3.68	0.4	0.6	1.8
SDDSC199	280.00	282.00	2.00	1.2	0.1	1.4
SDDSC200	228.00	234.55	6.55	5.7	0.3	6.3
Including	230.49	231.22	0.73	4.5	1.2	7.4
Including	233.69	234.55	0.86	29.5	0.7	31.3
SDDSC200	244.59	248.84	4.25	3.3	0.8	5.2
Including	248.15	248.32	0.17	61.0	18.4	105.0
SDDSC200	251.10	268.43	17.33	15.3	3.2	22.9
Including	251.10	251.70	0.60	30.6	0.0	30.6
Including	256.92	263.25	6.33	32.3	7.0	48.9
Including	264.49	264.78	0.29	54.7	4.1	64.5
Including	267.10	267.70	0.60	21.3	11.2	48.0

Table 3: All individual assays reported from SDDSC195, SDDSC198, SDDSC199 and SDDSC200 reported here >0.1g/t AuEq. Individual assay and sample intervals are reported to two decimal places.

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC195	46.28	46.64	0.36	1.25	0.00	1.26

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC195	52.8	53.04	0.24	0.67	0.00	0.68
SDDSC195	53.04	54.3	1.26	0.09	0.00	0.10
SDDSC195	77.55	78.8	1.25	0.11	0.02	0.16
SDDSC195	78.8	80.1	1.30	0.13	0.03	0.19
SDDSC195	87.19	87.56	0.37	0.12	0.17	0.53
SDDSC195	87.56	88.77	1.21	0.10	0.00	0.11
SDDSC195	88.77	90.01	1.24	0.25	0.00	0.26
SDDSC195	90.01	91.24	1.23	2.87	0.01	2.89
SDDSC195	91.24	91.55	0.31	3.39	0.46	4.49
SDDSC195	91.55	91.95	0.40	1.56	0.00	1.57
SDDSC195	91.95	92.16	0.21	0.79	0.03	0.87
SDDSC195	92.16	93.36	1.20	0.52	0.00	0.52
SDDSC195	93.36	94.42	1.06	0.14	0.01	0.16
SDDSC195	94.42	94.56	0.14	2.38	4.80	13.85
SDDSC195	94.56	95.86	1.30	0.28	0.25	0.88
SDDSC195	95.86	95.96	0.10	5.29	0.39	6.22
SDDSC195	95.96	96.58	0.62	0.57	0.02	0.62
SDDSC195	96.58	97.03	0.45	2.76	0.53	4.03
SDDSC195	97.03	98.33	1.30	0.39	0.01	0.40
SDDSC195	98.33	99.63	1.30	0.14	0.00	0.15
SDDSC195	100.88	102.18	1.30	0.05	0.02	0.09
SDDSC195	102.18	103.35	1.17	0.10	0.01	0.13
SDDSC195	103.35	104.61	1.26	0.20	0.01	0.23
SDDSC195	104.61	104.79	0.18	0.73	0.07	0.91
SDDSC195	104.79	104.92	0.13	0.98	2.94	8.01
SDDSC195	104.92	105.95	1.03	0.14	0.01	0.17
SDDSC195	106.08	107.38	1.30	0.05	0.02	0.09
SDDSC195	107.38	108.68	1.30	0.04	0.03	0.10
SDDSC195	108.68	109.98	1.30	0.04	0.02	0.09
SDDSC195	109.98	110.86	0.88	0.52	0.02	0.56
SDDSC195	110.86	111.86	1.00	0.33	0.00	0.34
SDDSC195	114.6	115.33	0.73	0.16	0.01	0.19
SDDSC195	115.33	115.52	0.19	14.60	6.25	29.54
SDDSC195	115.52	116.58	1.06	0.58	0.01	0.59
SDDSC195	116.58	117.88	1.30	0.08	0.01	0.09
SDDSC195	120.44	121.74	1.30	0.11	0.00	0.12
SDDSC195	122.84	122.94	0.10	0.89	3.64	9.59
SDDSC195	122.94	123.87	0.93	0.08	0.05	0.19
SDDSC195	123.87	124.09	0.22	0.40	0.06	0.54
SDDSC195	124.09	125.32	1.23	0.68	0.21	1.18
SDDSC195	125.32	125.57	0.25	1.72	0.06	1.87
SDDSC195	125.57	125.8	0.23	0.96	0.07	1.14
SDDSC195	125.8	126.2	0.40	0.21	0.02	0.25
SDDSC195	126.2	126.35	0.15	2.74	2.77	9.36
SDDSC195	126.35	126.8	0.45	0.56	0.06	0.71
SDDSC195	127.56	128.36	0.80	0.32	0.02	0.36
SDDSC195	128.36	128.58	0.22	0.57	0.05	0.69
SDDSC195	128.58	129	0.42	1.52	0.05	1.64
SDDSC195	129	129.56	0.56	0.88	0.03	0.94
SDDSC195	129.56	129.67	0.11	56.80	0.10	57.03
SDDSC195	129.67	129.95	0.28	14.70	2.77	21.32
SDDSC195	129.95	130.31	0.36	0.72	0.24	1.29
SDDSC195	130.31	131.33	1.02	0.07	0.02	0.11
SDDSC195	131.33	131.58	0.25	0.97	0.02	1.01
SDDSC195	131.58	132.6	1.02	3.83	0.44	4.88
SDDSC195	132.6	133.65	1.05	0.67	0.03	0.74
SDDSC195	134.48	135.68	1.20	0.07	0.02	0.11

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC195	135.68	136.9	1.22	0.25	0.01	0.28
SDDSC195	136.9	137.31	0.41	2.90	0.16	3.28
SDDSC195	137.31	138.04	0.73	0.37	0.01	0.40
SDDSC195	138.04	138.9	0.86	0.11	0.02	0.15
SDDSC195	138.9	139.32	0.42	0.38	0.02	0.43
SDDSC195	139.32	139.54	0.22	78.10	11.60	105.82
SDDSC195	139.54	139.83	0.29	3.36	0.11	3.62
SDDSC195	139.83	140.35	0.52	0.45	0.02	0.50
SDDSC195	140.35	140.47	0.12	2.51	0.02	2.55
SDDSC195	140.47	140.64	0.17	19.00	0.02	19.05
SDDSC195	140.64	141.5	0.86	0.44	0.02	0.48
SDDSC195	141.5	142.15	0.65	0.13	0.01	0.15
SDDSC195	142.15	142.42	0.27	1.06	0.02	1.12
SDDSC195	142.42	142.56	0.14	3.53	0.27	4.18
SDDSC195	143.42	143.96	0.54	1.83	0.03	1.89
SDDSC195	143.96	144.25	0.29	35.50	0.07	35.67
SDDSC195	144.25	144.61	0.36	3.60	0.03	3.68
SDDSC195	144.61	144.99	0.38	0.63	0.00	0.64
SDDSC195	144.99	145.48	0.49	1.20	0.03	1.26
SDDSC195	145.48	145.76	0.28	0.63	0.03	0.69
SDDSC195	145.76	146.15	0.39	105.00	3.56	113.51
SDDSC195	146.15	146.33	0.18	1.17	0.05	1.29
SDDSC195	146.33	146.47	0.14	4.04	0.08	4.23
SDDSC195	146.47	146.74	0.27	0.41	0.01	0.43
SDDSC195	146.74	147.17	0.43	1.48	0.02	1.54
SDDSC195	147.17	148.12	0.95	0.15	0.00	0.16
SDDSC195	148.12	149.12	1.00	0.15	0.00	0.16
SDDSC195	149.12	149.56	0.44	0.41	0.05	0.52
SDDSC195	149.56	150.37	0.81	0.26	0.00	0.27
SDDSC195	150.37	151.14	0.77	0.34	0.00	0.35
SDDSC195	151.14	151.24	0.10	1.36	0.07	1.53
SDDSC195	151.24	151.82	0.58	0.25	0.00	0.26
SDDSC198	96.47	97.54	1.07	0.13	0.00	0.13
SDDSC198	97.54	98.02	0.48	0.21	0.00	0.21
SDDSC198	105.99	106.74	0.75	0.15	0.00	0.16
SDDSC198	149.87	150.87	1.00	0.48	0.00	0.48
SDDSC198	163.14	164	0.86	-0.01	0.23	0.54
SDDSC198	172.61	173.27	0.66	1.84	0.03	1.91
SDDSC198	173.27	174.26	0.99	1.09	0.02	1.14
SDDSC198	174.26	174.96	0.70	7.19	0.37	8.07
SDDSC198	174.96	176.07	1.11	1.14	0.03	1.21
SDDSC198	176.07	176.17	0.10	12.40	4.06	22.10
SDDSC198	176.17	176.8	0.63	0.63	0.02	0.68
SDDSC198	176.9	177.34	0.44	1.00	0.02	1.05
SDDSC198	177.34	178.33	0.99	0.80	0.00	0.81
SDDSC198	178.33	179.33	1.00	0.74	0.01	0.77
SDDSC198	179.33	180.53	1.20	0.58	0.00	0.59
SDDSC198	180.53	181.53	1.00	0.72	0.00	0.73
SDDSC198	181.53	182.61	1.08	1.15	0.01	1.17
SDDSC198	182.61	183.86	1.25	0.44	0.01	0.46
SDDSC198	183.86	184.63	0.77	0.55	0.01	0.58
SDDSC198	184.63	185.63	1.00	0.18	0.00	0.19
SDDSC198	185.63	185.73	0.10	47.10	16.20	85.82
SDDSC198	185.73	186.83	1.10	0.13	0.00	0.14
SDDSC198	186.83	187.4	0.57	0.23	0.01	0.25
SDDSC198	187.4	188.28	0.88	0.17	0.01	0.18
SDDSC198	192.12	193	0.88	0.10	0.20	0.58

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC198	193	193.65	0.65	0.27	0.00	0.28
SDDSC198	193.65	194.36	0.71	0.54	0.03	0.61
SDDSC198	194.36	194.5	0.14	0.67	0.87	2.75
SDDSC198	194.5	195.08	0.58	0.99	0.02	1.03
SDDSC198	195.08	195.56	0.48	0.69	0.01	0.72
SDDSC198	195.94	196.22	0.28	0.09	0.18	0.52
SDDSC198	196.22	197.27	1.05	0.08	0.01	0.10
SDDSC198	198.23	199.22	0.99	0.11	0.02	0.16
SDDSC198	202.3	202.8	0.50	0.11	0.27	0.76
SDDSC198	202.8	203.22	0.42	0.12	0.63	1.63
SDDSC198	203.22	204.08	0.86	0.30	0.01	0.32
SDDSC198	205.44	206.05	0.61	0.48	0.03	0.54
SDDSC198	206.05	206.48	0.43	0.79	0.09	1.01
SDDSC198	206.71	206.96	0.25	0.88	0.23	1.43
SDDSC198	206.96	207.7	0.74	0.29	0.04	0.39
SDDSC198	207.7	207.83	0.13	179.00	1.52	182.63
SDDSC198	207.83	208.25	0.42	0.47	0.10	0.70
SDDSC198	208.25	208.69	0.44	3.28	0.04	3.37
SDDSC198	209.24	209.64	0.40	0.37	0.01	0.40
SDDSC198	209.64	210.94	1.30	0.13	0.01	0.16
SDDSC198	212.38	212.78	0.40	0.69	0.05	0.80
SDDSC198	212.78	213.09	0.31	0.87	0.87	2.95
SDDSC198	213.09	213.33	0.24	0.76	0.02	0.82
SDDSC198	213.33	214.63	1.30	0.22	0.01	0.24
SDDSC198	214.63	215.67	1.04	0.27	0.03	0.35
SDDSC198	215.67	216.06	0.39	0.35	0.01	0.37
SDDSC198	216.06	216.24	0.18	0.43	2.08	5.40
SDDSC198	216.24	217.02	0.78	0.38	0.05	0.49
SDDSC198	217.02	217.62	0.60	0.32	0.01	0.34
SDDSC198	217.62	217.72	0.10	0.46	1.38	3.76
SDDSC198	217.72	218.33	0.61	0.14	0.02	0.18
SDDSC198	218.38	219.17	0.79	0.90	0.05	1.02
SDDSC198	221.51	222.69	1.18	1.60	0.01	1.61
SDDSC198	222.69	222.99	0.30	1.27	0.00	1.28
SDDSC198	222.99	224.29	1.30	0.20	0.00	0.21
SDDSC198	224.29	224.89	0.60	0.29	0.01	0.32
SDDSC198	224.89	225.52	0.63	0.48	0.01	0.50
SDDSC198	225.52	225.89	0.37	1.22	0.00	1.23
SDDSC198	225.89	226.89	1.00	0.13	0.00	0.14
SDDSC198	226.89	227.24	0.35	0.78	0.00	0.79
SDDSC198	227.24	228.03	0.79	0.16	0.02	0.21
SDDSC198	228.03	229.33	1.30	0.21	0.01	0.24
SDDSC198	229.33	230.32	0.99	0.77	0.02	0.81
SDDSC198	230.32	230.86	0.54	5.34	0.01	5.36
SDDSC198	230.86	231.02	0.16	1.49	0.01	1.50
SDDSC198	231.02	231.86	0.84	0.14	0.01	0.16
SDDSC198	234.1	235.2	1.10	2.22	0.01	2.25
SDDSC198	235.2	235.76	0.56	6.40	0.01	6.43
SDDSC198	235.76	236.48	0.72	0.31	0.00	0.32
SDDSC199	138	139	1.00	0.12	0.00	0.13
SDDSC199	159.63	160.3	0.67	0.14	0.00	0.15
SDDSC199	160.54	160.82	0.28	0.72	0.00	0.73
SDDSC199	180.41	180.74	0.33	0.54	0.00	0.55
SDDSC199	180.74	181.5	0.76	0.21	0.01	0.22
SDDSC199	181.5	182.26	0.76	1.08	0.01	1.10
SDDSC199	182.26	183	0.74	1.76	0.04	1.86
SDDSC199	183	183.3	0.30	3.00	0.35	3.84

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC199	183.3	184.48	1.18	2.40	0.03	2.48
SDDSC199	184.48	185.27	0.79	2.39	0.01	2.41
SDDSC199	185.27	186.06	0.79	1.69	0.01	1.72
SDDSC199	186.06	187.06	1.00	0.94	0.01	0.96
SDDSC199	187.06	188.06	1.00	0.09	0.01	0.11
SDDSC199	188.06	189.06	1.00	0.13	0.00	0.14
SDDSC199	192.06	193.12	1.06	0.10	0.00	0.11
SDDSC199	198.84	198.99	0.15	1.06	0.01	1.08
SDDSC199	198.99	199.99	1.00	1.30	0.01	1.33
SDDSC199	199.99	200.99	1.00	0.66	0.01	0.69
SDDSC199	200.99	201.99	1.00	0.56	0.01	0.59
SDDSC199	201.99	202.81	0.82	0.19	0.01	0.22
SDDSC199	206.92	208.03	1.11	0.16	0.01	0.19
SDDSC199	208.03	208.36	0.33	0.30	0.00	0.31
SDDSC199	209.16	209.66	0.50	0.71	0.04	0.80
SDDSC199	210.44	211.21	0.77	0.31	0.33	1.10
SDDSC199	211.74	212.18	0.44	0.32	0.39	1.25
SDDSC199	212.18	213.16	0.98	0.51	0.09	0.71
SDDSC199	213.16	214.15	0.99	26.90	4.50	37.66
SDDSC199	214.15	214.46	0.31	1.85	0.22	2.38
SDDSC199	214.46	214.98	0.52	34.80	29.80	106.02
SDDSC199	214.98	215.33	0.35	2.62	0.50	3.82
SDDSC199	215.33	215.74	0.41	1.31	0.29	2.00
SDDSC199	215.74	215.98	0.24	9.50	0.23	10.05
SDDSC199	215.98	216.38	0.40	42.80	5.24	55.32
SDDSC199	216.38	216.85	0.47	4.37	0.44	5.42
SDDSC199	216.85	216.98	0.13	21.20	1.75	25.38
SDDSC199	216.98	217.19	0.21	17.50	0.33	18.29
SDDSC199	217.19	217.52	0.33	14.60	0.02	14.64
SDDSC199	217.52	218.75	1.23	0.47	0.01	0.50
SDDSC199	218.75	218.86	0.11	0.40	2.14	5.51
SDDSC199	219.81	220.52	0.71	0.21	0.01	0.22
SDDSC199	220.52	220.65	0.13	2.05	0.04	2.15
SDDSC199	220.65	221.17	0.52	0.33	0.01	0.34
SDDSC199	221.17	221.86	0.69	1.43	0.41	2.41
SDDSC199	221.86	221.96	0.10	6.80	1.64	10.72
SDDSC199	221.96	222.94	0.98	0.73	0.01	0.75
SDDSC199	222.94	223.78	0.84	0.27	0.02	0.31
SDDSC199	223.78	224.06	0.28	7.92	0.16	8.30
SDDSC199	224.06	225.36	1.30	0.18	0.02	0.22
SDDSC199	225.36	226.54	1.18	1.61	0.01	1.64
SDDSC199	226.54	226.72	0.18	0.55	0.02	0.60
SDDSC199	226.72	227.78	1.06	0.26	0.01	0.29
SDDSC199	227.78	228.11	0.33	1.45	0.01	1.46
SDDSC199	228.11	228.35	0.24	1.11	0.01	1.13
SDDSC199	232.12	233.03	0.91	0.53	0.07	0.69
SDDSC199	233.03	233.48	0.45	3.62	0.32	4.38
SDDSC199	233.48	234.6	1.12	0.35	0.01	0.37
SDDSC199	234.6	235.6	1.00	0.12	0.01	0.13
SDDSC199	235.6	236.54	0.94	0.10	0.00	0.11
SDDSC199	236.54	237.15	0.61	0.29	0.01	0.31
SDDSC199	237.15	237.4	0.25	0.10	0.18	0.53
SDDSC199	237.4	238.58	1.18	0.06	0.68	1.69
SDDSC199	238.58	239.46	0.88	0.05	0.19	0.50
SDDSC199	239.46	240.64	1.18	0.26	0.01	0.29
SDDSC199	240.64	240.78	0.14	10.80	0.26	11.42
SDDSC199	240.78	241.14	0.36	0.45	0.01	0.47

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC199	241.14	242.1	0.96	0.35	0.03	0.42
SDDSC199	242.1	242.2	0.10	0.84	0.11	1.10
SDDSC199	242.2	242.88	0.68	0.19	0.04	0.29
SDDSC199	242.88	243.03	0.15	60.80	2.98	67.92
SDDSC199	243.03	243.16	0.13	3.17	0.49	4.34
SDDSC199	243.83	244.57	0.74	0.11	0.02	0.16
SDDSC199	244.57	244.67	0.10	0.32	3.40	8.45
SDDSC199	244.67	245.01	0.34	1.39	0.04	1.48
SDDSC199	245.01	245.97	0.96	0.18	0.07	0.34
SDDSC199	245.97	247.12	1.15	0.15	0.01	0.16
SDDSC199	247.12	247.4	0.28	0.36	0.02	0.41
SDDSC199	247.4	248.09	0.69	0.46	0.01	0.48
SDDSC199	248.09	248.83	0.74	2.28	0.04	2.37
SDDSC199	249.9	250.4	0.50	0.51	0.01	0.53
SDDSC199	250.4	250.51	0.11	26.50	13.40	58.53
SDDSC199	250.51	251	0.49	0.56	0.04	0.65
SDDSC199	251	251.92	0.92	0.31	0.01	0.32
SDDSC199	251.92	252.35	0.43	0.30	0.01	0.33
SDDSC199	252.35	252.48	0.13	28.90	1.57	32.65
SDDSC199	252.48	253.12	0.64	0.37	0.01	0.38
SDDSC199	253.12	254.34	1.22	0.09	0.01	0.11
SDDSC199	254.34	255.46	1.12	0.46	0.03	0.52
SDDSC199	255.46	256.15	0.69	0.74	0.02	0.79
SDDSC199	256.15	257.45	1.30	0.23	0.00	0.24
SDDSC199	257.45	258.63	1.18	0.57	0.01	0.59
SDDSC199	258.63	258.76	0.13	12.60	4.22	22.69
SDDSC199	258.76	259.34	0.58	0.40	0.01	0.42
SDDSC199	259.34	260.32	0.98	0.99	0.10	1.23
SDDSC199	260.32	260.42	0.10	13.40	0.06	13.54
SDDSC199	260.42	261.32	0.90	1.16	0.04	1.27
SDDSC199	261.32	261.52	0.20	6.54	5.37	19.37
SDDSC199	261.52	261.82	0.30	0.76	0.14	1.09
SDDSC199	261.82	262.08	0.26	19.30	21.40	70.45
SDDSC199	262.08	262.28	0.20	71.00	6.42	86.34
SDDSC199	262.28	263.12	0.84	0.11	0.01	0.14
SDDSC199	263.51	264.81	1.30	0.10	0.00	0.11
SDDSC199	265.99	266.68	0.69	0.16	0.01	0.18
SDDSC199	266.68	267.49	0.81	0.47	0.05	0.58
SDDSC199	267.49	267.64	0.15	78.00	4.49	88.73
SDDSC199	267.64	268.64	1.00	0.10	0.01	0.12
SDDSC199	268.64	269.51	0.87	0.27	0.01	0.29
SDDSC199	269.51	270.27	0.76	0.13	0.01	0.15
SDDSC199	270.27	270.39	0.12	0.45	6.01	14.81
SDDSC199	270.9	271.75	0.85	0.29	0.02	0.33
SDDSC199	271.75	271.85	0.10	0.81	0.12	1.10
SDDSC199	271.85	273	1.15	0.29	0.01	0.32
SDDSC199	273	273.73	0.73	0.50	0.01	0.52
SDDSC199	273.73	273.85	0.12	1.01	0.19	1.46
SDDSC199	273.85	273.95	0.10	3.10	12.90	33.93
SDDSC199	273.95	275.25	1.30	0.29	0.01	0.31
SDDSC199	275.25	276.35	1.10	0.54	0.00	0.55
SDDSC199	276.35	277.65	1.30	0.65	0.01	0.67
SDDSC199	277.65	278.2	0.55	0.55	0.00	0.56
SDDSC199	278.2	279	0.80	0.59	0.01	0.61
SDDSC199	279	279.8	0.80	0.20	0.01	0.22
SDDSC199	279.8	280	0.20	0.56	0.01	0.58
SDDSC199	280	281.1	1.10	1.10	0.01	1.11

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC199	281.1	282	0.90	1.22	0.24	1.79
SDDSC199	282	283	1.00	0.98	0.01	1.00
SDDSC199	283	283.65	0.65	0.61	0.03	0.69
SDDSC199	283.65	284.8	1.15	0.52	0.00	0.53
SDDSC199	341.6	342.9	1.30	0.08	0.00	0.09
SDDSC200	194.7	195.12	0.42	0.50	0.00	0.51
SDDSC200	195.12	195.57	0.45	0.63	0.00	0.64
SDDSC200	195.57	196.2	0.63	0.92	0.00	0.93
SDDSC200	196.2	197.09	0.89	0.63	0.00	0.64
SDDSC200	197.09	197.38	0.29	1.34	0.00	1.35
SDDSC200	197.38	198.01	0.63	1.19	0.00	1.20
SDDSC200	198.01	198.66	0.65	0.34	0.00	0.35
SDDSC200	198.66	199.48	0.82	0.34	0.00	0.35
SDDSC200	199.48	200.06	0.58	0.35	0.00	0.36
SDDSC200	200.16	200.83	0.67	0.26	0.00	0.27
SDDSC200	200.83	201.55	0.72	0.21	0.00	0.22
SDDSC200	201.55	202.1	0.55	1.56	0.09	1.78
SDDSC200	202.1	202.75	0.65	0.64	0.01	0.67
SDDSC200	209	210.12	1.12	0.17	0.00	0.18
SDDSC200	218.03	218.69	0.66	0.18	0.00	0.18
SDDSC200	223.23	223.86	0.63	0.87	0.07	1.03
SDDSC200	223.86	224.01	0.15	1.86	0.23	2.41
SDDSC200	224.35	224.69	0.34	0.81	0.05	0.92
SDDSC200	224.82	226.06	1.24	0.09	0.01	0.10
SDDSC200	228	229	1.00	1.28	0.04	1.38
SDDSC200	229	230	1.00	2.77	0.12	3.06
SDDSC200	230	230.49	0.49	2.03	0.08	2.22
SDDSC200	230.49	231.22	0.73	4.53	1.18	7.35
SDDSC200	231.22	231.56	0.34	0.44	0.03	0.50
SDDSC200	231.56	231.96	0.40	1.01	0.02	1.06
SDDSC200	231.96	232.06	0.10	2.12	0.15	2.48
SDDSC200	232.06	232.77	0.71	0.41	0.02	0.45
SDDSC200	232.77	233.69	0.92	2.65	0.05	2.77
SDDSC200	233.69	233.94	0.25	58.60	1.07	61.16
SDDSC200	233.94	234.2	0.26	13.00	0.79	14.89
SDDSC200	234.2	234.38	0.18	8.24	0.26	8.86
SDDSC200	234.38	234.55	0.17	34.60	0.69	36.25
SDDSC200	244.59	245.3	0.71	2.75	0.01	2.78
SDDSC200	247.17	248.15	0.98	0.90	0.04	1.00
SDDSC200	248.15	248.32	0.17	61.00	18.40	104.98
SDDSC200	248.32	248.84	0.52	1.77	0.30	2.49
SDDSC200	248.84	249.84	1.00	0.18	0.01	0.20
SDDSC200	249.84	250.62	0.78	0.43	0.06	0.56
SDDSC200	250.62	251.1	0.48	0.23	0.01	0.24
SDDSC200	251.1	251.26	0.16	17.90	0.03	17.96
SDDSC200	251.26	251.6	0.34	43.70	0.02	43.75
SDDSC200	251.6	251.7	0.10	6.24	0.04	6.32
SDDSC200	251.7	251.89	0.19	1.76	0.37	2.64
SDDSC200	251.89	252.9	1.01	0.48	0.01	0.51
SDDSC200	252.9	253.71	0.81	0.78	0.02	0.83
SDDSC200	253.71	253.93	0.22	5.86	2.49	11.81
SDDSC200	253.93	254.67	0.74	1.75	0.06	1.89
SDDSC200	254.67	255.32	0.65	2.33	0.05	2.45
SDDSC200	255.32	255.61	0.29	1.13	0.16	1.51
SDDSC200	255.61	255.72	0.11	11.00	7.48	28.88
SDDSC200	255.72	256.4	0.68	0.83	0.07	0.99
SDDSC200	256.4	256.92	0.52	3.70	0.14	4.03

Hole number	From (m)	To (m)	Interval (m)	Au g/t	Sb %	AuEq g/t
SDDSC200	256.92	257.2	0.28	31.00	8.36	50.98
SDDSC200	257.2	257.53	0.33	52.90	16.60	92.57
SDDSC200	257.53	258.44	0.91	131.00	8.45	151.20
SDDSC200	258.44	258.77	0.33	2.97	1.92	7.56
SDDSC200	258.77	259.46	0.69	6.77	1.12	9.45
SDDSC200	259.46	259.86	0.40	33.00	28.10	100.16
SDDSC200	259.86	260.22	0.36	23.70	8.30	43.54
SDDSC200	260.22	260.79	0.57	16.70	7.77	35.27
SDDSC200	260.79	261.79	1.00	11.60	5.98	25.89
SDDSC200	261.79	262.28	0.49	5.43	0.23	5.98
SDDSC200	262.28	262.54	0.26	3.98	3.80	13.06
SDDSC200	262.54	263.12	0.58	3.26	1.03	5.72
SDDSC200	263.12	263.25	0.13	36.60	6.96	53.23
SDDSC200	263.25	263.57	0.32	1.29	0.06	1.43
SDDSC200	263.57	263.67	0.10	1.11	0.16	1.49
SDDSC200	263.67	264.49	0.82	0.13	0.02	0.18
SDDSC200	264.49	264.78	0.29	54.70	4.08	64.45
SDDSC200	264.78	265.42	0.64	0.38	0.33	1.17
SDDSC200	265.42	266.42	1.00	0.32	0.08	0.51
SDDSC200	266.42	267.1	0.68	2.70	0.28	3.37
SDDSC200	267.1	267.24	0.14	29.80	11.00	56.09
SDDSC200	267.4	267.7	0.30	28.60	17.20	69.71
SDDSC200	267.7	268.43	0.73	2.50	0.66	4.08
SDDSC200	268.43	269.43	1.00	0.13	0.02	0.18
SDDSC200	295.05	296.04	0.99	0.24	0.02	0.30
SDDSC200	304.7	306	1.30	0.15	0.02	0.20
SDDSC200	310.9	311.57	0.67	0.19	0.02	0.23
SDDSC200	316.8	317.39	0.59	0.30	0.01	0.31
SDDSC200	319	320.3	1.30	0.19	0.01	0.22

JORC Table 1

Section 1 Sampling Techniques and Data

Criteria

JORC Code explanation

Sampling techniques

- Nature and quality of sampling (e.g. cut channels, random ch standard measurement tools appropriate to the minerals und sondes, or handheld XRF instruments, etc.). These examples meaning of sampling.
- Include reference to measures taken to ensure sample repre any measurement tools or systems used.
- Aspects of the determination of mineralization that are Mater
- In cases where 'industry standard' work has been done this v circulation drilling was used to obtain 1 m samples from whic charge for fire assay'). In other cases more explanation may gold that has inherent sampling problems. Unusual commodi nodules) may warrant disclosure of detailed information.

Criteria

JORC Code explanation

Drilling techniques

- Drill type (e.g. core, reverse circulation, open-hole hammer, etc.) and details (e.g. core diameter, triple or standard tube, depth, type, whether core is oriented and if so, by what method, etc.)

Drill sample recovery

- Method of recording and assessing core and chip sample recovery
- Measures taken to maximise sample recovery and ensure representativeness
- Whether a relationship exists between sample recovery and sample loss occurred due to preferential loss/gain of fine/coarse material.

Logging

- Whether core and chip samples have been geologically and geotechnically logged to support appropriate Mineral Resource estimation, mining studies and/or mine design
- Whether logging is qualitative or quantitative in nature. Core and chip sample recovery
- The total length and percentage of the relevant intersections

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all core
- If non-core, whether riffled, tube sampled, rotary split, etc. and whether sub-sampled
- For all sample types, the nature, quality and appropriateness of the sample preparation technique
- Quality control procedures adopted for all sub-sampling stages
- Measures taken to ensure that the sampling is representative of the in-situ material, for instance results for field duplicate/second-half sampling.
- Whether sample sizes are appropriate to the grain size of the material

Criteria

JORC Code explanation

Quality of assay data and laboratory tests

- The nature, quality and appropriateness of the assaying and the technique is considered partial or total.
- For geophysical tools, spectrometers, handheld XRF instruments determining the analysis including instrument make and model applied and their derivation, etc.
- Nature of quality control procedures adopted (e.g. standards checks) and whether acceptable levels of accuracy (i.e. lack established).

Verification of sampling and assaying

- The verification of significant intersections by either independent
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data (electronic) protocols.
- Discuss any adjustment to assay data.

Location of data points

- Accuracy and quality of surveys used to locate drill holes (collar workings and other locations used in Mineral Resource estimation)
- Specification of the grid system used.
- Quality and adequacy of topographic control.

Criteria

JORC Code explanation

Data spacing and distribution

- Data spacing for reporting of Exploration Results.
- Whether the data spacing and distribution is sufficient to establish continuity appropriate for the Mineral Resource and Ore Res classifications applied.
- Whether sample compositing has been applied.

Orientation of data in relation to geological structure

- Whether the orientation of sampling achieves unbiased samples which this is known, considering the deposit type.
- If the relationship between the drilling orientation and the orientation considered to have introduced a sampling bias, this should be

Sample security

- The measures taken to ensure sample security.

Audits or reviews

- The results of any audits or reviews of sampling techniques a

Section 2 Reporting of Exploration Results

Criteria

JORC Code explanation

Mineral tenement and land tenure status

- Type, reference name/number, location and ownership including agreements with parties such as joint ventures, partnerships, overriding royalties, native title interests, wilderness or national park and environmental settings.
- The security of the tenure held at the time of reporting along with any known interests or licences to operate in the area.

Criteria

JORC Code explanation

Exploration done by other parties

- Acknowledgment and appraisal of exploration by other parties.

Geology

- Deposit type, geological setting and style of mineralization.

Drill hole Information

- A summary of all information material to the understanding of the exploration results of the following
- information for all Material drill holes:
 - easting and northing of the drill hole collar
 - elevation or RL (Reduced Level - elevation above sea level in metres) of the collar
 - dip and azimuth of the hole
 - down hole length and interception depth
 - hole length.
- If the exclusion of this information is justified on the basis that the information is not material, the Competent Person must explain why this is the case.

Data aggregation methods

- In reporting Exploration Results, weighting averaging techniques, maximum and minimum values, and truncations (e.g. cutting of high-grades) and cut-off grades are usually Material
- Where aggregate intercepts incorporate short lengths of high-grade results and long lengths of low-grade results, the procedure used for such aggregation should be stated and the results of such aggregations should be shown in detail.
- The assumptions used for any reporting of metal equivalent values should be stated.

Criteria	JORC Code explanation
Relationship between mineralization widths and intercept lengths	<ul style="list-style-type: none">● These relationships are particularly important in the reporting of Exploration Results.● If the geometry of the mineralization with respect to the drill hole angle is known, it should be reported.● If it is not known and only the down hole lengths are reported, there should be an indication of the effect (e.g. 'down hole effect').● length, true width not known').
Diagrams	<ul style="list-style-type: none">● Appropriate maps and sections (with scales) and tabulations of intercepts should be provided if a significant discovery is being reported. These should include, but not be limited to, collar locations and appropriate sectional views.
Balanced reporting	<ul style="list-style-type: none">● Where comprehensive reporting of all Exploration Results is not practicable, reporting of both low and high-grades and/or widths should be practiced to avoid misleading Exploration Results.
Other substantive exploration data	<ul style="list-style-type: none">● Other exploration data, if meaningful and material, should be reported including geological observations; geophysical survey results; geochemical survey results; method of treatment; metallurgical test results; bulk density, groundwater, geochemical characteristics; potential deleterious or contaminating substances.
Further work	<ul style="list-style-type: none">● The nature and scale of planned further work (e.g. tests for lateral extensions or large-scale step-out drilling).● Diagrams clearly highlighting the areas of possible extensions, including the mineral interpretations and future drilling areas, provided this information is not commercially sensitive.

To view the source version of this press release, please visit <https://www.newsfilecorp.com/release/288606>

Dieser Artikel stammt von [Rohstoff-Welt.de](#)

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/725994--Southern-Cross-Gold-Drills-Record-High-Grade-in-Shallow-Apollo--17.3-Metres-at-15.3-g-t-Gold-und-3.2Prozent->

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).