

Lundin Gold Reports 667.78 g/t over 7.50 Metres and 523.01 g/t Au over 8.25 Metres at FDNS

05.05.2026 | [CNW](#)

[Lundin Gold Inc.](#) (TSX: LUG) (Nasdaq Stockholm: LUG) (OTCQX: LUGDF) ("Lundin Gold" or the "Company") is pleased to report additional strong results from its ongoing conversion and near-mine exploration drilling programs at the Fruta del Norte ("FDN") gold mine in southeast Ecuador. PDF Version

The drilling programs delivered positive results across FDN, FDNS, and FDN East within the Company's mining property. Notably, recent conversion drilling at FDNS delivered two of the highest grade-thickness gold intercepts ever drilled at FDN, underscoring the growing importance of FDNS as a major source of high-grade mineralization and supporting continued Mineral Resource and Mineral Reserve growth.

Highlights

Conversion Drilling

- FDNS: Recent drilling returned the highest-grade intercepts ever recorded at FDNS, including two intervals that rank as the second and fourth highest grade-thickness gold intercepts drilled across the entire FDN mining property (Figure 1), reinforcing FDNS as a primary driver of recent and ongoing Mineral Resource and Mineral Reserve growth.

Exploration Drilling

- FDNS: Successfully confirmed mineralization continuity along the downdip extension of the deposit, outside the current Mineral Resource envelope, and highlighted areas with meaningful potential for further expansion.
- FDN East: Drilling confirmed northward continuity of the vein system beyond the inaugural Mineral Resource, returning the highest-grade interval ever recorded at FDN East, and demonstrated continuity of newly discovered eastern veins, highlighting an expanding footprint and additional exploration upside.
- FDN: Drilling intercepted the upper continuity of the main FDN mineral envelope close to existing underground infrastructure, identifying additional near-mine expansion opportunities.

Jamie Beck, President and CEO, commented, "Conversion drilling at FDNS has consistently delivered some of the best results at FDN since its discovery, and these results are no exception, including two of the highest grade-thickness gold intercepts ever drilled at Fruta del Norte. Exceptional systems tend to surprise to the upside, and it is clear there remains significant potential for additional expansion."

At FDN East, the highest-grade interval ever reported along the extension of the mineral envelope confirms meaningful exploration upside, while at FDN, positive results close to existing underground development highlight opportunities for further growth. With 17 rigs currently operating at site between the epithermal gold deposits and copper gold porphyry targets, we remain confident in our ability to continue creating value through disciplined exploration across this remarkable mining district."

Conversion Drilling Program Highlights (not true widths)

FDNS

- Drill hole FDN-C25-374 intersected 667.78 grams per tonne ("g/t") of gold ("Au") over 7.50m from 19.15m, including:
 - 4,710 g/t Au over 0.60m

- Drill hole FDN-C26-380 intersected 523.01 g/t Au over 8.25m from 22.55m, including:
 - 2,389.51 g/t Au over 1.80m
- Drill hole FDN-C26-389 intersected 17.47 g/t Au over 8.85m from 16.70m, including:
 - 110.06 g/t Au over 1.20m
- Drill hole FDN-C26-379 intersected 16.13 g/t Au over 7.00m from 54.45m, including:
 - 31.42 g/t Au over 3.25m

Exploration Drilling Program Highlights (not true widths)

FDNS

- Drill hole UGE-S-26-472 intersected 22.97 g/t Au over 5.00m from 46.90m, including:
 - 56.15 g/t Au over 1.35m

FDN East

- Drill hole UGE-E-26-429 intersected 169.93 g/t Au over 4.20 m from 427.50m including:
 - 712 g/t Au over 1.00m
- Drill hole UGE-E-25-425 intersected 20.34 g/t Au over 5.90m from 299.00m, including:
 - 61.21 g/t Au over 1.80m

FDN

- Drill hole UGE-26-479 intersected 10.55 g/t Au over 23.55 m from 58.15m including:
 - 24.90 g/t Au over 2.30m
- Drill hole UGE-26-461 intersected 8.32 g/t Au over 7.85m from 74.85m, including:
 - 15.71 g/t Au over 3.40m

DRILLING PROGRAMS

Lundin Gold's near-mine exploration strategy is focused on extending mine life through the discovery and delineation of new mineralized zones near existing infrastructure. Since the start of commercial production, these efforts have contributed to significant Mineral Reserve growth.

2026 is set to be a landmark year for the Company, with the largest exploration program in its history, totaling approximately 133,000 metres of planned drilling. Conversion and near-mine exploration activities will account for approximately 125,000 metres, combining surface and underground drilling aimed at Mineral Resource conversion, the discovery and delineation of new mineralized zones, and the potential identification of new gold and copper-gold resources across the Fruta del Norte mining property.

FDNS

The 2026 underground conversion drilling program continues to advance across several sectors of FDNS, where the Company declared an inaugural Mineral Reserve of 0.54 Moz (2.50 Mt at 6.66 g/t Au) approximately two years after the deposit's discovery. This reserve declaration followed a succession of consistently strong conversion drilling results that have exceeded expectations.

Recent drilling has focused on the central and northern sectors of the deposit and continues to intercept mineralization consistently, further validating the geological model (Figures 2 and 3). The program returned the highest-grade intercepts ever recorded at FDNS, including FDN-C25-374 (667.78 g/t Au over 7.50 m; 60.19 g/t Au over 13.95 m) and FDN-C26-380 (523.01 g/t Au over 8.25 m; 32.94 g/t Au over 4.55 m) and highlighted additional high-grade zones within the established mineral envelope.

Underground exploration drilling continues to extend the FDNS mineral envelope beyond the current Mineral Resource. Hole UGE-S-26-472 (22.97 g/t Au over 5.00 m) intercepted multiple mineralized veins at depth, indicating further expansion potential in the northern sector of the deposit (Figures 2 and 3). Results received to date are summarized in Tables 1 and 4.

FDN EAST

FDN East is a buried epithermal system composed of multiple subparallel north-south-trending veins located approximately 100 metres east of FDN's existing underground infrastructure. Drilling in 2025 defined a deposit footprint of 500-metre strike length and supported an inaugural Inferred Mineral Resource of 0.42 Moz Au (2.17 Mt at 6.01 g/t Au).

The mineral envelope remains open, and underground exploration drilling is ongoing. Along the northern extension, drilling returned the highest-grade intercept ever recorded at FDN East, confirming mineral continuity and highlighting strong exploration potential along strike (Figure 4). In addition, drilling confirmed the continuity of newly identified veins beyond the initial Mineral Resource and the deposit footprint strike length is now 500 metres West to East and 800 metres North to South and open for further discovery to the North, East, and South. Results received to date are presented in Tables 2 and 4.

FDN

At FDN, underground exploration drilling intercepted the upper extension of the deposit along the contact with the Suarez conglomerate sequence, close to existing underground infrastructure. Highlights include UGE-26-479 (10.55 g/t Au over 23.55 m) and UGE-26-461 (8.32 g/t Au over 7.85 m), underscoring significant exploration potential in areas readily accessible from current mine development (Figure 5). Results received to date are summarized in Tables 3 and 4.

Figure 1: Map showing newly released (in yellow) and historical selected drill results (in gray) highlighting the highest grade-thickness intercepts across the FDN property. Drill hole intercepts are represented in drill core lengths.

Figure 2: Map showing FDN deposit, and FDN's selected drilling results

Figure 3: Long section showing FDN and FDN's deposits with selected FDN's conversion and exploration drilling results

Figure 4: Map showing FDN, FDN's, and FDN East deposits with selected FDN East exploration drilling results

Figure 5: Long Section showing FDN, FDN's, FDN East deposits with selected exploration drilling results along the FDN upper extension

Qualified Persons and Technical Notes

The technical information contained in this News Release has been reviewed and approved by Andre Oliveira, P. Geo, Vice President, Exploration of the Company, who is a Qualified Person in accordance with the requirements of National Instrument 43-101 - Standards of Disclosure for Mineral Projects.

Samples consist of half HQ and NQ-size diamond core that are split by diamond saw on site, prepared at the ALS laboratory in Quito, and analyzed by 50g fire assay and multi-element (ICP-AES/ICP-MS) at the ALS Laboratory in Lima, Peru. The quality assurance-quality control (QA-QC) program of Lundin Gold includes the insertion of certified standards of known gold content, blank and duplicate samples. The remaining half core is retained for verification and reference purposes. For historic holes and further information on the assay, QA-QC, and data verification procedures, please see Lundin Gold's Annual Information Form dated March 20, 2026 ("AIF").

About Lundin Gold

Lundin Gold, headquartered in Vancouver, Canada, owns the Fruta del Norte gold mine in southeast

Ecuador. Fruta del Norte is among the highest-grade operating gold mines in the world.

The Company's board and management team have extensive expertise and are dedicated to operating Fruta del Norte responsibly. The Company operates with transparency and in accordance with international best practices. Lundin Gold is committed to delivering value to its shareholders through operational excellence and growth, while simultaneously providing economic and social benefits to impacted communities, fostering a healthy and safe workplace and minimizing the environmental impact. Furthermore, Lundin Gold is focused on continued exploration on its extensive and highly prospective land package to identify and develop new resource opportunities to ensure long-term sustainability and growth for the Company and its stakeholders.

Additional Information

The information in this release is subject to the disclosure requirements of Lundin Gold under the EU Market Abuse Regulation. This information was publicly communicated on May 5 at 2:00 p.m. Pacific Time through the contact persons set out below.

Caution Regarding Forward-Looking Information and Statements

Certain of the information and statements in this press release are considered "forward-looking information" or "forward-looking statements" as those terms are defined under Canadian securities laws (collectively referred to as "forward-looking statements"). Any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance (often, but not always, identified by words or phrases such as "believes", "anticipates", "expects", "is expected", "scheduled", "estimates", "pending", "intends", "plans", "forecasts", "targets", or "hopes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "will", "should" "might", "will be taken", or "occur" and similar expressions) are not statements of historical fact and may be forward-looking statements. By their nature, forward-looking statements and information involve assumptions, inherent risks, and uncertainties, many of which are difficult to predict, and are usually beyond the control of management, that could cause actual results to be materially different from those expressed by these forward-looking statements and information. Lundin Gold believes that the expectations reflected in this forward-looking information are reasonable, but no assurance can be given that these expectations will prove to be correct. Forward-looking information should not be unduly relied upon. This information speaks only as of the date of this press release, and the Company will not necessarily update this information, unless required to do so by securities laws.

This press release contains forward-looking information in a number of places, such as in statements relating to the Company's exploration plans, activities, and results. There can be no assurance that such statements will prove to be accurate, as Lundin Gold's actual results and future events could differ materially from those anticipated in this forward-looking information as a result of the factors discussed in the "Risk Factors" section in Lundin Gold's AIF.

Lundin Gold's actual results could differ materially from those anticipated. Factors that could cause actual results to differ materially from any forward-looking statement or that could have a material impact on the Company or the trading price of its shares include: fiscal risk; community relations; mining operations; security situation; waste disposal and tailings; environmental compliance; illegal mining; infrastructure; forecasts relating to production and costs; land acquisition and surface rights; indigenous consultation requirements; Mineral Reserve and Mineral Resource estimates; regulatory compliance and government approvals; dependence on a single mine; climate change and extreme weather events; shortages of critical resources; exploration and development; control of Lundin Gold; information systems and cyber security; health and safety; human rights; measures to protect biodiversity, endangered species and critical habitats; global economic conditions; competition for new projects; availability of workforce and labour relations; key talent recruitment and retention; gold price; market price of the Company's shares; social media and reputation; insurance and uninsured risks; dividends; internal controls; conflicts of interest; violation of anti-bribery and corruption laws; claims and legal proceedings; reclamation obligations; expropriation and nationalization; and pandemics, epidemics or infectious disease outbreak.

APPENDIX 1

Table 1: Drillhole assay results from the FDNS drilling program reported for thickness versus grade intervals

above 8.37 (m x g/t Au > 8.37). Drill hole intercepts are reported in drill core lengths and true widths.

Hole ID	From (m)	To (m)	Interval (m)	True width (m)	Au (g/t)	Ag (g/t)	Target Zone
FDN-C25-354	29.35	30.60	1.25	0.88	7.17	8.80	FDNS Underground
FDN-C25-354	32.60	34.75	2.15	1.52	5.68	12.31	
Including	32.60	33.25	0.65	0.46	10.70	20.90	
FDN-C25-355	20.85	24.40	3.55	2.51	6.03	17.42	FDNS Underground
Including	20.85	21.70	0.85	0.60	16.15	25.70	
Including	24.00	24.40	0.40	0.28	15.80	68.30	
FDN-C25-355	39.85	41.40	1.55	1.10	5.41	11.18	
Including	40.60	41.00	0.40	0.28	17.75	20.40	
FDN-C25-355	71.40	73.05	1.65	1.17	7.43	17.19	
FDN-C25-355	82.40	84.60	2.20	1.56	3.98	33.84	
Including	83.80	84.60	0.80	0.57	9.15	72.50	
FDN-C25-355	99.20	100.65	1.45	1.03	6.60	16.94	
FDN-C25-357	64.35	66.15	1.80	1.38	5.23	15.58	FDNS Underground
Including	65.00	65.65	0.65	1.38	12.50	29.30	
FDN-C25-357	131.20	132.00	0.80	0.50	10.97	185.00	
FDN-C25-357	149.90	153.00	3.10	2.54	11.84	120.01	
Including	152.55	153.00	0.45	0.37	55.70	145.00	
FDN-C25-366	48.10	51.05	2.95	2.55	7.66	15.94	FDNS Underground
Including	48.10	48.80	0.70	0.61	14.65	20.30	
Including	50.55	51.05	0.50	0.43	19.60	27.60	
FDN-C25-366	65.60	67.10	1.50	1.23	12.46	14.17	
Including	66.45	67.10	0.65	0.53	27.70	15.30	

FDN-C25-374	1.50	4.20	2.70	1.74	5.60	7.95	FDNS Underground
Including	3.40	4.20	0.80	0.51	16.15	16.00	
FDN-C25-374	19.15	26.65	7.50	4.82	667.78	268.88	
Including	20.50	21.10	0.60	0.39	4710.00	1500.00	
Including	25.60	26.10	0.50	0.32	1880.00	695.00	
FDN-C25-374	36.05	50.00	13.95	8.97	60.19	81.58	
Including	41.90	49.55	7.65	4.92	104.32	128.73	
FDN-C25-374	56.55	59.20	2.65	1.70	16.61	25.89	
Including	58.10	58.50	0.40	0.26	103.00	91.40	
FDN-C25-374	74.70	78.10	3.40	2.40	44.98	47.47	
FDN-C25-374	90.50	92.25	1.75	1.24	8.41	11.31	
Including	90.90	91.30	0.40	0.28	33.50	27.10	
FDN-C25-374	174.80	176.90	2.10	1.35	9.60	42.82	
Including	174.80	175.80	1.00	0.64	18.65	54.40	
FDN-C25-374	213.40	215.15	1.75	1.24	11.25	363.23	
FDN-C25-374	244.10	246.00	1.90	1.34	4.51	76.52	
Including	244.80	245.25	0.45	0.32	10.95	264.00	
FDN-C25-375	18.40	20.25	1.85	1.84	6.41	122.03	FDNS Underground
FDN-C25-376	15.25	17.30	2.05	1.78	8.29	43.63	FDNS Underground
Including	15.25	15.65	0.40	0.35	9.23	53.80	
Including	16.75	17.30	0.55	0.48	21.30	51.10	
FDN-C25-376	35.10	39.30	4.20	3.64	13.74	13.56	
Including	38.90	39.30	0.40	0.35	123.50	60.30	
FDN-C25-376	98.40	99.90	1.50	1.30	32.79	77.79	
Including	98.40	98.90	0.50	0.43	91.60	181.00	
FDN-C25-376	121.65	123.30	1.65	1.43	5.54	6.66	
Including	122.05	122.60	0.55	0.48	12.65	8.10	

FDN-C25-377	8.70	13.90	5.20	3.68	85.45	80.98	FDNS Underground
Including	12.40	13.90	1.50	1.06	204.82	211.03	
FDN-C25-377	28.30	30.30	2.00	1.41	8.53	12.07	
Including	28.30	28.90	0.60	0.42	19.75	18.80	
FDN-C25-377	44.10	49.40	5.30	3.75	34.41	25.30	
Including	44.10	46.30	2.20	1.56	80.55	45.05	
FDN-C25-377	61.30	71.40	10.10	7.14	84.48	56.86	
Including	64.10	71.40	3.50	2.47	217.95	45.21	
FDN-C25-377	79.15	84.90	5.75	4.07	13.32	33.79	
Including	80.55	82.50	1.95	1.38	31.77	38.08	
FDN-C25-377	105.05	106.70	1.65	1.17	15.68	30.48	
Including	105.45	106.30	0.85	0.60	28.69	31.92	
FDN-C26-378	52.90	54.80	1.90	1.84	9.06	9.72	FDNS Underground
Including	54.20	54.80	0.60	0.58	22.40	14.40	
FDN-C26-378	65.15	70.45	5.30	5.12	9.63	16.25	
Including	65.15	66.60	1.45	1.40	27.54	16.94	
FDN-C26-378	105.80	110.00	4.20	4.06	5.13	42.88	
Including	107.20	108.80	1.60	1.55	10.27	79.08	
FDN-C26-379	16.70	20.20	3.50	2.47	7.38	9.30	FDNS Underground
Including	16.70	17.80	1.10	0.78	14.17	10.62	
FDN-C26-379	21.40	23.75	2.35	1.66	9.38	28.32	
Including	23.25	23.75	0.50	0.35	37.90	75.60	
FDN-C26-379	54.45	61.45	7.00	3.50	16.13	11.50	
Including	58.20	61.45	3.25	1.63	31.42	16.72	
FDN-C26-379	96.10	99.20	3.10	1.78	3.17	5.60	
FDN-C26-379	107.00	110.00	3.00	1.72	4.46	4.61	
Including	108.90	109.35	0.45	0.26	11.20	6.40	

FDN-C26-380	22.55	30.80	8.25	6.32	523.01	134.92	FDNS Underground
Including	23.80	25.60	1.80	1.38	2389.51	592.06	
FDN-C26-380	39.45	44.00	4.55	3.49	32.94	27.59	
Including	41.10	43.00	1.90	1.46	75.79	53.36	
FDN-C26-380	62.20	64.40	2.20	1.69	6.39	10.01	
Including	62.20	62.80	0.60	0.46	15.10	12.70	
FDN-C26-380	92.00	94.80	2.80	2.14	9.02	10.32	
Including	93.10	94.15	1.05	0.80	23.20	17.60	
FDN-C26-381	9.20	10.60	1.40	1.35	6.23	6.83	FDNS Underground
Including	9.20	9.60	0.40	0.39	20.30	13.40	
FDN-C26-381	30.00	33.30	3.30	3.19	4.63	20.63	
Including	32.00	32.40	0.40	0.39	13.30	13.90	
FDN-C26-381	41.20	42.45	1.25	1.21	7.26	8.32	
FDN-C26-381	49.05	54.25	5.20	5.02	23.19	18.82	
Including	53.00	54.25	1.25	1.21	86.14	30.78	
FDN-C26-382	33.40	36.70	3.30	2.53	17.23	22.25	FDNS Underground
Including	33.40	35.30	1.90	1.46	28.03	32.69	
FDN-C26-382	40.75	48.20	7.45	5.71	11.32	19.88	
Including	45.90	48.20	2.30	1.76	26.12	27.70	
FDN-C26-383	No Significant Results						FDNS Underground
FDN-C26-384	29.55	37.20	7.65	6.27	5.06	8.70	FDNS Underground
Including	34.90	37.20	2.30	1.88	12.28	11.51	
FDN-C26-384	86.45	101.75	15.30	12.53	44.09	16.98	
Including	88.85	90.45	1.60	1.31	18.85	6.42	
Including	93.00	98.60	5.60	4.59	111.33	36.72	
FDN-C26-385	5.70	8.45	2.75	2.71	4.71	10.93	FDNS Underground
FDN-C26-385	16.60	18.00	1.40	1.38	8.30	12.79	
FDN-C26-386	1.30	3.40	2.10	1.97	5.19	7.47	FDNS Underground
FDN-C26-386	58.50	61.70	3.20	3.01	13.53	13.24	

FDN-C26-387	0.40	6.30	5.90	5.11	3.95	4.77	FDNS Underground
Including	0.40	0.80	0.40	0.35	18.05	16.30	
Including	5.90	6.30	0.40	0.35	20.80	3.70	
FDN-C26-387	21.80	26.20	4.40	3.81	8.20	9.17	
Including	23.25	23.65	0.40	0.35	83.60	48.40	
FDN-C26-387	33.65	38.90	5.25	4.55	15.06	15.27	
Including	35.75	36.15	0.40	0.35	182.50	75.10	
FDN-C26-387	74.80	76.90	2.10	1.82	4.70	2.70	
Including	76.30	76.90	0.60	0.52	11.30	3.70	
FDN-C26-388	13.00	17.75	4.75	3.05	4.51	6.59	FDNS Underground
Including	14.30	15.75	1.45	0.93	11.96	10.77	
FDN-C26-388	41.50	48.90	7.40	4.76	4.16	8.52	
Including	47.40	47.80	0.40	0.26	38.10	20.00	
FDN-C26-389	16.70	25.55	8.85	8.72	17.47	22.13	FDNS Underground
Including	18.20	19.40	1.20	1.18	110.06	100.70	
FDN-C26-390	9.30	12.70	3.40	2.79	5.20	10.04	FDNS Underground
Including	10.10	10.55	0.45	0.37	36.00	30.20	
FDN-C26-391	23.80	25.95	2.15	1.95	4.71	11.30	FDNS Underground
FDN-C26-391	66.20	70.60	4.40	3.81	5.08	4.22	
Including	66.20	68.00	1.80	1.56	10.04	7.65	
FDN-C26-391	77.95	80.00	2.05	1.86	16.43	18.53	
Including	79.00	80.00	1.00	0.91	31.30	18.60	
FDN-C26-392	0.00	4.40	4.40	-	4.74	25.94	FDNS Underground
Including	0.00	1.05	1.05	-	13.52	48.59	
FDN-C26-393	Pending Results						FDNS Underground
FDN-C26-394	Pending Results						FDNS Underground
FDN-C26-395	No Significant Results						FDNS Underground
FDN-C26-396	Pending Results						FDNS Underground
FDN-C26-397	19.25	21.60	2.35	2.31	4.49	16.77	FDNS Underground
Including	19.25	19.80	0.55	0.54	15.35	45.40	
FDN-C26-397	28.95	30.35	1.40	1.38	6.59	11.41	
Including							

28.95

29.35

0.40

18.70

FDN-C26-398	3.90	7.30	3.40	3.19	6.60	4.15	FDNS Underground
Including	5.70	6.50	0.80	0.75	26.90	6.30	
FDN-C26-399	Pending Results						FDNS Underground
FDN-C26-401	12.80	15.25	2.45	1.88	13.45	5.60	FDNS Underground
Including	12.80	13.70	0.90	0.69	31.85	9.40	
FDN-C26-401	114.85	119.10	4.25	1.45	9.95	2.70	
Including	115.25	117.10	1.85	0.63	18.97	4.49	
FDN-C26-402	Pending Results						FDNS Underground
FDN-C26-403	Pending Results						FDNS Underground
FDN-C26-404	Pending Results						FDNS Underground
FDN-C26-405	Pending Results						FDNS Underground
FDN-C26-406	Pending Results						FDNS Underground
FDN-C26-407	Pending Results						FDNS Underground
FDN-C26-408	Pending Results						FDNS Underground
FDN-C26-409	Pending Results						FDNS Underground
FDN-C26-410	Pending Results						FDNS Underground
FDN-C26-411	Pending Results						FDNS Underground
FDN-C26-412	Pending Results						FDNS Underground
FDN-C26-413	Pending Results						FDNS Underground
FDN-C26-414	Pending Results						FDNS Underground
FDN-C26-415	Pending Results						FDNS Underground
FDN-C26-418	Pending Results						FDNS Underground
FDN-C26-419	Pending Results						FDNS Underground
UGE-S-26-472	9.15	11.60	2.45	1.73	3.83	9.82	FDNS Underground
UGE-S-26-472	46.90	51.90	5.00	3.21	22.97	18.39	
Including	50.55	51.90	1.35	0.87	56.15	37.23	
UGE-S-26-472	139.90	141.15	1.25	0.80	7.95	156.83	
Including	140.75	141.15	0.40	0.26	21.50	373.00	
UGE-S-26-472	173.65	175.40	1.75	1.00	13.77	135.84	
Including	173.65	174.45	0.80	0.46	29.30	290.15	
UGE-S-26-477	Pending Results						FDNS Underground
UGE-S-26-478							

Pending Results

FDNS

Underground

Table 2: Drillhole assay results from FDN East drilling program reported for thickness versus grade intervals above 8.37 (m x g/t Au >8.37). Drill hole intercepts are reported in drill core lengths and true widths

Hole ID	From (m)	To (m)	Interval (m)	True width (m)	Au (g/t)	Ag (g/t)	Target	Zone
UGE-E-25-422	36.80	39.60	2.80	-	3.92	28.10	FDN East	Underground
Including	37.85	38.55	0.70	-	14.90	104.00		
UGE-E-25-422	136.70	139.60	2.90	-	3.24	3.67		
Including	137.80	138.60	0.80	-	9.96	9.70		
UGE-E-25-422	551.40	555.05	3.65	-	4.68	3.24		
Including	551.40	552.05	0.65	-	25.30	13.60		

UGE-E-25-425	190.40	191.40	1.00	0.98	13.40	249.00	FDN East Underground
UGE-E-25-425	239.05	240.80	1.75	1.71	9.06	7.21	
Including	240.00	240.80	0.80	0.78	17.53	11.60	
UGE-E-25-425	266.85	270.65	3.80	3.72	13.25	5.78	
Including	266.85	268.10	1.25	1.22	39.60	14.02	
UGE-E-25-425	278.90	284.40	5.50	5.38	12.22	11.77	
Including	282.50	284.40	1.90	1.86	30.23	19.29	
UGE-E-25-425	286.60	289.00	2.40	2.35	10.80	8.38	
Including	288.00	289.00	1.00	0.98	20.68	10.76	
UGE-E-25-425	299.00	304.90	5.90	5.77	20.34	15.31	
Including	299.00	300.80	1.80	1.76	61.21	37.56	
UGE-E-25-425	333.95	336.75	2.80	2.74	4.20	3.84	
Including	335.90	336.75	0.85	0.83	7.61	4.64	
UGE-E-25-427	No Significant Results						FDN East Underground
UGE-E-26-429	90.30	97.60	7.30	-	6.69	6.37	FDN East Underground
Including	94.50	96.90	2.40	-	16.13	9.17	
UGE-E-26-429	375.35	378.30	2.95	-	3.00	7.15	
Including	375.35	376.10	0.75	-	8.08	18.70	
UGE-E-26-429	427.50	431.70	4.20	-	169.93	102.36	
Including	430.70	431.70	1.00	-	712.00	429.00	
UGE-E-26-435	No Significant Results						FDN East Underground
UGE-E-26-436	No Significant Results						FDN East Underground
UGE-E-26-437	No Significant Results						FDN East Underground
UGE-E-26-448	No Significant Results						FDN East Underground
UGE-E-26-456	96.70	101.70	5.00	-	5.42	8.44	FDN East Underground
UGE-E-26-458	318.30	319.30	1.00	-	9.52	10.30	FDN East Underground
UGE-E-26-465	102.70	107.60	4.90	-	5.27	7.20	FDN East Underground
Including	104.70	106.60	1.90	-	10.73	7.99	
UGE-E-26-470	Pending Results						FDN East Underground

Table 3: Drillhole assay results from FDN drilling program reported for thickness versus grade intervals above 8.37 (m x g/t Au >8.37). Drill hole intercepts are reported in drill core lengths and true widths

Hole ID	From (m)	To (m)	Interval (m)	True width (m)	Au (g/t)	Ag (g/t)	Target	Zone
UGE-26-441	71.50	75.50	4.00	-	10.09	10.40	FDN-Exploration	Underground
Including	74.00	75.50	1.50	-	21.47	13.25		
UGE-26-441	84.80	87.85	3.05	-	4.25	6.44		
Including	87.40	87.85	0.45	-	23.70	21.50		
UGE-26-442	No Significant Results							FDN-Exploration Underground
UGE-26-443	76.00	78.60	2.60	2.25	9.59	36.50	FDN-Exploration	Underground
Including	76.65	77.40	0.75	0.65	22.90	92.00		
UGE-26-443	96.40	100.00	3.60	3.12	13.86	10.57		
Including	96.40	96.80	0.40	0.35	120.00	79.40		
UGE-26-444	21.50	24.10	2.60	1.84	4.23	8.85	FDN-Exploration	Underground
Including	21.50	21.95	0.45	0.32	16.95	21.50		
UGE-26-444	49.20	51.85	2.65	1.87	22.56	50.24		
Including	50.40	50.80	0.40	0.28	101.50	105.00		
UGE-26-446	No Significant Results							FDN-Exploration Underground
UGE-26-447	No Significant Results							FDN-Exploration Underground
UGE-26-451	15.30	17.80	2.50	-	5.71	7.87	FDN-Exploration	Underground
Including	16.60	17.80	1.20	-	11.17	11.35		
UGE-26-451	37.45	40.60	3.15	-	3.87	14.79		
UGE-26-451	62.85	64.45	1.60	1.03	8.72	21.83		
Including	64.05	64.45	0.40	0.26	28.90	44.60		
UGE-26-451	86.55	94.00	7.45	-	4.70	7.22		
Including	86.55	88.90	2.35	-	9.76	9.56		
UGE-26-452	58.20	59.50	1.30	1.28	12.70	13.76	FDN-Exploration	Underground
Including	58.20	58.60	0.40	0.39	38.90	36.50		
UGE-26-452	62.30	63.60	1.30	1.28	9.07	7.72		
Including	62.70	63.10	0.40	0.39	27.90	19.50		
UGE-26-453	33.55	37.70	4.15	2.67	4.50	13.87	FDN-Exploration	Underground
Including	33.95	34.75	0.80	0.51	9.48	22.55		
UGE-26-453								

39.00

44.40

5.40

UGE-26-454	0.45	11.10	10.65	-	3.28	6.30	FDN-Exploration Underground
Including	0.45	1.35	0.90	-	10.69	21.07	
Including	8.80	10.70	1.90	-	10.27	10.27	
UGE-26-454	25.45	33.70	8.25	5.83	9.54	19.86	
Including	25.45	27.50	2.05	1.45	19.83	26.25	
Including	32.45	33.70	1.25	0.88	26.34	49.50	
UGE-26-455	42.00	52.60	10.60	-	5.88	7.43	FDN-Exploration Underground
Including	42.80	45.10	2.30	-	22.12	16.87	
UGE-26-455	60.50	69.70	9.20	-	4.91	12.71	
Including	60.50	62.50	2.00	-	14.72	10.25	
UGE-26-457	71.85	75.00	3.15	3.10	39.16	17.55	FDN-Exploration Underground
Including	74.15	74.55	0.40	0.39	305.00	127.00	
UGE-26-461	66.35	68.70	2.35	-	4.47	16.88	FDN-Exploration Underground
UGE-26-461	70.00	73.75	3.75	-	4.17	13.69	
UGE-26-461	74.85	82.70	7.85	-	8.32	23.15	
Including	78.90	82.30	3.40	-	15.71	33.62	
UGE-26-461	85.05	88.75	3.70	-	3.47	23.13	
UGE-26-462	Pending Results						FDN-Exploration Underground
UGE-26-463	96.80	101.00	4.20	-	8.33	7.06	FDN-Exploration Underground
Including	96.80	97.25	0.45	-	41.80	10.10	
Including	98.55	99.00	0.45	-	24.30	15.60	
UGE-26-463	135.60	140.70	5.10	-	6.05	10.95	
Including	135.60	136.60	1.00	-	24.00	17.90	
UGE-26-464	42.45	48.55	6.10	-	6.16	11.33	FDN-Exploration Underground
Including	42.45	43.45	1.00	-	12.55	19.10	
Including	45.45	47.45	2.00	-	8.45	13.15	
UGE-26-471	Pending Results						FDN-Exploration Underground
UGE-26-474	Pending Results						FDN-Exploration Underground
UGE-26-479	58.15	81.70	23.55	-	10.55	27.07	FDN-Exploration Underground
Including	78.60	80.90	2.30	-	24.90	12.32	
UGE-26-479	131.50	135.10	3.60	-	6.37	3.11	
Including							

133.30

135.10

1.80

-

Table 4: FDNS, FDN and FDN East Collar Drill Holes

Hole ID	Prospect	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)	Zone	Year
FDN-C25-354	FDNS	778219	9582536	1086	79	-47	90.00	Underground	2025
FDN-C25-355	FDNS	778217	9582533	1085	159	-48	140.00	Underground	2025
FDN-C25-357	FDNS	778218	9582534	1085	105	-54	166.10	Underground	2025
FDN-C25-366	FDNS	778211	9582662	1083	238	-32	100.00	Underground	2025
FDN-C25-374	FDNS	778192	9582548	1085	130	-55	247.50	Underground	2025
FDN-C25-375	FDNS	778219	9582534	1087	115	-10	70.00	Underground	2025
FDN-C25-376	FDNS	778215	9582432	1088	340	-32	131.80	Underground	2025
FDN-C25-377	FDNS	778192	9582547	1085	154	-47	121.40	Underground	2025
FDN-C26-378	FDNS	778192	9582546	1086	160	-18	110.00	Underground	2026
FDN-C26-379	FDNS	778177	9582487	1086	303	-42	110.00	Underground	2026
FDN-C26-380	FDNS	778177	9582488	1086	320	-40	115.00	Underground	2026
FDN-C26-381	FDNS	778215	9582432	1089	325	-15	70.00	Underground	2026
FDN-C26-382	FDNS	778215	9582432	1090	325	37	70.00	Underground	2026
FDN-C26-383	FDNS	778222	9582429	1088	69	-35	130.30	Underground	2026
FDN-C26-384	FDNS	778169	9582486	1087	289	-36	110.00	Underground	2026
FDN-C26-385	FDNS	778169	9582486	1088	280	-12	70.00	Underground	2026
FDN-C26-386	FDNS	778169	9582485	1087	257	-19	75.00	Underground	2026
FDN-C26-387	FDNS	778169	9582487	1087	296	-28	100.00	Underground	2026
FDN-C26-388	FDNS	778169	9582487	1087	302	-49	128.20	Underground	2026
FDN-C26-389	FDNS	778174	9582681	1084	306	10	70.00	Underground	2026
FDN-C26-390	FDNS	778174	9582681	1083	302	-36	90.00	Underground	2026
FDN-C26-391	FDNS	778173	9582680	1083	272	-37	80.00	Underground	2026
FDN-C26-392	FDNS	778218	9582536	1085	54	-49	100.00	Underground	2026
FDN-C26-393	FDNS	778218	9582536	1085	45	-56	125.00	Underground	2026
FDN-C26-394	FDNS	778157	9582333	1090	156	-20	150.00	Underground	2026
FDN-C26-395	FDNS	778147	9582594	1253	168	10	175.00	Underground	2026
FDN-C26-396	FDNS	778147	9582594	1251	157	-24	110.00	Underground	2026
FDN-C26-397	FDNS	778173	9582679	1084	240	5	70.00	Underground	2026
FDN-C26-398	FDNS	778174	9582680	1084	266	10	90.00	Underground	2026
FDN-C26-399	FDNS	778157	9582333	1090	152	-34	126.60	Underground	2026
FDN-C26-401									

FDNS

778168

9582485

130.00

Underground

FDN-C26-402	FDNS	7781699582486 1087	292	-44 80.20	Underground 2026
FDN-C26-403	FDNS	7781489582595 1251	152	-67 110.00	Underground 2026
FDN-C26-404	FDNS	7781489582594 1253	148	18 160.00	Underground 2026
FDN-C26-405	FDNS	7782189582536 1085	45	-64 145.00	Underground 2026
FDN-C26-406	FDNS	7782199582536 1086	68	-12 90.20	Underground 2026
FDN-C26-407	FDNS	7781749582486 1087	298	-16 75.00	Underground 2026
FDN-C26-408	FDNS	7781699582486 1087	281	-52 120.00	Underground 2026
FDN-C26-409	FDNS	7781699582485 1087	268	-36 110.00	Underground 2026
FDN-C26-410	FDNS	7781699582485 1087	259	-40 139.20	Underground 2026
FDN-C26-411	FDNS	7781489582594 1252	139	-10 176.30	Underground 2026
FDN-C26-412	FDNS	7781499582595 1251	128	-51 88.10	Underground 2026
FDN-C26-413	FDNS	7782289582662 1083	153	-54 136.30	Underground 2026
FDN-C26-414	FDNS	7782189582536 1085	75	-68 135.00	Underground 2026
FDN-C26-415	FDNS	7782199582535 1085	91	-53 90.00	Underground 2026
FDN-C26-418	FDNS	7781509582594 1252	124	6 75.00	Underground 2026
FDN-C26-419	FDNS	7781509582594 1252	128	-15 70.00	Underground 2026
UGE-S-26-472	FDNS	7781789582678 1082	122	-58 210.00	Underground 2026
UGE-S-26-477	FDNS	7782259582665 1083	253	-44 171.60	Underground 2026
UGE-S-26-478	FDNS	7782259582665 1083	287	-44 190.00	Underground 2026
UGE-26-441	FDN	7782079582824 1155	227	-32 90.00	Underground 2026
UGE-26-442	FDN	7782079582824 1156	220	-20 125.00	Underground 2026
UGE-26-443	FDN	7781959582869 1104	200	-30 100.00	Underground 2026
UGE-26-444	FDN	7781959582869 1103	247	-43 70.00	Underground 2026
UGE-26-446	FDN	7781869582810 1199	253	15 90.00	Underground 2026
UGE-26-447	FDN	7781869582809 1199	237	16 105.00	Underground 2026
UGE-26-451	FDN	7781959582870 1103	250	-61 100.00	Underground 2026
UGE-26-452	FDN	7781959582869 1105	220	6 70.00	Underground 2026
UGE-26-453	FDN	7781639582869 1158	253	44 45.00	Underground 2026
UGE-26-454	FDN	7781639582869 1155	244	-59 35.00	Underground 2026
UGE-26-455	FDN	7781269582705 1250	263	-9 140.10	Underground 2026
UGE-26-457	FDN	7781959582877 1104	315	-12 75.00	Underground 2026
UGE-26-461					

FDN

778126

9582704

175.15

Underground

UGE-26-462	FDN	778124 9582606 1252	236	-16 130.00	Underground 2026
UGE-26-463	FDN	778125 9582605 1252	211	-15 155.00	Underground 2026
UGE-26-464	FDN	778124 9582607 1252	267	-18 100.00	Underground 2026
UGE-26-471	FDN	778125 9582787 1249	273	-2 146.00	Underground 2026
UGE-26-474	FDN	778125 9582785 1249	247	1 150.00	Underground 2026
UGE-26-479	FDN	778125 9582785 1250	290	5 143.60	Underground 2026
UGE-E-25-422	FDN - East	778138 9582952 1028	115	-7 775.40	Underground 2025
UGE-E-25-425	FDN - East	778172 9582956 1271	70	-8 500.00	Underground 2025
UGE-E-25-427	FDN - East	778154 9582829 1223	110	8 647.80	Underground 2025
UGE-E-26-429	FDN - East	777959 9583482 1194	93	15 551.40	Underground 2026
UGE-E-26-435	FDN - East	778153 9582828 1223	120	8 661.50	Underground 2026
SOURCE Lundin Gold Inc.					
UGE-E-26-436	FDN - East	778138 9582953 1029	120	13 491.60	Underground 2026
UGE-E-26-437	FDN - East	777959 9583482 1194	83	1 580.00	Underground 2026
UGE-E-26-448	FDN - East	778153 9582829 1224	98	17 709.80	Underground 2026
UGE-E-26-456	FDN - East	777959 9583482 1194	87	9 550.00	Underground 2026
UGE-E-26-458	FDN - East	778088 9583347 1003	60	-5 435.00	Underground 2026
UGE-E-26-465	FDN - East	778126 9582705 1250	76	5 550.00	Underground 2026
UGE-E-26-470	FDN - East	777959 9583482 1194	79	15 580.00	Underground 2026

Contact

For more information, please contact: Brendan Creaney, Vice President, Corporate Development & Investor Relations, Tel: +1-604-376-4595, brendan.creaney@lundingold.com

Dieser Artikel stammt von Rohstoff-Welt.de

Die URL für diesen Artikel lautet:

<https://www.rohstoff-welt.de/news/732688--Lundin-Gold-Reports-667.78-g-t-over-7.50-Metres-and-523.01-g-t-Au-over-8.25-Metres-at-FDNS.html>

Für den Inhalt des Beitrages ist allein der Autor verantwortlich bzw. die aufgeführte Quelle. Bild- oder Filmrechte liegen beim Autor/Quelle bzw. bei der vom ihm benannten Quelle. Bei Übersetzungen können Fehler nicht ausgeschlossen werden. Der vertretene Standpunkt eines Autors spiegelt generell nicht die Meinung des Webseiten-Betreibers wieder. Mittels der Veröffentlichung will dieser lediglich ein pluralistisches Meinungsbild darstellen. Direkte oder indirekte Aussagen in einem Beitrag stellen keinerlei Aufforderung zum Kauf-/Verkauf von Wertpapieren dar. Wir wehren uns gegen jede Form von Hass, Diskriminierung und Verletzung der Menschenwürde. Beachten Sie bitte auch unsere [AGB/Disclaimer!](#)

Die Reproduktion, Modifikation oder Verwendung der Inhalte ganz oder teilweise ohne schriftliche Genehmigung ist untersagt!
Alle Angaben ohne Gewähr! Copyright © by Rohstoff-Welt.de -1999-2026. Es gelten unsere [AGB](#) und [Datenschutzrichtlinien](#).