Roxmore Resources Reports Significant Drill Results From The Converse Project, Battle Mountain - Eureka Trend Nevada

13:00 Uhr | ACCESS Newswire

VANCOUVER, May 12, 2026 - Roxmore Resources Inc. (TSX:RM)(OTCQX:GARLF) ("Roxmore" or the "Company") is pleased to report gold and silver results from the ongoing drill campaign at its flagship Converse Gold Project ("Converse" or "the Project"). Results include significant intercepts of 138.1m grading 0.65 g/t Au and 3.5 g/t Ag from 57m and 110.9m grading 1.31 g/t Au and 2.84 g/t Ag from 459.6m depth. The drill hole was completed as part of the Company's ongoing infill and extension drilling program and continues to validate both the scale and continuity of gold and silver mineralization at Converse.

Key Highlights

- 110.9m grading 1.31 g/t Au and 2.84 g/t Ag from a depth of 459.6m in CV25-009C
- Demonstrated mineralization approximately 400m below the floor of the recently released PEA open pit.
- Multiple significant gold intercepts in CV25-009C with the full complement comprising
  - 138.1m grading 0.65 g/t Au and 3.5 g/t Ag from 57m; and
  - 110.9m grading 1.31 g/t Au and 2.84 g/t Ag from 459.6m; and
  - 49.4m grading 0.79 g/t Au and 2.61 g/t Ag from 698.9m; and
  - 16.8m grading 1.26 g/t Au and 5.29 g/t Ag from 796.7m; and
  - 131.7m grading 0.55 g/t Au and 3.11 g/t Ag from 834.5m
- CV25-009C was designed to twin a historic reverse circulation ("RC") hole NK-125 in a similar fashion to CV25-007C which recently returned[1]:
  - 194.5m grading 0.71 g/t Au from 190.2 m, including:
    - 12.5m grading 1.14 g/t Au from 208.5m; and
    - 24.1m grading 1.77 g/t Au from 281m.
- CV25-009C, like CV25-007C, successfully twinned the historic RC hole while extending mineralization substantially at depth.
- Roxmore recently commenced a 30,000m infill and extension drilling campaign at Converse.

[1] See press release dated January 20, 2026 which can be found on the Company's website at

www.roxmoreresources.com

Gold Continuity and Robust Mineralization

Thick, continuous intervals of gold and silver mineralization were intersected in core hole CV25-009C, demonstrating the robust nature of mineralization at Converse.

High-grade, variable oxidized intersection (downhole thickness):

- 110.9m grading 1.31 g/t Au from 459.6m

Primary sulphide intersection (downhole thickness):

- 138.1m grading 0.65 g/t Au from 57m; and
- 49.4m grading 0.79 g/t Au from 698.9m; and
- 16.8m grading 1.26 g/t Au from 796.7m; and
- 131.7m grading 0.55 g/tAu from 834.5m

Nearby historic RC hole NK-125 intersected 164.6 m at 0.77 g/t Au and through the comparable twinned interval, CV25-009C returned 138.1 m at 0.65 g/t Au, demonstrating good overall correlation between historic RC and current core drilling results at Converse. As NK-125 ended in mineralization, CV25-009C was extended to depth, successfully extending gold mineralization in multiple horizons below the historic hole.

The true thickness of the mineralized structure intercepted in CV25-009C is believed to be between 85-125m thick, up to 400m in length and >500m in depth based upon the modelled extent of the breccia body. The highest individual gold assay returned 12.7 g/t Au, determined by fire assay with gravimetric finish.

The continuity and grade of mineralization intersected in CV25-009C support previous drilling results and strengthen confidence in the reliability of the existing database as the Project advances through economic studies. These results further demonstrate the potential for new mineralized zones within and below the current pit-shell constrained mineral resource and continue to support evidence for a long-lived and complex hydrothermal system.

John Dorward, Executive Chairman of Roxmore commented: "This hole further demonstrates the broader potential at Converse to define a very large system. The significant intersection of 110.9m grading 1.31g/t of gold is in an area where inferred resources have been defined near the current base of the PEA open pit. We are excited to return a result which we believe has the potential to upgrade a portion of the current resource in terms of both grade and classification. These intervals, along with those in the recently released CV25-007C, demonstrate remarkable continuity along large intervals of consistent grades. As we initiate the PFS, results such as these are encouraging and show that we are in the early innings of the growing potential of the Project."

Geology and Mineralization

The Company believes the gold system at Converse has similarities to the giant Phoenix deposit currently being mined by Nevada Gold Mines, located a short distance to the east. The geology intersected in CV25-009C was largely predicted by Roxmore's updated geological model, including lithologies, faulting and alteration styles. This predictable three-dimensional model supported the recently updated gold mineral resource estimate which was completed by SLR Consulting as part of the PEA.

CV25-009C targeted Breccia Pipe 01 ("BP-01"), a large, elongate breccia body currently defined over approximately 400 m of strike length, up to 150 m in width, and more than 500 m vertically. BP-01 is interpreted to have formed through repeated hydrothermal and magmatic brecciation events, as evidenced by variations in mineralized and non-mineralized breccia phases, as well as discrete brecciated corridors within the broader breccia system. A mineralized breccia zone is enclosed within BP-01 and has been intersected along much of the defined strike length and vertical extent of the broader system, reaching up to approximately 125 m in width. The breccia system is interpreted to represent an apical, intrusion-related breccia body, supported by the apparent termination of multiple amphibole-feldspar porphyry phases at the base of the breccia. An earlier porphyry phase is interpreted to be related to the Redline Stock and is cut by a later porphyry phase that locally exhibits moderate to strong potassic alteration, this later phase was identified in hole CV25-005C. BP-01 is composed predominantly of hydrothermal breccia, with minor magmatic breccia components that texturally and mineralogically resemble the underlying porphyry units.

Below BP-01 and the underlying porphyry units, CV25-009C intersected a second mineralized breccia unit directly overlying a large amphibole-quartz-feldspar porphyry body, interpreted to represent the lower portion of the Redline Stock. The spatial relationship between this breccia and the underlying intrusion suggests that it may represent a cupola-style breccia developed along the roof of the intrusive body. The intrusive body exhibits widespread hydrothermal alteration, with localized potassium enrichment and secondary biotite development spatially associated with locally elevated gold, copper, and silver grades, while molybdenum values generally increase lower in the hole within and adjacent to the intrusive body.

Results from this drilling program are actively being incorporated into the updated geological model. Roxmore continues to advance the Project with a focus on scale, continuity, and technical rigor.

Upcoming Catalysts

- Q3 2026 - Ongoing drill results from current 30,000m drilling program
- Q3 2026 - Results of silver re-assay program

About Roxmore Resources Inc.

Roxmore is focused on developing its flagship, Converse Gold Project, one of the largest undeveloped gold deposits not owned by a major mining company in Nevada, USA. The Converse Gold Project is located within the prolific Battle Mountain trend containing Indicated Mineral Resource estimate ("MRE") of 103 million tonnes (Mt) at an average gold grade of 0.65 g/t, containing 2.16 million ounces (Moz) Au and an Inferred Mineral Resource estimate of 218 Mt at an average gold grade of 0.43 g/t containing 3.04 Moz Au. The company completed a PEA for the project outlining attractive economics with an After-Tax NPV5% of US$2.7 Billion, IRR of 43%, and payback achieved in 2.2 years at long term consensus gold price of US$3,600/oz. The Simple Heap leach operation features significant production from a single pit with highlights including 3.5 million payable ounces LOM at 267,000 oz per year on average in the first full 8 years of production and 246,000 oz on average over the 14-year Life of Mine. The PEA is preliminary in nature, it includes Inferred Mineral Resources that are considered too speculative geologically to have the economic considerations applied to them that would enable them to be categorized as Mineral Reserves, and there is no certainty that the preliminary economic assessment will be realized. Mineral Resources that are not Mineral Reserves do not have demonstrated economic viability. With decades of expertise in Nevada and globally, our Board and management are focused on unlocking the potential of this project. For further details please refer to our technical report entitled "Roxmore Resources Announces a Positive Preliminary Economic Assessment for the Converse Gold Project in Nevada" dated effective April 20, 2026 which is available on our website at www.roxmoreresources.com and on our SEDAR+ profile at www.sedarplus.ca.

Qualified Person

The scientific and technical information contained in this news release has been reviewed and approved by Vance Spalding, Certified Professional Geologist, Executive VP Exploration for Roxmore, who is a "qualified person" within the meaning of National Instrument 43-101 - Standards of Disclosure for Mineral Projects. Initial drill results are made available to the QP as they are generated, and a final database is reviewed after going through the QA/QC process prior to releasing any drill results to the public. The QP has access without limitation to all aspects of the data throughout.

Quality Control & Assurance

Drill core is generally extracted from the core tube and split tubes by the drill contractor and placed in core boxes with appropriate depth markers noting recovery. Full core boxes are then sealed before being transported by Roxmore's personnel to Roxmore's facility in Winnemucca, Nevada where it is geologically and geotechnically logged by Roxmore geologists: checked for recovery, photographed, and marked for assays. The core is cut in half and placed in plastic bags, zip-tied and grouped in burlap sacks and sealed for transport to the ALS Global preparation facility in Elko, Nevada. The retained half-core is stored at Roxmore's facility in Winnemucca, Nevada.

RC chips are collected into 5-gallon woven polyethylene bags in 5-foot intervals and sealed by the drill contractor. The target weight of samples is 3 to 5 kilograms. Bags are pre-labeled with sample numbers and depth intervals and validated against a sampling sheet. Every 30th sample is a field-split-duplicate. Field-split-duplicates are split at the RC rig using an even-numbered-chute riffle splitter. RC chips are geologically logged in the field by Roxmore geologists. Chip trays are transported to Roxmore's processing facility by Roxmore's personnel to Roxmore's facility in Winnemucca, Nevada where they are photographed and stored. RC samples are grouped in burlap sacks and sealed for transport in the field. Samples are transported to the ALS Global preparation facility in Elko, Nevada.

Sample preparation is done according to ALS code PREP-31BY [1 kg-split pulverization]. The primary assay methods used are ALS codes Au-AA24 and ME-ICP61. The gold overlimit methods are Au-GRA22 and Au_SCR21 (overlimit triggers are 3 ppm and 10 ppm Au respectively). ALS Global is an independent, ISO-accredited laboratory with no affiliation to Roxmore Resources beyond its role as a third-party analytical service provider.

QA/QC is performed as each certificate is imported into Roxmore's GeoSequel database. Performance charts are prepared for coarse blanks, certified reference materials and duplicates used. Roxmore uses OREAS standards for the Converse project. The insertion frequencies of blanks is 3.33%, of CRMs is 3.33%, and of quarter-core duplicates and RC-chip field-split-duplicates is 3.33%. Coarse blank above 10x over the lower detection limit (LDL) of the Au-AA24 method are re-run. For certified reference materials, the certified mean is considered the target. The certified standard deviation is used to calculate the acceptable range. The acceptable range is defined as within 3 standard deviations from the certified mean.

For further information please contact:
John Dorward
Roxmore Resources Inc.
Contact@roxmoreresources.com
Tel: 905-961-4727

Cautionary Statements

This news release contains forward-looking statements and forward-looking information (collectively, "forward- looking statements") within the meaning of applicable securities laws. Any statements that are contained in this news release that are not statements of historical fact may be deemed to be forward-looking statements. Forward- looking statements are often identified by terms such as "may", "should", "anticipate", "will", "estimates", "believes", "intends" "expects" and similar expressions which are intended to identify forward-looking statements. More particularly and without limitation, this news release contains forward-looking statements concerning Converse, the Preliminary Economic Assessment and the results and timing therefore, the results of exploration being indicative of further mineralization at Converse, the timing for the release of results from the remaining deep drill holes, and mineral resource estimates.

Forward-looking statements are inherently uncertain, and the actual performance may be affected by a number of material factors, assumptions and expectations, many of which are beyond the control of the Company, including expectations and assumptions concerning general economic and industry conditions, applicable laws and regulations, commodity prices, the use of proceeds, and the future business and operational needs of the Company. Readers are cautioned that assumptions used in the preparation of any forward-looking statements may prove to be incorrect. Events or circumstances may cause actual results to differ materially from those predicted as a result of numerous known and unknown risks, uncertainties, and

other factors, many of which are beyond the control of the Company, including, but not limited to, the impact of general economic conditions, industry conditions, volatility of commodity prices, currency fluctuations, dependency upon regulatory approvals, the uncertainty of obtaining additional financing and exploration risk. Readers are further cautioned not to place undue reliance on any forward-looking statements, as such information, although considered reasonable by the respective management of Roxmore at the time of preparation, may prove to be incorrect and actual results may differ materially from those anticipated.

The forward looking statements contained in this news release are made as of the date of this news release and are expressly qualified by the foregoing cautionary statement. Except as expressly required by securities law, Roxmore does not undertake any obligation to update publicly or to revise any of the included forward-looking statements, whether as a result of new information, future events or otherwise.

Table 1: Drill collar table

Hole ID	Coordinate System	Easting	Northing	Elevation	Azimuth	Dip	Depth (m)
CV25-009C	NAD 83 UTM Zone 11N	477214	4506245	1520	0	-90	1306

Table 2: Table of full assays

Hole ID	From (m)	To (m)	Length (m)	Au (g/t)	Ag (g/t)
CV25-009C	30.5	32.0	1.5	0.01	0.25
CV25-009C	32.0	33.5	1.5	0.01	0.25
CV25-009C	33.5	35.1	1.5	0.01	0.25
CV25-009C	35.1	36.6	1.5	0.02	0.25
CV25-009C	36.6	38.1	1.5	0.02	0.25
CV25-009C	38.1	39.6	1.5	0.03	0.25
CV25-009C	39.6	41.1	1.5	0.01	0.70
CV25-009C	41.1	42.7	1.5	0.03	1.40
CV25-009C	42.7	43.3	0.6	0.10	3.00
CV25-009C	43.3	44.5	1.2	0.26	3.90
CV25-009C	44.5	45.4	0.9	0.17	5.30
CV25-009C	45.4	46.9	1.5	0.02	2.70
CV25-009C	46.9	48.5	1.5	0.02	2.60
CV25-009C	48.5	49.7	1.2	0.15	1.40
CV25-009C	49.7	51.2	1.5	0.08	2.00
CV25-009C	51.2	51.8	0.6	0.02	2.90
CV25-009C	51.8	53.0	1.2	0.07	2.00
CV25-009C	53.0	54.6	1.5	0.05	2.00

CV25-009C 54.6	56.1	1.5	0.03	2.00
CV25-009C 56.1	57.0	0.9	0.02	1.70
CV25-009C 57.0	58.5	1.5	0.28	0.90
CV25-009C 58.5	60.0	1.5	0.32	2.10
CV25-009C 60.0	61.6	1.5	0.71	2.50
CV25-009C 61.6	63.1	1.5	1.05	1.60
CV25-009C 63.1	64.6	1.5	0.83	1.60
CV25-009C 64.6	66.1	1.5	0.19	1.70
CV25-009C 66.1	67.7	1.5	0.37	2.20
CV25-009C 67.7	69.2	1.5	0.44	2.80
CV25-009C 69.2	70.7	1.5	0.73	1.70
CV25-009C 70.7	72.2	1.5	0.18	3.70
CV25-009C 72.2	73.8	1.5	0.30	3.60
CV25-009C 73.8	74.4	0.6	0.46	3.80
CV25-009C 74.4	75.6	1.2	1.07	2.10
CV25-009C 75.6	76.8	1.2	0.42	6.00
CV25-009C 76.8	78.3	1.5	0.28	2.50
CV25-009C 78.3	78.9	0.6	0.41	3.60
CV25-009C 78.9	79.9	0.9	0.48	1.40
CV25-009C 79.9	81.1	1.2	0.53	0.90
CV25-009C 81.1	82.3	1.2	0.93	5.90
CV25-009C 82.3	82.9	0.6	0.11	1.80
CV25-009C 82.9	84.1	1.2	0.10	3.40
CV25-009C 84.1	85.6	1.5	0.62	3.80
CV25-009C 85.6	86.9	1.2	0.59	4.00
CV25-009C 86.9	87.5	0.6	0.27	6.40
CV25-009C 87.5	88.1	0.6	0.33	1.30
CV25-009C 88.1	89.6	1.5	0.37	3.30
CV25-009C 89.6	91.1	1.5	0.20	5.20

CV25-009C

91.1

91.7

0.6

0.19

5.60

CV25-009C 91.7	92.7	0.9	0.48	1.00
CV25-009C 92.7	93.6	0.9	0.94	1.70
CV25-009C 93.6	94.5	0.9	0.37	1.60
CV25-009C 94.5	95.1	0.6	0.29	3.80
CV25-009C 95.1	95.7	0.6	0.76	3.00
CV25-009C 95.7	96.3	0.6	0.15	1.80
CV25-009C 96.3	97.2	0.9	0.09	5.30
CV25-009C 97.2	98.1	0.9	0.16	7.40
CV25-009C 98.1	98.8	0.6	0.77	3.80
CV25-009C 98.8	99.4	0.6	1.10	3.30
CV25-009C 99.4	100.0	0.6	0.41	2.30
CV25-009C 100.0	101.2	1.2	1.19	2.10
CV25-009C 101.2	102.1	0.9	0.42	0.60
CV25-009C 102.1	102.7	0.6	0.57	0.70
CV25-009C 102.7	103.9	1.2	0.55	4.50
CV25-009C 103.9	105.5	1.5	0.67	2.20
CV25-009C 105.5	106.7	1.2	0.45	1.10
CV25-009C 106.7	108.2	1.5	0.29	1.10
CV25-009C 108.2	109.4	1.2	0.76	0.60
CV25-009C 109.4	110.6	1.2	0.23	1.00
CV25-009C 110.6	111.6	0.9	0.13	1.10
CV25-009C 111.6	112.8	1.2	0.24	1.10
CV25-009C 112.8	114.0	1.2	0.16	1.50
CV25-009C 114.0	114.9	0.9	0.06	1.10
CV25-009C 114.9	115.8	0.9	0.43	34.10
CV25-009C 115.8	117.0	1.2	0.25	1.60
CV25-009C 117.0	118.3	1.2	0.18	1.50
CV25-009C 118.3	119.0	0.8	1.56	5.20
CV25-009C 119.0	119.5	0.5	0.30	3.20
CV25-009C				

119.5

120.4

0.9

0.12

1.80

CV25-009C 120.4	120.7	0.3	0.10	2.80
CV25-009C 120.7	121.9	1.2	0.34	7.30
CV25-009C 121.9	122.8	0.9	0.20	13.00
CV25-009C 122.8	123.4	0.6	0.32	6.40
CV25-009C 123.4	124.7	1.2	0.20	4.20
CV25-009C 124.7	125.9	1.2	0.37	4.40
CV25-009C 125.9	126.5	0.6	0.26	4.00
CV25-009C 126.5	127.4	0.9	0.22	1.70
CV25-009C 127.4	128.6	1.2	0.47	3.30
CV25-009C 128.6	129.2	0.6	0.18	3.60
CV25-009C 129.2	130.6	1.4	1.07	5.90
CV25-009C 130.6	131.7	1.1	1.45	4.60
CV25-009C 131.7	132.3	0.6	0.42	4.80
CV25-009C 132.3	133.5	1.2	1.63	3.50
CV25-009C 133.5	135.0	1.5	1.74	4.70
CV25-009C 135.0	136.2	1.2	1.15	4.50
CV25-009C 136.2	137.5	1.2	0.97	5.50
CV25-009C 137.5	138.1	0.6	1.55	6.60
CV25-009C 138.1	139.6	1.5	1.23	4.00
CV25-009C 139.6	140.5	0.9	2.80	4.00
CV25-009C 140.5	141.1	0.6	3.41	3.70
CV25-009C 141.1	142.3	1.2	1.09	1.10
CV25-009C 142.3	143.9	1.5	0.27	0.70
CV25-009C 143.9	144.8	0.9	1.42	2.50
CV25-009C 144.8	145.7	0.9	0.44	5.80
CV25-009C 145.7	146.9	1.2	0.73	15.50
CV25-009C 146.9	148.4	1.5	0.70	3.30
CV25-009C 148.4	149.7	1.2	0.59	5.10
CV25-009C 149.7	150.9	1.2	0.87	1.60

CV25-009C

150.9

152.4

1.5

0.29

1.70

CV25-009C 152.4	153.9	1.5	0.67	2.40
CV25-009C 153.9	154.8	0.9	0.43	5.90
CV25-009C 154.8	155.4	0.6	0.67	5.20
CV25-009C 155.4	156.7	1.2	1.43	6.10
CV25-009C 156.7	157.9	1.2	1.08	5.90
CV25-009C 157.9	158.2	0.3	1.39	9.60
CV25-009C 158.2	158.8	0.6	2.60	12.90
CV25-009C 158.8	160.0	1.2	1.06	4.60
CV25-009C 160.0	161.5	1.5	1.35	3.40
CV25-009C 161.5	163.1	1.5	1.17	4.80
CV25-009C 163.1	164.6	1.5	1.09	3.80
CV25-009C 164.6	166.1	1.5	0.91	2.10
CV25-009C 166.1	167.3	1.2	0.63	3.40
CV25-009C 167.3	168.3	0.9	0.35	2.30
CV25-009C 168.3	169.8	1.5	0.82	6.00
CV25-009C 169.8	171.3	1.5	0.86	6.90
CV25-009C 171.3	172.8	1.5	1.06	3.10
CV25-009C 172.8	174.3	1.5	0.76	2.90
CV25-009C 174.3	175.6	1.2	0.55	2.70
CV25-009C 175.6	176.8	1.2	0.16	0.90
CV25-009C 176.8	178.0	1.2	0.86	3.90
CV25-009C 178.0	178.6	0.6	0.09	1.30
CV25-009C 178.6	179.2	0.6	0.60	4.00
CV25-009C 179.2	180.7	1.5	1.14	4.80
CV25-009C 180.7	181.7	0.9	0.18	2.30
CV25-009C 181.7	182.3	0.6	0.36	2.40
CV25-009C 182.3	182.9	0.6	0.43	3.00
CV25-009C 182.9	184.4	1.5	0.63	3.00
CV25-009C 184.4	185.2	0.8	0.62	1.00

CV25-009C

185.2

186.5

1.4

0.73

3.10

CV25-009C 186.5	187.1	0.6	0.90	2.40
CV25-009C 187.1	188.1	0.9	0.19	0.25
CV25-009C 188.1	189.4	1.4	0.64	1.10
CV25-009C 189.4	190.2	0.8	0.49	1.70
CV25-009C 190.2	191.1	0.9	0.48	1.10
CV25-009C 191.1	192.6	1.5	0.12	0.70
CV25-009C 192.6	194.2	1.5	0.45	1.10
CV25-009C 194.2	195.1	0.9	0.24	0.50
CV25-009C 195.1	196.6	1.5	0.15	0.25
CV25-009C 196.6	196.9	0.3	0.04	0.25
CV25-009C 196.9	197.5	0.6	0.20	2.10
CV25-009C 197.5	197.8	0.3	0.03	0.25
CV25-009C 197.8	198.4	0.6	0.09	0.60
CV25-009C 198.4	199.6	1.2	0.13	0.60
CV25-009C 199.6	200.3	0.6	0.10	1.10
CV25-009C 200.3	201.5	1.2	0.08	1.80
CV25-009C 201.5	202.7	1.2	0.08	0.90
CV25-009C 202.7	203.6	0.9	0.06	1.40
CV25-009C 203.6	204.8	1.2	0.05	1.70
CV25-009C 204.8	206.4	1.5	0.04	2.00
CV25-009C 206.4	207.3	0.9	0.02	0.60
CV25-009C 207.3	208.8	1.5	0.08	0.25
CV25-009C 208.8	209.4	0.6	0.01	0.50
CV25-009C 209.4	210.6	1.2	0.85	1.10
CV25-009C 210.6	211.8	1.2	0.74	1.30
CV25-009C 211.8	212.4	0.6	0.82	0.70
CV25-009C 212.4	214.0	1.5	1.18	1.10
CV25-009C 214.0	215.5	1.5	0.91	0.70
CV25-009C 215.5	217.0	1.5	0.35	0.60

CV25-009C

217.0

218.5

1.5

0.87

0.60

CV25-009C 218.5	220.1	1.5	1.02	1.20
CV25-009C 220.1	220.4	0.3	2.00	1.70
CV25-009C 220.4	221.6	1.2	1.06	1.20
CV25-009C 221.6	223.1	1.5	0.09	1.00
CV25-009C 223.1	224.3	1.2	0.56	1.40
CV25-009C 224.3	225.6	1.2	0.59	2.10
CV25-009C 225.6	227.1	1.5	0.20	1.30
CV25-009C 227.1	228.6	1.5	0.11	1.40
CV25-009C 228.6	229.5	0.9	0.11	2.10
CV25-009C 229.5	231.0	1.5	0.05	2.70
CV25-009C 231.0	232.0	0.9	0.02	1.20
CV25-009C 232.0	232.6	0.6	0.02	0.90
CV25-009C 232.6	233.6	1.1	0.01	0.50
CV25-009C 233.6	234.1	0.5	0.05	2.40
CV25-009C 234.1	235.3	1.2	0.01	0.80
CV25-009C 235.3	236.8	1.5	0.02	0.50
CV25-009C 236.8	238.4	1.5	0.04	4.00
CV25-009C 238.4	239.9	1.5	0.06	3.30
CV25-009C 239.9	241.4	1.5	0.03	1.20
CV25-009C 241.4	242.0	0.6	0.04	3.50
CV25-009C 242.0	242.9	0.9	0.03	1.60
CV25-009C 242.9	243.2	0.3	0.04	0.25
CV25-009C 243.2	244.5	1.2	0.02	0.90
CV25-009C 244.5	245.7	1.2	0.02	1.10
CV25-009C 245.7	247.2	1.5	0.03	5.10
CV25-009C 247.2	248.7	1.5	0.01	0.25
CV25-009C 248.7	249.3	0.6	0.02	0.25
CV25-009C 249.3	249.9	0.6	0.07	0.25
CV25-009C 249.9	251.5	1.5	0.03	1.60

CV25-009C

251.5

253.0

1.5

0.04

0.90

CV25-009C 253.0	254.2	1.2	0.04	4.90
CV25-009C 254.2	255.1	0.9	0.09	3.90
CV25-009C 255.1	255.7	0.6	0.12	2.50
CV25-009C 255.7	256.3	0.6	0.11	10.50
CV25-009C 256.3	256.9	0.6	0.04	4.70
CV25-009C 256.9	258.2	1.2	0.03	2.20
CV25-009C 258.2	259.7	1.5	0.16	1.30
CV25-009C 259.7	260.6	0.9	0.04	3.30
CV25-009C 260.6	261.5	0.9	0.03	0.25
CV25-009C 261.5	262.1	0.6	0.24	0.25
CV25-009C 262.1	263.3	1.2	0.01	0.25
CV25-009C 263.3	264.3	0.9	0.05	0.25
CV25-009C 264.3	265.8	1.5	0.04	0.25
CV25-009C 265.8	267.3	1.5	0.07	0.25
CV25-009C 267.3	268.8	1.5	0.06	1.10
CV25-009C 268.8	270.4	1.5	0.05	1.10
CV25-009C 270.4	271.9	1.5	0.09	0.25
CV25-009C 271.9	272.5	0.6	0.13	1.20
CV25-009C 272.5	273.7	1.2	0.07	1.20
CV25-009C 273.7	274.9	1.2	0.08	0.25
CV25-009C 274.9	275.8	0.9	0.06	0.25
CV25-009C 275.8	276.1	0.3	0.01	0.25
CV25-009C 276.1	276.8	0.6	0.02	0.25
CV25-009C 276.8	278.0	1.2	0.05	0.25
CV25-009C 278.0	279.5	1.5	0.05	0.25
CV25-009C 279.5	281.0	1.5	0.02	0.25
CV25-009C 281.0	282.6	1.5	0.05	0.25
CV25-009C 282.6	283.8	1.2	0.34	0.25
CV25-009C 283.8	285.3	1.5	0.04	0.25

CV25-009C

285.3

286.5

1.2

0.10

0.50

CV25-009C 286.5	288.0	1.5	0.12	0.25
CV25-009C 288.0	289.6	1.5	0.03	0.25
CV25-009C 289.6	290.2	0.6	1.12	0.25
CV25-009C 290.2	290.8	0.6	0.02	0.25
CV25-009C 290.8	292.0	1.2	0.09	0.25
CV25-009C 292.0	293.5	1.5	0.22	0.25
CV25-009C 293.5	294.7	1.2	0.11	0.25
CV25-009C 294.7	296.3	1.5	0.05	1.10
CV25-009C 296.3	297.5	1.2	0.02	0.25
CV25-009C 297.5	299.0	1.5	0.01	0.25
CV25-009C 299.0	300.5	1.5	0.02	0.25
CV25-009C 300.5	302.1	1.5	0.00	0.25
CV25-009C 302.1	303.6	1.5	0.01	0.25
CV25-009C 303.6	305.1	1.5	0.04	0.25
CV25-009C 305.1	306.6	1.5	0.01	0.25
CV25-009C 306.6	308.2	1.5	0.02	0.25
CV25-009C 308.2	309.7	1.5	0.08	0.25
CV25-009C 309.7	310.0	0.3	0.61	0.25
CV25-009C 310.0	311.2	1.2	0.15	0.25
CV25-009C 311.2	312.7	1.5	0.04	0.25
CV25-009C 312.7	314.2	1.5	0.03	0.25
CV25-009C 314.2	315.8	1.5	0.09	0.25
CV25-009C 315.8	316.7	0.9	0.39	0.25
CV25-009C 316.7	318.2	1.5	0.10	7.00
CV25-009C 318.2	319.4	1.2	0.06	0.25
CV25-009C 319.4	320.3	0.9	0.03	2.40
CV25-009C 320.3	321.9	1.5	0.04	0.25
CV25-009C 321.9	323.1	1.2	0.08	0.25
CV25-009C 323.1	324.3	1.2	0.04	0.25

CV25-009C

324.3

325.5

1.2

0.02

0.25

CV25-009C 325.5	326.7	1.2	0.01	0.25
CV25-009C 326.7	327.7	0.9	0.01	0.25
CV25-009C 327.7	328.4	0.8	0.01	0.25
CV25-009C 328.4	329.5	1.1	0.07	1.90
CV25-009C 329.5	330.7	1.2	0.02	0.25
CV25-009C 330.7	331.3	0.6	0.01	0.25
CV25-009C 331.3	332.8	1.5	0.01	0.25
CV25-009C 332.8	333.8	0.9	0.37	0.25
CV25-009C 333.8	335.3	1.5	0.02	0.25
CV25-009C 335.3	336.2	0.9	0.01	0.25
CV25-009C 336.2	337.4	1.2	0.01	0.25
CV25-009C 337.4	338.3	0.9	0.00	0.25
CV25-009C 338.3	339.2	0.9	0.01	0.25
CV25-009C 339.2	339.9	0.6	0.02	0.25
CV25-009C 339.9	341.4	1.5	0.00	0.25
CV25-009C 341.4	342.3	0.9	0.04	0.25
CV25-009C 342.3	342.9	0.6	0.01	0.25
CV25-009C 342.9	344.4	1.5	0.02	0.25
CV25-009C 344.4	345.6	1.2	0.01	0.25
CV25-009C 345.6	346.6	0.9	0.01	0.25
CV25-009C 346.6	347.5	0.9	0.02	0.25
CV25-009C 347.5	349.0	1.5	0.02	0.25
CV25-009C 349.0	350.5	1.5	0.01	0.25
CV25-009C 350.5	351.4	0.9	0.03	0.25
CV25-009C 351.4	352.4	0.9	0.01	0.60
CV25-009C 352.4	353.3	0.9	0.05	1.50
CV25-009C 353.3	354.5	1.2	0.00	1.50
CV25-009C 354.5	356.0	1.5	0.01	0.60
CV25-009C 356.0	357.5	1.5	0.00	0.25

CV25-009C

357.5

358.1

0.6

0.08

0.25

CV25-009C 358.1	359.7	1.5	0.01	2.10
CV25-009C 359.7	361.2	1.5	0.02	4.60
CV25-009C 361.2	362.7	1.5	0.02	3.30
CV25-009C 362.7	363.6	0.9	0.01	0.25
CV25-009C 363.6	363.9	0.3	0.02	2.80
CV25-009C 363.9	364.5	0.6	0.01	0.60
CV25-009C 364.5	366.1	1.5	0.02	0.25
CV25-009C 366.1	367.3	1.2	0.00	0.25
CV25-009C 367.3	368.2	0.9	0.02	3.50
CV25-009C 368.2	369.4	1.2	0.00	1.60
CV25-009C 369.4	370.2	0.8	0.02	0.25
CV25-009C 370.2	371.6	1.4	0.03	3.60
CV25-009C 371.6	373.1	1.5	0.06	4.70
CV25-009C 373.1	374.3	1.2	0.03	2.20
CV25-009C 374.3	375.8	1.5	0.02	1.70
CV25-009C 375.8	377.3	1.5	0.02	4.10
CV25-009C 377.3	378.9	1.5	0.03	2.60
CV25-009C 378.9	380.4	1.5	0.01	1.00
CV25-009C 380.4	381.9	1.5	0.02	1.80
CV25-009C 381.9	383.1	1.2	0.01	3.20
CV25-009C 383.1	384.4	1.2	0.01	9.80
CV25-009C 384.4	385.0	0.6	0.02	1.20
CV25-009C 385.0	385.9	0.9	0.02	1.10
CV25-009C 385.9	387.4	1.5	0.10	1.30
CV25-009C 387.4	388.3	0.9	0.24	1.60
CV25-009C 388.3	389.2	0.9	0.02	1.20
CV25-009C 389.2	390.1	0.9	0.01	1.10
CV25-009C 390.1	390.8	0.6	0.02	0.25
CV25-009C 390.8	392.0	1.2	0.02	1.90

CV25-009C

392.0

392.9

0.9

0.12

0.25

CV25-009C 392.9	394.1	1.2	0.01	0.50
CV25-009C 394.1	395.3	1.2	0.03	1.20
CV25-009C 395.3	395.9	0.6	0.02	0.50
CV25-009C 395.9	396.9	0.9	0.01	0.90
CV25-009C 396.9	398.1	1.2	0.02	2.60
CV25-009C 398.1	399.0	0.9	0.02	1.60
CV25-009C 399.0	399.3	0.3	0.01	0.90
CV25-009C 399.3	399.9	0.6	0.01	0.90
CV25-009C 399.9	400.5	0.6	0.01	0.90
CV25-009C 400.5	401.1	0.6	0.01	0.80
CV25-009C 401.1	402.0	0.9	0.00	0.70
CV25-009C 402.0	402.6	0.6	0.01	0.90
CV25-009C 402.6	403.3	0.6	0.01	1.00
CV25-009C 403.3	404.2	0.9	0.01	0.70
CV25-009C 404.2	404.8	0.6	0.02	0.25
CV25-009C 404.8	405.4	0.6	0.01	0.25
CV25-009C 405.4	405.7	0.3	0.02	0.60
CV25-009C 405.7	406.3	0.6	0.01	0.60
CV25-009C 406.3	406.9	0.6	0.01	0.80
CV25-009C 406.9	407.2	0.3	0.01	0.25
CV25-009C 407.2	407.5	0.3	0.01	0.25
CV25-009C 407.5	408.1	0.6	0.01	0.25
CV25-009C 408.1	408.7	0.6	0.02	0.25
CV25-009C 408.7	409.3	0.6	0.01	0.25
CV25-009C 409.3	410.0	0.6	0.01	0.60
CV25-009C 410.0	411.2	1.2	0.02	0.25
CV25-009C 411.2	411.8	0.6	0.10	0.25
CV25-009C 411.8	412.7	0.9	0.08	0.25
CV25-009C 412.7	413.6	0.9	0.01	0.25

CV25-009C

413.6

414.2

0.6

0.01

0.25

CV25-009C 414.2	414.5	0.3	0.01	0.25
CV25-009C 414.5	415.4	0.9	0.01	0.25
CV25-009C 415.4	416.1	0.6	0.01	0.25
CV25-009C 416.1	417.3	1.2	0.03	0.80
CV25-009C 417.3	418.5	1.2	0.01	1.00
CV25-009C 418.5	420.0	1.5	0.06	0.60
CV25-009C 420.0	420.9	0.9	0.03	0.50
CV25-009C 420.9	421.5	0.6	0.01	0.25
CV25-009C 421.5	422.5	0.9	0.01	0.25
CV25-009C 422.5	423.7	1.2	0.01	0.25
CV25-009C 423.7	424.6	0.9	0.01	0.25
CV25-009C 424.6	425.2	0.6	0.02	1.10
CV25-009C 425.2	426.4	1.2	0.01	0.25
CV25-009C 426.4	427.3	0.9	0.01	0.25
CV25-009C 427.3	428.6	1.2	0.01	0.90
CV25-009C 428.6	429.5	0.9	0.00	0.25
CV25-009C 429.5	430.1	0.6	0.00	0.25
CV25-009C 430.1	431.3	1.2	0.01	0.90
CV25-009C 431.3	431.6	0.3	0.34	9.00
CV25-009C 431.6	432.2	0.6	0.09	0.80
CV25-009C 432.2	433.4	1.2	0.07	2.00
CV25-009C 433.4	434.6	1.2	0.01	0.25
CV25-009C 434.6	435.9	1.2	0.01	0.25
CV25-009C 435.9	436.5	0.6	0.05	1.80
CV25-009C 436.5	438.0	1.5	0.03	0.90
CV25-009C 438.0	438.9	0.9	0.00	0.25
CV25-009C 438.9	439.5	0.6	0.01	0.25
CV25-009C 439.5	440.4	0.9	0.00	0.25
CV25-009C 440.4	441.0	0.6	0.14	0.25

CV25-009C

441.0

441.7

0.6

0.00

0.25

CV25-009C 441.7	442.6	0.9	0.04	0.25
CV25-009C 442.6	443.2	0.6	0.01	0.25
CV25-009C 443.2	443.5	0.3	0.03	0.25
CV25-009C 443.5	444.7	1.2	0.05	0.25
CV25-009C 444.7	445.9	1.2	0.01	0.25
CV25-009C 445.9	446.8	0.9	0.00	0.25
CV25-009C 446.8	448.1	1.2	0.01	0.25
CV25-009C 448.1	449.3	1.2	0.01	0.25
CV25-009C 449.3	450.5	1.2	0.00	0.25
CV25-009C 450.5	451.1	0.6	0.00	0.25
CV25-009C 451.1	452.0	0.9	0.01	0.25
CV25-009C 452.0	453.2	1.2	0.03	0.50
CV25-009C 453.2	453.8	0.6	0.01	0.25
CV25-009C 453.8	454.5	0.6	0.01	0.25
CV25-009C 454.5	455.1	0.6	0.01	0.60
CV25-009C 455.1	455.7	0.6	0.02	0.25
CV25-009C 455.7	456.6	0.9	0.03	0.25
CV25-009C 456.6	457.5	0.9	0.13	0.25
CV25-009C 457.5	458.4	0.9	0.02	0.25
CV25-009C 458.4	459.0	0.6	0.01	0.25
CV25-009C 459.0	459.6	0.6	0.03	0.80
CV25-009C 459.6	460.2	0.6	0.60	0.25
CV25-009C 460.2	461.2	0.9	0.57	0.25
CV25-009C 461.2	462.4	1.2	0.05	0.25
CV25-009C 462.4	463.6	1.2	0.02	0.50
CV25-009C 463.6	464.2	0.6	0.84	5.40
CV25-009C 464.2	464.8	0.6	1.14	2.40
CV25-009C 464.8	465.4	0.6	0.03	2.00
CV25-009C 465.4	466.7	1.2	0.01	0.25
CV25-009C				

466.7

467.3

0.6

0.03

0.50

CV25-009C 467.3	468.5	1.2	0.13	0.90
CV25-009C 468.5	469.4	0.9	0.02	0.25
CV25-009C 469.4	470.0	0.6	1.73	0.90
CV25-009C 470.0	470.9	0.9	0.28	2.60
CV25-009C 470.9	471.2	0.3	0.31	1.50
CV25-009C 471.2	472.4	1.2	0.30	2.60
CV25-009C 472.4	473.1	0.6	0.20	2.10
CV25-009C 473.1	474.0	0.9	0.84	2.30
CV25-009C 474.0	474.6	0.6	0.40	2.20
CV25-009C 474.6	475.5	0.9	0.82	2.80
CV25-009C 475.5	476.4	0.9	0.27	2.40
CV25-009C 476.4	477.0	0.6	2.21	1.40
CV25-009C 477.0	477.9	0.9	0.56	2.50
CV25-009C 477.9	478.8	0.9	1.31	1.50
CV25-009C 478.8	479.5	0.6	0.91	1.50
CV25-009C 479.5	480.1	0.6	0.75	1.50
CV25-009C 480.1	481.6	1.5	2.39	3.50
CV25-009C 481.6	482.5	0.9	0.65	3.80
CV25-009C 482.5	483.4	0.9	0.61	3.00
CV25-009C 483.4	484.0	0.6	0.96	2.20
CV25-009C 484.0	485.2	1.2	0.30	1.80
CV25-009C 485.2	485.9	0.6	0.28	1.80
CV25-009C 485.9	486.8	0.9	0.37	1.70
CV25-009C 486.8	487.7	0.9	0.72	1.80
CV25-009C 487.7	488.6	0.9	1.42	4.10
CV25-009C 488.6	489.2	0.6	1.64	2.60
CV25-009C 489.2	489.8	0.6	1.52	1.00
CV25-009C 489.8	490.1	0.3	0.85	1.80
CV25-009C 490.1	490.4	0.3	0.28	9.90

CV25-009C

490.4

491.3

0.9

1.32

4.80

CV25-009C 491.3	492.3	0.9	1.72	4.00
CV25-009C 492.3	493.8	1.5	0.48	2.30
CV25-009C 493.8	495.3	1.5	0.58	2.10
CV25-009C 495.3	495.9	0.6	0.59	1.20
CV25-009C 495.9	496.8	0.9	0.29	3.10
CV25-009C 496.8	498.0	1.2	0.80	3.60
CV25-009C 498.0	499.3	1.2	0.50	2.20
CV25-009C 499.3	500.5	1.2	0.97	2.00
CV25-009C 500.5	501.1	0.6	0.53	3.70
CV25-009C 501.1	502.0	0.9	1.40	2.60
CV25-009C 502.0	502.6	0.6	0.94	3.20
CV25-009C 502.6	503.5	0.9	0.49	4.00
CV25-009C 503.5	504.4	0.9	0.18	1.10
CV25-009C 504.4	505.1	0.6	0.32	3.60
CV25-009C 505.1	505.7	0.6	0.23	1.70
CV25-009C 505.7	506.9	1.2	0.48	3.30
CV25-009C 506.9	507.8	0.9	1.04	2.50
CV25-009C 507.8	508.7	0.9	0.60	1.70
CV25-009C 508.7	509.6	0.9	0.31	2.00
CV25-009C 509.6	511.2	1.5	0.40	1.90
CV25-009C 511.2	511.8	0.6	0.91	2.30
CV25-009C 511.8	512.7	0.9	0.77	1.60
CV25-009C 512.7	513.9	1.2	1.06	1.30
CV25-009C 513.9	515.4	1.5	1.43	1.80
CV25-009C 515.4	516.6	1.2	0.39	2.00
CV25-009C 516.6	517.6	0.9	0.63	2.30
CV25-009C 517.6	519.1	1.5	0.30	2.50
CV25-009C 519.1	519.7	0.6	0.53	2.30
CV25-009C 519.7	520.0	0.3	0.55	2.00

CV25-009C

520.0

520.3

0.3

0.90

3.00

CV25-009C 520.3	520.6	0.3	1.22	4.70
CV25-009C 520.6	520.9	0.3	1.62	4.50
CV25-009C 520.9	521.8	0.9	2.18	4.90
CV25-009C 521.8	522.7	0.9	0.95	1.30
CV25-009C 522.7	523.6	0.9	1.49	1.10
CV25-009C 523.6	524.3	0.6	3.58	6.60
CV25-009C 524.3	524.6	0.3	2.17	5.20
CV25-009C 524.6	525.8	1.2	1.01	1.40
CV25-009C 525.8	527.0	1.2	0.78	1.00
CV25-009C 527.0	528.2	1.2	0.81	1.90
CV25-009C 528.2	529.1	0.9	3.63	4.10
CV25-009C 529.1	530.4	1.2	0.79	1.50
CV25-009C 530.4	531.0	0.6	1.96	2.60
CV25-009C 531.0	531.9	0.9	2.15	1.80
CV25-009C 531.9	532.8	0.9	0.44	1.80
CV25-009C 532.8	533.4	0.6	1.29	4.70
CV25-009C 533.4	534.3	0.9	0.92	3.40
CV25-009C 534.3	535.8	1.5	0.22	2.40
CV25-009C 535.8	537.4	1.5	1.46	2.80
CV25-009C 537.4	538.9	1.5	2.63	6.20
CV25-009C 538.9	540.4	1.5	2.29	4.60
CV25-009C 540.4	541.3	0.9	2.73	5.00
CV25-009C 541.3	542.5	1.2	0.77	4.00
CV25-009C 542.5	543.8	1.2	0.88	1.50
CV25-009C 543.8	545.3	1.5	1.73	6.00
CV25-009C 545.3	545.9	0.6	1.29	5.60
CV25-009C 545.9	546.8	0.9	0.69	2.20
CV25-009C 546.8	548.3	1.5	1.34	3.40
CV25-009C 548.3	549.3	0.9	1.39	1.90

CV25-009C

549.3

550.2

0.9

5.04

2.90

CV25-009C 550.2	551.7	1.5	7.60	5.50
CV25-009C 551.7	552.9	1.2	12.70	14.30
CV25-009C 552.9	554.1	1.2	2.75	3.00
CV25-009C 554.1	555.0	0.9	2.76	7.20
CV25-009C 555.0	556.6	1.5	1.78	4.40
CV25-009C 556.6	557.5	0.9	2.14	6.80
CV25-009C 557.5	558.1	0.6	2.64	8.70
CV25-009C 558.1	559.3	1.2	1.27	6.00
CV25-009C 559.3	560.8	1.5	1.51	3.90
CV25-009C 560.8	561.4	0.6	0.46	1.70
CV25-009C 561.4	562.4	0.9	0.93	2.10
CV25-009C 562.4	562.7	0.3	0.85	2.00
CV25-009C 562.7	563.0	0.3	1.60	2.40
CV25-009C 563.0	563.9	0.9	1.25	2.20
CV25-009C 563.9	565.1	1.2	3.51	3.80
CV25-009C 565.1	565.7	0.6	1.23	2.10
CV25-009C 565.7	566.6	0.9	0.67	1.40
CV25-009C 566.6	567.5	0.9	0.94	1.00
CV25-009C 567.5	568.5	0.9	1.96	2.50
CV25-009C 568.5	569.1	0.6	0.91	0.25
CV25-009C 569.1	569.7	0.6	1.05	0.60
CV25-009C 569.7	570.6	0.9	0.74	0.25
CV25-009C 570.6	571.8	1.2	0.14	0.50
CV25-009C 571.8	573.0	1.2	0.07	0.60
CV25-009C 573.0	574.5	1.5	0.05	0.70
CV25-009C 574.5	576.1	1.5	0.06	0.25
CV25-009C 576.1	577.0	0.9	0.03	0.70
CV25-009C 577.0	577.9	0.9	0.06	0.60
CV25-009C 577.9	579.1	1.2	0.09	0.60
CV25-009C				

579.1

580.3

1.2

0.03

0.25

CV25-009C 580.3	581.0	0.6	0.04	0.80
CV25-009C 581.0	581.6	0.6	0.12	1.20
CV25-009C 581.6	582.5	0.9	0.08	1.00
CV25-009C 582.5	584.0	1.5	0.12	1.20
CV25-009C 584.0	585.2	1.2	0.18	1.80
CV25-009C 585.2	586.4	1.2	0.03	1.10
CV25-009C 586.4	587.4	0.9	0.04	0.80
CV25-009C 587.4	588.0	0.6	0.02	0.70
CV25-009C 588.0	588.6	0.6	0.07	2.10
CV25-009C 588.6	589.2	0.6	0.03	1.70
CV25-009C 589.2	590.4	1.2	0.02	0.50
CV25-009C 590.4	591.3	0.9	0.07	1.50
CV25-009C 591.3	592.8	1.5	0.03	1.00
CV25-009C 592.8	593.8	0.9	0.10	0.90
CV25-009C 593.8	594.7	0.9	0.17	1.40
CV25-009C 594.7	595.6	0.9	0.14	0.60
CV25-009C 595.6	596.5	0.9	0.14	1.30
CV25-009C 596.5	597.7	1.2	0.08	1.00
CV25-009C 597.7	598.0	0.3	0.04	5.80
CV25-009C 598.0	599.2	1.2	0.05	0.50
CV25-009C 599.2	600.8	1.5	0.08	1.00
CV25-009C 600.8	602.0	1.2	0.11	0.25
CV25-009C 602.0	602.9	0.9	0.10	0.25
CV25-009C 602.9	603.5	0.6	0.09	0.25
CV25-009C 603.5	604.4	0.9	0.09	1.10
CV25-009C 604.4	605.0	0.6	0.12	1.50
CV25-009C 605.0	606.6	1.5	0.17	1.90
CV25-009C 606.6	607.2	0.6	0.47	2.30
CV25-009C 607.2	607.5	0.3	0.09	2.00

CV25-009C

607.5

607.8

0.3

0.25

2.00

CV25-009C 607.8	608.1	0.3	0.02	0.70
CV25-009C 608.1	608.7	0.6	0.01	0.25
CV25-009C 608.7	609.3	0.6	0.03	0.90
CV25-009C 609.3	610.5	1.2	0.02	0.70
CV25-009C 610.5	611.1	0.6	0.01	1.40
CV25-009C 611.1	612.6	1.5	0.10	0.25
CV25-009C 612.6	613.9	1.2	0.07	0.25
CV25-009C 613.9	614.8	0.9	0.15	0.60
CV25-009C 614.8	615.1	0.3	1.16	61.30
CV25-009C 615.1	616.0	0.9	0.05	0.50
CV25-009C 616.0	617.2	1.2	0.11	0.25
CV25-009C 617.2	618.1	0.9	0.16	0.50
CV25-009C 618.1	618.7	0.6	0.27	0.25
CV25-009C 618.7	619.7	0.9	0.11	0.25
CV25-009C 619.7	620.3	0.6	0.30	0.25
CV25-009C 620.3	620.9	0.6	0.13	0.25
CV25-009C 620.9	621.5	0.6	0.06	0.25
CV25-009C 621.5	621.8	0.3	0.37	0.60
CV25-009C 621.8	622.7	0.9	0.08	1.30
CV25-009C 622.7	623.6	0.9	0.12	0.70
CV25-009C 623.6	625.1	1.5	0.06	1.00
CV25-009C 625.1	626.1	0.9	0.06	0.90
CV25-009C 626.1	626.7	0.6	0.05	2.10
CV25-009C 626.7	627.0	0.3	0.05	1.20
CV25-009C 627.0	627.9	0.9	0.08	8.10
CV25-009C 627.9	628.5	0.6	0.25	13.40
CV25-009C 628.5	629.1	0.6	0.05	1.20
CV25-009C 629.1	629.7	0.6	0.02	2.30
CV25-009C 629.7	630.0	0.3	0.02	4.80

CV25-009C

630.0

630.9

0.9

0.01

0.25

CV25-009C 630.9	631.9	0.9	0.04	0.25
CV25-009C 631.9	633.1	1.2	0.04	0.25
CV25-009C 633.1	634.0	0.9	0.03	0.25
CV25-009C 634.0	634.9	0.9	0.04	0.25
CV25-009C 634.9	636.1	1.2	0.04	0.25
CV25-009C 636.1	637.0	0.9	0.04	0.25
CV25-009C 637.0	637.6	0.6	0.04	0.25
CV25-009C 637.6	639.2	1.5	0.02	0.25
CV25-009C 639.2	640.1	0.9	0.20	0.25
CV25-009C 640.1	641.3	1.2	0.03	0.50
CV25-009C 641.3	642.2	0.9	0.08	1.80
CV25-009C 642.2	643.1	0.9	0.04	0.70
CV25-009C 643.1	643.7	0.6	0.11	1.40
CV25-009C 643.7	644.3	0.6	0.08	0.70
CV25-009C 644.3	645.9	1.5	0.03	0.25
CV25-009C 645.9	647.4	1.5	0.02	0.25
CV25-009C 647.4	648.3	0.9	0.04	0.50
CV25-009C 648.3	649.8	1.5	0.14	0.25
CV25-009C 649.8	650.7	0.9	0.02	0.60
CV25-009C 650.7	651.4	0.6	0.07	0.50
CV25-009C 651.4	652.3	0.9	0.11	0.25
CV25-009C 652.3	653.5	1.2	0.16	0.70
CV25-009C 653.5	654.4	0.9	0.36	0.25
CV25-009C 654.4	655.3	0.9	0.04	0.50
CV25-009C 655.3	656.2	0.9	0.11	1.10
CV25-009C 656.2	657.2	0.9	0.08	0.50
CV25-009C 657.2	658.1	0.9	0.43	0.50
CV25-009C 658.1	658.4	0.3	0.31	0.60
CV25-009C 658.4	659.0	0.6	0.15	1.10
CV25-009C				

659.0

659.6

0.6

0.09

0.90

CV25-009C 659.6	660.2	0.6	0.95	2.00
CV25-009C 660.2	660.8	0.6	0.91	1.40
CV25-009C 660.8	661.4	0.6	0.54	1.70
CV25-009C 661.4	662.6	1.2	0.19	1.20
CV25-009C 662.6	663.6	0.9	0.11	1.00
CV25-009C 663.6	664.5	0.9	0.10	0.25
CV25-009C 664.5	664.8	0.3	0.08	0.90
CV25-009C 664.8	665.1	0.3	0.07	0.70
CV25-009C 665.1	666.3	1.2	0.10	0.25
CV25-009C 666.3	667.8	1.5	0.09	0.25
CV25-009C 667.8	668.4	0.6	0.02	0.80
CV25-009C 668.4	669.6	1.2	0.03	0.90
CV25-009C 669.6	670.6	0.9	0.06	1.30
CV25-009C 670.6	672.1	1.5	0.09	0.60
CV25-009C 672.1	672.7	0.6	0.05	0.25
CV25-009C 672.7	673.6	0.9	0.05	0.50
CV25-009C 673.6	674.5	0.9	0.04	0.25
CV25-009C 674.5	675.4	0.9	0.03	0.25
CV25-009C 675.4	677.0	1.5	0.08	0.70
CV25-009C 677.0	677.6	0.6	0.28	0.25
CV25-009C 677.6	678.2	0.6	0.03	0.25
CV25-009C 678.2	679.1	0.9	0.05	0.25
CV25-009C 679.1	680.0	0.9	0.04	0.25
CV25-009C 680.0	681.5	1.5	0.22	0.90
CV25-009C 681.5	683.4	1.8	0.03	0.25
CV25-009C 683.4	684.3	0.9	0.06	0.25
CV25-009C 684.3	685.8	1.5	0.08	0.25
CV25-009C 685.8	686.7	0.9	1.02	0.25
CV25-009C 686.7	687.6	0.9	0.64	1.40

CV25-009C

687.6

689.2

1.5

0.19

0.70

CV25-009C 689.2	690.1	0.9	0.27	1.30
CV25-009C 690.1	691.0	0.9	0.28	1.90
CV25-009C 691.0	692.2	1.2	0.09	1.80
CV25-009C 692.2	693.4	1.2	0.07	1.90
CV25-009C 693.4	694.0	0.6	0.17	1.50
CV25-009C 694.0	694.9	0.9	0.13	1.10
CV25-009C 694.9	695.6	0.6	0.08	0.70
CV25-009C 695.6	697.1	1.5	0.14	2.50
CV25-009C 697.1	698.0	0.9	0.11	0.50
CV25-009C 698.0	698.9	0.9	0.05	1.70
CV25-009C 698.9	700.1	1.2	0.25	11.10
CV25-009C 700.1	700.7	0.6	0.09	5.00
CV25-009C 700.7	702.3	1.5	0.06	4.60
CV25-009C 702.3	703.2	0.9	0.05	1.50
CV25-009C 703.2	704.1	0.9	0.09	3.40
CV25-009C 704.1	705.0	0.9	0.19	8.20
CV25-009C 705.0	705.6	0.6	0.46	2.20
CV25-009C 705.6	705.9	0.3	0.15	1.50
CV25-009C 705.9	706.8	0.9	0.36	2.00
CV25-009C 706.8	707.1	0.3	0.28	1.30
CV25-009C 707.1	707.7	0.6	0.23	1.10
CV25-009C 707.7	708.1	0.3	0.25	1.10
CV25-009C 708.1	708.4	0.3	0.43	1.70
CV25-009C 708.4	709.0	0.6	0.64	1.50
CV25-009C 709.0	709.3	0.3	0.34	0.90
CV25-009C 709.3	710.2	0.9	0.23	0.80
CV25-009C 710.2	710.8	0.6	0.47	1.20
CV25-009C 710.8	711.1	0.3	0.76	1.00
CV25-009C 711.1	711.7	0.6	0.52	1.50

CV25-009C

711.7

712.3

0.6

0.39

1.10

CV25-009C	712.3	712.9	0.6	0.23	1.70
CV25-009C	712.9	713.5	0.6	0.11	1.40
CV25-009C	713.5	714.5	0.9	0.27	2.30
CV25-009C	714.5	714.8	0.3	0.21	0.90
CV25-009C	714.8	716.0	1.2	0.31	0.80
CV25-009C	716.0	717.2	1.2	0.37	1.10
CV25-009C	717.2	717.8	0.6	0.32	0.80
CV25-009C	717.8	719.3	1.5	1.34	2.00
CV25-009C	719.3	720.9	1.5	0.11	4.10
CV25-009C	720.9	722.1	1.2	0.16	1.00
CV25-009C	722.1	723.6	1.5	0.58	1.60
CV25-009C	723.6	724.5	0.9	0.47	2.40
CV25-009C	724.5	725.7	1.2	0.67	1.20
CV25-009C	725.7	726.9	1.2	0.37	1.70
CV25-009C	726.9	728.2	1.2	0.32	3.00
CV25-009C	728.2	729.4	1.2	1.63	5.10
CV25-009C	729.4	730.9	1.5	0.77	2.20
CV25-009C	730.9	732.1	1.2	0.56	2.70
CV25-009C	732.1	733.4	1.2	0.57	1.80
CV25-009C	733.4	734.0	0.6	0.34	0.70
CV25-009C	734.0	735.5	1.5	5.23	2.90
CV25-009C	735.5	736.7	1.2	6.11	13.50
CV25-009C	736.7	737.9	1.2	1.21	2.80
CV25-009C	737.9	738.5	0.6	0.85	0.90
CV25-009C	738.5	739.8	1.2	1.02	1.10
CV25-009C	739.8	741.0	1.2	1.49	2.50
CV25-009C	741.0	742.5	1.5	0.73	1.30
CV25-009C	742.5	743.7	1.2	0.57	1.40
CV25-009C	743.7	745.2	1.5	0.45	1.10
CV25-009C					

745.2

746.8

1.5

0.26

1.50

CV25-009C	746.8	748.3	1.5	0.22	0.90
CV25-009C	748.3	749.8	1.5	0.10	0.50
CV25-009C	749.8	750.7	0.9	0.06	0.25
CV25-009C	750.7	752.2	1.5	0.02	0.50
CV25-009C	752.2	753.8	1.5	0.10	0.50
CV25-009C	753.8	755.3	1.5	0.04	0.25
CV25-009C	755.3	756.5	1.2	0.06	1.80
CV25-009C	756.5	758.0	1.5	0.75	0.25
CV25-009C	758.0	759.6	1.5	0.36	0.25
CV25-009C	759.6	760.8	1.2	0.19	0.80
CV25-009C	760.8	761.7	0.9	0.07	0.50
CV25-009C	761.7	762.3	0.6	0.49	0.90
CV25-009C	762.3	763.5	1.2	0.24	1.60
CV25-009C	763.5	763.8	0.3	0.30	1.30
CV25-009C	763.8	764.7	0.9	0.85	1.50
CV25-009C	764.7	765.7	0.9	0.88	1.50
CV25-009C	765.7	766.3	0.6	0.05	0.25
CV25-009C	766.3	767.8	1.5	0.05	0.50
CV25-009C	767.8	769.3	1.5	0.05	0.25
CV25-009C	769.3	769.9	0.6	0.04	0.25
CV25-009C	769.9	770.2	0.3	0.06	0.70
CV25-009C	770.2	771.8	1.5	0.21	0.50
CV25-009C	771.8	773.3	1.5	0.09	0.60
CV25-009C	773.3	774.2	0.9	0.36	1.70
CV25-009C	774.2	775.7	1.5	0.23	1.70
CV25-009C	775.7	776.9	1.2	0.72	7.00
CV25-009C	776.9	777.5	0.6	0.62	5.70
CV25-009C	777.5	779.1	1.5	2.38	4.50
CV25-009C	779.1	780.6	1.5	0.52	0.90
CV25-009C					

780.6

782.1

1.5

0.11

0.50

CV25-009C 782.1	783.0	0.9	0.61	0.80
CV25-009C 783.0	784.6	1.5	0.12	0.25
CV25-009C 784.6	785.2	0.6	0.04	0.60
CV25-009C 785.2	786.1	0.9	0.04	0.70
CV25-009C 786.1	787.6	1.5	0.22	7.40
CV25-009C 787.6	789.1	1.5	0.04	1.50
CV25-009C 789.1	790.7	1.5	0.10	5.30
CV25-009C 790.7	791.9	1.2	0.04	2.30
CV25-009C 791.9	793.4	1.5	0.03	1.30
CV25-009C 793.4	794.9	1.5	0.04	1.50
CV25-009C 794.9	796.1	1.2	0.13	1.60
CV25-009C 796.1	796.7	0.6	0.05	1.00
CV25-009C 796.7	798.0	1.2	0.29	2.70
CV25-009C 798.0	799.5	1.5	0.77	2.90
CV25-009C 799.5	801.0	1.5	1.22	3.00
CV25-009C 801.0	802.2	1.2	0.14	0.90
CV25-009C 802.2	803.8	1.5	4.52	26.60
CV25-009C 803.8	805.3	1.5	0.67	2.70
CV25-009C 805.3	806.8	1.5	0.71	1.70
CV25-009C 806.8	808.0	1.2	0.78	0.90
CV25-009C 808.0	809.2	1.2	1.24	3.00
CV25-009C 809.2	810.2	0.9	2.06	2.40
CV25-009C 810.2	811.7	1.5	1.19	2.20
CV25-009C 811.7	812.3	0.6	2.66	21.50
CV25-009C 812.3	813.5	1.2	0.67	3.80
CV25-009C 813.5	815.0	1.5	0.10	2.20
CV25-009C 815.0	816.6	1.5	0.10	2.00
CV25-009C 816.6	817.8	1.2	0.04	1.10
CV25-009C 817.8	818.4	0.6	0.02	0.25

CV25-009C

818.4

818.7

0.3

0.06

1.10

CV25-009C 818.7	820.2	1.5	0.08	1.50
CV25-009C 820.2	820.8	0.6	0.11	1.20
CV25-009C 820.8	821.7	0.9	0.04	4.30
CV25-009C 821.7	823.0	1.2	0.31	13.30
CV25-009C 823.0	824.5	1.5	0.13	5.60
CV25-009C 824.5	825.7	1.2	0.05	1.50
CV25-009C 825.7	826.6	0.9	0.04	0.80
CV25-009C 826.6	827.8	1.2	0.03	0.25
CV25-009C 827.8	829.4	1.5	0.02	0.25
CV25-009C 829.4	830.6	1.2	0.02	0.50
CV25-009C 830.6	831.8	1.2	0.04	0.80
CV25-009C 831.8	832.4	0.6	0.07	30.30
CV25-009C 832.4	833.6	1.2	0.08	5.90
CV25-009C 833.6	834.5	0.9	0.16	2.40
CV25-009C 834.5	835.5	0.9	0.39	2.90
CV25-009C 835.5	836.4	0.9	0.23	4.00
CV25-009C 836.4	837.6	1.2	0.23	49.30
CV25-009C 837.6	839.1	1.5	0.24	5.40
CV25-009C 839.1	840.6	1.5	0.09	1.40
CV25-009C 840.6	842.2	1.5	0.24	2.00
CV25-009C 842.2	843.7	1.5	0.44	3.30
CV25-009C 843.7	844.3	0.6	0.64	2.80
CV25-009C 844.3	845.8	1.5	0.23	2.10
CV25-009C 845.8	847.3	1.5	1.21	2.10
CV25-009C 847.3	848.9	1.5	0.31	1.70
CV25-009C 848.9	850.4	1.5	0.61	2.20
CV25-009C 850.4	851.6	1.2	1.10	4.70
CV25-009C 851.6	852.5	0.9	2.50	6.00
CV25-009C 852.5	854.1	1.5	1.04	3.60

CV25-009C

854.1

855.3

1.2

2.13

4.00

CV25-009C 855.3	856.8	1.5	1.18	3.50
CV25-009C 856.8	857.4	0.6	0.49	1.80
CV25-009C 857.4	858.3	0.9	0.56	1.40
CV25-009C 858.3	858.6	0.3	0.71	2.80
CV25-009C 858.6	859.8	1.2	0.50	2.90
CV25-009C 859.8	861.4	1.5	0.37	2.30
CV25-009C 861.4	862.0	0.6	0.86	2.20
CV25-009C 862.0	862.3	0.3	1.47	2.10
CV25-009C 862.3	863.8	1.5	0.66	2.40
CV25-009C 863.8	865.3	1.5	0.55	3.40
CV25-009C 865.3	866.9	1.5	0.73	2.00
CV25-009C 866.9	868.4	1.5	0.82	2.50
CV25-009C 868.4	869.9	1.5	1.72	3.70
CV25-009C 869.9	871.4	1.5	0.86	3.10
CV25-009C 871.4	872.9	1.5	1.27	2.10
CV25-009C 872.9	874.5	1.5	0.32	1.70
CV25-009C 874.5	876.0	1.5	0.20	1.30
CV25-009C 876.0	877.5	1.5	0.70	2.50
CV25-009C 877.5	879.0	1.5	0.86	1.90
CV25-009C 879.0	880.6	1.5	0.39	1.40
CV25-009C 880.6	882.1	1.5	0.42	1.60
CV25-009C 882.1	883.3	1.2	0.65	3.00
CV25-009C 883.3	883.9	0.6	0.50	2.10
CV25-009C 883.9	885.1	1.2	0.64	3.40
CV25-009C 885.1	886.7	1.5	1.51	6.60
CV25-009C 886.7	888.2	1.5	1.05	7.20
CV25-009C 888.2	889.7	1.5	1.26	5.30
CV25-009C 889.7	891.2	1.5	1.24	4.60
CV25-009C 891.2	891.8	0.6	0.53	2.00

CV25-009C

891.8

893.4

1.5

0.41

2.90

CV25-009C 893.4	894.3	0.9	0.66	2.40
CV25-009C 894.3	895.5	1.2	0.18	1.20
CV25-009C 895.5	896.4	0.9	0.33	3.00
CV25-009C 896.4	897.9	1.5	0.19	2.00
CV25-009C 897.9	899.5	1.5	0.38	2.30
CV25-009C 899.5	901.0	1.5	0.18	1.20
CV25-009C 901.0	902.5	1.5	0.16	1.50
CV25-009C 902.5	904.0	1.5	0.29	1.80
CV25-009C 904.0	905.0	0.9	0.77	2.00
CV25-009C 905.0	905.9	0.9	0.37	1.00
CV25-009C 905.9	906.5	0.6	0.17	1.40
CV25-009C 906.5	907.1	0.6	0.18	1.30
CV25-009C 907.1	908.6	1.5	0.62	3.30
CV25-009C 908.6	909.5	0.9	0.23	1.40
CV25-009C 909.5	910.7	1.2	0.09	0.60
CV25-009C 910.7	912.0	1.2	0.22	3.00
CV25-009C 912.0	912.6	0.6	0.09	1.00
CV25-009C 912.6	913.2	0.6	0.04	0.70
CV25-009C 913.2	914.4	1.2	0.22	2.20
CV25-009C 914.4	915.9	1.5	0.50	0.90
CV25-009C 915.9	916.5	0.6	0.26	0.80
CV25-009C 916.5	918.1	1.5	0.36	2.60
CV25-009C 918.1	919.6	1.5	0.17	3.80
CV25-009C 919.6	921.1	1.5	0.10	2.10
CV25-009C 921.1	922.0	0.9	0.06	5.50
CV25-009C 922.0	922.6	0.6	0.58	1.80
CV25-009C 922.6	923.2	0.6	0.16	0.60
CV25-009C 923.2	924.2	0.9	0.29	0.60
CV25-009C 924.2	925.7	1.5	0.67	1.30

CV25-009C

925.7

927.2

1.5

0.39

2.70

CV25-009C 927.2	927.7	0.5	0.53	2.20
CV25-009C 927.7	929.0	1.4	0.50	2.60
CV25-009C 929.0	930.6	1.5	0.91	2.80
CV25-009C 930.6	931.5	0.9	0.21	1.10
CV25-009C 931.5	933.0	1.5	0.20	1.40
CV25-009C 933.0	934.5	1.5	0.22	1.80
CV25-009C 934.5	934.8	0.3	0.39	2.80
CV25-009C 934.8	935.8	1.0	0.72	1.20
CV25-009C 935.8	937.3	1.5	0.44	0.60
CV25-009C 937.3	938.8	1.5	0.33	0.70
CV25-009C 938.8	939.4	0.6	0.13	0.50
CV25-009C 939.4	940.0	0.6	0.16	0.70
CV25-009C 940.0	940.5	0.5	0.03	0.25
CV25-009C 940.5	941.8	1.4	0.12	22.70
CV25-009C 941.8	943.4	1.5	0.08	1.80
CV25-009C 943.4	944.0	0.6	0.55	2.70
CV25-009C 944.0	945.2	1.2	0.87	2.60
CV25-009C 945.2	946.7	1.5	0.55	2.20
CV25-009C 946.7	948.2	1.5	0.13	3.30
CV25-009C 948.2	949.5	1.2	0.23	6.50
CV25-009C 949.5	951.0	1.5	0.46	3.50
CV25-009C 951.0	952.5	1.5	0.16	2.50
CV25-009C 952.5	954.0	1.5	0.18	2.30
CV25-009C 954.0	955.6	1.5	0.14	2.40
CV25-009C 955.6	957.1	1.5	0.56	1.60
CV25-009C 957.1	958.6	1.5	0.89	1.40
CV25-009C 958.6	960.1	1.5	0.41	1.40
CV25-009C 960.1	961.0	0.9	0.79	1.50
CV25-009C 961.0	962.6	1.5	1.74	0.70

CV25-009C

962.6

963.5

0.9

0.26

0.70

CV25-009C 963.5	964.7	1.2	0.40	4.20
CV25-009C 964.7	966.2	1.5	0.57	2.10
CV25-009C 966.2	967.7	1.5	0.13	1.30
CV25-009C 967.7	969.3	1.5	0.13	1.40
CV25-009C 969.3	969.9	0.6	0.12	4.60
CV25-009C 969.9	970.5	0.6	0.17	2.90
CV25-009C 970.5	971.7	1.2	0.09	2.80
CV25-009C 971.7	972.3	0.6	0.19	1.20
CV25-009C 972.3	973.8	1.5	0.99	0.60
CV25-009C 973.8	974.4	0.6	0.18	1.10
CV25-009C 974.4	975.4	0.9	0.17	1.90
CV25-009C 975.4	976.3	0.9	0.01	0.25
CV25-009C 976.3	977.8	1.5	0.02	0.25
CV25-009C 977.8	979.3	1.5	0.01	0.25
CV25-009C 979.3	980.8	1.5	0.08	0.25
CV25-009C 980.8	982.4	1.5	0.02	0.25
CV25-009C 982.4	983.9	1.5	0.01	0.25
CV25-009C 983.9	985.4	1.5	0.04	0.25
CV25-009C 985.4	985.7	0.3	0.10	0.50
CV25-009C 985.7	986.9	1.2	0.04	0.50
CV25-009C 986.9	988.5	1.5	0.01	0.25
CV25-009C 988.5	990.0	1.5	0.05	0.25
CV25-009C 990.0	991.5	1.5	0.17	0.25
CV25-009C 991.5	992.7	1.2	0.03	0.25
CV25-009C 992.7	993.7	0.9	0.03	0.25
CV25-009C 993.7	995.2	1.5	0.02	0.25
CV25-009C 995.2	996.7	1.5	0.01	0.25
CV25-009C 996.7	998.2	1.5	0.02	0.25
CV25-009C 998.2	999.7	1.5	0.02	0.25

CV25-009C

999.7

1001.3

1.5

0.02

0.25

CV25-009C	1001.3	1002.5	1.2	0.01	0.25
CV25-009C	1002.5	1004.0	1.5	0.02	0.50
CV25-009C	1004.0	1004.6	0.6	0.07	0.25
CV25-009C	1004.6	1005.8	1.2	0.02	0.50
CV25-009C	1005.8	1007.4	1.5	0.08	0.25
CV25-009C	1007.4	1008.9	1.5	0.03	0.25
CV25-009C	1008.9	1010.4	1.5	0.01	0.25
CV25-009C	1010.4	1011.9	1.5	0.03	0.25
CV25-009C	1011.9	1013.5	1.5	0.02	0.25
CV25-009C	1013.5	1015.0	1.5	0.02	0.50
CV25-009C	1015.0	1015.9	0.9	0.03	0.25
CV25-009C	1015.9	1016.5	0.6	0.85	1.30
CV25-009C	1016.5	1017.4	0.9	0.06	0.25
CV25-009C	1017.4	1018.6	1.2	0.01	0.25
CV25-009C	1018.6	1019.3	0.6	0.05	0.25
CV25-009C	1019.3	1020.8	1.5	0.02	0.25
CV25-009C	1020.8	1021.4	0.6	0.04	0.25
CV25-009C	1021.4	1021.4	0.0	0.12	0.50
CV25-009C	1021.4	1023.2	1.8	0.05	0.25
CV25-009C	1023.2	1024.1	0.9	0.07	0.25
CV25-009C	1024.1	1024.7	0.6	1.26	4.60
CV25-009C	1024.7	1026.3	1.5	0.04	0.80
CV25-009C	1026.3	1027.8	1.5	0.27	0.70
CV25-009C	1027.8	1029.3	1.5	0.09	0.25
CV25-009C	1029.3	1030.5	1.2	0.05	0.25
CV25-009C	1030.5	1030.8	0.3	1.42	0.25
CV25-009C	1030.8	1032.4	1.5	0.08	0.25
CV25-009C	1032.4	1033.9	1.5	0.11	0.25
CV25-009C	1033.9	1035.4	1.5	0.07	0.25
CV25-009C					

1035.4

1036.9

1.5

0.02

0.25

CV25-009C	1036.9	1038.5	1.5	0.12	0.25
CV25-009C	1038.5	1040.0	1.5	0.03	0.25
CV25-009C	1040.0	1040.3	0.3	0.24	0.25
CV25-009C	1040.3	1041.8	1.5	0.10	0.25
CV25-009C	1041.8	1043.3	1.5	0.22	0.25
CV25-009C	1043.3	1044.9	1.5	0.10	0.50
CV25-009C	1044.9	1046.4	1.5	0.08	0.25
CV25-009C	1046.4	1047.9	1.5	0.07	0.25
CV25-009C	1047.9	1049.1	1.2	0.02	0.25
CV25-009C	1049.1	1049.7	0.6	0.11	0.25
CV25-009C	1049.7	1050.6	0.9	0.07	0.25
CV25-009C	1050.6	1051.9	1.2	0.03	0.25
CV25-009C	1051.9	1053.4	1.5	0.05	0.25
CV25-009C	1053.4	1054.9	1.5	0.03	0.25
CV25-009C	1054.9	1056.4	1.5	0.13	0.25
CV25-009C	1056.4	1057.0	0.6	0.16	0.25
CV25-009C	1057.0	1058.0	0.9	0.07	0.25
CV25-009C	1058.0	1058.6	0.6	0.02	0.25
CV25-009C	1058.6	1060.1	1.5	0.03	0.25
CV25-009C	1060.1	1061.0	0.9	0.05	0.25
CV25-009C	1061.0	1061.9	0.9	0.05	0.25
CV25-009C	1061.9	1062.5	0.6	0.22	10.30
CV25-009C	1062.5	1063.4	0.9	0.09	0.25
CV25-009C	1063.4	1065.0	1.5	0.08	0.25
CV25-009C	1065.0	1065.3	0.3	0.26	0.25
CV25-009C	1065.3	1065.9	0.6	1.25	15.60
CV25-009C	1065.9	1066.5	0.6	0.19	0.25
CV25-009C	1066.5	1068.0	1.5	0.40	0.25
CV25-009C	1068.0	1068.9	0.9	0.50	0.25
CV25-009C					

1068.9

1069.5

0.6

0.14

0.25

CV25-009C	1069.5	1071.1	1.5	0.35	0.25
CV25-009C	1071.1	1072.6	1.5	0.40	0.25
CV25-009C	1072.6	1074.1	1.5	0.11	0.25
CV25-009C	1074.1	1074.7	0.6	0.13	0.25
CV25-009C	1074.7	1075.9	1.2	0.23	0.25
CV25-009C	1075.9	1077.5	1.5	0.07	0.25
CV25-009C	1077.5	1078.1	0.6	0.03	0.25
CV25-009C	1078.1	1079.0	0.9	0.04	0.25
CV25-009C	1079.0	1080.2	1.2	0.18	0.25
CV25-009C	1080.2	1081.1	0.9	0.08	0.25
CV25-009C	1081.1	1082.7	1.5	0.13	0.25
CV25-009C	1082.7	1084.2	1.5	0.04	0.25
CV25-009C	1084.2	1085.7	1.5	0.05	0.25
CV25-009C	1085.7	1086.9	1.2	0.37	0.25
CV25-009C	1086.9	1087.5	0.6	0.05	0.25
CV25-009C	1087.5	1089.1	1.5	0.48	4.50
CV25-009C	1089.1	1089.7	0.6	0.32	0.25
CV25-009C	1089.7	1090.3	0.6	0.12	0.80
CV25-009C	1090.3	1091.5	1.2	0.15	0.25
CV25-009C	1091.5	1092.7	1.2	1.26	0.25
CV25-009C	1092.7	1093.3	0.6	0.20	0.25
CV25-009C	1093.3	1094.2	0.9	0.10	0.25
CV25-009C	1094.2	1095.1	0.9	0.03	0.25
CV25-009C	1095.1	1095.8	0.6	0.05	0.25
CV25-009C	1095.8	1096.1	0.3	0.21	0.25
CV25-009C	1096.1	1097.6	1.5	0.08	0.25
CV25-009C	1097.6	1099.1	1.5	0.13	0.25
CV25-009C	1099.1	1100.6	1.5	0.05	0.50
CV25-009C	1100.6	1102.2	1.5	0.20	0.25

CV25-009C

1102.2

1103.1

0.9

0.24

0.25

CV25-009C 1103.1	1104.6 1.5		0.07	0.25
CV25-009C 1104.6	1105.2 0.6		0.26	0.25
CV25-009C 1105.2	1106.4 1.2		0.40	0.25
CV25-009C 1106.4	1107.0 0.6		1.13	0.25
CV25-009C 1107.0	1107.6 0.6		0.06	0.25
CV25-009C 1107.6	1108.0 0.3		1.10	2.30
CV25-009C 1108.0	1109.2 1.2		0.07	0.25
CV25-009C 1109.2	1110.7 1.5		0.13	0.60
CV25-009C 1110.7	1112.2 1.5		0.06	0.25
CV25-009C 1112.2	1113.4 1.2		0.07	0.25
CV25-009C 1113.4	1113.7 0.3		0.12	0.25
CV25-009C 1113.7	1115.3 1.5		0.06	0.25
CV25-009C 1115.3	1116.8 1.5		0.04	0.25
CV25-009C 1116.8	1118.3 1.5		0.03	0.25
CV25-009C 1118.3	1119.8 1.5		0.20	0.25
CV25-009C 1119.8	1121.4 1.5		0.17	0.25
CV25-009C 1121.4	1122.9 1.5		0.04	0.25
CV25-009C 1122.9	1124.4 1.5		0.04	0.25
CV25-009C 1124.4	1125.9 1.5		0.47	0.25
CV25-009C 1125.9	1127.5 1.5		0.25	0.25
CV25-009C 1127.5	1129.0 1.5		0.18	0.25
CV25-009C 1129.0	1129.3 0.3		0.02	0.25
CV25-009C 1129.3	1130.8 1.5		0.01	0.25
CV25-009C 1130.8	1132.3 1.5		0.00	0.25
CV25-009C 1132.3	1133.9 1.5		0.02	0.25
CV25-009C 1133.9	1135.4 1.5		0.01	0.25
CV25-009C 1135.4	1135.7 0.3		0.03	2.20
CV25-009C 1135.7	1136.0 0.3		0.10	0.25
CV25-009C 1136.0	1137.5 1.5		0.21	0.25
CV25-009C				

1137.5

1139.0

1.5

0.06

0.25

CV25-009C	1139.0	1140.6	1.5	0.04	0.60
CV25-009C	1140.6	1142.1	1.5	0.13	0.70
CV25-009C	1142.1	1143.6	1.5	0.02	0.60
CV25-009C	1143.6	1144.8	1.2	0.02	0.25
CV25-009C	1144.8	1146.4	1.5	0.02	0.25
CV25-009C	1146.4	1147.3	0.9	0.02	0.25
CV25-009C	1147.3	1148.5	1.2	0.02	0.25
CV25-009C	1148.5	1150.0	1.5	0.01	0.50
CV25-009C	1150.0	1150.6	0.6	0.01	0.25
CV25-009C	1150.6	1152.1	1.5	0.03	0.50
CV25-009C	1152.1	1152.8	0.6	0.43	0.25
CV25-009C	1152.8	1153.4	0.6	0.09	0.25
CV25-009C	1153.4	1154.9	1.5	0.38	0.25
CV25-009C	1154.9	1155.5	0.6	0.01	0.25
CV25-009C	1155.5	1156.1	0.6	0.02	0.60
CV25-009C	1156.1	1157.6	1.5	0.17	0.25
CV25-009C	1157.6	1158.9	1.2	0.01	0.50
CV25-009C	1158.9	1159.5	0.6	0.12	0.25
CV25-009C	1159.5	1160.1	0.6	0.02	0.50
CV25-009C	1160.1	1161.6	1.5	0.05	0.25
CV25-009C	1161.6	1162.5	0.9	0.07	0.50
CV25-009C	1162.5	1163.1	0.6	0.01	0.25
CV25-009C	1163.1	1164.6	1.5	0.01	0.70
CV25-009C	1164.6	1165.6	0.9	0.26	0.25
CV25-009C	1165.6	1167.1	1.5	0.10	0.60
CV25-009C	1167.1	1168.6	1.5	0.05	0.50
CV25-009C	1168.6	1169.8	1.2	0.01	0.25
CV25-009C	1169.8	1171.3	1.5	0.07	0.25
CV25-009C	1171.3	1172.0	0.6	0.37	0.25

CV25-009C

1172.0

1172.6

0.6

0.13

0.50

CV25-009C 1172.6	1173.2 0.6	0.03	0.60
CV25-009C 1173.2	1174.4 1.2	0.32	0.50
CV25-009C 1174.4	1175.9 1.5	0.07	0.25
CV25-009C 1175.9	1177.4 1.5	0.23	0.25
CV25-009C 1177.4	1178.1 0.6	0.05	0.25
CV25-009C 1178.1	1179.3 1.2	0.36	0.25
CV25-009C 1179.3	1180.8 1.5	0.15	0.25
CV25-009C 1180.8	1181.4 0.6	0.03	0.25
CV25-009C 1181.4	1182.3 0.9	0.01	0.25
CV25-009C 1182.3	1182.9 0.6	0.03	0.25
CV25-009C 1182.9	1184.5 1.5	0.01	0.25
CV25-009C 1184.5	1185.4 0.9	0.01	0.25
CV25-009C 1185.4	1186.9 1.5	0.01	0.25
CV25-009C 1186.9	1187.5 0.6	0.01	0.25
CV25-009C 1187.5	1188.4 0.9	0.00	0.25
CV25-009C 1188.4	1189.3 0.9	0.02	0.25
CV25-009C 1189.3	1190.9 1.5	0.01	0.25
CV25-009C 1190.9	1191.5 0.6	0.64	0.25
CV25-009C 1191.5	1193.0 1.5	0.02	0.25
CV25-009C 1193.0	1194.2 1.2	0.21	0.25
CV25-009C 1194.2	1195.1 0.9	0.02	0.25
CV25-009C 1195.1	1195.7 0.6	0.58	0.25
CV25-009C 1195.7	1197.3 1.5	0.04	0.25
CV25-009C 1197.3	1198.8 1.5	0.26	0.25
CV25-009C 1198.8	1200.3 1.5	0.06	0.25
CV25-009C 1200.3	1201.8 1.5	0.08	0.25
CV25-009C 1201.8	1203.4 1.5	0.03	0.25
CV25-009C 1203.4	1203.7 0.3	0.04	0.25
CV25-009C 1203.7	1204.3 0.6	0.01	0.25

CV25-009C

1204.3

1205.8

1.5

0.01

0.25

CV25-009C	1205.8	1206.7	0.9	0.30	0.25
CV25-009C	1206.7	1208.2	1.5	0.02	0.25
CV25-009C	1208.2	1209.8	1.5	0.09	0.25
CV25-009C	1209.8	1210.7	0.9	0.05	0.25
CV25-009C	1210.7	1211.3	0.6	0.12	0.25
CV25-009C	1211.3	1212.8	1.5	0.10	0.25
CV25-009C	1212.8	1214.3	1.5	0.05	0.25
CV25-009C	1214.3	1215.5	1.2	0.02	0.25
CV25-009C	1215.5	1217.1	1.5	0.02	0.25
CV25-009C	1217.1	1218.6	1.5	0.02	0.25
CV25-009C	1218.6	1220.1	1.5	0.02	0.25
CV25-009C	1220.1	1221.6	1.5	0.09	0.25
CV25-009C	1221.6	1223.2	1.5	0.04	0.25
CV25-009C	1223.2	1224.7	1.5	0.14	0.25
CV25-009C	1224.7	1226.2	1.5	0.07	0.25
CV25-009C	1226.2	1227.7	1.5	0.04	0.25
CV25-009C	1227.7	1229.0	1.2	0.07	0.25
CV25-009C	1229.0	1230.5	1.5	0.76	0.25
CV25-009C	1230.5	1232.0	1.5	0.25	0.25
CV25-009C	1232.0	1233.5	1.5	0.01	0.25
CV25-009C	1233.5	1235.1	1.5	0.01	0.25
CV25-009C	1235.1	1236.6	1.5	0.02	0.25
CV25-009C	1236.6	1238.1	1.5	0.05	0.25
CV25-009C	1238.1	1239.0	0.9	0.01	0.25
CV25-009C	1239.0	1240.2	1.2	0.03	0.70
CV25-009C	1240.2	1240.8	0.6	0.09	0.25
CV25-009C	1240.8	1242.1	1.2	0.03	0.25
CV25-009C	1242.1	1242.4	0.3	0.00	0.25
CV25-009C	1242.4	1243.9	1.5	0.02	0.50
CV25-009C					

1243.9

1245.4

1.5

0.01

0.25

CV25-009C	1245.4	1245.7	0.3	0.07	0.25
CV25-009C	1245.7	1246.6	0.9	0.04	0.25
CV25-009C	1246.6	1247.2	0.6	0.10	0.25
CV25-009C	1247.2	1247.9	0.6	0.04	0.70
CV25-009C	1247.9	1249.4	1.5	0.01	0.25
CV25-009C	1249.4	1249.7	0.3	0.03	0.25
CV25-009C	1249.7	1250.3	0.6	0.02	0.25
CV25-009C	1250.3	1251.2	0.9	0.05	0.25
CV25-009C	1251.2	1252.1	0.9	0.03	0.25
CV25-009C	1252.1	1252.7	0.6	0.01	0.25
CV25-009C	1252.7	1253.0	0.3	0.02	0.25
CV25-009C	1253.0	1254.6	1.5	0.02	0.25
CV25-009C	1254.6	1255.5	0.9	0.00	0.25
CV25-009C	1255.5	1256.7	1.2	0.01	0.25
CV25-009C	1256.7	1257.3	0.6	0.03	0.60
CV25-009C	1257.3	1258.8	1.5	0.01	0.25
CV25-009C	1258.8	1260.4	1.5	0.03	0.25
CV25-009C	1260.4	1261.6	1.2	0.02	0.70
CV25-009C	1261.6	1262.8	1.2	0.08	0.25
CV25-009C	1262.8	1263.7	0.9	0.04	1.50
CV25-009C	1263.7	1264.6	0.9	0.06	0.25
CV25-009C	1264.6	1265.5	0.9	0.02	0.80
CV25-009C	1265.5	1266.4	0.9	0.01	0.70
CV25-009C	1266.4	1267.7	1.2	0.30	1.60
CV25-009C	1267.7	1268.6	0.9	0.03	1.60
CV25-009C	1268.6	1270.1	1.5	0.01	1.30
CV25-009C	1270.1	1271.0	0.9	0.01	0.25
CV25-009C	1271.0	1271.6	0.6	0.01	0.25
CV25-009C	1271.6	1273.2	1.5	0.01	0.25
CV25-009C					

1273.2

1274.4

1.2

0.01

0.25

CV25-009C	1274.4	1275.3	0.9	0.01	0.90
CV25-009C	1275.3	1275.6	0.3	0.00	0.25
CV25-009C	1275.6	1276.2	0.6	0.00	0.25
CV25-009C	1276.2	1277.1	0.9	0.00	0.25
CV25-009C	1277.1	1278.6	1.5	0.00	0.25
CV25-009C	1278.6	1279.2	0.6	0.00	0.25
CV25-009C	1279.2	1279.6	0.3	0.01	0.25
CV25-009C	1279.6	1280.2	0.6	0.01	0.25
CV25-009C	1280.2	1281.1	0.9	0.01	0.25
CV25-009C	1281.1	1282.3	1.2	0.01	0.25
CV25-009C	1282.3	1283.5	1.2	0.01	0.25
CV25-009C	1283.5	1284.4	0.9	0.01	0.60
CV25-009C	1284.4	1286.0	1.5	0.01	0.25
CV25-009C	1286.0	1287.5	1.5	0.03	0.25
CV25-009C	1287.5	1289.0	1.5	0.02	0.25
CV25-009C	1289.0	1290.5	1.5	0.03	0.25
CV25-009C	1290.5	1292.1	1.5	0.03	0.25
CV25-009C	1292.1	1293.0	0.9	0.04	0.25
CV25-009C	1293.0	1293.9	0.9	0.03	0.25
CV25-009C	1293.9	1295.4	1.5	0.30	0.80
CV25-009C	1295.4	1296.9	1.5	0.04	0.60
CV25-009C	1296.9	1297.8	0.9	0.02	0.60
CV25-009C	1297.8	1298.8	0.9	0.02	0.25
CV25-009C	1298.8	1299.4	0.6	0.02	0.25
CV25-009C	1299.4	1300.9	1.5	0.02	0.60
CV25-009C	1300.9	1301.8	0.9	0.02	0.60
CV25-009C	1301.8	1302.1	0.3	0.01	0.50
CV25-009C	1302.1	1303.0	0.9	0.02	1.10
CV25-009C	1303.0	1303.6	0.6	0.03	0.25

CV25-009C

1303.6

1304.2

0.6

0.03

0.80

CV25-009C	1304.2	1305.5	1.2	0.05	0.60

SOURCE: Roxmore Resources Inc.

View the original press release on ACCESS Newswire